
4389 SHELBORNE DR. DUNWOODY, GA 30338

ARCHITECT OF RECORD: STEPHEN B. WEST

PHONE: 770-457-4495

E-MAIL: steve@westarchitects.com





A-0

ARCHITECT: WEST & ASSOCIATES, ARCHITECTS PROJECT: LOT #20 CARRINGTON FOR JDA, INC.

| DRAWING INDEX | Spartanburg Building Codes |
|--|--|
| DESCRIPTION | 2015 International Building Code (Commercial Buildings) 2015 International Fire Code (Commercial Buildings) 2015 International Plumbing Code (Commercial Buildings) 2015 International Mechanical Code (Commercial Buildings) 2015 International Fuel Code (Commercial Buildings) 2015 International One/Two Family Dwelling Code (Residential Only) 2006 Property Maintenance Code (Existing Housing and Property) 2014 National Electrical Code NEC 2009 International Energy Code |
| COVER SHEET, PERSPECTIVES, & SITE PLAN | |
| ELEVATIONS | |
| ELEVATIONS | |
| CRAWL SPACE PLAN | |
| FIRST FLOOR PLAN | |
| SECOND FLOOR PLAN | |
| | |
| | |
| | DESCRIPTION COVER SHEET, PERSPECTIVES, & SITE PLAN ELEVATIONS ELEVATIONS CRAWL SPACE PLAN FIRST FLOOR PLAN |

GENERAL NOTES


1. CONTRACTOR TO VERIFY ALL PLANS & SITE CONDITIONS PRIOR TO STARTING ANY PORTION OF THE WORK. NOTIFY ARCHITECT OF ANY DISCREPANCIES PRIOR TO STARTING ANY WORK IN THE AFFECTED AREA.

- 2. CONTRACTOR RESPONSIBLE TO REMOVE ALL DEBRIS FROM THE SITE AND PROPERLY DISPOSE OF ALL DEBRIS.
- 3. CONTRACTOR RESPONSIBLE FOR OBTAINING ALL REQUIRED BUILDING PERMITS AND INSPECTIONS.
- 4. CONTRACTOR TO MAINTAIN A CLEAN AND SAFE SITE. CONTRACTOR RESPONSIBLE FOR ALL SAFETY MEASURES.
- 5. CONTRACTOR IS RESPONSIBLE FOR OBTAINING A STRUCTURAL ENGINEER.
- 6. PROVIDE FLASHING ABOVE AND BELOW ALL OPENINGS.

7. ALL MANUFACTURED JOISTS AND TRUSSES TO BE INSTALLED PER MANUFACTURER SPECIFICATIONS - MANUFACTURER TO PROVIDE COMPLETE INSTALLATION INSTRUCTIONS


- 8. ALL STUDS TO BE "STUD" GRADE SPF
- 9. ALL OTHER FRAMING TO BE #2 SPF OR SYP
- 10. ALL SMOKE DETECTORS SHALL BE INTERCONNECTED (HARDWIRED) IN SUCH A MANNER THAT THE ACTUATION OF ONE ALARM WILL ACTIVATE ALL OTHER ALARMS
- 1. REFER IRC 2015 TABLE R602.3(1) & R602.3(2) FOR FASTENING SCHEDULE
- 12. REFER IRC 2015 TABLE R602.7(1), R602.7(2), & R602.7(3) FOR HEADER SPANS
- 13. REFER IRC 2015 TABLE R703.8.3.1 FOR ALLOWABLE SPANS FOR LINTELS SUPPORTING MASONRY VENEER
- 14. REFER IRC 2015 R507 FOR DECK DESIGN

















BUILDING AREA

2056 SQ. FT. - FIRST FLOOR (HEATED)

947 SQ. FT. - SECOND FLOOR (HEATED)

3003 SQ. FT. - TOTAL (HEATED)

1317 SQ. FT. - TERRACE LEVEL(UNHEATED)