



#### **EXCLUSIVE WOOD FLOORING**

Chevron by FLOOR-TEX



Introducing our latest innovation in premium wood flooring:
CHEVRON by FLOOR-TEX | European Designs

CHEVRON Pattern in Wood Flooring originated around the 16th century in France. It was one of the many favored styles used in high profile projects for the nobles and monarchs.

Our Collection is crafted with a wide range of carefully selected, exquisite natural wood decors along with the exceptional quality and stability of a solid wood flooring.

1220 x 300mm x 8mm

| 8MM Thickness | AC5 | Chevron/Fishbone Pattern | | Natural Wood Grain Surface | V Groove | European Designs | | Special Beige Plank Backing | Unilin Click Locking |





#### by FLOOR-TEX

Introducing our latest innovation in premium wood flooring: CHEVRON by FLOOR-TEX | European Designs

CHEVRON Pattern in Wood Flooring originated around the 16<sup>th</sup> century in France. It was one of the many favored styles used in high profile projects for the nobles and monarchs.

Our Collection is crafted with a wide range of carefully selected, exquisite natural wood decors along with the exceptional quality and stability of a solid wood flooring.





by FLOOR-TEX

#### **CHEVRON by FLOOR-TEX**

1220 x 300mm x 8mm

| 8MM Thickness | AC5 | Chevron/Fishbone Pattern |

| Natural Wood Grain Surface | V Groove | European Designs |

| Special Beige Plank Backing | Unilin Click Locking |





by FLOOR-TEX

ASH OAK NOIR 7090 (N)





by FLOOR-TEX

AMERICAN BIRCH 7093





by FLOOR-TEX

NORDIC BROWN 7092





by FLOOR-TEX

TUSCAN HARVEST NEO 7094 (N)





by FLOOR-TEX

OAK RUSTIC 7091



#### TECHNICAL SPECIFICATIONS

**Collection** CHEVRON | European Designs

**Surface Structure** Natural Wood Grain Surface - V Groove

**Overlay** Highly Resistant Surface impregnated with Melamine Resins & Aluminium Oxide

**Substrate** High Density Fibre Board of E1 Standards

**Balancer** Melamine Impregnated paper

Abrasion Class AC5, Class 33

Application Areas Ideal for Heavy Residential and General Commercial Use

Installation Unilin Click Locking System | European Designs | Special Beige Plank Backing

**Dimensions** 1220 x 300mm x 8mm

Boards/Box 6 Pcs.

Area/Box 2.196 sq.mtrs per box/23.62 sq.ft per box | A & B



#### **APPLICATION AREAS**

