



*HYBRID ENGINEERED
WOODEN FLOORING*

The 'X' factor in Engineered Wooden Flooring

Introducing our latest innovation in Engineered Wood Flooring

Our unique 3 layer structured wood guarantees a sturdier floor which is more durable.

Our Xplore Collection offers beautiful, non toxic and eco friendly wood floors which are innovative & best in class.

Our flooring comprises of a natural real wood grain surface which is maintenance free, the base structure is of solid pine wood which gives it extreme stability and a longer life.

1220 x 190mm x 15mm | Hybrid Engineered Flooring

| 15MM Thickness | 8 Planks/Box | 20.16 Sq.ft/Box | V Groove

| Natural Real Wood Grain Surface | Wax Coated | 3 Layer

| Valinge Click Locking System | Eco Friendly Flooring |




Xplore Hybrid Engineered Flooring

1220 x 190 x 15mm

- 3 Ply Structure : Birch, Pine Wood & Ply Core
- Easy to Maintain : No top layer polishing required
- Easy to Install : Valinge Click Locking System
- Wax Coated : Waxed interlocking system protects the core against moisture
- Aquabloc Plywood Core : Excellent water resistant & high stability plywood core



TUSCAN OAK - 9026



SPANISH GREY - 9029




CASTLE BROWN - 9027



AMBER WOOD - 9028



ITALIAN OAK - 9030



AMERICAN WALNUT - 9031

HYBRID ENGINEERED WOOD FLOORING

Durability

Wearability

Stability





TUSCAN OAK 9026



TUSCAN OAK 9026



CASTLE BROWN 9027



*CASTLE
BROWN 9027*



AMBER WOOD 9028



AMBER WOOD 9028



SPANISH GREY 9029



SPANISH GREY 9029



Xplore



ITALIAN OAK 9030



ITALIAN OAK 9030



Xplore



AMERICAN WALNUT 9031



*AMERICAN
WALNUT 9031*

Collection	HYBRID ENGINEERED WOODEN FLOORING
Surface Structure	Natural Wood Grain Surface with 3 Layer Pine Wood Structure
Application Areas	Ideal for Heavy Residential and General Commercial Use
Installation	Valinge Click Locking System Wax Coated V Groove
Dimensions	1220 x 190mm x 15mm
Planks/Box	8 Pcs
Area/Box	1.873 sq.mtrs per box/20.16 Sq.ft per box
USP	Eco Friendly Hybrid Engineered Wooden Flooring



*HYBRID ENGINEERED
WOODEN FLOORING*

The 'X' factor in Engineered Wooden Flooring