



UPVC WINDOW AND DOOR PROFILES

German Engineering Excellence
Premium quality Professional made

+91 7670806090, +91 6303706633


support@zeneathstore.com

RC Puram Beeramguda, Hyderabad-502032

www.zeneathstore.com




Trustworthy Brand Assurance






50 frame




CODE:FTP50K
WEIGHT(KG/M): 0.87
THICKNESS: 2.2

50 single glazing beading




CODE:FTP50DY
WEIGHT(KG/M): 0.26
THICKNESS: 1.2

50 mullion




CODE:FTP50T
WEIGHT(KG/M): 1.0
THICKNESS: 2.0

17 double glazing bead




CODE:FTP50SY
WEIGHT(KG/M): 0.20
THICKNESS: 1.5

50 outside window leaf




CODE:FTP50WKCS
WEIGHT(KG/M): 1.04
THICKNESS: 2.0

50 frame A




CODE:FTP50A
WEIGHT(KG/M): 0.85
THICKNESS: 2.2

50 inward sash




CODE:FTP50NKS
WEIGHT(KG/M): 0.99
THICKNESS: 2.0

50 frame B




CODE:FTP50B
WEIGHT(KG/M): 0.67
THICKNESS: 1.6

50 sash mullion




CODE:FTPK50T
WEIGHT(KG/M): 0.95
THICKNESS: 2.2

88 mullion




CODE:FT88MST
WEIGHT(KG/M): 0.69
THICKNESS: 2.0

50 door sash A




CODE:FTPKMS50A
WEIGHT(KG/M): 1.13
THICKNESS: 2.0

88 small mullion




CODE:FT88MFT
WEIGHT(KG/M): 0.36
THICKNESS: 2.5

50 door sash B




CODE:FTPKMS50B
WEIGHT(KG/M): 1.18
THICKNESS: 2.0

88 single glazing bead




CODE:FT50DY245
WEIGHT(KG/M): 0.24
THICKNESS: 1.6

88 sash




CODE:FT88PKMS
WEIGHT(KG/M): 0.9
THICKNESS: 2.1

19.5 single glazing bead




CODE:FT50DY195
WEIGHT(KG/M): 0.23
THICKNESS: 1.7

88 double glazing bead




CODE: FT50SHY13
WEIGHT(KG/M): 0.18
THICKNESS: 1.6

55/80 sliding sash D




CODE: FTT5580S-D
WEIGHT(KG/M): 0.91
THICKNESS: 2.0

50 double glazing bead




CODE: FT50SHY8
WEIGHT(KG/M): 0.18
THICKNESS: 1.7

55/80 door sash




CODE: FTT5580MS
WEIGHT(KG/M): 1.2
THICKNESS: 1.8

55 double track frame




CODE: FTT55SGK
WEIGHT(KG/M): 0.97
THICKNESS: 2.0

80 sash mullion




CODE: FTM80ST
WEIGHT(KG/M): 0.733
THICKNESS: 1.5

55/80 sliding sash A




CODE: FTM5580S-A
WEIGHT(KG/M): 0.725
THICKNESS: 2.0

55/60/62/88/80 double glazing bead 20




CODE: FTMYT20
WEIGHT(KG/M): 0.258
THICKNESS: 1.5

55/60/62/80/88 glazing bead 9.5




CODE:FTMYT95
WEIGHT(KG/M): 0.168
THICKNESS: 1.2

55/60/62/80/88 glazing bead 7.5




CODE:FTMYT75
WEIGHT(KG/M): 0.151
THICKNESS: 1.5

55/80 glazing bead 24.5




CODE:FTMYT245
WEIGHT(KG/M): 0.25
THICKNESS: 1.6

60 casement frame A




CODE:FTM60K-A1
WEIGHT(KG/M): 1.025
THICKNESS: 2.0

60 casement frame B




CODE:FTM60K-B
WEIGHT(KG/M): 1.016
THICKNESS: 2.0

60 casement big frame




CODE:FTT60DK
WEIGHT(KG/M): 1.425
THICKNESS: 2.8

60 mullion A




CODE:FTM60T-A
WEIGHT(KG/M): 1.05
THICKNESS: 2.0

60 mullionB




CODE:FTM60T-B1
WEIGHT(KG/M): 1.05
THICKNESS: 2.0

60 inward window sash A




CODE:FTM60S-A1
WEIGHT(KG/M): 1.233
THICKNESS: 2.2

60 inward window sash B




CODE:FTM60S-B
WEIGHT(KG/M): 1.067
THICKNESS: 2.0

60 inward window sash C




CODE:FTM60S-C
WEIGHT(KG/M): 1.14
THICKNESS: 2.1

60 outward sash A




CODE:FTM60WKS
WEIGHT(KG/M): 1.25
THICKNESS: 2.2

60 in swing door sash




CODE:FTM60NKMS
WEIGHT(KG/M): 1.533
THICKNESS: 2.2

60 in swing door sash B




CODE:FTM60NKMSB
WEIGHT(KG/M): 1.61
THICKNESS: 2.1

60 outward door sash




CODE:FTM60WKMS
WEIGHT(KG/M): 1.534
THICKNESS: 2.2

60 outward door sash B




CODE:FTM60WKMSB
WEIGHT(KG/M): 1.59
THICKNESS: 2.1

60 lap joint




COLD:FTT60FZT
WEIGHT(KG/M): 1.067
THICKNESS: 2.5

60/88 glazing bead 28




CODE:FTTYT28
WEIGHT(KG/M): 0.26
THICKNESS: 1.5

60/88 single glazing bead 35.5




CODE:FTMYT355
WEIGHT(KG/M): 0.3
THICKNESS: 1.5

60/88 double glazing bead 25




CODE:FTMYT25
WEIGHT(KG/M): 0.258
THICKNESS: 1.5

60/88 single glazing bead 36A




CODE:FTMYT36A
WEIGHT(KG/M): 0.33
THICKNESS: 1.5

55/60/62/88/80 double glazing bead 20




CODE:FTMYT20
WEIGHT(KG/M): 0.258
THICKNESS: 1.5

60/88 single glazing bead 36B




CODE:FTMYT36B
WEIGHT(KG/M): 0.31
THICKNESS: 1.5

60/88 double glazing bead 18 B




CODE:FTMYT18
WEIGHT(KG/M): 0.208
THICKNESS: 1.3

60/88 double glazing bead 16.5




CODE:FTMYT165
WEIGHT(KG/M): 0.21
THICKNESS: 1.5

60/88 double glazing bead 14.5




CODE:FTMYT145
WEIGHT(KG/M): 0.175
THICKNESS: 1.6

60/88 double glazing bead 11.5




CODE:FTMYT115
WEIGHT(KG/M): 0.207
THICKNESS: 1.5

60 inward




CODE:FTM42ST
WEIGHT(KG/M): 0.767
THICKNESS: 2.0

60 Door plank




CODE:FTM60MB
WEIGHT(KG/M): 0.7
THICKNESS: 1.0

Door plank20 B




CODE:FTT20MBB
WEIGHT(KG/M): 0.793
THICKNESS: 1.2

60 casement sash screen




CODE:FTM60PKSS
WEIGHT(KG/M): 0.467
THICKNESS: 1.8

60 frame




CODE:FT60XK
WEIGHT(KG/M): 0.85
THICKNESS: 2.0

60 blind louver1




CODE:FTBY1
WEIGHT(KG/M): 0.18
THICKNESS: 1.2

60 blind louver




CODE:FTBY2
WEIGHT(KG/M): 0.159
THICKNESS: 1.6

60 blind louver frame




CODE:FTBYK
WEIGHT(KG/M): 0.409
THICKNESS: 1.6

60 frame




CODE:FTA60K
WEIGHT(KG/M): 1.14
THICKNESS: 2.2

60 frame




CODE:FTA60KB
WEIGHT(KG/M): 0.95
THICKNESS: 2.2

60 inward




CODE:FTA60NKS
WEIGHT(KG/M): 1.25
THICKNESS: 2.2

60 mullion




CODE:FTA60T
WEIGHT(KG/M): 1.07
THICKNESS: 2.2

60 inward door sash




CODE:FTA60NKMS
WEIGHT(KG/M): 1.55
THICKNESS: 2.2

60 fales mullion




CODE:FTA60JZT
WEIGHT(KG/M): 0.97
THICKNESS: 2.2

62 sliding frame




CODE:FTM62TLK
WEIGHT(KG/M): 0.85
THICKNESS: 2.0

35 single glazing bead




CODE:FTA60YT35
WEIGHT(KG/M): 0.244
THICKNESS: 1.3

62 frame




CODE:FTT62K
WEIGHT(KG/M): 0.85
THICKNESS: 2.0

100 door panel




CODE:FT60MB100
WEIGHT(KG/M): 0.724
THICKNESS: 1.4

62 sash




CODE:FTT62S
WEIGHT(KG/M): 0.595
THICKNESS: 2.0

20 double glazing bead




CODE:FTA60YT20
WEIGHT(KG/M): 0.196
THICKNESS: 1.4

screen sash mullion




CODE:FTSSZT
WEIGHT(KG/M): 0.36
THICKNESS: 1.4

62 small screen sash




CODE:FTT62XSS
WEIGHT(KG/M):0.29
THICKNESS: 2.0

62 double track frame




CODE:FTM62SGK
WEIGHT(KG/M): 1.083
THICKNESS: 2.0

62 sash cover




CODE:FTT62FG
WEIGHT(KG/M):0.16
THICKNESS: 1.4

62 sliding frame




CODE:FT62SGK
WEIGHT(KG/M): 1.134
THICKNESS: 2.2

7.5 single glazing bead




CODE:FT62DY75
WEIGHT(KG/M): 0.125
THICKNESS: 1.3

60 inward




CODE:FTM42ST
WEIGHT(KG/M): 0.767
THICKNESS: 2.0

60 double track frame




CODE:FTM60SGK
WEIGHT(KG/M): 1.133
THICKNESS: 2.2

60/62/88 sliding sash A




CODE:FTM4257SA
WEIGHT(KG/M): 0.883
THICKNESS: 2.0

60/62/88 sliding sash B




CODE:FTM4266SB
WEIGHT(KG/M): 0.992
THICKNESS: 2.0

60/88 single glazing bead 36A




CODE:FTM60DY36A
WEIGHT(KG/M): 0.33
THICKNESS: 1.5

60/62/88 sliding door sash




CODE:FTM92MS
WEIGHT(KG/M): 1.40
THICKNESS: 2.5

60/88 single glazing bead 36B




CODE:FTM60DY36B
WEIGHT(KG/M): 0.31
THICKNESS: 1.5

60/62/88 sliding sash mullion




CODE:FTM42ST56
WEIGHT(KG/M): 0.78
THICKNESS: 2.1

60/88 glazing bead 28




CODE:FTTYT28
WEIGHT(KG/M): 0.26
THICKNESS: 1.5

60/88 single glazing bead 35.5




CODE:FTMYT355
WEIGHT(KG/M): 0.3
THICKNESS: 1.5

60/88 double glazing bead 25




CODE:FTMYT25
WEIGHT(KG/M): 0.258
THICKNESS: 1.5

60/88 double glazing bead 25B




CODE:FTMYT25B
WEIGHT(KG/M): 0.223
THICKNESS: 1.5

60/88 double glazing bead 14.5




CODE:FTMYT145
WEIGHT(KG/M): 0.175
THICKNESS: 1.6

55/60/62/88/80 double glazing bead 20




CODE:FTMYT20
WEIGHT(KG/M): 0.258
THICKNESS: 1.5

60/88 double glazing bead 11.5




CODE:FTMYT115
WEIGHT(KG/M): 0.207
THICKNESS: 1.5

60/88 double glazing bead 18 B




CODE:FTMYT18
WEIGHT(KG/M): 0.208
THICKNESS: 1.3

55/60/62/80/88 glazing bead 9.5



CODE:FTMYT95
WEIGHT(KG/M): 0.168
THICKNESS: 1.2

60/88 double glazing bead 16.5




CODE:FTMYT165
WEIGHT(KG/M): 0.21
THICKNESS: 1.5

55/60/62/80/88 glazing bead 7.5




CODE:FTMYT75
WEIGHT(KG/M): 0.151
THICKNESS: 1.5

60/88 double glazing bead 55




COLD:FTTYT55
WEIGHT(KG/M): 0.142
THICKNESS: 1.5

60 round pipe




CODE:FTM60YG
WEIGHT(KG/M): 0.617
THICKNESS: 2.0

60/88 pieces




CODE:FTM6088PB
WEIGHT(KG/M): 0.365
THICKNESS :1.5

60 Any angle corner site




COLD:FTM60WXZJZ
WEIGHT(KG/M): 0.48
THICKNESS: 1.5

60/88 pieces




CODE:FTM6088PBB
WEIGHT(KG/M): 0.38
THICKNESS: 1.5

60 bay corner adaptor




CODE:FTM60ZJ
WEIGHT(KG/M): 0.72
THICKNESS: 2.0

60/80/88 Pieces




CODE:FTMGZPT
WEIGHT(KG/M): 0.1
THICKNESS: 1.5

60 tube adaptor




CODE:FTM60PG
WEIGHT(KG/M): 0.533
THICKNESS: 1.5

60 right angle bay corner adaptor




CODE:FTM60ZJZJ
WEIGHT(KG/M): 0.917
THICKNESS: 2.0

65 inward sash




CODE:FTM65NKS
WEIGHT(KG/M): 1.35
THICKNESS: 2.5

60 flat board




CODE:FTM60PB
WEIGHT(KG/M): 0.2
THICKNESS: 1.3

65 right angle bay corner adaptor




CODE:FTM65ZJ
WEIGHT(KG/M): 0.83
THICKNESS: 2.0

65 frame




CODE:FTM65K
WEIGHT(KG/M): 1.25
THICKNESS: 2.2

65 flat board




CODE:FTM65PB
WEIGHT(KG/M): 0.32
THICKNESS: 2.0

65 mullion




CODE:FTM65T
WEIGHT(KG/M): 1.40
THICKNESS: 2.5

65 tube adaptor




CODE:FTM65PG
WEIGHT(KG/M): 0.75
THICKNESS: 2.0

65 triple glazing bead




CODE:FTM65SY5
WEIGHT(KG/M): 0.233
THICKNESS: 1.6

70 mullion




CODE:FTM70T
WEIGHT(KG/M): 1.69
THICKNESS: 2.5

65 double glazing bead




CODE:FTM65SHY23
WEIGHT(KG/M): 0.288
THICKNESS: 1.8

70 inward door sash




CODE:FTM70NKMS
WEIGHT(KG/M):
THICKNESS: 2.5

70 frame




CODE:FTM70K
WEIGHT(KG/M): 1.45
THICKNESS: 2.5

70 casement screen




CODE:FTM70GDSS
WEIGHT(KG/M): 0.20
THICKNESS: 1.2

70 inward sash




CODE:FTM70NKS
WEIGHT(KG/M): 1.47
THICKNESS: 2.5

70 double glazing bead




CODE:FTM70SY-28
WEIGHT(KG/M): 0.283
THICKNESS: 1.2

70 triple glazing bead 11




CODE:FTM70SY-11
WEIGHT(KG/M): 0.20
THICKNESS: 1.2

80 sliding frame B




CODE:FTM80KB
WEIGHT(KG/M): 1.133
THICKNESS: 2.0

70 right angle bay corner adaptor




CODE:FTM70ZJZJ
WEIGHT(KG/M):
THICKNESS: 2.5

80 sliding frame C




CODE:FTM80KC
WEIGHT(KG/M): 1.12
THICKNESS: 2.0

70 flat board




CODE:FTM70PB
WEIGHT(KG/M):
THICKNESS:1.2

80 sliding frame D




CODE:FTM80KD
WEIGHT(KG/M): 1.05
THICKNESS: 1.8

80 sliding frame A




CODE:FTM80KA1
WEIGHT(KG/M): 1.216
THICKNESS: 2.0

70 double glazing bead




CODE:FTT99TLK
WEIGHT(KG/M): 1.66
THICKNESS: 2.0

99 sliding frame




CODE:FTM99TLK
WEIGHT(KG/M): 1.56
THICKNESS: 2.1

80 fixed sliding frame




CODE:FTM80GDK-A
WEIGHT(KG/M): 0.922
THICKNESS: 2.0

55/80 sliding sash A




CODE:FTM5580S-A
WEIGHT(KG/M): 0.725
THICKNESS: 2.0

80 fixed sliding frame B50




CODE:FTM80GDK-B50
WEIGHT(KG/M): 0.892
THICKNESS: 1.8

55/80 sliding sash D




CODE: FTT5580S-D
WEIGHT(KG/M): 0.91
THICKNESS: 2.0

80 sash mullion




CODE:FTM80ST
WEIGHT(KG/M): 0.73
THICKNESS: 1.5

55/80 door sash




CODE: FTT5580MS
WEIGHT(KG/M): 1.2
THICKNESS: 1.8

80 mullion




CODE:FTM80ZT
WEIGHT(KG/M): 1.026
THICKNESS: 2.0

80 fixed sliding combo




CODE:FTM80YTK
WEIGHT(KG/M): 1.167
THICKNESS: 2.0

80 big screen sash




CODE:FTM80DSS
WEIGHT(KG/M): 0.467
THICKNESS: 1.7

80 double sliding mullion A




CODE:FTM80WZK-A
WEIGHT(KG/M): 1.467
THICKNESS: 2.0

80 sliding sash cover




CODE:FTM80FG
WEIGHT(KG/M): 0.2
THICKNESS: 1.2

80 double sliding mullion B




CODE:FTM80WZK-B
WEIGHT(KG/M): 1.3
THICKNESS: 1.8

80 outward glazing bead 49




CODE:FTM80WY49
WEIGHT(KG/M): 0.217
THICKNESS: 1.6

80 small screen sash




CODE:FTM80XSS
WEIGHT(KG/M): 0.383
THICKNESS: 1.7

80 inward glazing bead 39.5




CODE:FTM80NY395
WEIGHT(KG/M): 0.205
THICKNESS: 1.6

80 glazing bead 27.5




CODE:FTM80YT275
WEIGHT(KG/M): 0.213
THICKNESS: 1.6

55/60/62/80/88 glazing bead 9.5



CODE:FTMYT95
WEIGHT(KG/M): 0.168
THICKNESS: 1.2

80 glazing bead 24.5




CODE:FTM80YT245
WEIGHT(KG/M): 0.208
THICKNESS: 1.6

55/60/62/80/88 glazing bead 7.5




CODE:FTMYT75
WEIGHT(KG/M): 0.151
THICKNESS: 1.5

55/80 glazing bead 24.5




CODE:FTMYT245
WEIGHT(KG/M): 0.25
THICKNESS: 1.6

80 tube adaptor




CODE:FTM80PG
WEIGHT(KG/M): 0.767
THICKNESS: 2.0

55/60/62/88/80 double glazing bead 20



CODE:FTMYT20
WEIGHT(KG/M): 0.258
THICKNESS: 1.5


80 flat board



CODE:FTM80PB
WEIGHT(KG/M): 0.259
THICKNESS: 1.4




60/80/88 Pieces




CODE:FTMGZPT
WEIGHT(KG/M): 0.1
THICKNESS: 1.5

80 interlock




CODE:FTM80LJJ
WEIGHT(KG/M): 0.283
THICKNESS: 1.5

80 adaptor




CODE:FTM80SLGM
WEIGHT(KG/M): 0.633
THICKNESS: 1.8

80 any angle bay corner adaptor




CODE:FTM80RYZJ
WEIGHT(KG/M): 0.633
THICKNESS: 1.9

80-60 bay corner adaptor




CODE:FTM80-60ZJ
WEIGHT(KG/M): 0.9
THICKNESS: 2.0

80 bay corner adaptor




CODE:FTM80ZJ
WEIGHT(KG/M): 1.0
THICKNESS: 2.0

135° bay corner adaptor




CODE:FTM135ZJ
WEIGHT(KG/M): 0.8
THICKNESS: 2.0

88 sliding frame A




CODE:FTM88K
WEIGHT(KG/M): 1.333
THICKNESS: 2.0

90 sliding frame




COLD:FTT90K
WEIGHT(KG/M): 1.32
THICKNESS:2.0

88 fixed frame




CODE:FTM88GDK
WEIGHT(KG/M): 1.185
THICKNESS: 2.5

60/62/88 sliding sash A




CODE:FTM4257SA
WEIGHT(KG/M): 0.883
THICKNESS: 2.0

60/62/88 sliding sash B




CODE:FTM4266SB
WEIGHT(KG/M): 0.992
THICKNESS: 2.0

60/62/88 sliding door sash




CODE:FTM92MS
WEIGHT(KG/M): 1.40
THICKNESS: 2.5

60 inward




CODE:FTM42ST
WEIGHT(KG/M): 0.767
THICKNESS: 2.0

60/62/88 sliding sash mullion




CODE:FTM42ST56
WEIGHT(KG/M): 0.78
THICKNESS: 2.1

88 mullion




CODE:FTM88ZT
WEIGHT(KG/M): 1.125
THICKNESS: 2.2

88 fixed sliding combo




CODE:FTM88YTK
WEIGHT(KG/M): 1.445
THICKNESS: 2.2

88 cover




CODE:FTM88FG
WEIGHT(KG/M): 0.227
THICKNESS: 1.2

88 cover




CODE:FTM88FGB
WEIGHT(KG/M): 0.24
THICKNESS: 1.6

60/88 single glazing bead 35.5




CODE:FTMYT355
WEIGHT(KG/M): 0.3
THICKNESS: 1.5

60/88 single glazing bead 36A




CODE:FTMYT36A
WEIGHT(KG/M): 0.33
THICKNESS: 1.5

60/88 single glazing bead 36B




CODE:FTMYT36B
WEIGHT(KG/M): 0.31
THICKNESS: 1.5

60/88 double glazing bead 14.5




CODE:FTMYT145
WEIGHT(KG/M): 0.175
THICKNESS: 1.6

60/88 double glazing bead 16.5




CODE:FTMYT165
WEIGHT(KG/M): 0.21
THICKNESS: 1.5

60/88 double glazing bead 18 B




CODE:FTMYT18
WEIGHT(KG/M): 0.208
THICKNESS: 1.3

60/88 glazing bead 28




CODE:FTTYT28
WEIGHT(KG/M): 0.26
THICKNESS: 1.5

55/60/62/88/80 double glazing bead 20




CODE:FTMYT20
WEIGHT(KG/M): 0.258
THICKNESS: 1.5

60/88 double glazing bead 11.5




CODE:FTMYT115
WEIGHT(KG/M): 0.207
THICKNESS: 1.5

60/88 double glazing bead 25




CODE:FTMYT25
WEIGHT(KG/M): 0.258
THICKNESS: 1.5

55/60/62/80/88 glazing bead 9.5



CODE:FTMYT95
WEIGHT(KG/M): 0.168
THICKNESS: 1.2

60/88 double glazing bead 25B




CODE:FTMYT25B
WEIGHT(KG/M): 0.223
THICKNESS: 1.5

55/60/62/80/88 glazing bead 7.5




CODE:FTMYT75
WEIGHT(KG/M): 0.151
THICKNESS: 1.5

60/88 double glazing bead 55




COLD:FTTYT55
WEIGHT(KG/M): 0.142
THICKNESS: 1.5

88 bay corner adaptor




CODE:FT88ZJ
WEIGHT(KG/M): 1.05
THICKNESS: 2.0

60/80/88 Pieces




CODE:FT608088PT
WEIGHT(KG/M): 0.1
THICKNESS: 1.5

88 any angle bay corner adaptor




CODE:FT88RYZJ
WEIGHT(KG/M): 0.633
THICKNESS: 1.9

60/88 pieces




CODE:FTM6088PB
WEIGHT(KG/M): 0.365
THICKNESS: 1.5

88 interlock




CODE:FT88LJJ
WEIGHT(KG/M): 0.30
THICKNESS: 1.5

60/88 pieces



CODE:FTM6088PBB
WEIGHT(KG/M): 0.38
THICKNESS: 1.5


88 flat board



CODE:FTM88PB
WEIGHT(KG/M): 0.272
THICKNESS: 1.5




88 tube adaptor




CODE:FTM88PG
WEIGHT(KG/M): 0.783
THICKNESS: 2.0

112 door sash cover




CODE:FT112FG
WEIGHT(KG/M): 0.235
THICKNESS: 1.2

112 sliding frame




CODE:FT112K
WEIGHT(KG/M): 1.6
THICKNESS: 2.1

parting bead




CODE:FTMGT
WEIGHT(KG/M): 0.17
THICKNESS: 1.5

112 screen sash track




CODE:FT112SSGD
WEIGHT(KG/M): 0.56
THICKNESS: 2.0

SPACER bar B




CODE:FTTGTB
WEIGHT(KG/M): 0.065
THICKNESS: 1.2

112 big screen sash



CODE:FTDSS
WEIGHT(KG/M): 0.63
THICKNESS: 1.7

"Elevate your journey with us"



+91 7670806090, +91 6303706633

support@zeneathstore.com

www.zeneathstore.com

RC Puram | Patancheruvu
Hyderabad - 502032