

* Client advised to stop taking any over the counter (OTC) medications listed 24-48 hours prior to permanent cosmetic procedure

* Client advised to consult with their doctor before discontinuing any prescription (Rx) medications listed or otherwise

* Client should be off any antibiotics at least two days prior to procedure

Page 2

Orally Administered Medications That Increase Bleeding Time Preparations that contain nonsteroidal anti-inflammatory agents

Aches-N-Pain (ibuprofen)		
Actiprofen (ibuprofen)		
Actron (ketoprofen)		
Addaprin (ibuprofen)		
Advil (ibuprofen)		
Advil Cold & Sinus (ibuprofen)		
Aleve (naproxen sodium)		
Anaprox (naproxen sodium)		
Anaprox DS (naproxen sodium)		
Ansaid (flurbiprofen)	Ibuprin (ibuprofen)	Novo-Difenac (diclofenac)
APO-Diclo (diclofenac)	ibuprofen	Novo-Diflunisal (diflunisal)
APO-Diflunisal (diflunisal)	Ibuprohm (ibuprofen)	Novo-Flurprofen (flurbiprofen)
APO-Flurbiprofen (flurbiprofen)	IBU-TAB (ibuprofen)	Novo-Keto-EC (ketoprofen)
APO-Ibuprofen (ibuprofen)	Indochron ER (indomethacin)	Novo-Methacin (indomethacin)
APO-Indomethacin (indomethacin)	Indocid (indomethacin)	Novo-Naprox (naproxen)
APO-Keto (ketoprofen)	Indocin (indomethacin)	Novo-Naprox Sodium (naproxen sodium)
APO-Napro (naproxen)	indomethacin	Novo-Pirocam (piroxicam)
APO-Napro-Na (naproxen sodium)	ketoprofen	Novo-Profen (ibuprofen)
APO-Naproxen (naproxen)	Lodine (etodolac)	Novo-Sundac (sulindac)
APO-Piroxicam (piroxicam)	meclofenamate	Novo-Tolmetin (tolmetin)
APO-Sulin (sulindac)	Meclofen (meclofenamate)	Nu-Diclo (diclofenac)
Bayer Select (ibuprofen)	Medipren (ibuprofen)	Nu-Flurbiprofen (flurbiprofen)
Butazolidin (phenylbutazone)	Menadol (ibuprofen)	Nu-Ibuprofen (ibuprofen)
Cataflam (diclofenac)	Midol 200 (ibuprofen)	Nu-Indo (indomethacin)
Clinoril (sulindac)	Midol IB (ibuprofen)	Nu-Naprox (naproxen)
CoAdvil (ibuprofen)	Motrin (ibuprofen)	Nu-Pirox (piroxicam)
Cotylbutazone (phenylbutazone)	Motrin IB (ibuprofen)	Nuprin (ibuprofen)
Cramp End (ibuprofen)	Motrin IB Sinus (ibuprofen)	Nu-Sulindac (sulindac)
Daypro (oxaprozin)	Nalfon (fenoprofen calcium)	Orudis (ketoprofen)
diclofenac	Naprelan (naproxen)	Orudis E (ketoprofen)
diflunisal	Napron X (naproxen)	Orudis KT (ketoprofen)
Dimetapp Sinus (ibuprofen)	Naprosyn (naproxen)	Orudis SR (ketoprofen)
Dolgesic (ibuprofen)	Naprosyn E (naproxen)	Oruvail (ketoprofen)
Dolobid (diflunisal)	Naprosyn SR (naproxen)	Pamprin-IB (ibuprofen)
Dristan Sinus (ibuprofen)	naproxen	PediaProfen (ibuprofen)
EC-Naprosyn (naproxen)	naproxen sodium	piroxicam
etodolac	Naxen (Naproxen)	Ponstan (mefenamic acid)
Excedrin IB (ibuprofen)		
Feldene (piroxicam)		
fenoprofen		
flurbiprofen		
Froben (flurbiprofen)		
Genpril (ibuprofen)		
Haltran (ibuprofen)		
Ibifon 600 (ibuprofen)		
Ibren (ibuprofen)		
IBU (ibuprofen)		
Ibu 200 (ibuprofen)		
Ibu 400 (ibuprofen)		
Ibu 600 (ibuprofen)		
Ibu 800 (ibuprofen)		

• Tylenol (acetaminophen) and Extra Strength Tylenol are permissible because they do not interfere with clotting.

• Please avoid Vitamin E, garlic, ginger, ginkgo, and ginseng

* Client advised to stop taking any over the counter (OTC) medications listed 24-48 hours prior to permanent cosmetic procedure

* Client advised to consult with their doctor before discontinuing any prescription (Rx) medications listed or otherwise

* Client should be off any antibiotics at least two days prior to procedure

Page 1

Orally Administered Medications That Increase Bleeding Time Preparations that contain aspirin or salicylic acid derivatives

217	Darvon compound-65	Orphenagesic Forte
217 Strong	Darvon with ASA	Oxycodone and aspirin
4-Way Cold tablets	Darvon-N with ASA	P-A-C
Acuprin 81 (aspirin)	Dasin	Pain Aid
Adult Analgesic pain reliever	Dolcin	Pain reliever tablets
Alka-Seltzer	Dolomine	Panodynes
Anacin	Dolprn #3 tablets	Pepto-Bismol
Analval	Drinophen	Percodan
Anodynol	Duradyne	Percodan-Demi
Antidol	Easprin	Persistin
APAC Improved	Ecotrin	Phenetron compound
APO-ASA	Emagrin	Plavix
APO-ASEN	Empirin	PMS with ASA
Arco Pain	Empirin with codeine	Presalin
Arthritis	Entrophen	Propoxyphene compound
Arthritis Pain Formula	Equagesic	Propoxyphene napsylate with ASA
Artria SR	Equazine-M	Quiet World tablets
ASA	Excedrin	Rhinoceps
Ascriptin	Fiogesic tablets	Robaxisal tablets
Aspercin	Fiorgen PF	Roxiprin
Aspergum	Fiorinal	Roxiprin tablets
Aspermin	Fiorinal with codeine	Salabuff
aspirin	Gelpirin tablets	Salatin
Aspirin with codeine	Gemtisyn	Saleto
Aspir-Low	Genaced	Salocol
AspirTab	Genacote	Sine-Off sinus medicine tablets
Aspirtab Max	Genprin	Sloprin
Astone	Gensan	Soma compound tablets
Astrin	Goody's extra strength	Soma compound with codeine
Axotal	Goody's Headache powder	St. Joseph
Azdone tablets	Halfprin	Stanback powder
B-A-C tablets	Headache tablet	Supac
Bayer aspirin	Healthprin	Synalgos-DC capsules
Bayer children's cold tablets	Herbopyrine	Talwin compound
BC powder	Instantine	Tenol-Plus
BC tablets	Isollyl Improved	Trigesic
Buffaprin	Kalmex	Tri-Pain
Buffasal	Lanorinal	Ursinus Inlay-Tabs
Bufferin	Lortab with ASA	Valesin
Buffets II	Magnaprin	Vanquish
Buffex	Marnal	Verin
Buffinol	Measurin	Wesprin Buffered
C2	Micrainin	Zorprin
Calmine	Meproamate and aspirin	
Cama arthritis pain reliever	Meprogesic Q	
Carisoprodol compound tablets	Midol for cramps, maximum strength	
Children's aspirin	Midol Original	
Cope	Momentum muscular backache formula	
Coryphen	Neogesic	
Damason-P	Nervine	
Darvon compound	Night-time Effervescent cold tablets	
	Norgesic	
	Norgesic Forte	
	Norwich extra-strength aspirin	
	Novasen	
	Orphenagesic	