



Customer & Pet Information

Call Name	Osha	DOB	Oct. 12, 2024
Registered Name	NextLevelCoonz OSHA of IronThroneMC	Registration #	-
Breed	Maine Coon	Tattoo	-
Sex	Female	Microchip	-
Ordered By	Latisha Wilson	Laboratory #	482993
		Report Date	March 19, 2025

Explanation of Results

Normal

A 'Normal' result means that your cat does not have the mutation that causes the associated genetic disease.

Carrier

A 'Carrier' result indicates that your cat has inherited one copy of the mutation that has been reported to cause this genetic disease. Your cat may not be clinically affected by this mutation because two copies of the mutation are usually required to cause disease.

Carrier / At-Risk

A 'Carrier / At-Risk' result indicates that your cat inherited one copy of the mutation that has been reported to cause this genetic disease. Based on the mode of genetic inheritance for this particular disease, inheriting one mutant copy of the gene may result in the disease. Cats with one copy of the mutation may have a milder phenotype as compared to cats with two copies of this mutation.

At-Risk / Affected

An 'At-Risk / Affected' result indicates that your cat inherited one or two copies of the mutation that has been reported to cause this genetic disease. Based on the mode of genetic inheritance for this particular disease, inheriting one or two mutant copies of the gene may result in the disease.

No Result

'No Result' indicates that we were unable to obtain a genotype for your cat for this specific disease or trait and does not mean that your cat is a carrier or at-risk for this disease. There are a variety of reasons why a specific test may not provide a reportable result. Unique variations in the genetic code of some individuals may exist and cause certain regions of the genome to not perform properly with a specific test. In addition, suboptimal sampling of the cat's cheek cells could also result in poor sample performance due to inadequate cell counts, bacterial and fungal growth, or the presence of other test inhibitors. Cats with at least 90% of the test results are determined to be acceptable and reportable. If your cat has an unacceptable level of tests with no results, you will be contacted for a new sample to repeat the testing.

WT: wild type (normal) M: mutant Y: Y chromosome (male)

Breed Profile

Disease Name	Genotype	Interpretation
Cystinuria, Type B, Variant 2	WT/WT	Normal (Clear)
Hypertrophic Cardiomyopathy (Maine Coon Type)	WT/WT	Normal (Clear)
Pyruvate Kinase Deficiency	WT/WT	Normal (Clear)
Spinal Muscular Atrophy	WT/WT	Normal (Clear)

WT: wild type (normal) M: mutant Y: Y chromosome (male)

Coat Colors & Traits

Trait Name	Genotype	Interpretation
ABC Blood Group System	A/A	A blood group
ABC Locus - B Group Variant 1 - b ¹	0	
ABC Locus - B Group Variant 2 - b ²	0	
ABC Locus - B Group Variant 3 - b ³	0	
ABC Locus - C Group Variant - a ^c	0	
Agouti Coat Color - A Locus	a/a	Solid - No tabby expression allowed
A Locus - Non-Agouti (Solid) Variant - a	2	
A Locus - Charcoal (Bengal Type, Variant 1)	0	
A Locus - Charcoal (Bengal Type, Variant 2)	0	
A Locus - Charcoal (Bengal Type, Variant 4)	0	
Amber and Russet Coat Color - E Locus	E/E	Non-amber, darkly pigmented coat color
E Locus - Amber Variant - e	0	
E Locus - Russet Variant - e ^r	0	

Brown Coat Color - B Locus		B/B	Black Coat Color
B Locus - Cinnamon Variant - b ¹		0	
B Locus - Chocolate Variant - b		0	
Coat Type - Curly (Devon Rex, Selkirk Rex Type) or Hairless (Sphynx Type) - R Locus		R/R	Straight coat
R Locus - Selkirk Rex Curly Variant - SR		0	
R Locus - Devon Rex Curly Variant - re		0	
R Locus - Sphynx Hairless Variant - hr		0	
Curly Coat (Cornish Rex Type)		Cu/Cu	Straight coat
Dilute Coat Color - D Locus		D/d	Non-dilute (dilute carrier)
Dominant White and White Spotting - W Locus		w/w	No white spotting
Folded Ears with Osteochondrodysplasia		f/f	Typical (non-folded) ears
Golden/Sunshine Coat (Siberian Type) - Wb Locus		Wb/Wb	Non-sunshine tabby
Hairlessness (Lykoi Type) - Hr Locus		Hr/Hr	Normal hair
Hairlessness (Lykoi Type) - Hr Locus - hr ^{Ca}		0	
Hairlessness (Lykoi Type) - Hr Locus - hr ^{Fr}		0	
Hairlessness (Lykoi Type) - Hr Locus - hr ^{NC}		0	
Hairlessness (Lykoi Type) - Hr Locus - hr ^{TN}		0	
Hairlessness (Lykoi Type) - Hr Locus - hr ^{TX}		0	
Hairlessness (Lykoi Type) - Hr Locus - hr ^{VA}		0	
Long Hair - L Locus		lh ⁴ /lh ⁴	Longhaired

L Locus - Long Hair Variant 1 - M1/lh ¹	0	
L Locus - Long Hair Variant 2 - M2/lh ²	0	
L Locus - Long Hair Variant 3 - M3/lh ³	0	
L Locus - Long Hair Variant 4 - M4/lh ⁴	2	
L Locus - Long Hair Variant 5 - M5/lh ⁵	0	
Pointed Coat Color and Albinism - C Locus	C/C	Non-pointed coat
C Locus - Siamese Variant - c ^s	0	
C Locus - Burmese Variant - c ^b	0	
C Locus - Albino Variant - c	0	
C Locus - Albino Variant 2 - c ²	0	
Polydactyly	PD^H/pd	Polydactyly (non-polydactyly, typical toes carrier)
Polydactyly - Variant 1 - PD ¹	0	
Polydactyly - Variant 2 - PD ²	0	
Polydactyly - Hemingway Variant - PD ^H	1	
Sex Determination	X/X	Female
Short Tail (Bobtail) - T Locus	t/t	Normal length tail
Short Tail (Bobtail) - T Locus - T ¹	0	
Short Tail (Bobtail) - T Locus - T ²	0	
Short Tail (Bobtail) - T Locus - T ³	0	
Short Tail (Japanese Bobtail Type)	st/st	Normal length tail
Tabby Coat Color Pattern - Mc Locus	mc¹/mc¹	Blotched (classic) tabby coat color pattern

Mc Locus - Blotched Variant 1 - mc ¹	2	
Mc Locus - Blotched Variant 2 - mc ²	0	
Mc Locus - Blotched Variant 3 - mc ³	0	

Ticked - Ti Locus	ti+/ti+	Non-ticked tabby
Ticked - Ti Locus - Ti ¹	0	
Ticked - Ti Locus - Ti ²	0	

White Gloves (Birman Type)	N/N	No white gloves
-----------------------------------	------------	------------------------

WT: ☐ wild type (normal) M: ☐ mutant Y: ☐ Y chromosome (male)

Determinants of coat colors and traits are complex. Many of these variants are known and many of the genes screened in the CatScan interact. In addition, not all the genetic factors that contribute to a cat's coat color and traits are known. Because of the complexities in gene-gene interactions, the coat colors and traits reported in your CatScan results may vary from your cat's actual appearance. Individual differences in genes throughout the feline genome, not tested in this genetic screen, may also affect the final coat color or traits seen in your cat.

The ABC Blood Group System interpretation is based off of four variants (b¹, b², b³, and a^c). Definitive bloodtyping should be done by agglutination or other similar testing methods.

Diseases

Disease Name	Genotype	Interpretation
Acute Intermittent Porphyria, Variant 1	WT/WT	Normal (Clear)
Acute Intermittent Porphyria, Variant 2	WT/WT	Normal (Clear)
Acute Intermittent Porphyria, Variant 3	WT/WT	Normal (Clear)
Acute Intermittent Porphyria, Variant 4 (Siamese Type 1)	WT/WT	Normal (Clear)
Acute Intermittent Porphyria, Variant 5 (Siamese Type 2)	WT/WT	Normal (Clear)
Acute Intermittent Porphyria, Variant 6	WT/WT	Normal (Clear)
Alpha Mannosidosis	WT/WT	Normal (Clear)
Autoimmune Lymphoproliferative Syndrome	WT/WT	Normal (Clear)

Brachycephaly (Burmese Type)	WT/WT	Normal (Clear)
Congenital Adrenal Hyperplasia	WT/WT	Normal (Clear)
Congenital Erythropoietic Porphyria, Variant 1	WT/WT	Normal (Clear)
Congenital Erythropoietic Porphyria, Variant 2	WT/WT	Normal (Clear)
Congenital Hypothyroidism	WT/WT	Normal (Clear)
Congenital Myasthenic Syndrome	WT/WT	Normal (Clear)
Cystinuria, Type 1A	WT/WT	Normal (Clear)
Cystinuria, Type B, Variant 1	WT/WT	Normal (Clear)
Cystinuria, Type B, Variant 2	WT/WT	Normal (Clear)
Cystinuria, Type B, Variant 3	WT/WT	Normal (Clear)
Cystinuria, Type B, Variant 4	WT/WT	Normal (Clear)
Cystinuria, Type B, Variant 5	WT/WT	Normal (Clear)
Dihydropyrimidinase Deficiency	WT/WT	Normal (Clear)
Epidermolysis Bullosa Simplex	WT/WT	Normal (Clear)
Factor XII Deficiency, Variant 1	WT/WT	Normal (Clear)
Factor XII Deficiency, Variant 2	WT/WT	Normal (Clear)
Factor XII Deficiency, Variant 3	WT/WT	Normal (Clear)
Feline Immunodeficiency Virus (FIV) Infection Risk Modifier	WT/WT	No Increased Resistance to FIV Infection
Feline Leukocyte Adhesion Deficiency, Type 1	WT/WT	Normal (Clear)

Feline Niemann-Pick Disease	WT/WT	Normal (Clear)
Feline Spongy Encephalopathy	WT/WT	Normal (Clear)
Forebrain Commissural Malformation	WT/WT	Normal (Clear)
Gangliosidosis GM2A	WT/WT	Normal (Clear)
Glycogen Storage Disease, Type IV	WT/WT	Normal (Clear)
GM1 Gangliosidosis	WT/WT	Normal (Clear)
GM2 Gangliosidosis, Type II (Burmese Type)	WT/WT	Normal (Clear)
GM2 Gangliosidosis, Type II	WT/WT	Normal (Clear)
GM2 Gangliosidosis, Type II (Japanese Domestic Type)	WT/WT	Normal (Clear)
GM2 Gangliosidosis, Type II (Korat Type)	WT/WT	Normal (Clear)
Hemophilia B, Variant 1	WT/WT	X-Linked Female Normal
Hemophilia B, Variant 2	WT/WT	X-Linked Female Normal
Hyperlipoproteinemia	WT/WT	Normal (Clear)
Hypertrophic Cardiomyopathy (Maine Coon Type)	WT/WT	Normal (Clear)
Hypertrophic Cardiomyopathy (Ragdoll Type)	WT/WT	Normal (Clear)
Hypertrophic Cardiomyopathy (Sphynx Type Risk Factor)	WT/WT	Normal (Clear)
Hypogonadotropic Hypogonadism	WT/WT	Normal (Clear)
Hypokalemic Periodic Paralysis	WT/WT	Normal (Clear)
Hypotrichosis with Short Life Expectancy	WT/WT	Normal (Clear)
Inflammatory Linear Verrucous Epidermal Nevus	WT/WT	X-Linked Female Normal

L-2-Hydroxyglutaric Aciduria	WT/WT	Normal (Clear)
Methemoglobinemia, Variant 1	WT/WT	Normal (Clear)
Methemoglobinemia, Variant 2	WT/WT	Normal (Clear)
Mucopolipidosis II	WT/WT	Normal (Clear)
Mucopolysaccharidosis Type I	WT/WT	Normal (Clear)
Mucopolysaccharidosis Type VI (Modifier)	WT/WT	Normal (Clear)
Mucopolysaccharidosis Type VI (Siamese Type)	WT/WT	Normal (Clear)
Mucopolysaccharidosis Type VII, Variant 1	WT/WT	Normal (Clear)
Mucopolysaccharidosis Type VII, Variant 2	WT/WT	Normal (Clear)
Multiple Drug Resistance	WT/WT	Normal (Clear)
Myotonia Congenita	WT/WT	Normal (Clear)
Neuronal Ceroid Lipofuscinosis 6	WT/WT	Normal (Clear)
Neuronal Ceroid Lipofuscinosis 7, Variant 1	WT/WT	Normal (Clear)
Neuronal Ceroid Lipofuscinosis 7, Variant 2	WT/WT	Normal (Clear)
Niemann-Pick C1 Disease, Variant 1	WT/WT	Normal (Clear)
Niemann-Pick C1 Disease, Variant 2	WT/WT	Normal (Clear)
Niemann-Pick C2 Disease	WT/WT	Normal (Clear)
Oculocutaneous Albinism	WT/WT	Normal (Clear)
Polycystic Kidney Disease	WT/WT	Normal (Clear)
Polycystic Kidney Disease (Siberian Type)	WT/WT	Normal (Clear)

Primary Congenital Glaucoma	WT/WT	Normal (Clear)
Primary Hyperoxaluria Type II	WT/WT	Normal (Clear)
Progressive Retinal Atrophy (Abyssinian Type)	WT/WT	Normal (Clear)
Progressive Retinal Atrophy (Bengal Type)	WT/WT	Normal (Clear)
Progressive Retinal Atrophy (Persian Type)	WT/WT	Normal (Clear)
Pyruvate Kinase Deficiency	WT/WT	Normal (Clear)
Rod-Cone Dysplasia	WT/WT	Normal (Clear)
Spinal Muscular Atrophy	WT/WT	Normal (Clear)
Vitamin D-Dependent Rickets Type IB	WT/WT	Normal (Clear)
Vitamin D-dependent Rickets, Type IA, Variant 1	WT/WT	Normal (Clear)
Vitamin D-dependent Rickets, Type IA, Variant 2	WT/WT	Normal (Clear)

WT: wild type (normal) M: mutant Y: Y chromosome (male)