

CERTIFICATE OF ANALYSIS

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

AMY'S 1000 (TINCTURE) // PRODUCED: MAR 06, 2026

CLIENT: GOLDEN MOTHER MEDICINALS // BATCH: PASS



MATRIX: TINCTURE ¹
DENSITY: 0.9096 g/ml ²
SAMPLE ID: NAL-260304-070
COLLECTED ON: MAR 04, 2026
RECEIVED ON: MAR 04, 2026
SAMPLE SIZE: 1 UNITS ¹
SAMPLED BY: GOLDEN MOTHER MEDICINALS
RECEIVED BY: CHRISTOPHER COLE
SERVING SIZE: 1 ML ¹
PACKAGE SIZE: 30 ML ¹

CANNABINOID OVERVIEW

CBD: 32.3 mg/srv
CBC: 3.71 mg/srv
TOTAL CANNABINOIDS: 38.9 mg/srv

¹ ENTERED BY CLIENT, ² ENTERED BY LAB

BATCH RESULT: PASS

POTENCY TESTED

CAN. 1: POTENCY & CANNABINOID PROFILE BY HPLC-UV PREPARATION: MAR 05, 2026 // ANALYSIS: MAR 06, 2026

ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (mg/ml)	PASS/FAIL
CBC	0.408 %	3.71 mg/ml		0.250/0.500	N/A
CBCA	ND	ND		0.250/0.500	N/A
CBD	3.55 %	32.3 mg/ml		0.250/0.500	N/A
CBDA	0.225 %	2.05 mg/ml		0.250/0.500	N/A
CBDV	< LOQ	< LOQ		0.250/0.500	N/A
CBDVA	ND	ND		0.250/0.500	N/A
CBG	< LOQ	< LOQ		0.250/0.500	N/A
CBGA	ND	ND		0.250/0.500	N/A
CBL	ND	ND		0.500/0.500	N/A
CBLA	ND	ND		0.250/0.500	N/A
CBN	ND	ND		0.250/0.500	N/A
CBNA	ND	ND		0.250/0.500	N/A
Δ ⁸ -THC	ND	ND		0.500/0.500	N/A
Δ ⁸ -THCA	ND	ND		0.500/0.500	N/A
Δ ⁹ -THC	0.0951 %	0.865 mg/ml		0.250/0.500	N/A

ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (mg/ml)	PASS/FAIL
Δ ¹⁰ -THC		ND	ND	0.250/0.500	N/A
EXO-THC		ND	ND	0.500/0.500	N/A
THCA		ND	ND	0.500/0.500	N/A
THCV		ND	ND	0.250/0.500	N/A
THCVa		ND	ND	0.250/0.500	N/A
TOTAL THC**		0.0951 %	0.865 mg/ml		N/A
TOTAL CBD**		3.75 %	34.1 mg/ml		N/A
CBD/SRV		32.3 mg			N/A
Δ ⁹ -THC/SRV		0.865 mg			N/A
TOTAL THC/SRV**		0.865 mg			N/A
TOTAL CBD/SRV**		34.1 mg			N/A
CBD/PKG		969 mg			N/A
Δ ⁹ -THC/PKG		26.0 mg			N/A
TOTAL THC/PKG**		26.0 mg			N/A
TOTAL CBD/PKG**		1020 mg			N/A

** TOTAL THC = (THCA X 0.877) + DELTA-9-THC

** TOTAL CBD = (CBDA X 0.877) + CBD

Reported on an as received basis.

1000 µg/g = 1 mg/g



AUTHORIZED BY:
 ZACHARY SMITH
 LABORATORY MANAGER, NOVA
 ANALYTIC LABS
 MAR 06, 2026

NOTES

ZACHARY SMITH
MAR 06, 2026

POTENCY & CANNABINOID PROFILE BY HPLC-UV
THE STANDARD LAB UNCERTAINTY FOR POTENCY IS 5% OF THE REPORTED VALUE.

** FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.*

ALL TESTS WERE PERFORMED IN ACCORDANCE WITH THE RULES AND REGULATIONS SET FORTH IN THE MAINE ADULT USE PROGRAM. LABORATORY SAMPLING PROTOCOLS ARE GOVERNED BY THE OCP'S SAMPLING GUIDANCE DOCUMENTS. ALL INFORMATION PROVIDED BY THE CLIENT, INCLUDING SELF SAMPLING, MUST BE ACCURATE AND ADHERE TO THE SAME RULES AND REGULATIONS. HOWEVER, CLIENT PROVIDED INFORMATION, INCLUDING SAMPLING, IS ULTIMATELY THE RESPONSIBILITY OF THE PROVIDING LICENSEE, REGISTERED CAREGIVER, PATIENT OR THE LIKE AND FAILURE TO FOLLOW SAID PROTOCOLS COULD LEAD TO ERRONEOUS TEST RESULTS. NOTE: NOT ALL POTENTIAL AND/OR EXISTING HAZARDS WERE ANALYZED. THIS CERTIFICATE OF ANALYSIS IS RELEVANT ONLY TO THOSE ITEMS TESTED. THE SAMPLE WAS PROVIDED TO THE LABORATORY FOR TESTING BY THE CLIENT AND THE SAMPLE WAS TESTED AS RECEIVED.

END OF REPORT

