

CERTIFICATE OF ANALYSIS

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

LIP BALM (TOPICAL) // PRODUCED: OCT 25, 2024

CLIENT: CBW LABS // BATCH: PASS



MATRIX: TOPICAL ¹
SAMPLE ID: NAL-241023-078
COLLECTED ON: OCT 23, 2024
RECEIVED ON: OCT 23, 2024
SAMPLE SIZE: 15 ML ¹
SAMPLED BY: DAN TEPE
RECEIVED BY: DEVIN DUTRISAC

¹ ENTERED BY CLIENT

CANNABINOID OVERVIEW

CBD: 0.944 %
CBC: 0.0436 %
TOTAL CANNABINOIDS: 1.13 %

MANUFACTURER INFO

MANUFACTURER
DAN TEPE
LICENSE
CGR28857
MEDICINAL - CAREGIVER

BATCH RESULT: PASS

POTENCY TESTED

CAN.1: POTENCY & CANNABINOID PROFILE BY HPLC-UV PREPARATION: OCT 24, 2024 // ANALYSIS: OCT 24, 2024

ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (%)	PASS/FAIL
CBC	0.0436 %	0.436 mg/g	0.00581/0.0116		N/A
CBCA	ND	ND	0.00581/0.0116		N/A
CBD	0.944 %	9.44 mg/g	0.00581/0.0116		N/A
CBDA	0.0426 %	0.426 mg/g	0.00581/0.0116		N/A
CBDV	< LOQ	< LOQ	0.00581/0.0116		N/A
CBDVA	ND	ND	0.00581/0.0116		N/A
CBG	0.0279 %	0.279 mg/g	0.00581/0.0116		N/A
CBGA	ND	ND	0.00581/0.0116		N/A
CBL	ND	ND	0.0116/0.0116		N/A
CBLA	ND	ND	0.00581/0.0116		N/A
CBN	ND	ND	0.00581/0.0116		N/A

ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (%)	PASS/FAIL
CBNA		ND	ND	0.00581/0.0116	N/A
Δ ⁸ -THC		ND	ND	0.0116/0.0116	N/A
Δ ⁸ -THCA		ND	ND	0.0116/0.0116	N/A
Δ ⁹ -THC	0.0365 %	0.365 mg/g	0.00581/0.0116	N/A	
Δ ¹⁰ -THC		ND	ND	0.00581/0.0116	N/A
EXO-THC		ND	ND	0.0116/0.0116	N/A
THCA		ND	ND	0.0116/0.0116	N/A
THCV		ND	ND	0.00581/0.0116	N/A
THCVA	0.0379 %	0.379 mg/g	0.00581/0.0116	N/A	
TOTAL THC**	0.0365 %	0.365 mg/g		N/A	
TOTAL CBD**	0.981 %	9.81 mg/g		N/A	

** TOTAL CBD = (CBDA X 0.877) + CBD
** TOTAL THC = (THCA X 0.877) + THC
Reported on an as received basis
1000 µg/g = 1 mg/g



AUTHORIZED BY:
ZACHARY SMITH
LABORATORY MANAGER, NOVA
ANALYTIC LABS
OCT 25, 2024

NOTES

ZACHARY SMITH
OCT 25, 2024

POTENCY & CANNABINOID PROFILE BY HPLC-UV
THE STANDARD LAB UNCERTAINTY FOR POTENCY IS 5% OF THE REPORTED VALUE.

PRODUCT IMAGES



** FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.*

ALL TESTS WERE PERFORMED IN ACCORDANCE WITH THE RULES AND REGULATIONS SET FORTH IN THE MAINE ADULT USE PROGRAM. LABORATORY SAMPLING PROTOCOLS ARE GOVERNED BY THE OCP'S SAMPLING GUIDANCE DOCUMENTS. ALL INFORMATION PROVIDED BY THE CLIENT, INCLUDING SELF SAMPLING, MUST BE ACCURATE AND ADHERE TO THE SAME RULES AND REGULATIONS. HOWEVER, CLIENT PROVIDED INFORMATION, INCLUDING SAMPLING, IS ULTIMATELY THE RESPONSIBILITY OF THE PROVIDING LICENSEE, REGISTERED CAREGIVER, PATIENT OR THE LIKE AND FAILURE TO FOLLOW SAID PROTOCOLS COULD LEAD TO ERRONEOUS TEST RESULTS. NOTE: NOT ALL POTENTIAL AND/OR EXISTING HAZARDS WERE ANALYZED. THIS CERTIFICATE OF ANALYSIS IS RELEVANT ONLY TO THOSE ITEMS TESTED. THE SAMPLE WAS PROVIDED TO THE LABORATORY FOR TESTING BY THE CLIENT AND THE SAMPLE WAS TESTED AS RECEIVED.

END OF REPORT

