Double Trouble:

Refractive Amblyopia in Identical Twins

Margaret F Ronis, OD margaret.ronis@gmail.com

First Exams Nov 1, 2007

5 ½ year old identical twin girls referred by another OD for treatment for Refractive Amblyopia. Both girls go to Kindergarten. Ocular Health Normal

O (1st twin) P (2nd twin) VA OD 20/200 20/70 sc OS 20/25-20/25 Wirt Stereo 0/3 2/3 (200 sec) Cover Test ortho ortho NPC 3 /4 inch OD out 3 /4 inch OD

out

O P Rx/VAcc OD+3.50 20/100 +3.00 20/60 OS+0.75 20/30 +1.25 20/25+

Follow-up 1 month later Dec 4, 2007

VA cc OD 20/60 20/60
OS 20/20 20/20
Wirt Stereo 3/3 (100 sec) 3/3 (100 sec)
NPC 2/3 inch OD out 3/4inch OD out
MEM OD +5.00 OD +4.75
OS +0.75 +1.25

Recommendation: Use frosted tape OS center to nasal 1-2 hrs /day. Do hand-eye activities

Additional Testing Jan 15, 2008

Р

Keystone Esophoria
Orthophoria

• Wirt Stereo 4/9 (140 sec) 9/9 (40sec)

Groffman Tracing 2 incorrect 2 incorrect

Davis Visual Scan 21/20 13/20

DEM Vertical 93 sec 115 sec

Horizontal Lost Lost

 Recommendation: Office-Based Home-Implemented Vision Therapy 6-8 monthly sessions to start, with daily activities

•Some of the Assigned VT Activities

- Bilateral :Jumps, Cross-knee Tap, Bilateral Chalkboard Lines, Angels, Ball Tap and Catch, Jumping Jacks, Pointer in Straw
- Monocular: Chalkboard Tracing, Ball Rotations Thumb Rotations, Spiral Mazes, Connecting Dots, Groffman Tracings, Letter Search, other activities with patch about 1 hour per day
- Binocular Hand-Eye: Flashlight Rotations, Bunt Ball, "Baseball"
- Accom: Near/Far Rock (Patterns, Objects, Letters)
- Perceptual: Back Tap, Tic Tac Toe with 2 boards

Jan22, 2009 Both girls were seen by my associate

> ? Schedule mistake or other reason (mother ill)

Had stopped all VT activitiesO

▶ New RX OD+3.00 +3.00 OS +1.00 +1.00 February 11, 2009 Exams VAcc OD 20/50 20/80 OS 20/20 20/20 Wirt Stereo 9/9 (40 sec) 5/9 (100 sec) NPC 3 /4 inch 3 /4 inch MEM OD +4.50 +5.00 OS + 1.50+1.25

 Recommendation to continue home OD activities, 1 hr per day. Add "Basketball," Pop Bubbles, Bean Bag Toss (monocular) and pointer in straw (binocular)

Seen in July and October, 2009

O P

VAcc OD 20/30- 20/30
OS 20/20 20/20

Wirt Stereo 9/9 9/9

NPC 2/3 inch 2/3 Inch

MEM OD +4.00 +4.00

OS +1.50 +1.75

- No change in Rx
- Recommend visual activities 3x per week
- Results of exams remain the same January, May, November, 2010

- March 9, 2011 Almost 9 years old
- No complaints, very happy with vision and VA

VA cc OD 20/30-OS 20/20 20/20 Wirt Stereo 8/9 8/9

(+1.25 OD 9/9) (+1.25 OD 9/9)

NPC 3 /4 inch 3 /4 inch

MEM OD +4.75 +4.75
OS +1.50 +1.75

RX OD +3.00 +3.00
OS +1.00 +1.25

Add +1.00 OD only +1.00 OD only (progressives)

9 years old Progress Exams April 27, 2011 Both girls reported that reading is easier with the new glasses VA cc OD 20/30-20/30+ OS 20/20 20/20 Wirt Stereo 9/9 9/9 NPC 2 /3 inch 2 /3 inch ▶ MEM OD +4.00 +4.00OS + 2.25+2.50Continue Rx: OD +3.00 +3.00OS + 1.00+1.25Add OD only +1.00 +1.00Complete Exams and Progress Exams: Nov 1, 2011; Apr 24, 2012; Oct 30, 2012 findings stable

Exam June 26, 2013 11 years old. Both girls no Cx Ρ VA cc OD 20/30-20/30 OS 20/20 20/20 Wirt Stereo 8/9 9/9 NPC 2/3 inch 1 /2 inch ▶ MEM OD +6.00 +5.00 OS + 2.50+2.25New Rx: OD +3.00 +3.00OS + 1.00+1.00Add OD +2.00 +2.00OS +1.00 +1.00

Final Rx: July 21, 2016

O P
OD +3.00-0.50x155 +3.00-0.50x170
OS +1.00 +1.00

Add OD +2.00 +1.50
OS +1.00 +1.00

Va cc OD 20/30 20/30
OS 20/20 20/20

Take home ideas

- Don't feel like a failure if you can't get an amblyopic eye to VA 20/20.
- Identical twins often have identical or nearly identical vision problems (sometimes mirror image).
- Try Monocular or unequal Adds to get equal accommodation.
- Office-Based Home-Implemented Vision Therapy can work.

Thank you!