

# SURGERY



Pharmaceutical Company



A procedure to remove or repair a part of the body or that employs operation in the treatment of disease or injury. Surgeons use suturing or stapling instruments to close a wound or rejoin tissue after an operation. They include needle holders for suturing, or sewing up a wound. Stapling devices are a frequent choice for surgeons for the same purpose, because surgical stapling can be much quicker than suturing.



Pharmaceutical Company

## SURGICAL BLADE

### FITMENT -3



### FITMENT -4



#### FEATURES FOR SURGICAL BLADE:

- Carbon Steel {as per BS 2982:1992} Super sharp Blades.
- Stainless Steel [Grade F as per ISO 7153-1:1999]
- Complies the fitment requirement of ISO 7740:1985
- Packed peel Open Al foil pouches with a VCI protective inner line.
- Sterile life of 5 Years.
- Shelf life of 5 Years.
- CE, USFDA

#### FEATURES FOR STITCH CUTTER :

- Stitch Cutter's are ideal choice of blade for removing all
- Suture stitch's without creating any damage to freshly healed wound closure.
- Stitch Cutter are produced in three different sizes Long, Standard/Short and Mini in CS and SS.
- Stitch Cutter are designed with special Blunt Tip ensuring no damage to freshly healed wounds.

CERTIFICATION : •CE •ISO 13485:2016





## DISPOSABLE SCALPEL



### FEATURES :

- Stainless Steel Surgical Blade is mounted on ABS plastic handle Protected with Guard.
- Disposable Scalpel handle are ergonomically designed which gives, better grip, safe uses and better handling.
- Handle is provided with fluted finger grip for better grip.
- Size of the blade is visually marked on the handle.
- Individually packed is a Soft Blister.
- Sterile Gamma Radiation/EO.
- Shelf life of 5 years.
- We also offer bulk pack Non-Sterile for Kits-Pack.

### TECHNICAL SPECIFICATION :

### CERTIFICATION :

•CE

•ISO 13485:2016

Size	
Fitment -3	10, 11, 12, 15, 17, Mini Stitch Cutter
Fitment -4	18, 19, 20, 21, 22, 23, 24, 25



## SAFETY SCALPELS (Sheath Safety Scalpel)



Disposafe Retractable Sheath Safety Scalpel is ergonomically design for smooth handling & safe disposal of scalpel post surgery to avoid any sharp edge injury. Disposafe Safety Scalpel get permanently locked by moving sheath slot to lock position. Safety Scalpel is available in all sizes.

### FEATURES :

- Disposafe Retractable Safety Scalpel made of ABS
- Plastic handle fitted with Stainless Steel blades, allow Surgeons to have full view of.
- Incision sight while performing Surgery as Blade get fully exposed under open position.
- Easy and smooth movement allow Surgeons to use with ease in conducting procedure.
- Available in both fitment handle slot size 3 & 4 and all the sizes of Blades in SS.

### TECHNICAL SPECIFICATION :

**CERTIFICATION :** •CE •ISO 13485:2016

•USFDA 510K

AVAILABLE WITH BLADE SIZES	
09	12D
10	13
10A	15
11	15B
11P	15D
12	





Pharmaceutical Company

# RETRACTABLE SAFETY SCALPELS (Slide Safety Scalpel)



Disposafe Retractable Safety Scalpel is ergonomically design for smooth handling & safe disposal of scalpel post surgery to avoid any sharp edge injury. Disposafe Safety Scalpel get permanently locked by moving slot to lock position. Safety Scalpel is available in all sizes with color coded button on handle for easy identification for sizes.

### FEATURES :

- Disposafe Retractable Safety Scalpel made of ABS
- Plastic handle fitted with SS blades, allow Surgeons to have full view of.
- Incision sight while performing Surgery as Blade get fully exposed under open position.
- Easy and smooth movement allow Surgeons to use with ease in conducting procedure.
- Available in both fitment handle slot size 3 & 4 and all the sizes of Blades in SS.

### TECHNICAL SPECIFICATION :

CERTIFICATION : •CE •ISO 13485:2016


•USFDA 510K

AVAILABLE WITH BLADE SIZES			
09	12D	18	24
10	13	19	25
10A	15	20	26
11	15B	21	36
11P	15D	22	
12	17	23	



Pharmaceutical Company

## BIOPSY PUNCH




### BIOPSY PUNCH FEATURES :

- Punches made of High Quality Steel which are super grounded for super sharp edges for sharp cut.
- Smooth large ribbed handle allow secure grip and large round head allows thumb control while performing procedure.  
Ready to use Sterile Blister Pack.
- Disposa safe sharp punches perform very effectively while using on skin without any skin trauma.
- Sizes from 1mm to large 8mm given huge comfort of size selection to use.
- Super sharp grinding allow smooth surface penetration with very small force.
- Also long punch length allow deep penetration.

### SIZE AVAILABLE :

1.0MM, 1.5MM, 2.0MM, 2.5MM, 3.0MM, 3.5MM,  
4.0MM, 5.0MM, 6.0MM, 7.0MM, 8.0MM

## DERMAL CURETTE




### DERMAL - CURETTE FEATURES :

- Also long punch length allow deep penetration.
- Disposable Curette are made of stainless sharp cutting edge allow proper curetting.
- Dermal Curette is essential device in Dermatology, Gynecology, Plastic Surgery for Curettage is Soft Weak tissue & Removal of small Glands.

### SIZE AVAILABLE :

2.0, 3.0, 4.0, 5.0, 7.0

CERTIFICATION : •CE •ISO 13485:2016



FEATURES :

- Yankauer suction set is used the removal secretion, blood & body fluids during surgery.
- Large lumen in handle provide rapid aspiration & resist clogging.
- Available with universal connectors to connect with suction pump line at proximal end and distal end to be connected with Yankauer Handle.
- Rigid transparent / translucent suction handle with Crown / Plain tip with or without thumb control.
- Soft & Kink resistance two meter long lumen PVC tubing with stands the suction pressure.
- Sterile / Non-Pyrogenic / Single use.

TECHNICAL SPECIFICATION :

CERTIFICATION : •CE •ISO 13485:2016


Tube Length (cm)	ID (mm)	OD (mm)	Packing Inner / Outer Unit
250	6.0	8.0	10/60
300	7.0	10.0	10/60





Pharmaceutical Company

## CLOSED WOUND SUCTION UNIT with trocar needle





Pharmaceutical Company

# CLOSED WOUND SUCTION UNIT



## FEATURES :

- Radio opaque drainage catheter has multiple, very smooth perforations for optimum drainage, end of the perforated catheter is tip formed to minimize the trauma to patient.
- Bellow container is made of flexible plastic so that one person can easily operate to activate the section. Connecting tube is kink resistant, DEHP free with extra strength to with stand the suction.
- Bellow container is graduated marked for aspiration of 500ml/800ml fluid. Curved and siliconized alene needle is made of stainless steel for smooth sliding of the needle through tissue.
- Available in different sizes with matching size alene needle to meet moderate to heavy drainage needle. also available in mini model for small volumes after surgery (50 ml) with 6 FG & 8 FG drainage catheter & alene needle. Hanger is provided for easily handling of set. Sterile / non-pyrogenic / single use.

## TECHNICAL SPECIFICATION :



CERTIFICATION : •CE •ISO 13485:2016

Catheter Size	Colour	Box Qty. (Inner / Outer)
6FG	Sea Green	1/40
8FG	Blue	1/40
10FG	Black	1/40
12FG	White	1/40
14FG	Green	1/40
16FG	Orange	1/40
18FG	Red	1/40



Pharmaceutical Company

## SUCTION CATHETER



Thumb control

### OPTION AVAILABLE :

- Universal type
- Thumb control
- DEHP free
- Sterile/non-pyrogenic/Single use.

### FEATURES :

- Suction Catheter is a long flexible tube which is used in intensive case remove secretion from the mouth and airway of critically patients. This Catheter to a collection container and device that generate suction.
- Manufactured from Non-Toxic, DEHP Free P.V.C. tube.
- Universal colour coded connector for size identification and secure connection with suction connector.
- Distal end open with lateral eye to avoid trauma during suction of oral-bronchial secretion.
- Frost finished or clear tube along with atraumatic eyes for smooth intubation.
- Graduated marked for correct position of catheter.
- Length 50cm
- Available size : 8FG to 20FG
- Straight peel open pack.

### TECHNICAL SPECIFICATION :

CERTIFICATION : •CE •ISO 13485:2016

Catheter Size	Colour	Box Qty. (Inner / Outer)
8FG	Blue	25/250
10FG	Black	25/250
12FG	White	25/250
14FG	Green	25/250
16FG	Orange	25/250
18FG	Red	25/2500
20FG	Yellow	25/250