

Products catalogue 2022





AQUAPHOR innovative technologies

- ✓ All key technologies are the intellectual property of AQUAPHOR.
- ✓ The company has 130 patents globally over the history of its existence and keeps adding more.
- ✓ Our own research facilities are the driving force, which shapes the distinctive qualities of the AQUAPHOR filters compared to other brands: they purify longer and they filter more contaminates at greater efficiency.
- ✓ AQUAPHOR filters utilize a maximum of the sorbent potential, remove a wide range of hazardous water impurities, are aesthetically attractive and easy to maintain.



AQUALEN™ Unique ion-exchange fiber. Fully eliminates heavy metals and permanently absorbs harmful impurities.



Hollow Fiber membranes are tiny tubes with porous walls and huge filtering surface.
A pore diameter of 0.1 micrometers ensures reliable cut-off for microorganisms.
The hollow fiber is a universal shield. It provides a 99.99% guarantee of cutting off germs and bacteria, Giardia cysts and other intestinal parasites, removing the undissolved impurities and sediments.



Carbon Fiber Block" (CFB) is a technology of manufacturing filtering media of different degree of porosity for any level of water contamination.



SILVER IN AQUALEN™ FIBER Method of dynamic silver capturing. It allows to utilize active silver as a bactericide



The uncompromising efficiency of the water-on-water storage tank is provided by its unique design. Unlike the classic RO air-on-water tanks, it fully utilizes the whole internal volume of water storage through the elastic wall, which separates source water from purified water.



IAM is a manufacturing technology of a water filtration medium with high-density fine absorbents. When Aqualen[™] is mixed with granulated absorbents, IAM technology creates a synergistic effect, which means that the sorption mixture attains the unique qualities not present in the original components.IAM prevents the channeling effect and ensures uniform water flow distribution throughout the filter.

Product	Description	Price
RO 206s - HORECA	 Replacement filters cartridges K1.K2,RO150,RO150 1 pc Drinking water tap Built-in electric pressure pump Automatic reminder with light and sound indication helps to keep track of timely filter replacement Clean water storage tank 5 L 47.2 l/h for 2 membrane cartridges Overall dimensions (length x height x width) : 411 x 486 x 195 mm Water supply pressure min – max 0.9 – 6.3 bar Filtered water temperature +5 to +38 Celsius Reverse osmosis maximum efficiency rate (at +25 and 4 bar) Treated/drained water ratio 1:2 Weight, not more than 12kg Input voltage 100 -240 V AC Output voltage 24 V DC 	€ 503.36

RO 206s – HoReCa replacement cartridges

K5 cartridge	PRIMARY PURIFICATION OF DRINKING WATER	€ 12.61
	 Sediment filter cartridge pre-filtration. Manufactured from 100% Polypropylene. It is used to retain dirt and other sediment particles in the incoming water 5 microns in size 	
K2 cartridge	FINE SORPTION POST-PURIFICATION OF DRINKING WATER	€ 14.71
	 Using the optimal combination of powder and fibrous sorbents it effectively reduces active chlorine, ions of heavy metals and organic compounds. The cartridge is manufactured according to the carbon-block technology as a filter matrix media composed of the ion-exchange fiber AQUALEN™ with the increased content of activated coconut carbon for better sorption properties. As a bactericide the cartridge contains cluster microcrystalline silver 3 microns in size 	
RO150S cartridge	REVERSE OSMOSIS MEMBRANE PROVIDES ULTRAFILTRATION OF ALL CONTAMINANTS INCLUDING CYSTS, BACTERIA AND VIRUSES	€ 94.54
	 It also removes water hardness from any initial level. This membrane has the performance of 23.7 liters per hour. 0.0001 microns in size Coffee machines, electric kettles, and other kitchenware may suffer from scale build-ups and film formation. Soft and moderately remineralized water improves the taste of food and is recommended for children, people with allergies, coffee lovers and gourmets. 	
RO150S cartridge	REVERSE OSMOSIS MEMBRANE PROVIDES ULTRAFILTRATION OF ALL CONTAMINANTS INCLUDING CYSTS, BACTERIA AND VIRUSES	€ 94.54
AQUARGE RO-1505	 It also removes water hardness from any initial level. This membrane has the performance of 23.7 liters per hour. 0.0001 microns in size Coffee machines, electric kettles, and other kitchenware may suffer from scale build-ups and film formation. 	
	Cott and mandataly remains relimed water insurance the tests of feed and	

 Soft and moderately remineralized water improves the taste of food and is recommended for children, people with allergies, coffee lovers and gourmets.

Product	Description	Price
RO 202s-C	 Replacement filters cartridges K1.K2,RO100,K7BM 1 pc Drinking water tap Built-in electric pressure pump Automatic reminder with light and sound indication helps to keep track of timely filter replacement Clean water storage tank 5 L Mineral balancing (K7BM cartridge) adds calcium & magnesium Reverse osmosis membrane performance,380 L/day (15.2 l/h) Overall dimensions (length x height x width) : 411 x 486 x 195 mm Water supply pressure min – max 0.9 – 6.3 bar Filtered water temperature +5 to +38 Celsius Reverse osmosis maximum efficiency rate (at +25 and 4 bar) Treated/drained water ratio 1:2 Weight, not more than 12kg Input voltage 100 -240 V AC Output voltage 24 V DC 	€ 419.33
	RO 202s-C replacement cartridges	
K1 cartridge	 COMBINED WATER PURIFICATION FROM MECHANICAL AND SOLUBLE HARMFUL IMPURITIES Increased AQUALEN™ fiber content in the bulk filtration zone effectively removes Fe2+ and Fe3+. Filter the sand, the iron. Filters the water in two steps: mechanical filtration from 10 microns. sorption filtration from 3 microns. 	€ 16.39
K2 cartridge	FINE SORPTION POST-PURIFICATION OF DRINKING WATER	€ 14.71
	 Using the optimal combination of powder and fibrous sorbents it effectively reduces active chlorine, ions of heavy metals and organic compounds. The cartridge is manufactured according to the carbon-block technology as a filter matrix media composed of the ion-exchange fiber AQUALEN™ with the increased content of activated coconut carbon for better sorption properties. As a bactericide the cartridge contains cluster microcrystalline silver 3 microns in size 	
RO100S cartridge	REVERSE OSMOSIS MEMBRANE PROVIDES ULTRAFILTRATION OF	€ 67.23
	 ALL CONTAMINANTS INCLUDING CYSTS, BACTERIA AND VIRUSES It also removes water hardness from any initial level. This membrane has the performance of 15.6 liters per hour. 0.0001 microns in size Coffee machines, electric kettles, and other kitchenware may suffer from scale build-ups and film formation. Soft and moderately remineralized water improves the taste of food and is recommended for children, people with allergies, coffee lovers and gourmets. 	
K7BM cartridge	FINAL SORPTION PURIFICATION AND CONDITIONING OF DRINKING	€ 54.62
	 WATER USING HOLLOW FIBRE MEMBRANE Provides water conditioning. It enriches the water with useful minerals to improve the taste and correct the salt balance of drinking water. The hollow fiber membrane retains micro particles larger than 0.1 microns and provides 99,99% protection against bacteria. The cartridge combines sorption insert manufactured according to the carbon-block technology and hollow fiber membrane filter. 	

Product	Description	Price
Morion 102s	 Replacement filters cartridges K5.K2,RO100s,K7M 1 pc Drinking water tap System type reverse osmosis Reverse osmosis membrane performance,100 GPD Reverse osmosis membrane performance,380 L/day Clean water storage tank 5 L Protection against viruses and bacteria 99.9% Mineral balancing (K7M cartridge) adds calcium & magnesium Max. pressure, bar 6,5 Min. pressure, bar 2 Dimensions mm : (Length x Height x Width) 371 x 420 x 190 	€ 239.50
	Morion 102s replacement cartridges	
K5 cartridge	 PRIMARY PURIFICATION OF DRINKING WATER Sediment filter cartridge pre-filtration. Manufactured from 100% Polypropylene. It is used to retain dirt and other sediment particles in the incoming water 5 microns in size 	€ 12.61
K2 cartridge	FINE SORPTION POST-PURIFICATION OF DRINKING WATER	€ 14.71
	 Using the optimal combination of powder and fibrous sorbents it effectively reduces active chlorine, ions of heavy metals and organic compounds. The cartridge is manufactured according to the carbon-block technology as a filter matrix media composed of the ion-exchange fiber AQUALEN™ with the increased content of activated coconut carbon for better sorption properties. As a bactericide the cartridge contains cluster microcrystalline silver 3 microns in size 	
RO100S cartridge	REVERSE OSMOSIS MEMBRANE PROVIDES ULTRAFILTRATION OF	€ 67.23
	 ALL CONTAMINANTS INCLUDING CYSTS, BACTERIA AND VIRUSES It also removes water hardness from any initial level. This membrane has the performance of 15.6 liters per hour. 0.0001 microns in size Coffee machines, electric kettles, and other kitchenware may suffer from scale build-ups and film formation. Soft and moderately remineralized water improves the taste of food and is recommended for children, people with allergies, coffee lovers and gourmets. 	
K7M cartridge	FINAL SORPTION PURIFICATION, CONDITIONING AND CORRECTION OF MINERAL COMPOSITION OF DRINKING WATER	€ 17.23
	 It has a built-in mineralizer which uniformly adds calcium and magnesium salts into water during the whole the lifetime. It effectively and completely removes even micro-quantities of harmful impurities, including active chlorine, heavy metals and organic compounds. It effectively filters insoluble impurities up to 0.8 microns in size. 	

- The cartridge is manufactured according to the carbon-block technology as a super dense micro-porous filtering media with the increased content of micro-porous activated coconut carbon.
- As a bactericide the cartridge contains cluster microcrystalline silver.

Product	Description	Price
Horion 101s	 Replacement filters cartridges K5.K2,RO50s,K7M 1 pc Drinking water tap System type reverse osmosis Reverse osmosis membrane performance,50 GPD Reverse osmosis membrane performance,190 L/day Clean water storage tank 5 L Protection against viruses and bacteria 99.9% Mineral balancing (K7M cartridge) adds calcium & magnesium Max. pressure, bar 6,5 Min. pressure, bar 2 Dimensions mm : (Length x Height x Width) 371 x 420 x 190 	€ 222.69
	Morion 101s replacement cartridges	
K5 cartridge	 PRIMARY PURIFICATION OF DRINKING WATER Sediment filter cartridge pre-filtration. Manufactured from 100% Polypropylene. It is used to retain dirt and other sediment particles in the incoming water 5 microns in size 	€ 12.61
K2 cartridge	FINE SORPTION POST-PURIFICATION OF DRINKING WATER	€ 14.71
	 Using the optimal combination of powder and fibrous sorbents it effectively reduces active chlorine, ions of heavy metals and organic compounds. The cartridge is manufactured according to the carbon-block technology as a filter matrix media composed of the ion-exchange fiber AQUALEN™ with the increased content of activated coconut carbon for better sorption properties. As a bactericide the cartridge contains cluster microcrystalline silver 3 microns in size 	
RO50S cartridge	REVERSE OSMOSIS MEMBRANE PROVIDES ULTRAFILTRATION OF	€ 50.42
	 ALL CONTAMINANTS INCLUDING CYSTS, BACTERIA AND VIRUSES It also removes water hardness from any initial level. This membrane has the performance of 7.8 liters per hour. 0.0001 microns in size Coffee machines, electric kettles, and other kitchenware may suffer from scale build-ups and film formation. Soft and moderately remineralized water improves the taste of food and is recommended for children, people with allergies, coffee lovers and gourmets. 	
K7M cartridge	FINAL SORPTION PURIFICATION, CONDITIONING AND CORRECTION OF MINERAL COMPOSITION OF DRINKING WATER	€ 17.23

- It has a built-in mineralizer which uniformly adds calcium and magnesium salts into water during the whole the lifetime.
- It effectively and completely removes even micro-quantities of harmful impurities, including active chlorine, heavy metals and organic compounds.
- It effectively filters insoluble impurities up to 0.8 microns in size.
- The cartridge is manufactured according to the carbon-block technology as a super dense micro-porous filtering media with the increased content of micro-porous activated coconut carbon.
- As a bactericide the cartridge contains cluster microcrystalline silver.

Product	Description	Price
Crystal ECO H	 Replacement filters cartridges K3.KH,K7B,K7 1 pc Drinking water tap System type sorption Filtration rate, L/min 2.5 Removes Bacteria Softening water by removing hardness salts (KH cartridge) Replacement of filter cartridges once a year or upon reaching the filter life limit (whichever is earlier) Filter life, 8000 L Dimensions mm : (Length x Height x Width) 340 x 340 x 90 	€ 172.27
	Crystal ECO H replacement cartridges	
K3 cartridge	PRIMARY SORPTION PURIFICATION OF DRINKING WATER	€ 13.87
	 Reduces content of active chlorine, heavy metals and organic substances. Using high hydrophilic property of material and labyrinth structure of the pores it efficiently filters insoluble up to 5 microns in size, as well as iron hydroxide. The cartridge is manufactured according to the carbon-block technology as a microporous filter matrix media with a content of activated coconut carbon with the increased content of ion-exchange fiber AQUALEN™ for better filtering properties. As a bactericide the cartridge contains cluster microcrystalline silver. 	
KH cartridge	SOFTENING OF DRINKING WATER	€ 18.07
	 Removes hardness salts. Prevents scale and surface film formed by sediments of hardness salts. Reduces lime scale build-up in hard water. Contains ion-exchange resin. Filter life depends on water hardness 	
K7B cartridge	DEEP SORPTION PURIFICATION AND MICROFILTRATION OF DRINKING WATER APPLYING HOLLOW FIBRE MEMBRANE	€ 45.38
	 The hollow fiber membrane retains micro particles larger than 0.1 microns and provides 99,99% protection against bacteria. The cartridge combines sorption insert manufactured according to the carbon-block technology and hollow fiber membrane filter. It effectively and completely removes even micro-quantities of harmful impurities, including active chlorine, heavy metals and organic compounds. 	
K7 cartridge	FINAL SORPTION PURIFICATION OF DRINKING WATER	€ 15.55
	 This filter cartridge effectively and completely removes even micro- quantities of harmful impurities, including active chlorine, heavy metals and organic compounds. It effectively filters insoluble impurities up to 0.8 microns in size. The cartridge is manufactured according to the carbon-block technology as a super dense micro-porous filtering media of micro-porous activated coconut carbon. As a bactericide the cartridge contains cluster microcrystalline silver. 	

Product	Description	Price
Crystal ECO	 Replacement filters cartridges K3,K7B,K7 1 pc Drinking water tap System type sorption Filtration rate , L/min 2.5 Removes Bacteria Replacement of filter cartridges once a year or upon reaching the filter life limit (whichever is earlier) Filter life, 8000 L Dimensions mm : (Length x Height x Width) 240 x 340 x 90 	€ 138.66
	Crystal ECO replacement cartridges	
K3 cartridge Image: Construction of the second se	 PRIMARY SORPTION PURIFICATION OF DRINKING WATER Reduces content of active chlorine, heavy metals and organic substances. Using high hydrophilic property of material and labyrinth structure of the pores it efficiently filters insoluble up to 5 microns in size, as well as iron hydroxide. The cartridge is manufactured according to the carbon-block technology as a microporous filter matrix media with a content of activated coconut carbon with the increased content of ion-exchange fiber AQUALEN™ for better filtering properties. As a bactericide the cartridge contains cluster microcrystalline silver. 	€ 13.87
<section-header></section-header>	 DEEP SORPTION PURIFICATION AND MICROFILTRATION OF DRINKING WATER APPLYING HOLLOW FIBRE MEMBRANE The hollow fiber membrane retains micro particles larger than 0.1 microns and provides 99,99% protection against bacteria. The cartridge combines sorption insert manufactured according to the carbon-block technology and hollow fiber membrane filter. It effectively and completely removes even micro-quantities of harmful impurities, including active chlorine, heavy metals and organic compounds. 	€ 45.38
K7 cartridgeImage: Constraint of the second s	 FINAL SORPTION PURIFICATION OF DRINKING WATER This filter cartridge effectively and completely removes even micro- quantities of harmful impurities, including active chlorine, heavy metals and organic compounds. It effectively filters insoluble impurities up to 0.8 microns in size. The cartridge is manufactured according to the carbon-block technology as a super dense micro-porous filtering media of micro-porous activated coconut carbon. As a bactericide the cartridge contains cluster microcrystalline silver. 	€ 15.55

Product	Description	Price
Crystal H	 Replacement filters cartridges K3,KH,K7 1 pc Drinking water tap System type sorption Filtration rate , L/min 2.5 Softening water by removing hardness salts (KH cartridge) Removes chlorine, heavy metals, pesticides, petroleum products, and other common toxins and allergens Replacement of filter cartridges once a year or upon reaching the filter life limit (whichever is earlier) Filter life, 6000 L Dimensions mm : (Length x Height x Width) 240 x 340 x 90 Crystal is a reliable sorption filter that provides basic water purification for drinking and cooking 	€ 88.24
	Crystal H Replacement cartridges	
<section-header></section-header>	 PRIMARY SORPTION PURIFICATION OF DRINKING WATER Reduces content of active chlorine, heavy metals and organic substances. Using high hydrophilic property of material and labyrinth structure of the pores it efficiently filters insoluble up to 5 microns in size, as well as iron hydroxide. The cartridge is manufactured according to the carbon-block technology as a microporous filter matrix media with a content of activated coconut carbon with the increased content of ion-exchange fiber AQUALEN™ for better filtering properties. As a bactericide the cartridge contains cluster microcrystalline silver. 	€ 13.87
<section-header></section-header>	 SOFTENING OF DRINKING WATER Removes hardness salts. Prevents scale and surface film formed by sediments of hardness salts. Reduces lime scale build-up in hard water. Contains ion-exchange resin. Filter life depends on water hardness 	€ 18.07

77	cartrida	~
κ/	cartridg	e



 This filter cartridge effectively and completely removes even microquantities of harmful impurities, including active chlorine, heavy metals and organic compounds.

FINAL SORPTION PURIFICATION OF DRINKING WATER

€ 15.55

- It effectively filters insoluble impurities up to 0.8 microns in size.
- The cartridge is manufactured according to the carbon-block technology as a super dense micro-porous filtering media of micro-porous activated coconut carbon.
- As a bactericide the cartridge contains cluster microcrystalline silver.

Product	Description	Price
Crystal A	 Replacement filters cartridges K3,K2,K7 1 pc Drinking water tap System type sorption Filtration rate , L/min 2.5 Removes chlorine, heavy metals, pesticides, petroleum products, and other common toxins and allergens Replacement of filter cartridges once a year or upon reaching the filter life limit (whichever is earlier) Filter life, 6000 L Dimensions mm : (Length x Height x Width) 240 x 340 x 90 Crystal is a reliable sorption filter that provides basic water purification for drinking and cooking 	€ 79.83
	Crystal A replacement cartridges	
<section-header></section-header>	 PRIMARY SORPTION PURIFICATION OF DRINKING WATER Reduces content of active chlorine, heavy metals and organic substances. Using high hydrophilic property of material and labyrinth structure of the pores it efficiently filters insoluble up to 5 microns in size, as well as iron hydroxide. The cartridge is manufactured according to the carbon-block technology as a microporous filter matrix media with a content of activated coconut carbon with the increased content of ion-exchange fiber AQUALEN™ for better filtering properties. As a bactericide the cartridge contains cluster microcrystalline silver. 	€ 13.87
<image/>	 FINE SORPTION POST-PURIFICATION OF DRINKING WATER Using the optimal combination of powder and fibrous sorbents it effectively reduces active chlorine, ions of heavy metals and organic compounds. The cartridge is manufactured according to the carbon-block technology as a filter matrix media composed of the ion-exchange fiber AQUALEN™ with the increased content of activated coconut carbon for better sorption properties. As a bactericide the cartridge contains cluster microcrystalline silver 	€ 18.07
K7 cartridgeImage: Constraint of the second s	 FINAL SORPTION PURIFICATION OF DRINKING WATER This filter cartridge effectively and completely removes even micro- quantities of harmful impurities, including active chlorine, heavy metals and organic compounds. It effectively filters insoluble impurities up to 0.8 microns in size. The cartridge is manufactured according to the carbon-block technology as a super dense micro-porous filtering media of micro-porous activated coconut carbon. As a bactericide the cartridge contains cluster microcrystalline silver. 	€ 15.55

Product	Description	Price
Gross 20" Big blue	 Housing for cold water reinforced with silicate glass fibers for more durability Housing material plastic Metallic base Overall Dimensions (length x height x width) : 180 x 610 x 185 mm Connecting thread cylindrical pipe G 1" Filtration rate 60 L/min Pressure 6.3 bar Water temperature +5 +38 	€ 71.85
B520-12- Carb fiber block	 Fits standard housing Gross 20" Big blue Its unique structure and design allow the module to remove sediments, chlorine, heavy metals and other impurities from the water. It filters particles down to 5 microns in size. the ion-exchange Aqualen fibers deeply and irreversibly purify the water from heavy metals. The cartridge is manufactured according to the carbon-block technology The replacement filter contains silver in its active ionic form. Filter life, L 60000 based on 1ppm active chlorine in the main water supply 	€ 45.38
	 A replacement polypropylene filter for mechanical pre-treatment Replacement sediment filter manufactured from 100% Polypropylene. Polypropylene pre-filters for reducing sand, rust, silt and other sediment Fits standard housing Gross 20" Big blue Effectively reduce micro particles down to 5 micron in size. Gradient texture increases dirt retention capacity and filter life. Require replacement depend on main water supply quality. 	€ 21.43
Gross 10" Big blue	 Housing for cold water reinforced with silicate glass fibers for more durability Housing material plastic Metallic base Overall Dimensions (length x height x width): 180 x 355 x 185 mm Connecting thread cylindrical pipe G 1" Filtration rate 60 L/min Pressure 6.3 bar Water temperature +5 +38 	€ 57.14
B510-12- Carb fiber block	 Fits standard housing Gross 10" Big blue Its unique structure and design allow the module to remove sediments, chlorine, heavy metals and other impurities from the water. It filters particles down to 5 microns in size. the ion-exchange Aqualen fibers deeply and irreversibly purify the water from heavy metals. The cartridge is manufactured according to the carbon-block technology The replacement filter contains silver in its active ionic form. Filter life, L 30000 based on 1ppm active chlorine in the main water supply. 	€ 29.83
Polypropylene 10"	 A replacement polypropylene filter for mechanical pre-treatment Replacement sediment filter manufactured from 100% Polypropylene. Polypropylene pre-filters for reducing sand, rust, silt and other sediment Fits standard housing Gross 10" Big blue Effectively reduce micro particles down to 5 micron in size. Gradient texture increases dirt retention capacity and filter life. Require replacement depend on main water supply quality. 	€ 11.34

Product	Description	Price
Aqua boss blue 10"	 Housing for cold water reinforced with silicate glass fibers for more durability Housing material plastic Plastic base Removes : sediment, rust, sand and other mechanical Polypropylene cartridge Max. pressure, bar 6,5 For cold water Overall Dimensions (length x height x width) : 120 x 390 x 125 mm Replacement of filter cartridges filter life depends on a cartridge used Connecting thread cylindrical pipe G 1/2" female 	€ 32.77
	Aqua boss replacement cartridges	
B510-03 Carb fiber block	 A replacement filter for cold water purification in the entire home Remove organic impurities and active chlorine from the water. It filters particles down to 10 microns in size. The cartridge is manufactured according to the carbon-block technology the ion-exchange Aqualen fibers deeply and irreversibly purify the water from heavy metals. The replacement filter contains silver in its active ionic form. 	€ 13.03
B510-04 Resin	 A replacement filter for water softening, It softens the water, solving the problem of scaling and It can be regenerated at home. Contains resin ion exchange 	€ 18.07
B510-02 Carb fiber block	 A replacement filter for cold water purification in the entire home Remove organic impurities and active chlorine from the water. It filters particles down to 5 microns in size. The cartridge is manufactured according to the carbon-block technology the ion-exchange Aqualen fibers deeply and irreversibly purify the water from heavy metals. The replacement filter contains silver in its active ionic form. 	€ 13.87
B510-07 Carb fiber block	 A replacement filter for cold water purification in the entire home Remove organic impurities and active chlorine from the water. It filters particles down to 0.8 microns in size. The cartridge is manufactured according to the carbon-block technology the ion-exchange Aqualen fibers deeply and irreversibly purify the water from heavy metals. The replacement filter contains silver in its active ionic form. 	€ 14.71
Polypropylene 10"	 A replacement polypropylene filter for mechanical pre-treatment Replacement sediment filter manufactured from 100% Polypropylene. Polypropylene pre-filters for reducing sand, rust, silt and other sediment Fits standard housing Aqua boss 10" Effectively reduce micro particles down to 20 micron in size. Gradient texture increases dirt retention capacity and filter life. Require replacement depend on main water supply quality. 	€ 2.94

Product	Description	Price
ARO MCR 90	 Low-energy and nimble water purifier for real-life requirements in HoReCa business and the like. APRO-MCR 100 provides drinking water with up to 50% energy savings. A feasible deal to keep operating costs at a reasonable level. Permeate Flow, LPH 90 Membrane Quantity 2 Membrane Size, inch 2 x 3013 Max inlet TDS, ppm 1500 Reduction of salt content, % Up to 95 System recovery, % 50 Input pressure, bar 1 - 4 Power consumption, Wt 100 Power supply 24VDC (AC/DC adapter is installed) Dimensions (L×W×H), mm 490 x 470 x 555 	€ 1554.62
ULP3012-400	 Membrane ULP3012-400 AP.RO MCR-90 Reverse osmosis membrane provides ultrafiltration of all contaminants including cysts, bacteria and viruses. It also removes water hardness from any initial level. This membrane has the performance of 45.6 liters per hour. Hard water distorts the taste of food, coffee, and tea and poses a threat to many home appliances. Coffee machines, electric kettles, and other kitchenware may suffer from scale build-ups and film formation 	€ 54.62
Softener & iron remover A1000	 Media type/Amount: Fine mesh resin 30L Water softening, high iron and manganese removal Maximum Compensated Hardness, gpg 70 (1540ppm) Maximum Ferrous Iron Reduction, ppm 10 Minimum pH, standard units 7 Water & Ambient Temperature Minimum-Maximum (4°-49°) Water Pressure Minimum - Maximum, (bar) 1,4 - 7 Controller Type Metered Electrical Rating 12VAC, 50/60 Hz, 0.015 kW-hr Plumbing Connections (NPT) 1 inch male (MNPT) Height (cm) 79.6 / Footprint (cm) 40.4 x 48.5 	€ 747.90
Softener & iron remover A800	 Media type/Amount: Fine mesh resin 24L Water softening, high iron and manganese removal Maximum Compensated Hardness, gpg 70 (1200ppm) Maximum Ferrous Iron Reduction, ppm 10 Minimum pH, standard units 7 Water & Ambient Temperature Minimum-Maximum (4°-49°) Water Pressure Minimum - Maximum, (bar) 1,4 - 7 Controller Type Metered Electrical Rating 12VAC, 50/60 Hz, 0.015 kW-hr Plumbing Connections (NPT) 1 inch male (MNPT) Height (cm) 70.6 / Footprint (cm) 40.4 x 48.5 	€ 663.87
Sodium chloride	 Salt for water softener Net weight, Kg 20 Cube style 	€ 6.72

Product	Description	Price
Viking maxi	 Stainless steel filter housing of in-line whole house purification system Aquaphor Viking. Can be equipped with sediment or carbon-fiber filters of different porosity and flow rate. Designed for easier installation and maintenance. Withstands high pressure in water main. Lasts for up to ten years. For cold water Housing material stainless steel Overall Dimensions (length x height x width) : 180 x 595 x 180 mm Max. pressure, MPa/bar6,5 / 0,63 Filtration rate , L/min up to 25 Replacement of filter cartridges filter life depends on a cartridge used 	€ 242.86
	Viking maxi replacement cartridges	
B520-13 Carb fiber block	 A replacement filter for cold water purification in the entire home. Its unique structure and design allow the module to remove sediments, chlorine, heavy metals and other impurities from the water. The cartridge is manufactured according to the carbon-block technology the ion-exchange Aqualen fibers deeply and irreversibly purify the water from heavy metals The replacement filter contains silver in its active ionic form. it filters particles down to 5 micron in size. Filter life, L 100000 	€ 92.44
B150 plus Carb fiber block	 A replacement filter for drinking water purification. Thanks to the unique coaxial structure and gradient porosity of the module, virtually all harmful impurities are removed from the water. The cartridge is manufactured according to the carbon-block technology the ion-exchange Aqualen fibers deeply and irreversibly purify the water from heavy metals The replacement filter contains silver in its active ionic form. It has a particularly long lifetime. it filters particles down to 1 micron in size. Filter life, L 40000 	€ 117.65
Polypropylene B520 PX5	 A replacement polypropylene filter for mechanical pre-treatment Replacement sediment filter manufactured from 100% Polypropylene. Polypropylene pre-filters for reducing sand, rust, silt and other sediment Fits standard housing Viking maxi Effectively reduce micro particles down to 5 micron in size. Gradient texture increases dirt retention capacity and filter life. Require replacement depend on main water supply quality. 	€ 37.82

Product	Description	Price			
Viking midi	 Stainless steel filter housing of in-line whole house purification system Aquaphor Viking. Can be equipped with sediment or carbon-fiber filters of different porosity and flow rate. Designed for easier installation and maintenance. Withstands high pressure in water main. Lasts for up to ten years. For cold water Housing material stainless steel Overall Dimensions (length x height x width) : 180 x 425 x 180 mm Max. pressure, MPa/bar6,5 / 0,63 Filtration rate , L/min up to 15 Replacement of filter cartridges filter life depends on a cartridge used 	€ 226.05			
	Viking midi replacement cartridges				
B515-13 Carb fiber block	 A replacement filter for cold water purification in the entire home. Its unique structure and design allow the module to remove sediments, chlorine, heavy metals and other impurities from the water. The cartridge is manufactured according to the carbon-block technology the ion-exchange Aqualen fibers deeply and irreversibly purify the water from heavy metals The replacement filter contains silver in its active ionic form. it filters particles down to 5 micron in size. Filter life, L 60000 	€ 71.43			
B150 midi Carb fiber block	 A replacement filter for drinking water purification. Thanks to the unique coaxial structure and gradient porosity of the module, virtually all harmful impurities are removed from the water. The cartridge is manufactured according to the carbon-block technology the ion-exchange Aqualen fibers deeply and irreversibly purify the water from heavy metals The replacement filter contains silver in its active ionic form. it filters particles down to 1 micron in size. Filter life, L 30000 				
Viking mini	 Stainless steel filter housing of in-line whole house purification system Aquaphor Viking. Withstands high pressure in water main. Lasts for up to ten years. For cold water & hot water Housing material stainless steel Overall Dimensions (length x height x width) : 180 x 255 x 180 mm Max. pressure, MPa/bar6,5 / 0,63 Filtration rate, L/min up to 10 Replacement of filter cartridges filter life depends on a cartridge used 	€ 200.84			
Viking mini replacement cartridges					
B505-13 Carb fiber block	 A replacement filter for cold water purification in the entire home. Its unique structure and design allow the module to remove sediments, chlorine, heavy metals and other impurities from the water. Designed with CarbFiber Block technology. The replacement filter contains silver in its active ionic form. it filters particles down to 5 micron in size. Filter life, L30000 	€ 50.42			
B505-43 Carb fiber block	 A replacement filter for hot water purification in the entire home Its unique structure and design allow the module to remove sediments, chlorine, heavy metals and other impurities from the water. Designed with CarbFiber Block technology The replacement filter contains silver in its active ionic form. it filters particles down to 5 micron in size. Filter life, L15000 	€ 54.62			

Product	Description	Price	
Favorite COLUPIOP EXVORT	 Drinking water tap Housing material steel Filtration rate , L/min 2.5 System type sorption Takes little place under the sink Removes chlorine, heavy metals, pesticides, petroleum products, and other common toxins and allergens Filter life, L 12000 Replacement of filter cartridges once a year or upon reaching the filter life limit (whichever is earlier) Dimensions mm : (Length x Width x Height) 180 x 180 x 200 	€ 159.66	
	Favorite replacement cartridge		
B150	 It filters particles down to 0.8 micron in size. Due to its unique coaxial design and gradient porosity, tap water is purified from a majority of contaminants. B150 exhibits outstandingly long filtration life. The ion-exchange fibrous sorbent AqualenTM with its modified selective chelating groups, profoundly and irreversibly purifies water from heavy metals. Contains silver in its active ionic form. 	€ 54.62	
Modern	 Drinking water tap Filtration rate, L/min 1,0-1,2 Easy to use on the road Removes chlorine, heavy metals, pesticides, petroleum products, and other common toxins and allergens Replacement of filter cartridges once a year or upon reaching the filter life limit Filter life indicator mechanical 	€ 31.93	
Modern replacement cartridge			
B200H	 A set of universal replacement filters for the Aquaphor Modern faucet filter. The filling is a patented combination of fibrous and granular adsorbents baked into carbon block with the use of DFS technology. Dense structure requires using the water-supply line pressure and effectively removes virtually all harmful impurities from the water. Filter life, L4000 	€ 16.81	
Amethyst 2.8L	 Amethyst is a handy water filter jug with a simple design and is comfortable to look at and use daily. Compact and ergonomic, with its moderate color line, Amethyst jug fits inside the refrigerator door for even greater space efficiency. All parts of the product are produced of food-grade materials and are BPA-free. Filter jug capacity, L2,8 Lid type Slider 	€ 12.61	
	Amethyst replacement cartridge		
B25	 The replacement filter in our popular oval fit irreversibly reduces harmful substances such as organic compounds, iron, lead and chlorine, removes sediment and odor. Box include 3 pcs Filter life, L 200 	€ 10.08	

Product	Description				
Tap for water	 ceramic, without lead, for water filters under the counter. Chrome-plated. For tube ¼. Complete with connection accessories. It does not rust and does not oxidize. Height = 240mm 				
Tap for water	 ceramic, without lead, for water filters under the counter. Chrome-plated. For tube ¼. Complete with connection accessories. It does not rust and does not oxidize. Height = 285mm 	€ 25.00			
Electronic indicator	 Filtered water flow rate. How many liters are left / change How many days are left / change Specifications: Operating pressure kg / sm 0.5 – 7 Filtration speed 1 / m 1.4 - 7.5 Delivery of liters ltr 99500-0 (step 500 ltr) Duration in days 720-0 (step 30 day) Water temperature C +5 +40 Cross section ¼ AAA batteries (2 x 1.5 V) 	€ 00.00			
Pressure tank 10L	 Pressure tank for reverse osmosis systems Material stainless steel Capacity L 10 Dimensions cm 33.1 x 24.7 Weight kg 2.26 Out let ¼" male Max working pressure 5 bar 	€ 42.02			
Pressure tank 60L	 Pressure tank for reverse osmosis systems Material stainless steel Capacity L 42 Dimensions cm 74.7 x 38.4 Weight kg 10 Out let ¾" male Max working pressure 5 bar 	€ 130.25			

Code	Description	Product picture	Dimensions	Price
TE-221	K4042 elbow		1/4"push * 1/8"male thread	€ 0,86
TE-222	K504 elbow		1/4"push * 1/4"push	€ 1,30
TE-223	K154 straight		1/4"push * 1/4"push	€ 1,30
TE-224	K702 Tee joint	2	1/4" * 1/4" * 1/4"push	€ 1,87
TE-225	K706 Tee joint		3/8" * 3/8" * 3/8"push	€ 2,02
TE-226	K7062 Tee joint	50	3/8" * 3/8" * 1/4"(middle)	€ 1,80
TE-227	K702 Tee joint Y shape	9	1/4" * 1/4" * 1/4"push	€ 1,26
TE-228	K706 Tee joint Y shape		3/8" * 3/8" * 3/8"push	€ 1,80
TE-229	K156 straight		3/8'' * 3/8"push	€ 2,16
TE-230	K1564 straight		1/4'' * 3/8"push	€ 1,80
TE-231	Ball valve for 3.2G water storage tank	F	1/4"push * 1/4"female thread	€ 4,50
TE-234	1/4" Recoil ball valve		1/4" * 1/4"push	€ 4,68
TE-235	3/8" Recoil ball valve		3/8'' * 3/8"push	€ 5,40
TE-236	K7544 Tee joint		1/4"*1/4"push *1/4"male thread	€ 1,34
TE-237	K7566 Tee joint		3/8"*3/8"push *3/8"male thread	€ 2,23
TE-238	K604 Tee joint plug		1/4"*1/4"push *1/4"plug	€ 2,01
TE-239	K6044 Tee joint		1/4"*1/4"push *1/4"male thread	€ 1,34

Code	Description	Product picture	Dimensions	Price
TE-242	K506 elbow	ſ	3/8"*3/8"push	€ 2,01
TE-243	K4046 elbow		1/4"push *3/8"male thread	€1,64
TE-244	K4064 elbow	ŋ	3/8"push *1/4"male thread	€ 2,01
TE-245	K4066 elbow	3	3/8"push *3/8"male thread	€ 2,01
TE-246	KM42 elbow-a		1/4"push *1/2"male thread	€ 2,23
TE-247	KM42 elbow-b		1/4"push *1/2"female thread	€ 2,23
TE-255	KM43 straight-a		3/8"push *1/2" female thread	€ 2,23
TE-256	KM43 straight-b		3/8"push *1/2" male thread	€ 2,01
TE-259	K1044 straight		1/4"push *1/4" male thread	€ 1,04
TE-261	K1046 straight		1/4"push *3/8" male thread	€ 1,49
TE-262	K1066 straight		3/8"push *3/8" male thread	€ 1,79
TE-263	K604 Elbow		1/4"push *3/8" push	€ 2,11
TE-264	k7541 Tee joint plug	7	6mm x 6mm x 6mm (push)	€ 1,64
TE-267	Ball valve		1/4"push *1/4" male thread	€ 4,68
TE-005	Water Poly Pipe		1/4" *1/4" PE Pipe	€ 1,08
TE-006			3/8" *3/8" PE Pipe	€ 1,85



Products catalogue 2022

19a Akamantos str., 2045, Nicosia

Email: info@aquaphorcyprus.com

Web: www.aquaphorcyprus.com



Global Certifications

