







X = DISCONTINUED

+ = UPCHARGE








MOLDED DOORS	Madison	Monroe	Cambridge	Corvado	Continental	Santa Fe
LAYOUT	1 Panel	2 Panel	2 Panel	2 Panel	2 Panel	2 Panel
PANEL TYPE	Flat Panel	Flat Panel	Raised Panel	U-Groove Plank	Raised Panel	V-Groove Plank
SURFACE	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth
STICKING	Craftsman	Craftsman	Ovolo	Cove & Bead	Ovolo	Ovolo
<i>Solid Particle Core</i>						
HEIGHT	6/8, 7/0, 8/0	6/8, 8/0	6/8, 7/0, 8/0	6/8, 8/0	6/8, 7/0, 8/0	6/8, 7/0, 8/0
THICKNESS	1-3/8" & 1-3/4"	1-3/8"	1-3/8" & 1-3/4"	1-3/8" & 1-3/4"	1-3/8" & 1-3/4"	1-3/8" & 1-3/4"
FIRE RATING	20 Minute	20 Minute	20 Minute	20 Minute	20 Minute	20 Minute
<i>Hollow Core</i>						
HEIGHT	6/8	6/8, 8/0	6/8, 7/0, 8/0	6/8, 8/0	6/8, 7/0, 8/0	6/8, 7/0, 8/0
THICKNESS	1-3/8"	1-3/8"	1-3/8"	1-3/8"	1-3/8"	1-3/8"
FIRE RATING	None	None	None	None	None	None
<i>Solid Mineral Core</i>						
HEIGHT	N/A	N/A	6/8, 7/0	N/A	6/8, 7/0	N/A
THICKNESS	N/A	N/A	1-3/4"	N/A	1-3/4"	N/A
FIRE RATING	N/A	N/A	60 Minute	N/A	60 Minute	N/A
PAGE	page 18	page 19	page 20	page 21	page 22	page 23

Layouts



MOLDED DOORS	Princeton	Camden	Craftsman III	Avalon	Coventry
LAYOUT	2 Panel	2 Panel	3 Panel	3 Panel	4 Panel
PANEL TYPE	Raised Panel	Raised Panel	Flat Panel	Raised Panel	Raised Panel
SURFACE	Smooth	Textured	Smooth	Textured	Smooth
STICKING	Cove & Bead	Cove & Bead	Craftsman	Cove & Bead	Cove & Bead
<i>Solid Particle Core</i>					
HEIGHT	6/8, 7/0, 8/0	6/8	6/8, 7/0	6/8	6/8, 7/0, 8/0
THICKNESS	1-3/8" & 1-3/4"*	1-3/8" & 1-3/4"	1-3/8" & 1-3/4"	1-3/8" & 1-3/4"	1-3/8" & 1-3/4"
FIRE RATING	20 Minute	20 Minute	20 Minute	20 Minute	20 Minute
<i>Hollow Core</i>					
HEIGHT	6/8, 7/0, 8/0	6/8	6/8, 7/0	6/8	6/8
THICKNESS	1-3/8"	1-3/8"	1-3/8"	1-3/8"	1-3/8"
FIRE RATING	None	None	None	None	None
<i>Solid Mineral Core</i>					
HEIGHT	6/8	N/A	N/A	N/A	6/8, 7/0
THICKNESS	1-3/4"	N/A	N/A	N/A	1-3/4"
FIRE RATING	60 Minute	N/A	N/A	N/A	60 Minute
PAGE	page 24	page 25	page 26	page 27	page 28

* 1-3/4" Available in 6/8 & 8/0 Only



MOLDED DOORS	Rockport	Conmore	Colonist Smooth	Colonist Textured	Mirror
LAYOUT	5 Panel	5 Panel	6 Panel	6 Panel	
PANEL TYPE	Raised Panel	Flat Panel	Raised Panel	Raised Panel	Beveled Glass
SURFACE	Smooth	Smooth	Smooth	Textured	Textured
STICKING	Cove & Bead	Step	Cove & Bead	Cove & Bead	Ovolo
Solid Particle Core					
HEIGHT	6/8, 7/0, 8/0	6/8, 7/0	6/8, 7/0, 8/0	6/8, 7/0	N/A
THICKNESS	1-3/8" & 1-3/4"	1-3/8" & 1-3/4" [†]	1-3/8" & 1-3/4"	1-3/8" & 1-3/4" [†]	N/A
FIRE RATING	20 Minute	20 Minute	20 Minute	20 Minute	N/A
Hollow Core					
HEIGHT	6/8, 7/0, 8/0	6/8, 7/0	6/8, 7/0, 8/0	6/8, 7/0, 8/0	6/8
THICKNESS	1-3/8"	1-3/8"	1-3/8"	1-3/8"	1-3/8"
FIRE RATING	None	None	None	None	None
Solid Mineral Core					
HEIGHT	N/A	N/A	6/8, 7/0	6/8	N/A
THICKNESS	N/A	N/A	1-3/4"	1-3/4"	N/A
FIRE RATING	N/A	N/A	60 Minute	60 Minute	N/A
PAGE	page 30	page 31	page 32	page 33	page 34

[†] 1-3/4 Available in 6/8 Only

Madison

LAYOUT OPTIONS




		STANDARD				TALL	
HEIGHT		6/8		7/0		8/0	
THICKNESS		1-3/8"	1-3/4"	1-3/8"	1-3/4"	1-3/8"	1-3/4"
Door Sizes							
STANDARD WIDTH	1/0	SC/HC					
	1/2	SC/HC					
	1/3	SC/HC					
	1/4	SC/HC					
	1/6	SC/HC	SC	SC		SC	
	1/8	SC/HC		SC			
	1/10	SC/HC					
	2/0	SC/HC	SC	SC	SC	SC	
	2/2	SC/HC					
	2/4	SC/HC	SC	SC	SC	SC	
	2/6	SC/HC	SC	SC	SC	SC	SC
	2/8	SC/HC	SC	SC	SC	SC	SC
	2/10	SC/HC	SC	SC	SC	SC	
	3/0	SC/HC	SC	SC	SC	SC	SC

6/8	
1-3/8"	
Bi-Fold Sizes	
2 DOOR	
2/0	SC/HC
2/4	
2/6	SC/HC
2/8	
3/0	SC/HC
4 DOOR	
4/0	SC/HC
4/8	
5/0	SC/HC
5/4	
6/0	SC/HC




Smooth Surface



Craftsman Sticking

Monroe

LAYOUT OPTIONS




		STANDARD				TALL	
HEIGHT		6/8		7/0 - N/A		8/0	
THICKNESS		1-3/8"	1-3/4"	1-3/8"	1-3/4"	1-3/8"	1-3/4"
Door Sizes							
STANDARD WIDTH	1/0						
	1/2						
	1/3						
	1/4						
	1/6	SC/HC				SC/HC	
	1/8						
	1/10						
	2/0	SC/HC				SC/HC	
	2/2						
	2/4	SC/HC				SC/HC	
	2/6	SC/HC				SC/HC	
	2/8	SC/HC				SC/HC	
	2/10						
	3/0	SC/HC				SC/HC	

6/8	
1-3/8"	
Bi-Fold Sizes	
2 DOOR	
2/0	SC/HC
2/4	
2/6	SC/HC
2/8	
3/0	SC/HC
4 DOOR	
4/0	SC/HC
4/8	
5/0	SC/HC
5/4	
6/0	SC/HC



Smooth Surface




Craftsman Sticking


SC = Solid Particle Core Construction
 HC = Hollow Core Construction
 MC = Solid Mineral Core Construction
 ⓧ = No Standard Bore Possible

Cambridge

LAYOUT OPTIONS




STANDARD



TALL



BI-FOLD




Panel Detail

		STANDARD				TALL	
HEIGHT		6/8		7/0		8/0	
THICKNESS		1-3/8"	1-3/4"	1-3/8"	1-3/4"	1-3/8"	1-3/4"
Door Sizes							
STANDARD WIDTH	1/0	SC/HC		SC/HC		SC/HC	
	1/2	SC/HC		SC/HC		SC/HC	
	1/3	SC/HC		SC/HC		SC/HC	
	1/4	SC/HC		SC/HC		SC/HC	
	1/6	SC/HC	SC	SC/HC	SC	SC/HC	SC
	1/8	SC/HC		SC/HC		SC/HC	
	1/10	SC/HC		SC/HC		SC/HC	
	2/0	SC/HC	SC	SC/HC	SC	SC/HC	SC
	2/2	SC/HC		SC/HC		SC/HC	
	2/4	SC/HC	SC	SC/HC	SC	SC/HC	SC
	2/6	SC/HC	SC/MC	SC/HC	SC	SC/HC	SC
	2/8	SC/HC	SC/MC	SC/HC	SC/MC	SC/HC	SC
	2/10	SC/HC	SC	SC/HC	SC	SC/HC	SC
	3/0	SC/HC	SC/MC	SC/HC	SC/MC	SC/HC	SC

6/8	
1-3/8"	
Bi-Fold Sizes	
2 DOOR	
2/0	SC/HC
2/4	HC
2/6	SC/HC
2/8	HC
3/0	SC HC
4 DOOR	
4/0	SC/HC
4/8	HC
5/0	SC/HC
5/4	HC
6/0	SC/HC



Smooth Surface



Ovolo Sticking

6/8 Hollow Core 1-3/8" doors are stocked with fiber stiles in the following sizes:

1/6, 2/0, 2/4, 2/6, 2/8, 2/10, 3/0


Corvado

LAYOUT OPTIONS



		STANDARD				TALL	
HEIGHT		6/8		7/0 - N/A		8/0	
THICKNESS		1-3/8"	1-3/4"	1-3/8"	1-3/4"	1-3/8"	1-3/4"
Door Sizes							
STANDARD WIDTH	1/0	SC/HC					
	1/2	SC/HC					
	1/3	SC/HC					
	1/4	SC/HC					
	1/6	SC/HC				SC/HC	
	1/8	SC/HC					
	1/10	SC/HC					
	2/0	SC/HC				SC/HC	
	2/2	SC/HC					
	2/4	SC/HC				SC/HC	
	2/6	SC/HC	SC			SC/HC	
	2/8	SC/HC	SC			SC/HC	
	2/10	SC/HC					
	3/0	SC/HC	SC			SC/HC	


6/8	
1-3/8"	
Bi-Fold Sizes	
2 DOOR	
2/0	SC/HC
2/4	
2/6	SC/HC
2/8	
3/0	SC/HC
4 DOOR	
4/0	SC/HC
4/8	
5/0	SC/HC
5/4	
6/0	SC/HC



Smooth Surface



Cove & Bead Sticking




U-Groove Plank


SC = Solid Particle Core Construction
 HC = Hollow Core Construction
 MC = Solid Mineral Core Construction
 ☒ = No Standard Bore Possible

Continental

LAYOUT OPTIONS




STANDARD



TALL



BI-FOLD




Panel Detail

		STANDARD				TALL	
HEIGHT		6/8		7/0		8/0	
THICKNESS		1-3/8"	1-3/4"	1-3/8"	1-3/4"	1-3/8"	1-3/4"
Door Sizes							
STANDARD WIDTH	1/0	SC/HC		SC/HC			
	1/2	SC/HC		SC/HC			
	1/3	SC/HC		SC/HC			
	1/4	SC/HC		SC/HC			
	1/6	SC/HC	SC	SC/HC	SC	SC/HC	SC
	1/8	SC/HC		SC/HC		SC/HC	
	1/10	SC/HC		SC/HC		SC/HC	
	2/0	SC/HC	SC	SC/HC	SC	SC/HC	SC
	2/2	SC/HC		SC/HC		SC/HC	
	2/4	SC/HC	SC	SC/HC	SC	SC/HC	SC
	2/6	SC/HC	SC/MC	SC/HC	SC	SC/HC	SC
	2/8	SC/HC	SC/MC	SC/HC	SC/MC	SC/HC	SC
	2/10	SC/HC	SC	SC/HC	SC	SC/HC	SC
	3/0	SC/HC	SC/MC	SC/HC	SC/MC	SC/HC	SC

6/8	
1-3/8"	
Bi-Fold Sizes	
2 DOOR	
2/0	SC/HC
2/4	HC
2/6	SC/HC
2/8	HC
3/0	SC/HC
4 DOOR	
4/0	SC/HC
4/8	HC
5/0	SC/HC
5/4	HC
6/0	SC/HC



Smooth Surface



Ovolo Sticking

6/8 Hollow Core 1-3/8" doors are stocked with fiber stiles in the following sizes:

1/6, 2/0, 2/4, 2/6, 2/8, 2/10, 3/0


Santa Fe

LAYOUT OPTIONS




		STANDARD				TALL	
HEIGHT		6/8		7/0		8/0	
THICKNESS		1-3/8"	1-3/4"	1-3/8"	1-3/4"	1-3/8"	1-3/4"
Door Sizes							
STANDARD WIDTH	1/0	SC/HC					
	1/2	SC/HC					
	1/3	SC/HC					
	1/4	SC/HC					
	1/6	SC/HC	SC	SC/HC		SC/HC	
	1/8	SC/HC		SC/HC		SC/HC	
	1/10	SC/HC					
	2/0	SC/HC	SC	SC/HC		SC/HC	
	2/2	SC/HC					
	2/4	SC/HC	SC	SC/HC		SC/HC	
	2/6	SC/HC	SC	SC/HC	SC	SC/HC	SC
	2/8	SC/HC	SC	SC/HC	SC	SC/HC	SC
	2/10	SC/HC	SC				
	3/0	SC/HC	SC	SC/HC	SC	SC/HC	SC


6/8	
1-3/8"	
Bi-Fold Sizes	
2 DOOR	
2/0	SC/HC
2/4	HC
2/6	SC/HC
2/8	HC
3/0	SC/HC
4 DOOR	
4/0	SC/HC
4/8	HC
5/0	SC/HC
5/4	HC
6/0	SC/HC



Smooth Surface



Ovolo Sticking



V-Groove Plank

SC = Solid Particle Core Construction
 HC = Hollow Core Construction
 MC = Solid Mineral Core Construction
 ⓧ = No Standard Bore Possible

Craftsman III

LAYOUT OPTIONS




NARROW



STANDARD



BI-FOLD




Panel Detail

		STANDARD				TALL	
HEIGHT		6/8		7/0		8/0 - N/A	
THICKNESS		1-3/8"	1-3/4"	1-3/8"	1-3/4"	1-3/8"	1-3/4"
Door Sizes							
NARROW WIDTH	1/0	SC/HC		SC/HC			
	1/2	SC/HC		SC/HC			
	1/3	SC/HC		SC/HC			
	1/4	SC/HC		SC/HC			
	1/6	SC/HC	SC	SC/HC			
	1/8	SC/HC		SC/HC			
	1/10	SC/HC		SC/HC			
STANDARD WIDTH	2/0	SC/HC	SC	SC/HC			
	2/2	SC/HC		SC/HC			
	2/4	SC/HC	SC	SC/HC			
	2/6	SC/HC	SC	SC/HC	SC		
	2/8	SC/HC	SC	SC/HC	SC		
	2/10	SC/HC	SC	SC/HC			
	3/0	SC/HC	SC	SC/HC	SC		

6/8	
1-3/8"	
Bi-Fold	
2 DOOR	
2/0	SC/HC
2/4	
2/6	SC/HC
2/8	
3/0	SC/HC
4 DOOR	
4/0	SC/HC
4/8	
5/0	SC/HC
5/4	
6/0	SC/HC



Smooth Surface



Craftsman Sticking

Avalon

LAYOUT OPTIONS



STANDARD



BI-FOLD




Panel Detail

		STANDARD				TALL	
HEIGHT		6/8		7/0 - N/A		8/0 - N/A	
THICKNESS		1-3/8"	1-3/4"	1-3/8"	1-3/4"	1-3/8"	1-3/4"
Door Sizes							
STANDARD WIDTH	 1/0	SC/HC					
	 1/2	SC/HC					
	 1/3	SC/HC					
	1/4	SC/HC					
	1/6	SC/HC					
	1/8	SC/HC					
	 1/10	SC/HC					
	2/0	SC/HC					
	 2/2	SC/HC					
	2/4	SC/HC					
	2/6	SC/HC	SC				
	2/8	SC/HC	SC				
	2/10	SC/HC					
	3/0	SC/HC	SC				

6/8	
1-3/8"	
Bi-Fold Sizes	
2 DOOR	
2/0	SC/HC
2/4	HC
2/6	SC/HC
2/8	HC
3/0	SC/HC
4 DOOR	
4/0	SC/HC
4/8	HC
5/0	SC/HC
5/4	HC
6/0	SC/HC



Textured Surface



Cove & Bead Sticking

6/8 Hollow Core 1-3/8" doors are stocked with fiber stiles in the following sizes:
1/6, 2/0, 2/4, 2/6, 2/8, 3/0

SC = Solid Particle Core Construction
HC = Hollow Core Construction
MC = Solid Mineral Core Construction
 = No Standard Bore Possible

Coventry

LAYOUT OPTIONS



NARROW

STANDARD

TALL

BI-FOLD


Panel Detail

		STANDARD				TALL	
HEIGHT		6/8		7/0		8/0	
THICKNESS		1-3/8"	1-3/4"	1-3/8"	1-3/4"	1-3/8"	1-3/4"
Door Sizes							
NARROW WIDTH	1/0	SC/HC					
	1/2	SC/HC					
	1/3	SC/HC					
	1/4	SC/HC					
	1/6	SC/HC	SC	SC		SC	
	1/8	SC/HC		SC		SC	
STANDARD WIDTH	1/10	SC/HC					
	2/0	SC/HC	SC	SC		SC	
	2/2	SC/HC					
	2/4	SC/HC	SC	SC		SC	
	2/6	SC/HC	SC/MC	SC	SC	SC	
	2/8	SC/HC	SC/MC	SC	SC/MC	SC	
	2/10	SC/HC	SC				
	3/0	SC/HC	SC/MC	SC	SC/MC	SC	

6/8	
1-3/8"	
Bi-Fold Sizes	
2 DOOR	
2/0	SC/HC
2/4	
2/6	SC/HC
2/8	
3/0	SC/HC
4 DOOR	
4/0	SC/HC
4/8	
5/0	SC/HC
5/4	
6/0	SC/HC



Smooth Surface



Cove & Bead Sticking

Rockport

LAYOUT OPTIONS



STANDARD


TALL

BI-FOLD

Panel Detail

		STANDARD				TALL	
HEIGHT		6/8		7/0		8/0	
THICKNESS		1-3/8"	1-3/4"	1-3/8"	1-3/4"	1-3/8"	1-3/4"
Door Sizes							
STANDARD WIDTH	1/0	SC/HC					
	1/2	SC/HC					
	1/3	SC/HC					
	1/4	SC/HC					
	1/6	SC/HC	SC	SC/HC		SC/HC	
	1/8	SC/HC		SC/HC		SC/HC	
	1/10	SC/HC					
	2/0	SC/HC	SC	SC/HC		SC/HC	
	2/2	SC/HC					
	2/4	SC/HC	SC	SC/HC		SC/HC	
	2/6	SC/HC	SC	SC/HC	SC	SC/HC	SC
	2/8	SC/HC	SC	SC/HC	SC	SC/HC	SC
	2/10	SC/HC	SC				
	3/0	SC/HC	SC	SC/HC	SC	SC/HC	SC

6/8	
1-3/8"	
Bi-Fold Sizes	
2 DOOR	
2/0	SC/HC
2/4	HC
2/6	SC/HC
2/8	HC
3/0	SC/HC
4 DOOR	
4/0	SC/HC
4/8	HC
5/0	SC/HC
5/4	HC
6/0	SC/HC




Smooth Surface



Cove & Bead Sticking

Conmore

LAYOUT OPTIONS



STANDARD



BI-FOLD




Panel Detail

		STANDARD				TALL	
HEIGHT		6/8		7/0		8/0 - N/A	
THICKNESS		1-3/8"	1-3/4"	1-3/8"	1-3/4"	1-3/8"	1-3/4"
Door Sizes							
STANDARD WIDTH	1/0	SC/HC					
	1/2	SC/HC					
	1/3	SC/HC					
	1/4	SC/HC					
	1/6	SC/HC		SC/HC			
	1/8	SC/HC		SC/HC			
	1/10	SC/HC					
	2/0	SC/HC		SC/HC			
	2/2	SC/HC					
	2/4	SC/HC		SC/HC			
	2/6	SC/HC	SC	SC/HC			
	2/8	SC/HC	SC	SC/HC			
	2/10	SC/HC					
	3/0	SC/HC	SC	SC/HC			

6/8	
1-3/8"	
Bi-Fold Sizes	
2 DOOR	
2/0	SC/HC
2/4	
2/6	SC/HC
2/8	
3/0	SC/HC
4 DOOR	
4/0	SC/HC
4/8	
5/0	SC/HC
5/4	
6/0	SC/HC



Smooth Surface



Step Sticking

SC = Solid Particle Core Construction
 HC = Hollow Core Construction
 MC = Solid Mineral Core Construction
 ☒ = No Standard Bore Possible

Colonist

(Smooth)

LAYOUT OPTIONS



NARROW

STANDARD


TALL

BI-FOLD

Panel Detail

		STANDARD				TALL	
HEIGHT		6/8		7/0		8/0	
THICKNESS		1-3/8"	1-3/4"	1-3/8"	1-3/4"	1-3/8"	1-3/4"
Door Sizes							
NARROW WIDTH	1/0	SC/HC		SC/HC		SC/HC	
	1/2	SC/HC		SC/HC		SC/HC	
	1/3	SC/HC		SC/HC		SC/HC	
	1/4	SC/HC		SC/HC		SC/HC	
	1/6	SC/HC	SC	SC/HC	SC	SC/HC	SC
	1/8	SC/HC		SC/HC		SC/HC	
STANDARD WIDTH	1/10	SC/HC		SC/HC		SC/HC	
	2/0	SC/HC	SC	SC/HC	SC	SC/HC	SC
	2/2	SC/HC		SC/HC		SC/HC	
	2/4	SC/HC	SC	SC/HC	SC	SC/HC	SC
	2/6	SC/HC	SC/MC	SC/HC	SC	SC/HC	SC
	2/8	SC/HC	SC/MC	SC/HC	SC/MC	SC/HC	SC
	2/10	SC/HC	SC	SC/HC	SC	SC/HC	SC
	3/0	SC/HC	SC/MC	SC/HC	SC/MC	SC/HC	SC

6/8	
1-3/8"	
Bi-Fold Sizes	
2 DOOR	
2/0	SC/HC
2/4	HC
2/6	SC/HC
2/8	HC
3/0	SC/HC
4 DOOR	
4/0	SC/HC
4/8	HC
5/0	SC/HC
5/4	HC
6/0	SC/HC



Smooth Surface



Cove & Bead Sticking

6/8 Hollow Core 1-3/8" doors are stocked with fiber stiles in the following sizes:

1/6, 2/0, 2/4, 2/6, 2/8, 2/10, 3/0

Colonist

(Textured)

LAYOUT OPTIONS




		STANDARD				TALL	
HEIGHT		6/8		7/0		8/0	
THICKNESS		1-3/8"	1-3/4"	1-3/8"	1-3/4"	1-3/8"	1-3/4"
Door Sizes							
NARROW WIDTH	1/0	SC/HC		SC/HC		HC	
	1/2	SC/HC		SC/HC		HC	
	1/3	SC/HC		SC/HC		HC	
	1/4	SC/HC		SC/HC		HC	
	1/6	SC/HC		SC/HC		SC/HC	
	1/8	SC/HC		SC/HC		SC/HC	
STANDARD WIDTH	1/10	SC/HC		SC/HC		HC	
	2/0	SC/HC		SC/HC		SC/HC	
	2/2	SC/HC		SC/HC		SC/HC	
	2/4	SC/HC		SC/HC		SC/HC	
	2/6	SC/HC	SC/MC	SC/HC		SC/HC	
	2/8	SC/HC	SC/MC	SC/HC		SC/HC	
	2/10	SC/HC		SC/HC		SC/HC	
	3/0	SC/HC	SC/MC	SC/HC		SC/HC	

6/8	
1-3/8"	
Bi-Fold Sizes	
2 DOOR	
2/0	SC/HC
2/4	HC
2/6	SC/HC
2/8	HC
3/0	SC/HC
4 DOOR	
4/0	SC/HC
4/8	HC
5/0	SC/HC
5/4	HC
6/0	SC/HC



Textured Surface



Cove & Bead Sticking

6/8 Hollow Core 1-3/8" doors are stocked with fiber stiles in the following sizes:

1/0, 1/2, 1/4, 1/6, 1/8, 1/10, 2/0, 2/2, 2/4, 2/6, 2/8, 2/10, 3/0

SC = Solid Particle Core Construction
 HC = Hollow Core Construction
 MC = Solid Mineral Core Construction
 ☒ = No Standard Bore Possible

Mirror

For more details on
Colonist Textured
see page 33

LAYOUT OPTIONS




COLONIST
TEXTURED



MIRROR
TEXTURED



1" Bevel Mirror Edge



Ovolo Sticking

		STANDARD	
HEIGHT		6/8	
THICKNESS		1-3/8"	1-3/4"
Door Sizes			
STANDARD WIDTH	1/0		
	1/2		
	1/3		
	1/4		
	1/6		
	1/8		
	1/10		
	2/0	HC	
	2/2		
	2/4	HC	
	2/6	HC	
	2/8	HC	
	2/10		
	3/0	HC	

