


**Looner Sodas**  
8282 Arthur Street NE  
Spring Lake Park, MN 55432  
  
(612) 849-7751

**Sample: 2605AIT0289.0588**

Strain: N/A  
Batch#: MM0008; Batch Size: g  
Sample Received: 05/11/2026; Report Created: 05/20/2026

**Looner Mocktail Mule 10mg**  
Ingestible, Beverage



	<p><b>0.003%</b></p> <p>10.4 mg/serving</p> <p><b>Total THC</b></p>	<p><b>&lt;LOQ</b></p> <p>&lt;LOQ</p> <p><b>Total CBD</b></p>	<p><b>0.003%</b></p> <p>10.4 mg/serving</p> <p><b>Total Cannabinoids</b></p>
---	---	--	--

**Cannabinoids** Date Tested: 05/11/2026

Analytes	%	mg/g	mg/ml	mg/serving	LOQ
CBC	<LOQ	<LOQ	<LOQ	<LOQ	0.001
CBD	<LOQ	<LOQ	<LOQ	<LOQ	0.001
CBDa	<LOQ	<LOQ	<LOQ	<LOQ	0.001
CBDV	<LOQ	<LOQ	<LOQ	<LOQ	0.001
CBG	<LOQ	<LOQ	<LOQ	<LOQ	0.001
CBGa	<LOQ	<LOQ	<LOQ	<LOQ	0.001
CBL	<LOQ	<LOQ	<LOQ	<LOQ	0.001
CBN	<LOQ	<LOQ	<LOQ	<LOQ	0.001
Δ8-THC	<LOQ	<LOQ	<LOQ	<LOQ	0.001
Δ9-THC	0.003	0.029	0.029	10.390	0.001
THCa	<LOQ	<LOQ	<LOQ	<LOQ	0.001
THCV	<LOQ	<LOQ	<LOQ	<LOQ	0.001
THCVa	<LOQ	<LOQ	<LOQ	<LOQ	0.001

Method: HPLC  
 Total THC = THCa \* 0.877 + Δ9-THC  
 Total CBD = CBDa \* 0.877 + CBD  
 Total Cannabinoids represents the sum of all cannabinoids in the table above.  
 Results are reported on a dry weight basis: Cannabinoid % / (1.0 - moisture content % / 100) = Dry weight cannabinoids %  
 LOQ = Limit of Quantitation

**Summary**

**Pass**

Microbials



*John Schmidt*

**John Schmidt**  
Analytical Chemist



## Looner Sodas

8282 Arthur Street NE  
Spring Lake Park, MN 55432

(612) 849-7751

Sample: 2605AIT0289.0588

Strain: N/A

Batch#: MM0008; Batch Size: g

Sample Received: 05/11/2026; Report Created: 05/20/2026

## Looner Mocktail Mule 10mg

Ingestible, Beverage



## Microbials

Pass

Date Tested: 05/11/2026

Analyte	Limit	Result	Status
Yeast & Mold	CFU/g 1000	CFU/g <LOQ	Not Present
Salmonella	1	Not Detected	Not Present
Shiga Toxin-producing E. coli (STEC)	1	Not Detected	Not Present
Aerobic Bacteria	10000	<LOQ	Not Present

Method: qPCR

4150 98th Ave S  
Fargo, ND  
(888) 897-4367  
www.hempinspection.com



John Schmidt

Analytical Chemist

Confident LIMS  
All Rights Reserved  
(866) 506-5866

This product has been tested by Adams Independent Testing using valid testing methodologies. Values reported apply only to the product tested and only as the sample was received. Adams Independent Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or nondetected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Adams Independent Testing. Test results that are Pass/Fail are reported using the Oregon Health Authority, Public Health Division - Chapter 333-007-0320, effective 1/1/2021. Results above the Limit will be considered Fail and will be in red. This is for informational purposes only and can be changed upon request. Measurement Uncertainty is not used for pass/fail conditions but available upon request.