

Certificate of Analysis

Powered by Confident Cannabis 1 of 1

Pharma CBD

172 Williamson Road Mooresville, NC 28117 fisher.austin@gmail.com (704) 605-8015 Sample: 2101G2A0023.0078

Strain: 01/21/21

Batch#:; Batch Size: g

Sample Received: 01/21/2021; Report Created: 01/24/2021

Expiration: 01/23/2022

CC_{D8}

Ingestible, Tincture, Other





0.282%

Total THC

Not Tested

Mycotoxins

0.023%

Total CBD

Not Tested

Water Activity

3.241%

Total Cannabinoids

Cannabinoids

Complete

| Analyte | LOQ | Mass | Mass | |
|---------|-------|--|------------------------------|---|
| | % | % | mg/unit | |
| THCa | 0.010 | ND | ND | |
| Δ9-ΤΗС | 0.010 | 0.282 | 84.61 | |
| Δ8-ΤΗС | 0.010 | 2.933 | 879.90 | |
| THCV | 0.010 | NR | NR | |
| CBDa | 0.010 | 0.026 | 7.92 | 1 |
| CBD | 0.010 | <loq< td=""><td><loq< td=""><td></td></loq<></td></loq<> | <loq< td=""><td></td></loq<> | |
| CBDV | 0.010 | <loq< td=""><td><loq< td=""><td></td></loq<></td></loq<> | <loq< td=""><td></td></loq<> | |
| CBN | 0.010 | <loq< th=""><th><loq< th=""><th></th></loq<></th></loq<> | <loq< th=""><th></th></loq<> | |
| CBGa | 0.010 | ND | ND | |
| CBG | 0.010 | <loq< th=""><th><loq< th=""><th></th></loq<></th></loq<> | <loq< th=""><th></th></loq<> | |
| CBC | 0.010 | ND | ND | |
| Total | | 3.241 | 972.44 | |

| Mycotoxins | Not Tested |
|------------|------------|
| Mycotoxins | Not lested |

Total THC = THCa * 0.877 + Δ 9-THC; Total CBD = CBDa * 0.877 + CBD LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Griffin & Griffin Analytical Associates 129 S. Main Street Oakboro, NC (803) 322-2271

http://www.g2analytical.com

Veronica Griffin President Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



This product has been tested by Griffin & Griffin Analytical using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Griffin & Griffin Analytical makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Griffin & Griffin Analytical.