

Looner Sodas
8282 Arthur Street NE
Spring Lake Park, MN 55432


(612) 849-7751

Sample: 2604AIT0229.0460

Strain: N/A
Batch#: ; Batch Size: g
Sample Received: 04/06/2026; Report Created: 04/14/2026

Looner Cola CL0008-WZ
Ingestible, Beverage



| | | | |
|---|--|---|---|
|  | 0.003% 10.3 mg/container 10.3 mg/serving Total THC | <LOQ <LOQ <LOQ Total CBD | 0.003% 10.3 mg/container 10.3 mg/serving Total Cannabinoids |
|---|--|---|---|

Cannabinoids

Date Tested: 04/06/2026

| Analytes | % | mg/g | mg/ml | mg/serving | LOQ |
|----------|-------|-------|-------|------------|-------|
| CBC | <LOQ | <LOQ | <LOQ | <LOQ | 0.001 |
| CBD | <LOQ | <LOQ | <LOQ | <LOQ | 0.001 |
| CBDa | <LOQ | <LOQ | <LOQ | <LOQ | 0.001 |
| CBDV | <LOQ | <LOQ | <LOQ | <LOQ | 0.001 |
| CBG | <LOQ | <LOQ | <LOQ | <LOQ | 0.001 |
| CBGa | <LOQ | <LOQ | <LOQ | <LOQ | 0.001 |
| CBL | <LOQ | <LOQ | <LOQ | <LOQ | 0.001 |
| CBN | <LOQ | <LOQ | <LOQ | <LOQ | 0.001 |
| Δ8-THC | <LOQ | <LOQ | <LOQ | <LOQ | 0.001 |
| Δ9-THC | 0.003 | 0.029 | 0.029 | 10.267 | 0.001 |
| THCa | <LOQ | <LOQ | <LOQ | <LOQ | 0.001 |
| THCVa | <LOQ | <LOQ | <LOQ | <LOQ | 0.001 |

Method: HPLC
Total THC = THCa * 0.877 + Δ9-THC
Total CBD = CBDa * 0.877 + CBD

Total Cannabinoids represents the sum of all cannabinoids in the table above.
Results are reported on a dry weight basis: Cannabinoid % / (1.0 - moisture content % / 100) = Dry weight cannabinoids %
LOQ = Limit of Quantitation

Summary

| | | |
|-------------------------------|---------------------------------|-------------------------------|
| Pass Mycotoxins | Pass Heavy Metals | Pass Pesticides |
|-------------------------------|---------------------------------|-------------------------------|

4150 98th Ave S
Fargo, ND
(888) 897-4367
www.hempinspection.com



John Schmidt

John Schmidt
Analytical Chemist



Confident LIMS
All Rights Reserved
(866) 506-5866

This product has been tested by Adams Independent Testing using valid testing methodologies. Values reported apply only to the product tested and only as the sample was received. Adams Independent Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or nondetected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Adams Independent Testing. Test results that are Pass/Fail are reported using the Oregon Health Authority, Public Health Division - Chapter 333-007-0320, effective 1/1/2021. Results above the Limit will be considered Fail and will be in red. This is for informational purposes only and can be changed upon request. Measurement Uncertainty is not used for pass/fail conditions but available upon request.

Looner Sodas
8282 Arthur Street NE
Spring Lake Park, MN 55432

(612) 849-7751

Sample: 2604AIT0229.0460

Strain: N/A
Batch#: ; Batch Size: g
Sample Received: 04/06/2026; Report Created: 04/14/2026

Looner Cola CL0008-WZ
Ingestible, Beverage



Mycotoxins

Pass

Date Tested: 04/14/2026

| Analyte | LOQ | Limit | Result | Status |
|--------------|------|-------|--------|--------|
| | PPB | PPB | PPB | |
| Aflatoxin B1 | 1.00 | 20.00 | <LOQ | Pass |
| Aflatoxin B2 | 1.00 | 20.00 | <LOQ | Pass |
| Aflatoxin G1 | 1.00 | 20.00 | <LOQ | Pass |
| Aflatoxin G2 | 1.00 | 20.00 | <LOQ | Pass |
| Ochratoxin A | 1.00 | 20.00 | <LOQ | Pass |

Method: LCMS

4150 98th Ave S
Fargo, ND
(888) 897-4367
www.hempinspection.com




John Schmidt
Analytical Chemist



Confident LIMS
All Rights Reserved
(866) 506-5866

This product has been tested by Adams Independent Testing using valid testing methodologies. Values reported apply only to the product tested and only as the sample was received. Adams Independent Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or nondetected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Adams Independent Testing. Test results that are Pass/Fail are reported using the Oregon Health Authority, Public Health Division - Chapter 333-007-0320, effective 1/1/2021. Results above the Limit will be considered Fail and will be in red. This is for informational purposes only and can be changed upon request. Measurement Uncertainty is not used for pass/fail conditions but available upon request.

Looner Sodas
8282 Arthur Street NE
Spring Lake Park, MN 55432

(612) 849-7751

Sample: 2604AIT0229.0460

Strain: N/A
Batch#: ; Batch Size: g
Sample Received: 04/06/2026; Report Created: 04/14/2026

Looner Cola CL0008-WZ
Ingestible, Beverage




Heavy Metals

Pass

Date Tested: 04/07/2026

| Analyte | LOQ | Limit | Result | Status |
|---------|------|-------|--------|--------|
| | PPM | PPM | PPM | |
| Arsenic | 0.10 | 1.50 | <LOQ | Pass |
| Cadmium | 0.10 | 0.50 | <LOQ | Pass |
| Lead | 0.10 | 0.50 | <LOQ | Pass |
| Mercury | 0.10 | 3.00 | <LOQ | Pass |



Method: ICPMS



John Schmidt

Analytical Chemist

Looner Sodas

8282 Arthur Street NE
Spring Lake Park, MN 55432

(612) 849-7751

Sample: 2604AIT0229.0460

Strain: N/A

Batch#: ; Batch Size: g

Sample Received: 04/06/2026; Report Created: 04/14/2026

Looner Cola CL0008-WZ

Ingestible, Beverage



Pesticides

Pass

Date Tested: 04/14/2026

| Analyte | LOQ | Limit | Result | Status | Analyte | LOQ | Limit | Result | Status |
|---------------------|------|-------|--------|--------|--------------------|------|-------|--------|--------|
| | PPM | PPM | PPM | | | PPM | PPM | PPM | |
| Abamectin | 0.01 | 0.50 | <LOQ | Pass | Hexythiazox | 0.01 | 1.00 | <LOQ | Pass |
| Acephate | 0.01 | 0.40 | <LOQ | Pass | Imazalil | 0.01 | 0.20 | <LOQ | Pass |
| Acequinocyl | 0.01 | 2.00 | <LOQ | Pass | Imidacloprid | 0.01 | 0.40 | <LOQ | Pass |
| Acetamiprid | 0.01 | 0.20 | <LOQ | Pass | Kresoxim Methyl | 0.01 | 0.40 | <LOQ | Pass |
| Aldicarb | 0.01 | 0.40 | <LOQ | Pass | Malathion | 0.01 | 0.20 | <LOQ | Pass |
| Azoxystrobin | 0.01 | 0.20 | <LOQ | Pass | Metalaxyl | 0.01 | 0.20 | <LOQ | Pass |
| Bifenazate | 0.01 | 0.20 | <LOQ | Pass | Methiocarb | 0.01 | 0.20 | <LOQ | Pass |
| Bifenthrin | 0.01 | 0.20 | <LOQ | Pass | Methomyl | 0.01 | 0.40 | <LOQ | Pass |
| Boscalid | 0.01 | 0.40 | <LOQ | Pass | Methyl Parathion | 0.01 | 0.20 | <LOQ | Pass |
| Carbaryl | 0.01 | 0.20 | <LOQ | Pass | Mevinphos | 0.01 | | <LOQ | Tested |
| Carbofuran | 0.01 | 0.20 | <LOQ | Pass | MGK-264 | 0.01 | 0.20 | <LOQ | Pass |
| Chlorantraniliprole | 0.01 | 0.20 | <LOQ | Pass | Myclobutanil | 0.01 | 0.20 | <LOQ | Pass |
| Chlorfenapyr | 0.01 | 1.00 | <LOQ | Pass | Naled | 0.01 | 0.50 | <LOQ | Pass |
| Chlormequat | 0.01 | | <LOQ | Tested | Oxamyl | 0.01 | 1.00 | <LOQ | Pass |
| Chlorpyrifos | 0.01 | 0.20 | <LOQ | Pass | Pacllobutrazol | 0.01 | 0.40 | <LOQ | Pass |
| Clofentezine | 0.01 | 0.20 | <LOQ | Pass | Pentachlorobenzene | 0.01 | | <LOQ | Tested |
| Coumaphos | 0.01 | | <LOQ | Tested | Permethrins | 0.01 | 0.20 | <LOQ | Pass |
| Cyfluthrin | 0.01 | 1.00 | <LOQ | Pass | Phosmet | 0.01 | 0.20 | <LOQ | Pass |
| Cypermethrin | 0.01 | 1.00 | <LOQ | Pass | Piperonyl Butoxide | 0.01 | 2.00 | <LOQ | Pass |
| Daminozide | 0.01 | 1.00 | <LOQ | Pass | Prallethrin | 0.01 | 0.20 | <LOQ | Pass |
| DDVP | 0.01 | 1.00 | <LOQ | Pass | Propiconazole | 0.01 | 0.40 | <LOQ | Pass |
| Diazinon | 0.01 | 0.20 | <LOQ | Pass | Propoxur | 0.01 | 0.20 | <LOQ | Pass |
| Dimethoate | 0.01 | 0.20 | <LOQ | Pass | Pyrethrins | 0.01 | 1.00 | <LOQ | Pass |
| Dimethomorph | 0.01 | | <LOQ | Tested | Pyridaben | 0.01 | 0.20 | <LOQ | Pass |
| Ethoprophos | 0.01 | 0.20 | <LOQ | Pass | Spinetoram | 0.01 | | <LOQ | Tested |
| Etofenprox | 0.01 | 0.40 | <LOQ | Pass | Spinosad | 0.01 | 0.20 | <LOQ | Pass |
| Etoxazole | 0.01 | 0.20 | <LOQ | Pass | Spiromesifen | 0.01 | 0.20 | <LOQ | Pass |
| Fenhexamid | 0.01 | | <LOQ | Tested | Spirotetramat | 0.01 | 0.20 | <LOQ | Pass |
| Fenoxycarb | 0.01 | 0.20 | <LOQ | Pass | Spiroxamine | 0.01 | 0.40 | <LOQ | Pass |
| Fenpyroximate | 0.01 | 0.40 | <LOQ | Pass | Tebuconazole | 0.01 | 0.40 | <LOQ | Pass |
| Fipronil | 0.01 | 0.40 | <LOQ | Pass | Thiacloprid | 0.01 | 0.20 | <LOQ | Pass |
| Flonicamid | 0.01 | 1.00 | <LOQ | Pass | Thiamethoxam | 0.01 | 0.20 | <LOQ | Pass |
| Fludioxonil | 0.01 | 0.40 | <LOQ | Pass | Trifloxystrobin | 0.01 | 0.20 | <LOQ | Pass |

Methods: LCMS and GCMS

4150 98th Ave S
Fargo, ND
(888) 897-4367
www.hempinspection.com




John Schmidt

Analytical Chemist

Confident LIMS
All Rights Reserved
(866) 506-5866

This product has been tested by Adams Independent Testing using valid testing methodologies. Values reported apply only to the product tested and only as the sample was received. Adams Independent Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or nondetected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Adams Independent Testing. Test results that are Pass/Fail are reported using the Oregon Health Authority, Public Health Division - Chapter 333-007-0320, effective 1/1/2021. Results above the Limit will be considered Fail and will be in red. This is for informational purposes only and can be changed upon request. Measurement Uncertainty is not used for pass/fail conditions but available upon request.