


## J&G SALES, INC.

PILE DRIVING EQUIPMENT

## ANTAEUS Model 520 Apex




**Lifting Bail** 

Multi –Stage Suppressor

Helical Gears
Spherical Bearings
Forged Eccentrics





| Model 520 Apex Exciter                  | <b>US Specifications</b> |
|---|--------------------------|
| Eccentric Moment (In/Lbs)               | 5200                     |
| Dynamic Force (Tons)                    | 200                      |
| Frequency (VPM)                         | 1650                     |
| Max Line Pull (Tons)                    | 125                      |
| Suspended Weight With Sheet Clamp (LBS) | 19,200                   |
| Shipping Weight With Sheet Clamp        | 23,000                   |
| Length (Inches)                         | 102                      |
| Width @ Throat (Inches)                 | 16.75                    |
| Height w/o Clamp (Inches)               | 83                       |

| Model 800 Power Unit                 | <b>US Specifications</b> |
|--------------------------------------|--------------------------|
| Engine                               | Tier 4 Stg 5 C18 CAT     |
| Power (HP)                           | 800                      |
| Drive Pressure (PSI)                 | 4800                     |
| Drive Flow (GPM)                     | 220                      |
| Clamp Pressure (PSI)                 | 4800                     |
| Clamp Flow (GPM)                     | 10                       |
| Engine Speedwith 1.38 Updrive        | 1800 / 2484              |
| Weight (lbs)                         | 27,000                   |
| Length (Inches)                      | 152                      |
| Width (Inches)                       | 82                       |
| Height (Inches)                      | 94                       |
| Hydraulic Reservoir (gal)            | 800                      |
| Hydraulic Reservoir Spare Tank (gal) | 55                       |
| Fuel Capacity (gal)                  | 150                      |