



DATE: 10/1/91
PROJECT: 23 @ C 7/2
BY: J. B. L. L. L. L. L.
F. B. L. L. L. L. L. L.



NOT A PART OF 1198 LEASE

1. OCCUPANT LOAD THIS LEVEL RITE 201-214 = 33



NOTES:
1. MEZZANINE LEVEL IS NOT REQUIRED TO BE 1-HOUR CONSTRUCTION PER SEC. 3205 (A). CORRIDOR WALLS NEED NOT BE OF FIRE-RESISTIVE CONSTRUCTION WITHIN OFFICE SPACES HAVING AN OCCUPANT LOAD OF 100 OR LESS WHEN THE ENTIRE STORY IN WHICH THE SPACE IS LOCATED IS EQUIPPED WITH AN AUTOMATIC SPRINKLER THROUGHOUT AND SMOKE DETECTORS ARE INSTALLED WITHIN THE CORRIDOR IN ACCORDANCE WITH THEIR LISTING.

MEZZANINE LEVEL FLOOR PLAN
SCALE 1/8"=1'-0"

BLAIR BALLARD ARCHITECTS
1590 SOUTH COAST HIGHWAY SUITE 18
LAGUNA BEACH, CALIFORNIA 92653
714-494-8093 FAX 714-494-2772

REVISIONS
1. PRELIMINARY
2. Schematic Design
3. Design Development
4. Construction Docs
5. Contract Administration
6. Construction Phase
7. Field Drawings

THIS DOCUMENT IS THE PROPERTY OF BLAIR BALLARD ARCHITECTS AND IS TO BE USED ONLY FOR THE PROJECT AND SITE SPECIFICALLY IDENTIFIED HEREON. IT IS NOT TO BE REPRODUCED, COPIED, OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM, WITHOUT THE WRITTEN PERMISSION OF BLAIR BALLARD ARCHITECTS.

BB·A
blair ballard architects

ARCHITECT
FOR
WESTCOAST PERFORMANCE PRODUCTS U.S.A., INC.
1190 KRAEMER BOULEVARD
ANN ARBOR, MI 48106

JOB NO.
FILE NO.

UPPER LEVEL FLOOR PLAN

3.5

SEP 29 1992
NOT FOR CONSTRUCTION