

# SAFETY DATA SHEET

US OSHA Hazard Communication Standard (29 CFR 1910.1200) and Canada WHMIS 2015 which includes the amended Hazardous Products Act (HPA) and the Hazardous Products Regulation (HPR)

Issuing Date 24-Jan-2020 Revision Date 12-Feb-2024 Revision Number 2

## 1. Identification

Product identifier

Product Name SEVERE GEAR® SAE 75W-90 100% Synthetic Gear Lube, SEVERE GEAR® SAE

75W-110 100% Synthetic Gear Lube

Other means of identification

Product Code(s) SVG, SVT

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended use Lubricating Oil

**Restrictions on use** Avoid formation of mists

Details of the supplier of the safety data sheet

<u>Supplier Address</u> <u>Manufacturer Address</u>

AMSOIL INC. Bay Adelaide Centre, East Tower

22 Adelaide St. W

Toronto, ON, Canada M5H 4E3

T:+1 877-822-5172

compliance@amsoil.com

Emergency telephone number

Emergency telephone CHEMTREC: Within USA and Canada: 1-800-424-9300

Outside the USA and Canada: +1 703-741-5970

(collect calls accepted) 24/7

AMSOIL INC.

One AMSOIL Center

T: +1 715-392-7101

Superior, WI 54880, USA

# 2. Hazard(s) identification

## Classification

E-mail

This product is not considered hazardous by either the US 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200) or the Canadian Workplace Hazardous Material Information System (WHMIS 2015).

# Label elements

#### **Hazard statements**

Not classified.

#### Unknown acute toxicity

#### Other information

Harmful to aquatic life.

# 3. Composition/information on ingredients

#### Substance

Not applicable.

#### **Mixture**

The product contains no substances which at their given concentration are considered to be hazardous to health.

#### **Chemical Additions**

The classification as a carcinogen does not apply as it can be shown that the substance(s) contain(s) less than 3% DMSO extract as measured by IP 346.

## 4. First-aid measures

#### **Description of first aid measures**

General advice Get medical attention immediately if symptoms occur. Show this safety data sheet to the

doctor in attendance.

**Inhalation** Remove person to fresh air and keep comfortable for breathing.

Eye contact Rinse thoroughly with plenty of water, also under the eyelids. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical attention if irritation develops and

persists.

**Skin contact** Wash skin with soap and water. Take off contaminated clothing. Get medical attention if

irritation develops and persists.

**Ingestion** Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious

person.

**Self-protection of the first aider** Wear personal protective clothing (see section 8).

#### Most important symptoms and effects, both acute and delayed

**Symptoms** May cause temporary eye irritation. May cause gastrointestinal discomfort if consumed in

large amounts. Repeated or prolonged skin contact may cause skin irritation and/or dermatitis and sensitization in susceptible persons. Symptoms of overexposure are dizziness, headache, tiredness, nausea, unconsciousness and difficulty breathing.

Effects of Exposure No information available.

Indication of any immediate medical attention and special treatment needed

**Note to physicians**Treat symptomatically.

# 5. Fire-fighting measures

Suitable Extinguishing Media Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. Use extinguishing

measures that are appropriate to local circumstances and the surrounding environment.

**Unsuitable extinguishing media**Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from the

chemical

Containers can burst or explode when heated, due to excessive pressure build-up. Thermal

Revision Date: 12-Feb-2024

decomposition can lead to release of irritating gases and vapors.

Hazardous combustion products Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).

**Explosion data** 

Sensitivity to mechanical impact None.
Sensitivity to static discharge None.

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

## 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

**Personal precautions**Use personal protective equipment as required. See section 8 for more information. Ensure

adequate ventilation.

For emergency responders Use personal protection recommended in Section 8.

#### Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth,

diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13). Clean contaminated surface thoroughly. After

cleaning, flush away traces with water.

**Reference to other sections** For additional information see: Section 8: Exposure controls/personal protection;

Section 12: Ecological information; Section 13: Disposal considerations.

## 7. Handling and storage

#### Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

used product. Do not eat, drink or smoke when using this product. Take off contaminated

clothing and wash before reuse. Wash thoroughly after handling.

# Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed in a dry and well-ventilated place. Do not reuse empty

containers. Store away from incompatible materials. See section 10 for more information.

Protect from physical damage.

# 8. Exposure controls/personal protection

Control parameters

**Exposure Limits** Under conditions which may generate mists, the following exposure limits are

recommended: Long-term exposure limit (8-hour TWA): 5 mg/m³. Short-term exposure limit

Revision Date: 12-Feb-2024

(15-minute): 10 mg/m3.

**Biological occupational exposure** 

limits

This product, as supplied, does not contain any hazardous materials with biological limits

established by the region specific regulatory bodies.

Appropriate engineering controls

Engineering controls Ensure adequate ventilation, especially in confined areas.

Individual protection measures, such as personal protective equipment

**Eye/face protection** If there is a risk of contact: Wear safety glasses with side shields (or goggles).

Hand protection If there is a risk of contact: Ensure that the breakthrough time of the glove material is not

exceeded. Refer to glove supplier for information on breakthrough time for specific gloves.

**Skin and body protection** If there is a risk of contact: Wear suitable protective clothing.

exceeded or irritation is experienced, ventilation and evacuation may be required.

Environmental exposure controls Avoid release to the environment. Local authorities should be advised if significant spillages

cannot be contained.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or

smoke when using this product. Wash hands before breaks and immediately after handling

the product.

# 9. Physical and chemical properties

# Information on basic physical and chemical properties

**Appearance** 

Physical state Liquid
Color Yellow
Odor Sulfur

Odor threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pHNo data availableMelting point / freezing pointNo data availableInitial boiling point and boilingNo data available

range

**Flammability** 

**Evaporation rate** 

Flash point 218 - 222 °C / 424.4 -

431.6 °F

1.4 - Cleveland Open Cup ASTM D 92

No data available No data available

Flammability Limit in Air

Upper flammability or explosive No data available

# SEVERE GEAR® SAE 75W-90 100% Synthetic Gear Lube, SEVERE GEAR® SAE 75W-110 100% Synthetic Gear Lube

limits

Lower flammability or explosive No data available

limits

Vapor pressure

Relative vapor density No data available

Relative density 0.8545 - 0.8607

Water solubility

Solubility(ies) No information available

No data available Partition coefficient No data available **Autoignition temperature Decomposition temperature** No data available Kinematic viscosity 97.8 -132.6 @40°C ASTM D445

16-20.5 @100°C cSt

**Dynamic viscosity** No data available

Other information

**Explosive properties** No information available. **Oxidizing properties** No information available. Softening point No information available **Pour Point** -43°C [ASTM D 97]

**Fire Point** 236-240°C (COC) [ASTM D 92] No information available Molecular weight **VOC** content No information available **Liquid Density** No information available **Bulk density** No information available

# 10. Stability and reactivity

None under normal use conditions. Reactivity

Stable under normal conditions. **Chemical stability** 

Possibility of hazardous reactions None under normal processing.

Conditions to avoid None known based on information supplied.

Incompatible materials None known based on information supplied.

Hazardous decomposition products Thermal decomposition can lead to release of irritating gases and vapors. Carbon

monoxide, carbon dioxide and unburned hydrocarbons (smoke).

No data available

# 11. Toxicological information

# Information on likely routes of exposure

Inhalation Specific test data for the substance or mixture is not available.

Eve contact Specific test data for the substance or mixture is not available.

Skin contact Specific test data for the substance or mixture is not available.

Ingestion Specific test data for the substance or mixture is not available.

#### Symptoms related to the physical, chemical and toxicological characteristics

# SEVERE GEAR® SAE 75W-90 100% Synthetic Gear Lube, SEVERE GEAR® SAE

75W-110 100% Synthetic Gear Lube

**Symptoms** May cause temporary eye irritation.

Acute toxicity

**Numerical measures of toxicity** 

The following values are calculated based on chapter 3.1 of the GHS document:

ATEmix (dermal) 10,010.00 mg/kg

Unknown acute toxicity

**Component Information** 

Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation**No information available.

Serious eye damage/eye irritation No information available.

Respiratory or skin sensitization No information available.

Germ cell mutagenicity No information available.

Carcinogenicity The supplier declares that it can be shown that the substance(s) contain less than 3%

DMSO extract as measured by IP 346.

Reproductive toxicity No information available.

**STOT - single exposure** No information available.

**STOT - repeated exposure**No information available.

**Aspiration hazard**Due to the viscosity, this product does not present an aspiration hazard.

# 12. Ecological information

**Ecotoxicity** Harmful to aquatic life.

**Persistence and degradability** No information available.

**Bioaccumulation** No information available.

Other adverse effects No information available.

# 13. Disposal considerations

# **Disposal methods**

Waste from residues/unused

Contaminated packaging

Dispose of in accordance with local regulations, Dispose of waste in accordance with environmental legislation.

products

Do not reuse empty containers.

**US EPA Waste Number** U019, U165.

# 14. Transport information

**DOT** Not regulated

TDG Not regulated

IATA Not regulated

IMDG Not regulated

# 15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

### **International Regulations**

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

#### International Inventories

Contact supplier for inventory compliance status

#### US Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

# SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

# **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

#### US State Regulations

#### **California Proposition 65**

This product contains the following Proposition 65 chemicals:.

|--|

Ethylbenzene - 100-41-4	Carcinogen
Naphthalene - 91-20-3	Carcinogen
Cumene - 98-82-8	Carcinogen

#### **U.S. State Right-to-Know Regulations**

Chemical name	New Jersey	Massachusetts	Pennsylvania
Ethylbenzene	X	X	X
100-41-4			
Naphthalene	X	X	X
91-20-3			
Benzene, 1,2,4-trimethyl-	X	X	X
95-63-6			
Cumene	X	X	X
98-82-8			

#### U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

# 16. Other information

NFPAHealth hazards0Flammability1Instability0Special hazards-HMISHealth hazards0Flammability1Physical hazards0Personal protectionX

Chronic Hazard Star Legend \*= Chronic Health Hazard
Chronic Hazard Star Legend \*= Chronic Health Hazard

#### Key or legend to abbreviations and acronyms used in the safety data sheet

#### Legend

SVHC: Substances of Very High Concern for Authorization:
PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances
vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances

STOT: Specific Target Organ Toxicity

ATE: Acute Toxicity Estimate LC50: 50% Lethal Concentration

LD50: 50% Lethal Dose

Legend Section 8: Exposure controls/personal protection

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value Sk\* Skin designation

+ Sensitizers

#### Key literature references and sources for data used to compile the SDS

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

**Environmental Protection Agency** 

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

U.S. National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Issuing Date 24-Jan-2020

Revision Date 12-Feb-2024

Revision Note Updated format.

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**