



Excellence in Poultry Health Care

VET GRO PLUS

Liquid-Ultimate Growth Formulation

Vet Gro Plus is the ultimate growth formulation, meticulously crafted to optimize the growth and well-being of poultry. Packed with a powerful blend of essential nutrients, this liquid supplement promotes weight gain, boosts egg production, and addresses mineral deficiencies. The recommended dosage ensures effective results, and the various pack sizes provide flexibility for different flock sizes. Choose Vet Gro Plus for unparalleled support in achieving optimal poultry growth and performance.

Composition each 1 ltr contains

Methionine Activity (MHA)	: 380 gm
Lysine Hydrochloride	: 125 gm
Choline Chloride	: 128 gm
Betain	: 1650 mg
L Threonine	: 9000 mg
L Arginine	: 11000 mg
Magnesium	: 450 mg
Zinc	: 1050 mg
Copper	: 550 mg
Cobalt	: 350 mg
Manganese	: 450 mg
Folic Acid	: 15 mg
Niacin amide	: 1000 mg
Calcium D Pantothenate	: 800 mg
Vitamin B12	: 2000 mcg
Biotin	: 750 mcg
Inositol	: 6500 mg
Glycine	: 2250 mg
Protein Hydrolysate	: 3200 mg
Phosphorus	: 1150 mg
M.O.S	: 20 gm

BENEFITS

- Improves the body wight
- Improves the egg production
- Makes up minerals deficiencies
- Synoptinen therapy for lameness
- Overcome heat stress
- Control the mortality and
- Uneven flock weight

Dosage:

Chicks: 10 ml per 100 chicks

Broilers: 15 to 20 ml per 100 birds

Layers: 30 ml per 100 birds

Breeders: 40 ml - 50 ml per
100 birds or as advised

by a veterinarian

Available
Pack
1 Ltr, 5 Ltr



HEPATIC-PLUS

Liquid (Liver Tonic)

Hepatic Plus is a meticulously formulated liver tonic designed to ensure the well-being of poultry. With a balanced blend of essential nutrients, it supports liver function, aids in detoxification, and contributes to the overall health and growth of your flock. The recommended dosage ensures optimal results, and the various pack sizes provide flexibility for different flock sizes. Choose **Hepatic Plus** for a proactive approach to poultry health and performance.

Composition each 10ml contains

Tricholine Citrate	: 2000 mg
Choline Chloride	: 1000 mg
Inositol	: 25 mg
Biotin	: 50 mcg
L-Lysine	: 125 mg
DL Methionine	: 125 mg
Vit B12	: 100 mcg
Glycine	: 20 mg
Vitamin E	: 20 mg
Selenium	: 10 mcg
Zinc Sulphate	: 10 mg
Liver Extract	: 225 mg
Protein Hydrolysate	: 200 mg
Yeast Extract	: 100 mg

BENEFITS

- Ensures proper liver function
- Aids in Detoxification
- Aids in proper secretion of enzymes
- Hepatoprotective
- Fast regeneration of liver cells
- Faster growth
- Improving feed metabolism
- Increased egg production
- Increased broiler weight gain
- Reduces gout, ascites in poultry
- Useful in Aflatoxins, Mycotoxin fatty liver
- Increase FCR

DOSAGE

Chicks: Daily 5 ml per 100 chicks

Broilers: Daily 10-15 ml per 100 birds

Breeders: Daily 25 ml per 100 birds

Layers: Daily 20 ml per 100 birds or as advised by a veterinarian

Available
Pack
1 Ltr, 5 Ltr,
20 Ltr



IMMO-LYSE

Liquid-Immunity Booster

Immo Lyse is a specialized immunity booster for poultry. Administer the recommended dosage based on the category of poultry as per the provided guidelines. Choose the appropriate pack size of 500 ML, 1 Ltr, or 5 Ltr for effective and convenient usage in your poultry health management program.

Composition each 10 ml contains

Vitamin E	: 60 mg
Vitamin C	: 75 mg
DLM	: 75 mg
Lysine	: 75 mg
Sodium Chloride	: 40 mg
Potassium Chloride	: 35 mg
Selenium	: 10 mcg
Manganese Sulphate	: 15 mg
Amla	: 65 mg
Stabilisers	: qs

DOSAGE

Broilers: 10 ml / 100 birds on 2nd & 3rd Week.

Layers: 15 ml / 100 birds twice a week upto 18 weeks.

Breeders: 20ml / 100 birds - during chick stage or as recommended by Veterinarian

Indication:

To improve immunity for better performance during stress conditions

Storage:

Store in a cool place, protect from direct sun light, close the container after every use.



Available
Pack
1 Ltr, 5 Ltr

B-PLEX-P

B complex Liquid

B Plex P is a comprehensive B complex liquid designed to meet the nutritional needs of poultry. Enriched with essential vitamins, amino acids, and minerals, this formulation helps overcome deficiencies, particularly in stressful conditions. The recommended dosage ensures effective results, and the various pack sizes provide flexibility for different flock sizes. Choose B Plex P for superior support in maintaining the health and productivity of your poultry

COMPOSITION

Each 5ml contains

Vitamin B1	: 2 mg
Vitamin B2	: 15 mg
Vitamin B3	: 2 mg
Methionine	: 20 mg
Lysine	: 2 mg
Niacinamide	: 3 mg
Calcium Pantothenate	: 8 mg
with minerals	: 3 mg

DOSAGE

Chicks	: 10-15 ml / 100 birds
Broilers & Growers	: 20 ml / 100 birds
Layers	: 50 ml / 100 birds
Breeders	: 100 ml / 100 birds

or as recommended by veterinarian

Indications:

Overcomes B-complex &
Mineral deficiency
In all stress condition
For better metabolism
For growth & production

Available Pack
1 Ltr, 5 Ltr



CAL-C-CAL

Calcium Liquid

Cal-C-Cal is a specialized calcium liquid formulated to meet the calcium needs of poultry. Enriched with essential vitamins and minerals, this supplement ensures complete calcium absorption and supports overall health. The recommended dosage is designed for optimal results, and the various pack sizes provide flexibility for different flock sizes. Choose **Cal-C-Cal** for superior support in preventing leg weakness, promoting productivity, and maintaining the overall health of your poultry.

Composition each 10ml contains

Calcium	: 250 mg
Phosphorous	: 125 mg
Vitamin D3	: 6000 I.U
Vitamin B12	: 150 mcg
Manganese	: 1 mg
Zinc	: 250 mcg
Cobalt	: 200 mcg
Iron	: 5 mg

Dose advise

Chicks: 5-10 ml/ 100 birds
for 5-7 days
Layers/ Broilers - 15-20 ml/
100 birds for 5-7 days
Breeders - 30 ml/ 100 birds
for 5-7 days or as suggested
by the veterinarian

Benefits

- Cal-C-Cal ensures complete absorption and higher bio-availability of calcium
- Helps in preventing cage-layer fatigue and leg weakness in birds
- Ensures Metabolism of carbohydrates and fats
- Ensures better productivity with thicker egg shell in layers & better skeletal growth
- Prevents rickets, osteomalacia and osteoporosis



Available Pack
1 Ltr, 5 Ltr,
20 Ltr, 30 Ltr

SUM COOL

Electrolyte Liquid Supplement Energy Booster & Stress Reducer

Sum cool is an electrolyte liquid supplement designed as an energy booster and stress reducer for poultry can be a valuable tool for enhancing animal health, especially during periods of stress such as heat, transportation, or illness.

COMPOSITION

Each 1 ltr contains:

Sodium chloride	: 10 gm
Calcium lactate	: 12 gm
Calcium gluconate	: 12 gm
Sodium bicarbonate	: 30 gm
Sodium citrate	: 60 gm
Ascorbic acid	: 5 gm
Betaine HCl	: 1000 mg
Potassium chloride	: 30 gm
Magnesium sulphate	: 10 gm
Excipients	: Q.S

BENEFITS

Provides instant energy and makes the birds active. Acts as an energy booster, stress reducer and immunity enhancer. During all stress conditions mainly in summer. Very much helpful in the conditions like heat stress, dehydration, during disease, transportation vaccinations, debeaking. deworming production slumps etc.

Dosage

Through drinking water:
Poultry: 1ml per 1ltr of drinking water for 7-10 days (or) as advised by a veterinarian



Available Pack
1 L, 5 L

NEPHROLYSE

Nephrolyse Liquid

Nephrolyse Kidney Refresher is a very effective Kidney tonic which helps to maintain the health of kidney. Nephrolyse helps to Control and ascitis in the birds.

Nephrolyse Liquid is a specialized kidney tonic crafted to maintain and promote kidney health in poultry. Enriched with key ingredients, it not only helps control ascites and gout but also supports the kidneys in effectively excreting uric acid and excess fluids.

Contents each 10 ml contains

Potassium Citrate	: 800 mg
Ammonium Chloride	: 800 mg
Acetic Acid	: 50 mg
Vitamin A	: 50 mg
Vitamin E	: 50 mg
Selenium	: 10 mcg

Indication and benefits

- Helps to prevent visceral and articular gout
- Effective in controlling ascites in birds
- Reduce mortality due to ascites
- Helps in excretion of uric acid and excessive fluid from the body
- Protect the kidney from harmful effects of uric acid
- Helps to replenish the Kidney
- Improves body immunity

Dosage

1-2 ml / Ltr of water

Available Pack **1 Ltr, 5 Ltr**



Acidex

Synergistic Combination of Organic acids having different pH & Dissociation constant to check the growth of bacteria and fungi. (Acidifier)

Acidex Liquid is a powerful acidifier designed to enhance poultry health. The carefully selected combination of organic acids and essential oils creates an environment that inhibits the growth of harmful pathogens. Whether used for water acidification or as a feed mold inhibitor, Acidex Liquid contributes to the overall well-being of your poultry.

BENEFITS

- Acidification of water to reduce pathogen load
- Promotes digestion and nutrient absorption
- Promotes the normal gut microform and improves gut integrity

INDICATION

0.2ml / ltr for
Acidification of water and reduce pathogen load,
500ml / ton of feed as mold inhibitor

COMPOSITION

Lactic acid, Formic acid, Butyric acid, Fumaric acid, Citric acid, Benzoic acid Sodium citrate and essential oils

Available
Pack
1 L, 5 L,
20 L



GROWSOM

Ultimate Growth Formulation for Poultry

Growsom is a creating an ultimate growth formulation for poultry involves balancing various nutritional components to ensure optimal health, growth rate, and overall performance.



COMPOSITION EACH 100ML CONTAINS

Methionine Activity (MHA)	: 27.5 gm
Lysine Hydrochloride	: 12.5 gm
Choline Chloride	: 12.8 gm
Betain	: 165 mg
L Threonine	: 900 mg
L Arginine	: 1100 mg
Magnesium	: 45 mg
Zinc	: 105 mg
Copper	: 55 mg
Cobalt	: 35 mg
Manganese	: 45 mg
Folic Acid	: 1.5 mg
Niacin amide	: 100 mg
Calcium D Panto	: 80 mg
Vitamin B12	: 200 mcg
Biotin	: 75 mcg
Inositol	: 650 mg
Glycine	: 225 mg
Protein Hydrolysate	: 320 mg
Phosphorus	: 115 mg
M.O.S	: 2 gm

DOSAGE


Chicks: 7.5 ml per 100 chicks
Broilers: 15 ml per 100 birds
Breeders: 25 ml - 30 ml per 100 birds
Layers: 25 ml per 100 birds
or as advised by a veterinarian

Benefits:

- To enhance higher egg production in layer
- To improve immune response & hatchability
- To prevent production related to nutritional

Deficiencies Like

- Uneven Flock Weight
- Summer stress
- Leg weakness
- Production fluctuation
- Mortality
- Inapparence



Available Pack
1 L, 5 L, 20 L



Hepalite-Forte

Liquid-Herbal Liver Tonic

Hepalite Forte is a potent herbal liver tonic designed to promote liver health and function in poultry. With a unique combination of herbal extracts, vitamins, and amino acids, this formulation not only optimizes liver function but also protects against hepatic damage. Improve the feed conversion ratio in your poultry flock with Hepalite Forte, available in various pack sizes for your convenience.

CONTAINS

Tricholine Citrate,
Protein Hydrolysate, Vitamin B12
Inositol, Vitamin E, Lysine.
D. L Methionine, Liver Extract
Probiotics, Emulsifier

DOSAGE

Broilers layers & breeders 750
gram - 1 Kgs / ton of feed or as
directed by the veterinarian

INDICATIONS

- Maintain the normal health of the liver, regenerate and tone up liver cell resulting in better digestion, growth and production.
- Counter the damaging effects of toxins and drug metabolites on the liver of the bird.
- Prevent fatty liver syndrome and other hepatic diseases

Available Pack
5 L, 10 L, 20 L



VVS PLUS

THE IMMUNITY BOOSTER

VVS Plus in a creating an immunity booster for poultry can significantly enhance their overall health and resilience against diseases.

CONTENTS

Vitamin E, Selenium, L-Glutamine, Tryptophan analogs, Amino nitrogen, Vitamin C, L threonine D L methionine Lysine.

INDICATIONS

- Reduces incidences of mortality due to bacterial/ viral diseases.
- Improves general diseases resistance.
- Reduces incidences of Metabolic stress.
- Improves weight gain.

USAGE INSTRUCTIONS

20 ml per 100 birds for Growers, Layers, Broilers.



Available
Pack 5 L

NEUROCURE

Neuro cure is to reduce the incidence and severity of lameness in poultry due to nutritional deficiencies, it's essential to focus on a balanced diet that provides key nutrients important for bone health, muscle function, and overall well-being.

CONTENTS

Thiamine, Choline, Zinc, Manganese, Riboflavin, Vitamin D3, Aminonitrogen Sodium Citrate, Potassium Chloride lysine D. L methionine with Organic Calcium and Phosphorous in fortified base.

INDICATIONS

To reduce incidence and severity of Lameness due to nutritional deficiency. After-effects of Ranikhet disease (RD/ND) & vaccination reactions (RB). 2

USAGE INSTRUCTIONS

To reduce the severity of lameness 1-2 ml per litre of drinking water for 5-7 days
To reduce vaccine reactions and after effects of Ranikhet disease

Available
pack
1Ltr and
5Ltr



MEDKLEAN

A complete water sanitizer solution

Medklean is a complete water sanitizer solution for poultry is essential for maintaining hygiene and preventing the spread of pathogens in drinking water.

Dosage

For water sanitation:

1-4 ml in 10 litre of water.

For egg, drinker and feeder cleaning:

10 ml in 10 litre of water.

For disinfection and descaling:

30-40 ml per litre of water.

For aqua ponds:

500 ml for each 1 acre and water depth 1 to 1.5 meter.

Composition

Each 100 ml contains:

BKC Solution

(Benzalkonium Chloride I.P) : 18% V/V

Citric Acid I.P : 24% W/V

Inert Ingredients qs

Benefits for birds and animals

- Removes all dirt deposits, keeps the water clean and makes the water safe and healthy for birds and animals
- Eliminates pathogens that cause diseases, i.e. bacteria viruses, mycoplasma, fungi and protozoans
- Removes scales, minerals deposits and junk from waterpipes and lines
- Works with a broad spectrum of activities as a water sanitizer and ensures safety as it is non-corrosive
- Improves growth rate, feed conversion ratio, bird health and egg production
- It is highly effective against gram-positive and gram-negative bacteria
- Improves gut health and digestion of birds and animals
- Makes water at the optimum pH level


Available
Pack
1 L, 5 L



PROMAX VET LIQUID

(Unique formulation with Whey Protein + Carbohydrates + DHA + Amino acids + Vitamins + Minerals)

PROMAX is a creating a unique nutritional formulation for poultry that includes whey protein, carbohydrates, DHA, amino acids, vitamins, and minerals can support growth, immune function, and overall health.



8 Essential amino acids	
Arginine	: 10.00 g
Methionine	: 7.50 g
Lysine	: 15.00 g
Threonine	: 10.00 g
Leucine	: 3.00 g
Phenylalanine	: 5.00 g
Isoleucine	: 8.00 g
Tryptophan	: 2.00 g

Supplementary vitamins	
Vitamin A	: 20.00 mg
Vitamin C	: 200.00 mg
Vitamin D	: 100.00 mcg
Vitamin B1	: 20.00 mg
Vitamin B2	: 20.00 mg
Vitamin B6	: 40.00 mg
Vitamin B12	: 25.00 mcg
Pantothenic acid	: 30.00 mg
Niacinamide	: 200.00 mg
Biotin	: 750.00 mcg
Folic acid	: 5.00 mg

Trace minerals	
Calcium	: 4.00 g
Magnesium	: 4.00 g
Copper	: 10.00 mg
Iron	: 100.00 mg
Zinc	: 120.00 mg
Manganese	: 10.00 mg
Potassium	: 4.00 g
Phosphorous	: 1.00 mg
Iodine	: 1.20 mg
Selenium	: 100.00 mcg

Each 1 Kg has nutritional value of
 Whey protein hydrolysate- 360 g to supply.
 Nutritionally 8 essential amino acids, branched chain amino acids along with other supplementary vitamins, trace minerals and DHA

Total energy	: 3000 KCL
Crude protein	: 28.8%
Carbohydrate	: 400 g
Fat	: 22.50 g
DHA	: 500 mg

Dosage:
 Chick's 3 ml for 100 birds
 Broiler: 5 to 8 ml for 100 birds
 Layer: 10 ml for 100 birds
 Breeder: 15 ml for 100 birds

Benefits:

- Improves the body weight
- Improves the egg production
- Makes up minerals deficiencies
- Synoptinen therapy for lameness
- Overcome heat stress
- Control the mortality and
- Uneven flock weight

Available Pack
1 Ltr, 5 Ltr



VITALYSE

Vitamin A, D3, E, C+ Mineral Oral Liquid

Vitalyse liquid is elevate the health and well-being of your livestock with Vitalyse Liquid, a powerhouse of essential vitamins and minerals. Incorporate this oral liquid supplement into your livestock nutrition program to ensure robust disease resistance, optimal growth, and overall vitality.

Each 5 ml Contains

Vitamin A	: 2,50,000. I.U
Vitamin D3	: 25,000 I.U
Vitamin E	: 150 mg
Vitamin C	: 500 mg
Vitamin H	: 100 mcg
Zinc	: 5 mg
Selenium	: 15 ppm
Cholagogue agents	: 750 mcg
Manganese	: 5 mg

Indications

- To improve resistance against diseases
- Optimizes growth and milk production in lactating animals
- Deficiency of fat soluble vitamins
- Supportive in reproductive disorder
- Boosts immunity

Dosage

Poultry	: 5-10 ml/ 100 birds
Cattle	: 50 ml/ animal
Sheep & Goat	: 5-10 ml/ animal

or as recommended by the veterinarian



Available Pack
100 ml, 250 ml,
500 ml, 1 L

VITALISE

Vitamin A, D3, E, C+ Mineral Oral Liquid

SPECIAL

Vitalyse liquid (special) is elevate the health and well-being of your poultry with Vitalyse Liquid, a powerhouse of essential vitamins and minerals. Incorporate this oral liquid supplement into your poultry nutrition program to ensure robust disease resistance, optimal growth, and overall vitality.

EACH 5ML CONTAINS

Vitamin A	: 2,50,000. I.U
Vitamin D3	: 30,000 I.U
Vitamin E	: 175mg
Vitamin C	: 600mg
Vitamin H	: 150 Mcg
Zinc	: 5mg
Selenium	: 15ppm
Cholagogue Agents	: 750 mcg
Manganese	: 5 mg



INDICATIONS

- To improve resistance against diseases
- Optimizes growth and milk production in lactating animals
- Deficiency of fat soluble vitamins
- Supportive in reproductive disorder
- Boosts immunity

DOSAGE

Poultry	: 5-10 ml/100 birds
Cattle	: 50 ml/ animal

or as advised by a Veterinarian



Available
Pack
500 ml, 1 L

FERROMALT-P

Malt based vitamin, iron, copper & calcium supplement for poultry

Ferrow Malt P a malt-based vitamin, iron, copper, and calcium supplement for poultry can be beneficial for improving overall health, egg production, and bone strength

Composition

Each 21g contains:

Malt Extract	: 4.56g
Calcium Gluconate	: 370 mg
Ferric Ammonium Citrate (equivalent to 64.5 mg of Fe)	: 315 mg
Copper Sulphate	: 105 mg
Cobalt Chloride	: 1.6 mg
Cholecalciferol (Stabilized Vitamin D3)	: 3700 IU
Niacinamide	: 50 mg
Biotin	: 80 mcg
Folic Acid	: 1.6 mg
Cyanocobalamin (Vitamin B12)	: 20 mcg
Vitamin B1	: 2.6 mg
Vitamin B6	: 2.2 mg
Flavoured Base	q.s.
Colour: Caramel	

Dosage:

Broiler: 1000 Birds - 1st Week - 50gm / day
4th Week - 200 gm / day
Layer: 1000 Birds - 1 st Week - 50gm / day
5th Week - 100gm / day
9th Week - 100 gm / day
13th & 17th week 200 gm / day
Above - 21 st week 200 gm for
5 days - every month
(or As Directed by the Veterinarian)

Benifits:

Increase Skeletal Strenght
Improve body weight
Improve FCR in broiler
Improve egg production shell
thinkness and uniformity
Optimize production of blood cells
RBC's hemoglobin & WBC's

Available Pack
450 gm, 1 kg,
1.2 kg, 3 kg,
10 kg, 5 kg



OXY-CHICK

Water Soluble Powder Oxytetracycline & Neomycin Power with Vitamins

Oxy chick is a formulation combining oxytetracycline, neomycin, and vitamins is often used in veterinary medicine, particularly for poultry. This combination can help address bacterial infections while also providing essential nutrients to support overall health.



Mixing Ratio:

1-2 gm/ 1Ltr. of water or as recommended by the veterinarian

Indication:

For better livability
To attain uniform growth
For better first week weight gain

Available Pack
100 gm, 250 gm,
500 gm, 1 kg

Each 100gm contains

Oxytetracycline HCL	:	3%
Neomycin Sulphate	:	3%
Probiotics	:	1%
Amino Acids	:	5%
Vitamin A	:	10 Lakh IU
Vitamin K3	:	3750 mg
Vitamin E	:	5000 IU
Vitamin C	:	5%
Electrolytes	:	5%
Dextrose	:	QS



SBT-ON⁺

Oxytetracycline & Neomycin Powder with Vitamins

SBT-ON in a formulating a powder that combines oxytetracycline, neomycin, and vitamins for poultry can be effective for treating bacterial infections while also supporting overall health.



COMPOSITION

Each 10g contains	
Neomycin Sulphate	: 550.6 mg
Oxytetracycline Hydrochloride	: 550.7 mg
Vit A (In Palmitate Form)	: 11000 IU
Vit D3	: 2200 IU
Vit E Acetate	: 3.3 IU
Vit B2 (Riboflavin)	: 17.6 mg
Vit B3 (Niacinamide)	: 88.1 mg
Vit B5 (Calcium Pantothenate)	: 35.9 mg
Vit B12 (Mannitol Tribulate 1:1000)	: 44.0 mcg
Menadione Sodium Bisulfite	: 14.1 mg

Indications & usages

- Prevention & Treatment of infection by Gram +ve and Gram -ve Bacteria
- Ideal for Early chick mortality (ECM) and mixed bacterial infections.
- Assures Uniform body weight
- Non specific diarrhoea
- Treatment of Coryza, CRD, E-Coli, FC, BWD etc.

Dosage & administration

Usage through Drinking Water

For poultry:

For prevention purpose:

2 gm in 10 lit for 3 to 5 days

During stress as prophylactic:

4 gm in 10 lit for 3 to 5 days

During severe outbreaks:

8 to 10 gms in 10 lit for 3 to 5 days

Over dosage added to compensate losses on Storage



Available Pack
100 gm, 250 gm,
500 gm, 1 kg

COOL-STRESS

Electrol Powder

COOL STRESS electrolyte powder for poultry is a supplement designed to help maintain fluid balance and support hydration, especially during times of stress, heat, or illness. It typically contains a combination of essential electrolytes, sugars, and sometimes vitamins to aid recovery and improve overall health.

Each 20g Contains

Sodium Chloride	: 300 mg
Potassium Chloride	: 1000 mg
Glycine	: 75 mg
Manganese Sulphate	: 250 mg
Magnesium Sulphate	: 30 mg
Sodium Bicarbonate	: 2000 mg
Sodium Citrate	: 350 mg
Vitamin C	: 100 mg
Calcium Hypophosphate	: 100 mg
Lactic Acid	: 120 ms
Dextrose	: Q.S

Storage:

Store in a cool dry place.
Avoide from sunlight

Dosage:

1g/2 lt of water or as
recommended

INDICATIONS

- Replenish the electrolyte balance
- Better Ca mobilization & utilization-better shell quality
- Increased semen production, fertility & hatch ability
- Better immunity
- Better shell quality and less of breakage
- Establish the gut microflora which gets depleted during stress



Available
Pack
1 kg, 10 kg



E-SEC-B

Vitamin E & Selenium Supplements

E SEC B vitamin E and selenium supplements are commonly used in poultry nutrition to support health, growth, and reproductive performance

COMPOSITION EACH GRM CONTAINS

Vitamin E	: 10 %
Biotin	: 10 mcg
Sodium Selenite	: 100 ppm
Vitamins C	: 0.2 mg

USAGE

Improves immune response against diseases & during vaccination Improves egg production, fertility & hatchability
Prevents & treats exudative diathesis & encephalomalcia
Prevents muscular dystrophy & leg weakness
Acts as an antioxidant & prevents free radical damage

Dosage:

Growers/ breeders & layers: 10 gm/ 100 birds
Chicks/ Broilers: 5 gm/ 50 birds or as recommend by the nutritionist.



Available
Pack
200 gm,
1 kg



TETRALINE

Chlorotetracycline 15% (CTC 15%)

Tetraline chlorotetracycline (CTC) is a broad-spectrum antibiotic commonly used in poultry for treating various bacterial infections. A formulation containing 15% Chlorotetracycline can be effective for this purpose.

BENEFITS

- Acts as an antibiotic growth promoter
- Have broad spectrum action on both gram positive and gram negative bacteria
- Improves growth and FCR in the broiler birds
- Improves egg production in layer birds
- Improves egg production and hatchability in the breeder birds
- Helps to control bacterial diseases including fowl cholera, CRD, mixed infection etc.
- Having high stability in pellet temperatures

TETRALINE

is Chlorotetracycline 15% in granular form which helps in improving growth and production in the birds,

TETRALINE

in its granular form easily mixed with the feed and highly bio-available to the birds.

DOSAGE

335 gm /
ton of feed



Available pack
1 Kg and 25 Kg



THIOLYSE 10%

Thiamulin Hydrogen Fumarate 10%

Thiolyse 10% thiamulin hydrogen fumarate is an antibiotic used in veterinary medicine, particularly for poultry and swine, to treat certain bacterial infections. It's effective against mycoplasma and some other pathogens.

Effective against CRD & CCRD complexes improves FCR, egg production & performance

Composition:

Each Kg of THIOLYSE 10% Contains 100 gm of thiamulin hydrogen Fumerate granules

Dosage:

Layers/ broilers 200gm of THIOLYSE 10% per ton of feed

Breeders

200-500 gm of THIOLYSE 10% per ton of feed on regular basis through out the laying cycle

Improvement of egg production

100gm - 200gm of THIOLYSE 10% per ton of feed or as pe the advice of the veterinarian / Consultant

Contraindications:

Birds should not receive products containing Monensin Narasin or salinomycin during or for at least seven days before or after treatment with THIOLYSE 10% severe growth depression or death may result.

Precautions:

Store in a cool dry place protect from sun light avoid direct contract with skin, keep out of reach of children



**Available pack
1 Kg and
25 Kg**



Hepalite

Liver premix Powder

Hepalite Liver premix powder is a nutritional supplement often derived from liver, typically used to support overall health and well-being, Liver premix powder is often used in animal feed to enhance the nutritional profile, particularly for poultry.

Contains

Tricholine Citrate
Protein Hydrolysate
Vitamin B12
Inositol
Vitamin E
Lysine
D. L Methionine
Liver Extract
Probiotics
Emulsifier

Dosage



Broilers layers & breeders:

750 gm - 1 Kgs /
ton of feed or as
directed by the
veterinarian

Indications

Maintain the normal health of the liver, regenerate and tone up liver cell resulting in better digestion, growth and production. Counter the damaging effects of toxins and drug metabolites on the liver of the bird. Prevent fatty liver syndrome and other hepatic diseases.

Available Pack
1 kg, 10 kg, 25 kg



MINALYSE

Trace Minerals for Poultry

Mina-Lyse Premix is a trace minerals are essential for poultry health and development. They play crucial roles in various physiological processes, including metabolism, immune function, and growth.

COMPOSITION

Each 1 Kgs Contains

Manganese	:	90 gm	:
Zinc	:	80 gm	:
Iron	:	60 gm	:
Copper	:	8 gm	:
Selenium	:	300 mg	:
Iodine	:	0.8 gm	:
Cobalt	:	0.5 gm	:
Magnesium	:	15 gm	:

BENEFITS

Regular supplementation of Minalyse ensures

- Better, health condition of the flock
- Prevents deficiency syndromes
- Increase productivity
- Minimizes shell breaking in layers
- As support therapy in disease condition
- Reduce stress in performer

DOSAGE

Broiler - 1 to 1.25 kgs / ton of feed
Layer - 1.25 to 1.75 kgs / ton of feed
Breeder - 2.25 to 3 kgs / ton of feed
or as directed by the veterinarian



Available
Pack
25 kg

MINALYSE OTM

Organic Trace Minerals for Poultry

Organic trace minerals are essential nutrients that are chelated or complexed with organic molecules, making them more bioavailable and easier for poultry to absorb.



COMPOSITION

Each 1 Kgs Contains	
Chelaeted Manganese	: 90 gm
Chelaeted Zinc	: 70 gm
Chelaeted Copper	: 10 gm
Chelaeted Iron	: 80 gm
Chelaeted Cobalt	: 2 gm
Chelaeted Chromium	: 125mg
Selenium	: 0.6 gm
Iodine	: 0.5 gm

BENEFITS

- Prevent lameness in broilers and layers
- Improves metabolic rate
- Enhances the enzyme activity as co factors
- Controls the metabolic disorders due to ionic imbalance
- Maintains long peak egg production
- Improves egg shell thickness

DOSAGE

Broiler - 500 gm/ ton of feed
Layer - 750 gm / ton of feed
Breeder - 1 to 1.25 kg / ton of feed or as directed by the veterinarian

Available
Pack
25 kg



N-TOX PREMIX

Toxin Binder



N-tox premix a toxin binder is a feed additive used in poultry diets to help bind and neutralize harmful substances, such as mycotoxins, heavy metals, and other environmental toxins. By doing so, these binders can reduce the absorption of toxins in the gastrointestinal tract, helping to protect animal health and improve feed efficiency.

COMPOSITION

HSCAS
Mold inhibitors
Buffered organic acid
Activated carbon
MOS with probiotic

INDICATION

- For protection against mycotoxins
- For Inhibiting the growth of mould
- For better growth, productivity & hatchability
- For better response of vaccination
- To reduce mortality
- For improved feed conversion rate

MIXING RATIO

1kg per ton of feed or as recommended by the veterinarian



Available
Pack
25 kg



N-TOX Advance Premix

Toxin Binder

N-tox Advance Premix a toxin binder is a feed additive used in poultry diets to help bind and neutralize harmful substances, such as mycotoxins, heavy metals, and other environmental toxins. By doing so, these binders can reduce the absorption of toxins in the gastrointestinal tract, helping to protect animal health and improve feed efficiency.

COMPOSITION

Acetic acid 2%
Formic acid. 2.5%
Propionic acid 3%
Benzoic acid 2%
Sorbic acid 1.5%
Activated charcoal 10%
MOS 3%
BASE HSCAS with probiotics

INDICATION

- For protection against mycotoxins
- For inhibiting the growth of mould
- For better growth, productivity & hatchability
- For better response of vaccination
- To reduce mortality
- For improved feed conversion rate

MIXING RATIO

1kg per ton of feed or as recommended by the veterinarian



Available
Pack
25 kg



GROW-P PREMIX

Unique formulation of liver and growth promoter

Grow-P Premix a unique formulation combining liver extract and growth promoters can be beneficial for poultry by enhancing nutrient absorption, promoting growth, and supporting overall health.

Composition Each kgs Contains

Amino acids

DLM	: 53 gm
Lysine	: 63 gm
L. Arginine	: 27 gm
L. Threonine	: 21 gm

Minerals

Sodium	: 3 gm
Magnesium	: 75 gm
Zinc	: 21 gm
Iron	: 9 gm
Copper	: 78 gm
Cobalt	: 2 gm
Manganese	: 25 gm
Calcium	: 21 %
Phosphorous	: 7.5 %

Liver Stimulants

Choline Chloride	: 65 gm
M.O.S	: 34 gm
Yeast	: 12 gm
Vit B12	: 75 mcg
Base HSCA'S	: Q.S
Biotin	: 90 mcg

INDICATION

To prevent production related to nutritional deficiencies

- Like uneven flock weight • Summer stress
- Leg weakness • Production fluctuation
- Hostility • Inappearance
- To optimize liver function protection from hepatic damage improve the FCR.

DOSAGE:

Boilers - 2-2.5 kgs ton of feed, Layer - 2.5 kg-3 kgs ton of feed
Breeder / grower - 3-3.5 kg, Ton of feed or as recommended by the veterinarian



Available Pack
10 kg, 25 kg

V MIX P

Vitamin Premix

V Mix P is a vitamin premix is a concentrated blend of vitamins designed to be added to animal feed to ensure poultry receive essential nutrients for optimal health and productivity.

COMPOSITION EACH 250 GM CONTAINS

Vitamin A	: 12500000 I.U
Vitamin B2	: 500mg
Vitamin D3	: 2500000 I.U
Vitamin E	: 9000 I.U
Vitamin K3	: 1200 mg
Vitamin B1	: 900 mg
Vitamin B6	: 1800 mg
Vitamin B12	: 2500 mg
Niacin	: 14000 mg
Folic Acid	: 100 mg
Biotin	: 10000 mcg
Calcium Pantothenate	: 9000 mg
Yeast	: 260000 cfu
Sorbitol	: 10000 mg
Antioxidant Added	: Q.S

MIXING RATIO

Chicks/ growers/ layers
Broilers: 250 grams/ ton of feed
or as advised by the veterinarian

INDICATIONS & BENEFITS

Improves FCR
Increase performance & production
Prevents vitamin deficiencies
Increase resistance power

Available pack
250 gm, 500 gm, 1 kg, 25 kg



Acidex

Buffered Acidifiers

Acidex is a buffered acidifier on feed additive designed to lower the pH of animal feed or the gastrointestinal tract. This can promote better digestion and overall health in livestock and

Composition:

Formic acid
Acetic acid
Lactic acid
Calcium propionate
Butyric acid
Fumaric acid
Citric acid
Benzoic acid
Sorbic acid
Copper oxine

Benefits:

- Reduces the contamination of feed and feed ingredients
- Promotes the secretion of digestive juices and improves the digestibility
- Elicits antibacterial activity at the intestine and establishes balanced microform environment

Dosage:

Broilers / Layers:
1kg / ton of feed
Breeders: 2-3 kg /
ton of feed



Available
Pack
25 kg



Levoxicin-BH

Levofloxacin + Bromhexine

Levoxicin - BH is a combining Levofloxacin (a fluoroquinolone antibiotic) and Bromhexine (amucolytic agent) can be beneficial in treating respiratory infections in poultry.

Composition:

Each ml contains
Levofloxacin Hemihydrate I. P : Rq.to
Levofloxacin : 100 mg
Bromhexine HCL I. P : 7.5 mg
Aqueous base : Q.S

Indications:

Acute respiratory ailments lowl cholera, enteritis, coryza dematitis can be successfully treated using veterinary Lavofloxacin & Bromhexine oral solution

Dosage & Administration:

1 ml/10 kg body weight
To be administered continuously for a period of 3-5 days once daily in drinking water depending on the severity of infection or as recommended by registered veterinary practitioner.

Available
Pack
1 Ltr



Enaxin-BH

Enrofloxacin + Bromhexine

Enaxin - BH is a combining Enrofloxacin (an antibiotic) and Bromhexine (a mucolytic agent) can be effective for treating respiratory infections in poultry.

Composition:

Each ml contains

Enrofloxacin I.P : 100 mg

Bromhexine Hydrochloride I. P : 15 mg

Dosage:

Cattle, Buffalo, Sheep and goat - 1 ml / 20 kg
Body weight (10mg/kg)

Poultry - 1ml/8 Ltr of water (prevention)
and 1ml/4 Ltr of water (treatment) or
As directed by the veterinary practitioner

Indications:

- Effective against both gram positive and gram negative bacteria
- Treatment and control of gastrointestinal infection, Respiratory infection and urinary infection caused by E.coli, Haemophilus, Pasteurella and salmonella in cattle, sheep, goat, poultry and swine.
- Relieve secondary problems like respiratory distress, cough, gasping and weight loss associated with the respiratory diseases.
- Maintain the production and performance in animals and birds even in respiratory diseases like CRD, Coryza etc.
- Minimize secondary bacterial complications.
- Helps in control of secondary bacterial infection occurred during viral diseases helps to control chronic respiratory diseases in birds and animals.



Available
Pack
1 Ltr

