

 ValveTech, Inc. 1391 Phelps Junction Rd. PHONE: (315) 548-4040 P.O. Box 118 FAX: (315) 548-4200 Phelps, NY 14532	Document Number: VWI(QA)-66	
	Revision: A	Effective Date: 02/27/2025
	Vendor Work Instruction	

VENDOR WORK INSTRUCTION VWI(QA)-66

VTI CRITICAL SUPPLIER CLEANLINESS WORK INSTRUCTION

DOCUMENT OWNER: Michelle Smith DATE: 01/15/09

CONTROLLED

 ValveTech, Inc. 1391 Phelps Junction Rd. P.O. Box 118 Phelps, NY 14532	Document Number: VWI(QA)-66	
	Revision: A	Effective Date: 02/27/2025
	Vendor Work Instruction	

Reference Documents

WI (QA)-66

1.0 PURPOSE

This procedure is written in conjunction with ValveTech Work Instruction 66 and applies to all critical outside suppliers. The primary requirement of this procedure focuses on prevention of damage and elimination of possible sources of contamination due to improper handling and processing of ValveTech hardware. VTI products will not operate reliably when exposed to dirt, metal burrs and any other extraneous material.

- 1). Manufacture of hardware (machine detail parts) shall use best practice methods (sharp tooling set up to produce efficient cutting and material removal, avoid pushing/rolling of material) to ensure elimination of burrs, and chips prior to entering VTI facilities.
- 2). Vendor will keep hardware in clean covered plastic protective containers (or individual bags) when not being processed. Assemblies shipped from VTI for processing having open dead-headed passages susceptible to entrapment of contamination (when the process permits) will have tape, foam, and/or metal shims retained by spring clips covering the openings. Outside special processing vendors (Passivate, Heat Treat, Welding, Anodize etc.) will see these items protecting the openings, these are not to be removed, if they are removed during processing, or fall out during process or shipping, vendor shall bag and tag part individually and alert appropriate VTI personnel.
- 3). Practice good housekeeping and high cleanliness standards.
- 4). When shipping hardware to VTI, parts must be in covered clean divided plastic containers, cardboard containers are only allowed if parts are individually bagged in clean single use plastic bags.
- 5). Unless stated on ValveTech drawing, do not immerse machine hardware in any type of corrosion resistant oils. Parts must be clean and burr free upon arrival at ValveTech.

We ask that you please train employees and implement this procedure within your company effective immediately upon receipt.

Supplier Signature: _____

Vt ValveTech, Inc. 1391 Phelps Junction Rd. PHONE: (315) 548-4040 P.O. Box 118 FAX: (315) 548-4200 Phelps, NY 14532	Document Number: VWI(QA)-66	
	Revision: A	Effective Date: 02/27/2025
	Vendor Work Instruction	

Date: _____

This procedure is posted on our website: www.valvetech.com for your review.

CONTROLLED