

ULTIMATE TRADIE PACK INDEPENDENT SUSPENSION 22

FULL SPEC

TARE: 1480 KG GVM: 3200 KG PAYLOAD: 1720 KG

TOTAL SIZE: L 4500 MM X W 2185 MM X H 2175MM
[INDEPENDENT SUSP: H 2400MM]

2450 MM X 1500 MM (8 FT X 5 FT) MAIN SECTION

100MM X 50MM X 4MM RHS HOT DIPPED GAL

GALVANISED MAIN BODY W/CNC CUT PANELING, FRAMING, AND FIXTURES

POWDER-COATED INSIDE AND OUT - COLORS AVAIL IN GLOSS OR MATTE FINISH

FRONT TOOLBOX WITH FRIDGE SLIDE AND SHELVES

DRAWERS AND SHELVES FITTED IN THE PASSENGER SIDE OF THE MAIN SECTION

TWO DEEP TRUNDLE DRAWERS AT REAR - APPROX. 1800 MM DEEP

FOUR SHELVES INSTALLED ON THE REAR OF THE TRAILER

HEAVY-DUTY DRAWER HARDWARE THROUGHOUT

HEAVY-DUTY ROOF RACK WITH REAR ROLLER FOR ASSISTING WITH HEAVY LIFTS

BUILT-IN LADDER FOR ACCESSING ROOF RACK

REMOVABLE ROOF SUPPORT RACK AT THE FRONT FOR LONG LENGTHS

HEAVY-DUTY 8 LEAF SPRINGS WITH ROLLER ROCKER

50MM SOLID AXLES WITH 12-INCH DRUM BRAKES - BOTH AXLES BRAKED

16" 6 STUD LANDCRUISER ALLOY WHEELS - INCLUDING A MATCHING SPARE TYRE SIZE: 265/75R16

HEAVY-DUTY T-HANDLES THROUGHOUT - ALL KEYED ALIKE - CENTRAL LOCKING KIT

SLIMLINE L.E.D. TAILLIGHTS - A DISTINCTIVE AND UNIQUE DESIGN

STANDARD

DUAL BATTERY SYSTEM - 2X 100AH AGM DEEP CYCLE BATTERIES

2000 WATT PURE SINE WAVE INVERTER WITH BUILT-IN CHARGER

TWO 75-WATT SOLAR PANELS
INSTALLED ON A DRAWER SYSTEM
ON THE ROOF

EXTERNAL 15 AMP 240-VOLT PLUG-IN FOR CHARGING FROM MAINS POWER

EXTERNAL 240-VOLT POWERPOINT FOR RUNNING EXTENSION LEADS TO JOB SITE

INTERNAL 240-VOLT DOUBLE POWERPOINT FOR CHARGING DEVICES AND BATTERIES

FULL CENTRAL LOCKING KIT ON ALL 8 LOCKS - INCL ALARM SYSTEM

L.E.D. LIGHTING INSTALLED INTERNALLY AND EXTERNALLY

FULL SWITCHBOARD WITH A VOLTMETER, USB, 12 VOLT, AND SWITCHES

90 LITRE FRESHWATER TANK WITH 12-VOLT WATER PUMP FITTED

EXTRAS

SIGNWRITING - FROM SMALL LOGO TO FULL TRAILER WRAP

GPS TRACKING

MARINE CARPET INSTALLED

ARB 69L ZERO DUAL-ZONE FRIDGE FREEZER

ARK XO JOCKEY WHEEL UPGRADES

