

Synapse House
Medical & Mental Health Management Plans – FORM 6.01.G

Name:

Allergies

Allergies	
Food Allergies	
Interventions for Allergic Reaction	

Wandering

History or Risk of Wandering?	
Tracking devices	
Intervention & Prevention	

Mental Health & Wellness Plan

Type of Behavior	
Diagnosis	
Triggers	
Preventative Measures	
Interventions	

Please provide a copy of the physician's order for any medications that may be required as an emergency intervention.

Synapse House Seizure Management Plan

Name:

Diagnosis	
Known Triggers	
Current Seizure Medications & Dose	
Type of Seizure Disorder	
Typical Duration	
Frequency	
Warning Signs or Aura	
Intervention(s)	
Describe when you would typically call 911 for seizure.	
Post Seizure Behavior & Care	

First Aid During Seizure – NOTE 911 will be called if the Team determines emergency assistance is needed.

DO	DO NOT	Call 911 IF:
Stay calm and note the time the seizure starts.	Restrain the person.	Seizure lasts longer than 5 minutes .
Move member to a safe area, away from hazards.	Put anything in their mouth.	Another seizure starts immediately after OR this is their first seizure .
Place something soft under their head & loosen tight clothing around neck.		Breathing does not return to normal.
Turn on side if possible (to keep airway clear).		Injury occurs during seizure.

Please provide a copy of the physician's order for any medications that may be required as an emergency intervention.