

DON R. HALLOCK
P.O. BOX 370
HOBART, WA 9802

(425) 432-6665


Eagle@Micro-Options.com

Fax (425) 432-6660


ONLY 1934
K-DATE

1. Serial number: Please include the complete serial number and the suffix letter if the pistol has one.
2. Set back front sight: Many of the Mauser military lugers have the front sight set back about an 1/8 of an Inch. Identification is made easy simply by comparing the position of the front sight block with a later Mauser military luger.
3. Front sight block marks: Sometimes the front sight block will have some kind of mark. Please draw the mark on the data sheet.
4. Barrel test proof: Mauser "K" date barrels will all have the type-1 test proof. This will be the same mark found on the right side of the receiver and the left side of the Breechblock. On the receiver, the test proof will be the mark found in the third position from the left. The first two marks will be acceptance marks. All Mauser military lugers will have two acceptance marks and one test proof on the right receiver. If one mark is missing, there is a good chance that part was rejected from military production.
5. Barrel acceptance marks: Looking from the top, the acceptance mark will be found on the top left side.
6. Barrel number: All Mauser military lugers will have a numbered barrel.
S137 OR B190
7. Chamber date: Self-explanatory.
8. Extractor marks: The early pistols were marked with a scriptic \mathfrak{H} in addition to the last two digits of the serial number. The scriptic \mathfrak{H} changed to a gothic S on later pistols and finally disappeared leaving only the last two digits of the serial number.
9. Front toggle marks: The early pistols will have a scriptic \mathfrak{H} in front of the $\mathfrak{H}/42$ followed by the last two digits of the serial number. As Mauser approached the approximate serial number of 3200, the scriptic \mathfrak{H} in front of the $\mathfrak{H}/42$ changed to a gothic S. Shortly thereafter the S mark was dropped and the front toggle link only had a scriptic $\mathfrak{H}/42$ and the last two digits of the serial number. By the time Mauser reached the 8000 range the gothic S had replaced the scriptic \mathfrak{H} in the S /42 toggle code. Although you might find a scriptic $\mathfrak{H}/42$ toggle after the 8000 range, I suspect they were available parts assembled somewhat out of the normal production sequence. You have the opportunity to observe a minimum of two different 4's as part of the S/42. These will be the open or closed face four, please indicate the type of four. 4 or 4.
OPEN-FEET CLOSED-NO FEET
10. Rear toggle marks: The early pistols had a scriptic \mathfrak{H} which was followed by a gothic S in addition to the last two digits of the serial number. The Gothic S disappeared between the 4 and 5000 range.
11. Right receiver marks: The acceptance marks will be the first two marks, the test proof will be the third


mark counting from the left. The K-date will have one of three sets of acceptance marks.



I consider this as collector version 1 (CV-1)



I consider this as collector version 2 (CV-2)



I consider this as collector version 3 (CV-3)

The variations in between these collector variations are considered as sub-variations. When I get all of the data in the computer, we should be able to accurately determine each change in appearance and assign a specific collector description. For example CV-1-SV-2 would describe a O|37 O|37 pistol with a mix of scriptic and gothic S's.


















































12. Marks on the ejector Early pistols had the scriptic S on the ejector, later guns were not marked.
13. Grips: Wood grips were standard, what number is under the right grip.
14. Left receiver: What numbers and or marks are located in this position.
15. Left frame panel: The Reichsmarine pistols will have the eagle over M.
16. Takedown lever: Scriptic S to gothic S to only the last two digits of the serial number.
17. Sideplate: Usually no numbers on the backside of the sideplate on K-date pistols. Early lugers will have a scriptic S and the last two digits of the serial number. The scriptic S changed to a gothic S in the 3000 range. Later guns will only have the last two digits of the serial number.
18. Sear bar: Early pistols will have a scriptic S , changing to a gothic S and finally no S leaving only the last two digits of the serial number.
19. Safety bar: Early pistols will have the scriptic S in addition to the last two digits of the serial number. During the 3000 range the scriptic S changed to a gothic S and finally no "S" at all.
20. Front frame: Usually just the serial number, maybe an "a" suffix below the serial number.
21. Front of the trigger guard. Early pistols have a scriptic S changing to a gothic S and finally no S at all.
22. Right side of the mag. release button: Scriptic S and than no S at all. "a" block guns might have a gothic S.
23. Right side of the trigger: Early guns will have a scriptic S changing to no mark at all.
24. Mauser hump: With or without the Mauser hump.

- Matching magazine: Early guns had the O|37 acceptance. Until about 1400, the magazines were marked with the C.G. Haenel "H" on the lower spine. After approximately 4000, the B|90 became the standard acceptance mark.
26. Magazine type: 1-MM-O37 describes a magazine with a solid aluminum base, rolled tin nickel body and a O|37 acceptance mark on the magazine base. 1-MM-B90 describes the same magazine with a B|90 acceptance mark.
27. "H" on lower spine of magazine body: Early magazines until approximately ²²⁰⁰1400 had the C.G. Haenel "H" on the lower spine.
28. Matching numbers: Do all of the numbers match.

CORRECTIONS OR COMMENTS.

MAUSER LUGER
1934 (K) DATE RESEARCH DATA

Owner code: 0003
Date: 11/99

	A	B	C	D	E
1. Serial number:	451	1412	2079	2537	3361
2. Set back front sight:	NO	NO	YES	YES	YES
3. Front sight marks:	NONE	NONE	0	0	NONE
4. Barrel test proof:	TYPE-1	TYPE-1	TYPE-1	TYPE-1	TYPE-1.
5. Barrel acceptance mark:					
6. Barrel number:	451 8.83	1412 8.83	2079 8.83	2537 8.83	3361 8.83
7. Chamber date:	K	K	K	K	K
8. Extractor marks:	 51	 12	 79	 37	 61
9. Front toggle Marks:	 51 NOTE OPEN 4 WITH FEET.	 12 open 4	 79 open 4	 37 open 4	 61 open 4
10. Rear toggle Marks:	 51	 12	 79	 37	 61
11. Right receiver marks:	 	 	 	 	 
12. Marks on ejector:					S
13. Grips:	WOOD 51	WOOD 12	WOOD	WOOD	WOOD S
14. Left receiver:	451	1412	2079	2537	3361.
15. Left frame panel:	BLANK	BLANK	NAVY EAGLE 0.1747	BLANK	BLANK.
16. Takedown lever:	 51	 12	 79	 37	 61
17. Side plate:	 51	 12	 79	 37	S 61
18. Sear bar:	 51	 12	S 79	 37	S 61
19. Safety bar:	 51	 12	 79	S	S
20. Front frame:	451	1412	2079	2537	3361

Example pages

	A	B	C	D	E
21. Front trigger guard:	H	H	H	S	S
22. Right side of mag. release button:	H	H	H	H	H
23. Right side of the trigger:	H	H	H	S	S
24. Mauser hump:	YES	YES	YES	YES.	NO
25. Matching magazine:	YES - TWO	YES - ONE	NO	NO	YES - TWO
26. Magazine type:	1-MM-037	1MM-037	1-MM-037	1-MM-037	1-MM-037
27. "H" on lower spine of mag:	YES	NO	N/A	N/A	NO
28. All numbers match:	YES	YES	YES	YES	YES.

COMMENTS

NO-3361
REF # - E -

TRANSITION 037 037 - VERY RARE B-90 0:37 - B90 591

NOTE ALL FOURS ARE OPEN WITH FEET ON THESE PISTOLS

25-A BOTH MAGAZINES HAVE A C. E. HITENEL H ON THE LOWER SPINE OF THE MAGAZINE BODY.



OBSERVED UNTIL AT LEAST NUMBER 1285.

1-D NOTE DIFFERENCE IN SEVENS SMALL PARTS ARE OFTEN 7 WHILE SERIAL NUMBER IS 7

11-E NOTE ACCEPTANCE - SHOULD BE NO BRACKETS ON THE B:90 ACCEPTANCE B:90 THIS MAY NOT ALWAYS BE THE CASE. HOWEVER I SUPPOSE THATS NOT THE REASON FOR RESEARCH.

RETURN TO:

Don Hallock - P.O. Box 370 - Hobart, WA 98025
(425) 432-6665 Fax (425) 432-6660 email Eagle@Micro-Options.com

	F	E	H		
1. Serial number:	7313	9612	357a		
2. Set back front sight:	YES	NO	NO		
3. Front sight marks:	O	NONE	NONE		
4. Barrel test proof:	TYPE-1	TYPE-1	TYPE-1		
5. Barrel acceptance mark:	<u>B:90</u>	<u>B:90</u>	<u>B:90</u>		
6. Barrel number:	7313 8.82	9612 8.83	357 8.82		
7. Chamber date:	K	K	K		
8. Extractor marks:	13	12	57		
9. Front toggle Marks:	3/42 13	5/42 12 <i>NOTE CLOSED FOUR NO FEET</i>	5/42 57 <i>CLOSED FOUR NO FEET</i>		
10. Rear toggle Marks:	13	12	57		
11. Right receiver marks:	<u>B:90</u> <u>S:91</u>	<u>B:90</u> <u>S:91</u>	<u>B:90</u> <u>S:91</u>		
12. Marks on ejector:	NONE	NONE	NONE		
13. Grips:	WOOD 513	WOOD	WOOD		
14. Left receiver:	7313	9612	357		
15. Left frame panel:	BLANK	BLANK	BLANK		
16. Takedown lever:	S 13	12	57		
17. Side plate:	S 13	12	57		
18. Sear bar:	13	S 12	57		
19. Safety bar:	13	S 12	57		
20. Front frame:	7313	9612	357		

	1313	9612	357a		
	F	E	H.		
21. Front trigger guard:	S	NO MARK	NO MARK		
22. Right side of mag. release button:	NO MARK	NO MARK	S		
23. Right side of the trigger:	BLANK	BLANK	BLANK.		
24. Mauser hump:	YES	YES.	NO		
25. Matching magazine:	NO	NO	NO		
26. Magazine type:	1-mm-B90	1-mm-B90	1-mm-B90.		
27. "H" on lower spine of mag:	NO	NO	NO		
28. All numbers match:	YES	YES	YES.		

COMMENTS

Example pages

RETURN TO:
 Don Hallock - P.O. Box 370 - Hobart, WA 98025
 (425) 432-6665 Fax (425) 432-6660 email Eagle@Micro-Options.com

MAKE SOME COPIES OF THE BLANK
DATA SEETS BEFORE YOU START.

DISTRIBUTE THESE K-DATE
INFORMATION SHEETS AT WILL.

I REALLY NEED AS MUCH K-DATE
INFORMATION AS I CAN FIND

THANKS
DON HALLOCK
P.O. BOX 370
HOBART, WA 98025
(425) 432-6664 OR FAX (425) 432-6660
EMAIL donh@oz.net

MAUSER LUGER
1934 (K) DATE RESEARCH DATA.

Owner code _____
Date: _____

	A	B	C	D	E
1. Serial number:					
2. Set back front sight:					
3. Front sight marks:					
4. Barrel test proof:					
5. Barrel acceptance mark:					
6. Barrel number:					
7. Chamber date:					
8. Extractor marks:					
9. Front toggle Marks:					
10. Rear toggle Marks:					
11. Right receiver marks:					
12. Marks on ejector:					
13. Grips:					
14. Left receiver:					
15. Left frame panel:					
16. Takedown lever:					
17. Side plate:					
18. Sear bar:					
19. Safety bar:					
20. Front frame:					

	<i>F</i>	<i>G</i>	<i>H</i>	<i>I</i>	<i>J</i>
21. Front trigger guard:					
22. Right side of mag. release button:					
23. Right side of the trigger:					
24. Mauser hump:					
25. Matching magazine:					
26. Magazine type:					
27. "H" on lower spine of mag:					
28. All numbers match:					

COMMENTS

RETURN TO:
 Don Hallock - P.O. Box 370 - Hobart, WA 98025
 (425) 432-6665 Fax (425) 432-6660 email Eagle@Micro-Options.com