

Medical Control for Drugs & Procedures – 00.050

The following drugs and procedures are considered **CATEGORY A**, and will be used at the EMS Provider's discretion in accordance with these EMS Treatment Protocols.

Drugs – Category A:

- Acetaminophen
- Activated Charcoal (aspirin or acetaminophen < 2 hrs post ingestion)
- Adenosine
- Albuterol
- Amiodarone
- Ammonia Inhalant
- Aspirin
- Atropine Sulfate
- Calcium Chloride/Gluconate
- Dexamethasone
- Dextrose 50%, 25%, D10%
- Diphenhydramine
- Diltiazem
- Epinephrine
- Etomidate
- Glucagon
- Glucose, Oral
- Fentanyl
- Ketamine Hydrochloride
- Haloperidol
- Hydrocobalamin (Cyanokit®)
- IV solutions
- Ipratropium
- Ipratropium bromide/albuterol (DuoNeb)
- Lidocaine
- Lorazepam
- Magnesium Sulfate
- Methylprednisolone
- Midazolam
- Morphine
- Naloxone
- Nitroglycerin
- Ondansetron
- Oxygen
- Oxytocin
- Pralidoxime
- Rocuronium
- Sodium Bicarbonate
- Succinylcholine
- Vasopressin
- Vecuronium

Medical Control for Drugs & Procedures – 00.050

Procedures – Category A

- Chemical Patient Restraint
- Continuous Positive Airway Pressure (CPAP)
- Defibrillation manual and AED
- Emergency cricothyrotomy
 - Needle cricothyrotomy
 - Per-Trach
 - Quick-Trach (type device)
 - Surgical cricothyrotomy
- End-Tidal CO₂ Monitoring
- Endotracheal Intubation
- Endotracheal intubation with RSI
- Induced Hypothermia
- Intraosseous access & infusion
- Intravenous access & infusion
- King LT-D/LTS-D Airway Device
- Left Ventricular Assist Device
- Oral gastric tube insertion
- Physical Patient Restraint
- PICC line access
- Pelvic immobilization with sling/wrap
- Sports equipment removal
- Suctioning
- Synchronous cardioversion
- Taser Barb Removal
- Tension Pneumothorax Decompression
- Transcutaneous Pacing

The following drugs and procedures are considered **CATEGORY B**, and require On-line Medical Control authorization. Confirmation of dosage or procedure will be obtained directly from a Physician on duty at OLMC.

Drugs – Category B:

- Activated Charcoal (aspirin or acetaminophen > 2 hours post ingestion and all other poisons)
- Calcium Chloride/Gluconate (calcium channel blocker overdose)
- Epinephrine (asthma and COPD pts > 40 yrs)
- Glucagon (beta blocker OD)
- Midazolam (sympathomimetic OD)

Procedures – Category B:

- Automatic Implantable Cardio-Defibrillator (AICD) deactivation