

Oil, Fuel Additives & Lubricant Prices



Genuine Stihl HP Two Stroke Oil, 100ml One Shot 50:1

Suitable for the Following Applications:

TS400, TS410 TS420, TS350/TS360, MS170 / MS170C, MS180 / MS180C, MS210 / MS210C, MS230 / MS230C, MS250 / MS250C, MS200 / MS200T, MS260 / MS260C, MS290 / MS310 / MS390, 030 / 031, 029 / 039, MS270 / MS270C / MS280 / MS280C, 028 / 028AV, MS361 / MS361C, MS440, MS192C / MS192T / MS192TC, MS460, 08S, MS240, MS340, MS360 / MS360C, MS380, MS640, TS700, TS510 / TS760, TS460

£1.76+ VAT



Morris Ground Force Croma 30 Chainsaw Chain & Bar Oil, 1 Litre

Groundforce Croma 30 Cutter Bar Oil is designed to meet all lumber industry, forestry, woodyard and estate management requirements. Provides excellent corrosion protection and improved chain performance in a wide range of climatic conditions.

£4.99+ VAT



Morris Ground Force SAE 10W-40 Engine Oil, 1 Litre

Groundforce SAE 10W-40 is designed to cope with the difficult conditions found in four stroke diesel and petrol engines fitted to horticultural, garden machinery and stationary equipment where multi-grade oils are recommended. The oil is blended from solvent refined base stocks and performance additives to control vanish, soot dispersancy, low temperature sludge, oxidation, rust and corrosion. Groundforce SAE 10W-40 is recommended for all year use.

£4.99+ VAT



Genuine Morris SAE 30 Engine Oil, 1 Litre

Groundforce 30 is a low ash lubricant designed for use in older horticultural equipment powered by petrol and diesel engines where monograde oils are recommended. The oil is blended from solvent refined base stocks and performance additives to control vanish, soot, dispersancy, low temperature sludge, oxidation, rust and corrosion. War Tech SAE 30 is particularly suitable where machinery has to be laid up between seasons or for plant that is only used intermittently. It prevents internal deterioration caused by damp atmospheres and the extremes of temperatures

£4.99+ VAT



Genuine Morris EP90 Gear Oil, 1 Litre

EP Gear Oils are mineral oil based lubricants formulated for use in a wide range of automotive, plant, agricultural and industrial transmission systems. These grades have a high level of extreme pressure (EP) additive that provides effective gear protection over a range of temperatures and shock load conditions. EP Gear oils also protect components from rust and corrosion.

£5.99+ VAT



Genuine Stihl HP Super 2 Two Stroke Oil, 100ml One Shot 50:1

Semi-synthetic oil with low-ash additives for clean low-smoke burning. 'Low-smoke oil' performance class: JASO-FD, ISO-L-EGD. Fuel/oil ratio: 50:1. Particularly recommended for STIHL 4-MIX engines. Recommended for STIHL 4-MIX engines.

£2.94+ VAT



Husqvarna Oil Guard 2-Stroke Oil 100ml

Husqvarna Oil Guard 2-Stroke Oil One Shot 1 x 100ml Bottle Genuine Husqvarna Oil Premium 2-stroke oil suitable for all 2-stroke machines and required for 'Oil Guard' Disc Cutters

£2.50+ VAT



Genuine Morris Triad 32 Hydraulic Oil, 5 Litres

Premium grade hydraulic oil - ISO VG 32 with excellent anti-wear properties and corrosion inhibition. Good anti-foam plus rapid air release prevents sponginess, ensuring a positive hydraulic response. Ideal for use in mobile plant.

£18.99+ VAT



Genuine Morris Triad 46 Hydraulic Oil, 5 Litres

Premium grade hydraulic oil - ISO VG 32 with excellent anti-wear properties and corrosion inhibition. Good anti-foam plus rapid air release prevents sponginess, ensuring a positive hydraulic response. Ideal for use in mobile plant.

£18.99+ VAT



5 Litre HP Super Two-Stroke Engine Oil - Genuine Stihl - 0781 319 8055

Top Performance HP Super Two-Stroke Engine Oil—5 Litres, Semi-synthetic Oil with Low-Ash Additives, Performance Class, JASO-FD, ISO-L-EGD Fuel/Oil Ratio, 50:1, Recommended for STIHL 4-MIX Engines, OEM No. 07813198055

£37.49+ VAT



Genuine Stihl SynthPlus Chain Oil 1L for Chainsaws - 0781 516 2000

SynthPlus Chain Oil 1L for Stihl Chainsaws
Semi-synthetic, high performance lubricant made from top grade base oils.
Outstanding protection against wear.

£6.99+ VAT



Genuine Briggs and Stratton SAE30 4-Stroke Engine Oil, 0.6L - - 100005E

Husqvarna Briggs & Stratton 4 Stroke Engine Oil 0.6L is specially formulated for air-cooled engines.,
Compatible with all standard 4-stroke OHV engines, A high quality detergent oil classified SJ/CD by the
API-Conveniently sized for today's engines

£6.69+ VAT



Genuine Briggs & Stratton Fuel Fit 100ml Petrol Fuel Additive - 992380

Prolong the life of your petrol engine with fuel fit. This fuel fit from quality brand Briggs & Stratton
is designed to eliminate moisture attracted by modern fuel and subsequent corrosion, by coating the
petrol to protect the engine parts ensuring a longer life. Simply adding 100 ml of fuel fit to 10 Litres of
unleaded fuel will stabilise your fuel for up to 3 years

£2.99+ VAT



Genuine GT85 Penetrating Oil Power Spray, 400ml

GT85 is a versatile, multi-purpose spray, which makes it ideal for use in all-over the bike on chains,
cables, levers, gears, derailleurs or anywhere that non-sticky lubrication is required

£2.89+ VAT



Genuine PMA Carburettor Cleaner 500ml Aerosol

Helps remove dirt and deposits from carburettors, air intake manifolds, injection systems and linkages,
Restores power, increase fuel economy and improve engine efficiency, Dissolves all conventional auto-
motive oil and grease deposits, Rapidly softens and removes fuel deposits, Safe for use in conjunction,
with oxygen sensors and catalytic converters, Quick drying solvent based carburettor cleaner

£4.32+ VAT

Groundwork Hand Tools



INSULATED TREADED SQUARE MOUTH SHOVEL - BS8020:2011

Part No: FIBT01R

Tested And Certified To BS8020:2011

Handle - 28" / 711mm

Blade Size - 8" Wide By 10.1/2" Long

Tested For Live Work Used for shovelling out or concrete mixing, working tarmac and cement, backfilling trenches and manoeuvring ballast.

£31.50+ VAT



INSULATED TREADED TAPER MOUTH SHOVEL - BS8020:2011

Part No: FIBT02R

Tested And Certified To BS8020:2011

Handle - 28" / 711mm

Blade Size - 10" Wide By 8.1/2" Tapering To 12.1/2" Long

Tested For Live Work Used for shovelling out or concrete mixing, working tarmac and cement, backfilling trenches and manoeuvring ballast.

£31.50+ VAT



INSULATED TREADED GPO TRENCHING SHOVEL - BS8020:2011

Part No: FIBT03R

Tested And Certified To BS8020:2011

Handle - 28" / 711mm

Blade Size - 7" Wide x 11" Long

Tested For Live Work Often known as a '2-way' in some trades Used for digging and cleaning out narrow trenches for cable and pipe laying

£31.50+ VAT



INSULATED CONTRACTORS 4 PRONG FORK - BS8020:2011

Part No: FIBT04R

Conforms to BS8020

Certified to 1000 Volts - Tested to 10000 Volts

Solid forged from one piece of steel

YD handle

Strong yet lightweight fibreglass shaft has excellent insulating properties

Lightweight at just 2.5kg

BS8020:2011

£31.50+ VAT



INSULATED TREADED RABBIT SHOVEL - BS8020:2011

Part No: FIBT05R

Tested And Certified To BS8020:2011

Handle - 28" / 711mm

Blade Size - 5" Wide By 4.1/2" x 11

Tested For Live Work Ideal For Transplanting Plants And Shrubs And Also For Post-Holing Jobs

£31.50+ VAT



INSULATED TREADED NEWCASTLE DRAINER SHOVEL - BS8020:2011

Part No: FIBT07R

Tested And Certified To BS8020:2011

Treaded Tested For Live Work 16" Long, 7" Wide Tapering to 4"

Often known as a 'grafter' in some trades.

Designed for digging deep and narrow trenches, channels and post holes

£31.50+ VAT



INSULATED TREADED CABLE LAYING SHOVEL - BS8020:2011

Part No: FIBT08R

Tested And Certified To BS8020:2011

Handle - 28" / 711mm

Blade Size - 5" Wide Tapering to 4.1/2" By 11"

Long Tested For Live Work Often known as a '1-way' in some trades.

Designed for cable and pipe laying with a slim blade that is ideal for digging out narrow trenches.

£31.50+ VAT



INSULATED TREADED CLAY GRAFTING SHOVEL - BS8020:2011

Part No: FIBT09R

Tested And Certified To BS8020:2011

Handle - 28" / 711mm

Blade Size - 6" Wide By 12" Long T

Tested For Live Work With a slightly dished blade and round cutting edge, designed for clay digging and heavy ground breaking.

£31.50+ VAT

INSULATED TREADED SHOVEL ROUND MOUTH - BS8020:2011



Part No: FIBT10R
Treaded
Tested And Certified To BS8020:2011
Handle - 28" / 711mm Blade Size - 10" Wide By 12.1/2" Long
Tested For Live Work
Used for excavating, digging and shovelling most aggregates. The pointed blade offers easier penetration in tougher ground.

£31.50+ VAT

INSULATED POST HOLE DIGGER SHOVEL HOLDER BS8020:2011



Part No: FIBT200
Tested And Certified To BS8020:2011
Treaded Tested For Live Work
.46" HANDLE, 68" OVERALL LENGT
Designed for digging deep and narrow trenches, channels and post holes

£103.50+ VAT

INSULATED BUILDERS FENCING SHOVEL BS8020:2011



Part No: FIBT202
Tested And Certified To BS8020:2011
Head Size 5-1/2" to 4-1/2" x 14" Long
Overall Length 68"
One Piece Straight Handle
Weight 4.4kgs

£43.26+ VAT

INSULATED HAMMER CLUB 2.5LB—BS8020:2011



Part No: FIBT203
Tested And Certified To BS8020:2011
Shock absorbing polyfibre shaft
Precision Ground Head
Hi-Grip Rubber Handle
Available in 2.5lb, 4lb, 7lb and 10lb

£10.35+ VAT



INSULATED SLEDGE HAMMER 4LB - BS8020:2011

Part No: FIBT204
Tested And Certified To BS8020:2011
Shock absorbing polyfibre shaft
Precision Ground Head
Hi-Grip Rubber Handle
Available in 2.5lb, 4lb, 7lb and 10lb
£12.15+ VAT



INSULATED SLEDGE HAMMER 7LB - BS8020:2011

Part No: FIBT205
Tested And Certified To BS8020:2011
Shock absorbing polyfibre shaft
Precision Ground Head
Hi-Grip Rubber Handle
Available in 2.5lb, 4lb, 7lb and 10lb
£17.70+ VAT



INSULATED SLEDGE HAMMER 10LB - BS8020:2011

Part No: FIBT206
Tested And Certified To BS8020:2011
Shock absorbing polyfibre shaft
Precision Ground Head
Hi-Grip Rubber Handle
Available in 2.5lb, 4lb, 7lb and 10lb
£21.48+ VAT



ALL STEEL CABLE LAYING BALLAST SHOVEL

Part No: SSCL
Product HandleE: 28"/ 711MM All Steel MYD
Product Size: Blade: 5.1/2" Wide Tapering To 4.1/2" By 11" Long
£13.38+ VAT



ALL STEEL CLAY GRAFTING SHOVEL



Part No: SSGT

This all steel grafting tool has a dished blade and a curved cutting edge which makes it ideal for clay digging and heavy ground breaking work.

It has a forged blade, tubular steel shaft and steel YD grip with wooden cross piece for added comfort.

Product Handle: 28" / 711MM All Steel MYD

Product Size: Blade: 6" Wide X 12" Long

£13.38+ VAT

ALL STEEL NEWCASTLE DRAINING SHOVEL



Part No: SSND

This all steel Newcastle draining shovel has a forged blade, tubular steel shaft and steel YD grip with wooden cross piece for added comfort.

Product Handle: 28" / 711MM All Steel MYD

Product Size: Blade: 7" Wide, Tapering To 4" By 16" Long

£13.38+ VAT

ALL STEEL ROUND MOUTH SHOVEL



Part No: SSRM

Used for excavating, digging and shovelling most aggregates. The pointed blade offers easier penetration in tougher ground.

Product Handle: 28" / 711MM All Steel MYD

Product Size: Blade: 10" Wide X 12.1/2" Long

£13.38+ VAT

ALL STEEL RABBIT BALLAST SHOVEL



Part No: SSRS

This all steel rabbit shovel has a forged blade, tubular steel shaft and steel YD grip with wooden cross piece for added comfort.

Product Handle: 28" / 711MM All Steel MYD

Product Size: 7" to 5" X 12"

£13.38+ VAT



ALL STEEL SQUARE MOUTH SHOVEL

Part No: SSSMR

All Steel Square Mouth Shovel intended for shovelling out, concrete mixing, working tarmac as well as cement, back filling trenches and manoeuvring ballast.

Product Handle: 28" / 711MM All Steel MYD

Product Size: Blade: 10" Wide X 12.1/2" Long

£13.38+ VAT



ALL STEEL TAPER MOUTH BALLAST SHOVEL

Part No: SSTMR

Used for shovelling out or concrete mixing, working tarmac and cement, backfilling trenches and manoeuvring ballast.

Product Handle: 28" / 711MM All Steel MYD

Product Size: Blade: 10" Wide, Tapering to 8.1/2" by 12.1/2" Long

£16..10+ VAT



POLYFIBRE HANDLED CABLE LAYER SHOVEL

Part No: 600003

Treaded

One Piece Handle 28"

Product Size: 5" X 4-1/2" X 11"

£21.00+ VAT



ALL STEEL FENCING SPADE EXTENDED HANDLE

Part No: 600002

Head Size 5 - 1/2" TAPER TO 4 - 1/2" X 11"

Overall Length 65"

£25.32+ VAT



PAVING MAUL, HARDWOOD HANDLE, RUBBER HEAD

Part No: 600001

Handle Material: Ash

£23.10+ VAT



Fuel / Jerry Cans



JERRY CAN GREEN 20 LITRE

Part No: 300021
Suitable Rust Resistant Paint
Leak Proof Bayonet Cap
Weighs 4.3kg
Australian Standard: AS 2906
German Standard TÜV/GS

Interior Rezinol Lining
High Strength Triple Handle
470mm H x 345mm L x 165mm W
Sweden Standard SP
D Approved & Certified UN Dangerous Goods Approval

£24.35+ VAT



JERRY CAN BLACK 20 LITRE

Part No: 300022
Suitable Rust Resistant Paint
Leak Proof Bayonet Cap
Weighs 4.3kg
Australian Standard: AS 2906
German Standard TÜV/GS

Interior Rezinol Lining
High Strength Triple Handle
470mm H x 345mm L x 165mm W
Sweden Standard SP
D Approved & Certified UN Dangerous Goods Approval

£24.35+ VAT



JERRY CAN RED 20 LITRE

Part No: 300023
Suitable Rust Resistant Paint
Leak Proof Bayonet Cap
Weighs 4.3kg
Australian Standard: AS 2906
German Standard TÜV/GS

Interior Rezinol Lining
High Strength Triple Handle
470mm H x 345mm L x 165mm W
Sweden Standard SP
D Approved & Certified UN Dangerous Goods Approval

£24.35+ VAT



JERRY CAN DARK BLUE 20 LITRE

Part No: 300047
Suitable Rust Resistant Paint
Leak Proof Bayonet Cap
Weighs 4.3kg
Australian Standard: AS 2906
German Standard TÜV/GS

Interior Rezinol Lining
High Strength Triple Handle
470mm H x 345mm L x 165mm W
Sweden Standard SP
D Approved & Certified UN Dangerous Goods Approval

£24.35+ VAT