






Product Catalog

www.hof-scientific.com

- 01-04 Disposable Endo Linear Cutter Stapler
- 05 Disposable Ultrasonic Scalpel System
- 06 Vessel Cutting and Closure Device Ligasure Type Blood
- 07-09 Disposable Linear Cutter Stapler
- 10 Disposable Circular Stapler
- 11 Disposable Anorectal Stapler (PPH)
- 12-18 Disposable Laparoscopic Trocar
- 19 Disposable Channel Device
- 20 Disposable Wound Protector
- 21 Disposable Retrieval Bag
- 22 Disposable Endo Fascia Closure System
- 23 Disposable Suture Grasper
- 24 Disposable Insufflation Needles
- 25 Disposable Suction and Irrigation Sets
- 26 Radial Artery Compression Devices
- 27 Disposable Skin Stapler
- 28 Disposable Ligating Clips



CONTACT US

+44 7710 33343
+971 55 399 0985

E Mail

business@hof-scientific.com
hof-scientific@ben.net.in

VISIT US

128 City Road, EC1V 2NN, London, UK
Business Bay, Ontario Tower, Dubai, UAE

Disposable Endo Linear Cutter Stapler Manual



1



HOF
SCIENTIFIC



12128 City Road, EC1V 2NX, London, UK
Business Bay, Ontario Tower, Dubai, UAE

 CONTACT US
+44 77710 33343
+971 55 399 0985

 E Mail
business@hof-scientific.com
hof-scientific@ben.net.in

 VISIT US

www.hof-scientific.com

Disposable Endo Linear Cutter Stapler

Pictures



Product Codes

WSB-C60,WSB-C160,WSB-C260

WSL-C60,WSL-C160,WSL-C260

Working Length

30mm,45mm,60mm

30mm,45mm,60mm,75mm

Description

45mm and 60mm laparoscopic staplers

45mm,60mm and 75mm laparoscopic staplers

Firing

Manual

Manual

Shaft Length

Compact 60mm, Standard 160mm, Long 260mm

Compact 60mm, Standard 160mm, Long 260mm

Degrees of Articulation

90°

90°

Qty./Carton

10pcs

10pcs

Ordering Information

www.hof-scientific.com

Ordering Information



Reloading Units- Same staple height

Stapled Length 30mm			Stapled Length 45mm			Stapled Length 60mm			Stapled Length 75mm		
Model	Staple Height(mm)	Cartridge Color	Model	Staple Height(mm)	Cartridge Color	Model	Staple Height(mm)	Cartridge Color	Model	Staple Height(mm)	Cartridge Color
WRC-30W	2.5 0.2	 White	WRC-45W	2.5 0.2	 White	WRC-60W	2.5 0.2	 White	WRC-75W	2.5 0.2	 White
			WRC-45B	3.5 0.2	 Blue	WRC-60B	3.5 0.2	 Blue	WRC-75B	3.5 0.2	 Blue
			WRC-45Y	4.0 0.2	 Yellow	WRC-60Y	4.0 0.2	 Yellow	WRC-75Y	4.0 0.2	 Yellow
			WRC-45G	4.8 0.2	 Green	WRC-60G	4.8 0.2	 Green	WRC-75G	4.8 0.2	 Green

Reloading Units- Tri-staple height (Improve the yield of suture staple and reduce bleeding at suture sites)

Stapled Length 30mm			Stapled Length 45mm			Stapled Length 60mm			Stapled Length 75mm		
Model	Staple Height(mm)	Cartridge Color	Model	Staple Height(mm)	Cartridge Color	Model	Staple Height(mm)	Cartridge Color	Model	Staple Height(mm)	Cartridge Color
WRC-30T	2.0/2.5/3.0	 Tan	WRC-45T	2.0/2.5/3.0	 Tan	WRC-60T	2.0/2.5/3.0	 Tan	WRC-75T	2.0/2.5/3.0	 Tan
			WRC-45P	3.0/3.5/4.0	 Purple	WRC-60P	3.0/3.5/4.0	 Purple	WRC-75P	3.0/3.5/4.0	 Purple
			WRC-45K	4.0/4.5/5.0	 Black	WRC-60K	4.0/4.5/5.0	 Black	WRC-75K	4.0/4.5/5.0	 Black

www.hof-scientific.com



Disposable Endo Linear Cutter Stapler Powered



2





CONTACT US

+44 77710 33343
+971 55 399 0985

E Mail

business@hof-scientific.com
hof-scientific@ben.net.in

VISIT US

128 City Road, EC1V 2NX, London, UK
Business Bay, Ontario Tower, Dubai, UAE

www.hof-scientific.com



CONTACT US

+44 7770 33343
+971 55 399 0985



E Mail

business@hof-scientific.com
hof-scientific@en.net.in



VISIT US

128 City Road, EC1V 2NX, London, UK
Business Bay, Ontario Tower, Dubai, UAE



Disposable Endo Linear Cutter Stapler

Pictures



Product Codes

WES-C60,WES-C160,WES-C260

WESC-C60,WESC-C160,WESC-C260

Working Length

30mm,45mm,60mm

30mm,45mm,60mm

Description

30mm,45mm and 60mm powered laparoscopic staplers

30mm,45mm and 60mm powered laparoscopic staplers

Firing

Powered

Powered

Shaft Length

Powered Compact 85mm, Standard 155mm, Long 255mm

Powered Compact 85mm, Standard 155mm, Long 255mm

Degrees of Articulation

90°

90°

Qty./Carton

10pcs

10pcs

Ordering Information

www.hof-scientific.com

Ordering Information



Reloading Units- Same staple height

Stapled Length 30mm			Stapled Length 45mm			Stapled Length 60mm			Stapled Length 75mm		
Model	Staple Height(mm)	Cartridge Color	Model	Staple Height(mm)	Cartridge Color	Model	Staple Height(mm)	Cartridge Color	Model	Staple Height(mm)	Cartridge Color
WRC-30W	2.5±0.2	 White	WRC-45W	2.5 0.2	 White	WRC-60W	2.5 0.2	 White	WRC-75W	2.5 0.2	 White
 			WRC-45B	3.5 0.2	 Blue	WRC-60B	3.5 0.2	 Blue	WRC-75B	3.5 0.2	 Blue
			WRC-45Y	4.0 0.2	 Yellow	WRC-60Y	4.0 ±0.2	 Yellow	WRC-75Y	4.0 ±0.2	 Yellow
			WRC-45G	4.8 0.2	 Green	WRC-60G	4.8 0.2	 Green	WRC-75G	4.8 0.2	 Green

Reloading Units- Tri-staple height (Improve the yield of suture staple and reduce bleeding at suture sites)

Stapled Length 30mm			Stapled Length 45mm			Stapled Length 60mm			Stapled Length 75mm		
Model	Staple Height(mm)	Cartridge Color	Model	Staple Height(mm)	Cartridge Color	Model	Staple Height(mm)	Cartridge Color	Model	Staple Height(mm)	Cartridge Color
WRC-30T	2.0/2.5/3.0	 Tan	WRC-45T	2.0/2.5/3.0	 Tan	WRC-60T	2.0/2.5/3.0	 Tan	WRC-75T	2.0/2.5/3.0	 Tan
			WRC-45P	3.0/3.5/4.0	 Purple	WRC-60P	3.0/3.5/4.0	 Purple	WRC-75P	3.0/3.5/4.0	 Purple
			WRC-45K	4.0/4.5/5.0	 Black	WRC-60K	4.0/4.5/5.0	 Black	WRC-75K	4.0/4.5/5.0	 Black

www.hof-scientific.com



Disposable Endo Linear Cutter Stapler Manual



3



www.hof-scientific.com

		
		
 CONTACT US	 E Mail	 VISIT US
+44 77710 33343 +971 55 399 0985	business@hof-scientific.com hof-scientific@ben.net.in	128 City Road, EC1V 2NX, London, UK Business Bay, Ontario Tower, Dubai, UAE



CONTACT US

+44 7770 33343
+971 55 399 0985

E Mail

business@hof-scientific.com
hof-scientific@ben.net.in



VISIT US

328 City Road, ECTV 2NX, London, UK
Business Bay, Ontario Tower, Dubai, UAE



Disposable Endo Linear Cutter Stapler

Pictures



Product Codes

WS-J45S, WS-J45M, WS-J45L

WS-J60S, WS-J60M, WS-J60L

Working Length

45mm

60mm

Description

45mm laparoscopic staplers

60mm laparoscopic staplers

Firing

Manual

Manual

Shaft Length

Compact 200mm, Standard 250mm, Long 350mm

Compact 200mm, Standard 250mm, Long 350mm

Degrees of Articulation

88°

88°

Qty./Carton

10pcs

10pcs

Ordering Information

www.hof-scientific.com




 CONTACT US
+44 7770 33343
+971 55 399 0985

 E Mail
business@hof-scientific.com
hof-scientific@ben.net.in

 VISIT US
128 City Road, EC1V 2NX, London, UK
Business Bay, Ontario Tower, Dubai, UAE

Reloading Units



Stapled Length 45mm (±2mm)				Stapled Length 60mm (±2mm)			
Model	Staple Height(mm)	No of Staples(pcs)	Cartridge Color	Codes	Staple Height(mm)	No of Staples(pcs)	Cartridge Color
WRJ-45A	2.0±0.2	70	 Ashy	WRJ-60A	2.0±0.2	88	 Ashy
WRJ-45W	2.5±0.2	70	 White	WRJ-60W	2.5±0.2	88	 White
WRJ-45B	3.5±0.2	70	 Blue	WRJ-60B	3.5±0.2	88	 Blue
WRJ-45Y	3.8±0.2	70	 Yellow	WRJ-60Y	3.8±0.2	88	 Yellow
WRJ-45G	4.1±0.2	70	 Green	WRJ-60G	4.1±0.2	88	 Green
WRJ-45K	4.3±0.2	70	 black	WRJ-60K	4.3±0.2	88	 black

Ordering Information

www.hof-scientific.com



Disposable Endo Linear Cutter Stapler Powered



4



www.hof-scientific.com



CONTACT US
+44 7770 33343
+971 55 399 0985

E Mail
business@hof-scientific.com
hof-scientific@ben.net.in

VISIT US
128 City Road, EC1V 2NX, London, UK
Business Bay, Ontario Tower, Dubai, UAE



CONTACT US
+44 7770 33343
+971 55 399 0965



E Mail
business@hof-scientific.com
hof-scientific@ben.net.in



VISIT US
128 City Road, EC1Y 2NX, London, UK
Business Bay, Ontario Tower, Dubai, UAE

Disposable Endo Linear Cutter Stapler



Pictures



Product Codes

WESA-J45S, WESA-J45M, WESA-J45L

WESA-J60S, WESA-J60M, WESA-J60L

Working Length

45mm

60mm

Description

45mm laparoscopic staplers

60mm laparoscopic staplers

Firing

Powered

Powered

Shaft Length

Compact 190mm, Standard 250mm, Long 350mm

Compact 190mm, Standard 250mm, Long 350mm

Degrees of Articulation

88°

88°

Qty./Carton

6pcs

6pcs

Ordering Information

www.hof-scientific.com



**CONTACT US**
+44 7770 33343
+971 55 399 0985

**E Mail**
business@hof-scientific.com
hof-scientific@ben.net.in

**VISIT US**
128 City Road, EC1Y 2NX, London, UK
Business Bay, Ontario Tower, Dubai, UAE

Reloading Units




Stapled Length 45mm (±2mm)				Stapled Length 60mm (±2mm)			
Model	Staple Height(mm)	No of Staples(pcs)	Cartridge Color	Codes	Staple Height(mm)	No of Staples(pcs)	Cartridge Color
WRJ-45A	2.0±0.2	70	 Ashy	WRJ-60A	2.0±0.2	88	 Ashy
WRJ-45W	2.5±0.2	70	 White	WRJ-60W	2.5±0.2	88	 White
WRJ-45B	3.5±0.2	70	 Blue	WRJ-60B	3.5±0.2	88	 Blue
WRJ-45Y	3.8±0.2	70	 Yellow	WRJ-60Y	3.8±0.2	88	 Yellow
WRJ-45G	4.1±0.2	70	 Green	WRJ-60G	4.1±0.2	88	 Green
WRJ-45K	4.3±0.2	70	 black	WRJ-60K	4.3±0.2	88	 black

Ordering Information

www.hof-scientific.com



Disposable Ultrasonic Scalpel System



5



HOF
SCIENTIFIC

 CONTACT US

+44 77710 33343
+971 55 399 0985

 E Mail

business@hof-scientific.com
hof-scientific@ben.net.in

 VISIT US

128 City Road, EC1V 2NX, London, UK
Business Bay, Ontario Tower, Dubai, UAE

www.hof-scientific.com

Disposable Ultrasonic Scalpel System

- **Generator**



- **Handpiece A-Gun Design**



- **Handpiece B-Scissor Design**



- **Foot Switch**



- **Ultrasonic Shears-Gun Design**



Shaft Length:
14cm 23cm
36cm 45cm

- **Ultrasonic Shears-Scissor Design**



Shaft Length:
9mm 17mm



www.hof-scientific.com

Specification



Name	Product Code	Description
Generator/Host	W500	Input voltage: AC 90Vto240V Inputfrequency: 50/60Hz Driving frequency: 55.5KHz Working current: 3A Power consumption of the largest: 300VA
14cm Shears	WYHS14S	Gun design, Diameter 5mm, Shaft length 140mm
23cm Shears	WYHS23S	Gun design, Diameter 5mm, Shaft length 230mm
36cm Shears	WYHS36S	Gun design, Diameter 5mm, Shaft length 360mm
45cm Shears	WYHS45S	Gun design, Diameter 5mm, Shaft length 450mm
9cm Shears	WYSS09G	Scissor design, Length 9cm
17cm Shears	WYSS17G	Scissor design, Length 17cm
Transducer/ Handpiece A	WYHP35	Handpiece for gun design, Resonant Frequency:55.5 KHz
Transducer/ Handpiece B	WYSP35	Handpiece for scissor design, Resonant Frequency:55.5 KHz
Foot Switch	WYFS01	Foot switch, waterproof level:IPX8
Moving Cart	WYMV02	

www.hof-scientific.com




CONTACT US

+44 7710 33343
+971 55 399 0985

E Mail

business@hof-scientific.com
hof-scientific@ben.net.in

VISIT US

128 City Road, EC1V 2NX, London, UK
Business Bay, Ontario Tower, Dubai, UAE






CONTACT US

+44 7750 33543

+971 55 289 0985

E Mail


business@hof-scientific.com

hof-scientific@hse.ae

VISIT US

126 City Road, EC4V 3NK, London, UK

Business Bay, Ontario Tower, Dubai, UAE

	Open&Laparoscopic Ultrasonic Shears	Open Only Ultrasonic Shears	
			
Product Codes	WYHS14S,WYHS23S,WYHS36S,WYHS45S	WYSS09G	WYSS17G
Matching Generator	GEN04,GEN11	GEN04,GEN11	GEN04,GEN11
Handpiece	WYST09G	WYSP35	WYSP35
Shaft Diameter	5mm	--	--
Shaft Length	14mm,23mm,36mm,45mm	9mm	17mm
Jaw Configuration	Curved	Curved	Curved
Jaw Aperture	15mm	21mm	23mm
Jaw Length	14mm	16mm	16mm
Handle Type	14mm	16mm	16mm
Degrees of Articulation	360°	--	--
Vessel Indication	≤7mm	≤5mm and lymphatics	≤5mm and lymphatics
Surgical Approach	Open & Laparoscopic	Open	Open
Qty./Box	10pcs	10pcs	10pcs

Ordering Information

www.hof-scientific.com



Ligasure Large blood vessel cutting and closure device

6



www.hof-scientific.com





CONTACT US
+44 7710 33343
+971 55 399 0985

E Mail
business@hof-scientific.com
hof-scientific@ben.net.in

VISIT US
128 City Road, EC1Y 2NX, London, UK
Business Bay, Ontario Tower, Dubai, UAE



Ordering Information



Model	Shaft length	Shaft diameter	Jaw size	Coagulation length	Cutting length
WYHB23A	230mm	5mm	≥18mm	20.5mm	18.5mm
WYHB37A	370mm	5mm	≥18mm	20.5mm	18.5mm
WYHB44A	440mm	5mm	≥18mm	20.5mm	18.5mm

Model	Shaft length	Shaft diameter	Jaw size	Coagulation length	Cutting length
WYHB23B	230mm	5mm	≥18mm	20.5mm	18.5mm
WYHB37B	370mm	5mm	≥18mm	20.5mm	18.5mm
WYHB44B	440mm	5mm	≥18mm	20.5mm	18.5mm

www.hof-scientific.com



Ordering Information



Model	Shaft length	Shaft diameter	Jaw size	Coagulation length	Cutting length
WYHB18D	180mm	13mm	≥18mm	36mm	34mm

Model	Jaw size	Coagulation length	Cutting length
WYPB01	≥18mm	22mm	20mm

www.hof-scientific.com



Linear Cutter Stapler Double Two Way Push





HOF
SCIENTIFIC

 CONTACT US

+44 7710 33343
+971 55 399 0985

 E Mail

business@hof-scientific.com
hof-scientific@ben.net.in


 VISIT US

128 City Road, EC1V 2NX, London, UK
Business Bay, Ontario Tower, Dubai, UAE


www.hof-scientific.com



Ordering Information




Linear Cutter Stapler

Product Code	Style	Cutting Length (mm)	Staple Height (mm)	Cartridge Color
WLD6038	D (Double Push)	60	3.8	
WLD6048		60	4.8	
WLD8038		80	3.8	
WLD8048		80	4.8	
WLD10038		100	3.8	
WLD10048		100	4.8	

Reloads (2- Rows)

Model No.	Cutting Length (mm)	Staple Height (mm)	Cartridge color
WLD6038-01	60	3.8	
WLD6048-01	60	4.8	
WLD8038-01	80	3.8	
WLD8048-01	80	4.8	
WLD10038-01	100	3.8	
WLD10048-01	100	4.8	



www.hof-scientific.com




 CONTACT US
+44 7780 33343
+971 55 399 0985

 E Mail
business@hof-scientific.com
hof-scientific@es.net.in

 VISIT US
12128 City Road, EC1V 2NX, London, UK
Business Bay, Ontario Tower, Dubai, UAE



Linear Cutter Stapler One Way Push



8



HOF
SCIENTIFIC

 CONTACT US

+44 7710 33343
+971 55 399 0985

 E Mail

business@hof-scientific.com
hof-scientific@ben.net.in

 VISIT US

12128 City Road, EC1V 2NX, London, UK
Business Bay, Ontario Tower, Dubai, UAE




www.hof-scientific.com


Ordering Information



Linear Cutter Stapler				
Product Code	Style	Cutting Length (mm)	Staple Height (mm)	Cartridge Color
WLS5538	M (Single Push)	55	3.8	
WLS5545		55	4.5	
WLS7538		75	3.8	
WLS7542		75	4.2	
WLS7545		75	4.5	
WLS10038		100	3.8	
WLS10045		100	4.5	

Reloads (2- Rows)

Model No.	Cutting Length (mm)	Staple Height (mm)	Cartridge color
WLS5538-01	55	3.8	
WLS5545-01	55	4.5	
WLS7538-01	75	3.8	
WLS7542-01	75	4.2	
WLS7545-01	75	4.5	
WLS10038-01	100	3.8	
WLS10045-01	100	4.5	



www.hof-scientific.com



CONTACT US
+44 1773 53143
+971 55 599 0961

E Mail
business@hof-scientific.com
hof-scientific@hscn.net.in

VISIT US
128 City Road, EC4V 3JX, London, UK
Business Bay, Ontario Tower, Dubai, UAE







Linear Cutter Stapler Tow Way Push


9



www.hof-scientific.com



 CONTACT US +44 7710 33343 +971 55 399 0985	 E Mail business@hof-scientific.com hof-scientific@ben.net.in	 VISIT US 128 City Road, EC1V 2NX, London, UK Business Bay, Ontario Tower, Dubai, UAE
--	--	--



Linear Cutter Stapler			
Product Code	Style	Cutting Length (mm)	Suture Length (mm)
WLJ75	Double Push	74	80
WLJ55		52	60

www.hof-scientific.com

Reloads(3-Rows)				
Model No.	Gear Color	Nail Height (mm)	Closed Gap (mm)	Applicable Tissue Thickness (mm)
WLJ75-01		1.8-1.2	1.1-1.4	<2.8mm
		1.9-1.4	1.3-1.7	<3.0mm
		2.0-1.5	1.6-1.8	<3.3mm
WLJ55-01		1.7-1.1	1.1-1.4	<2.8mm
		1.8-1.3	1.3-1.7	<3.0mm
		1.9-1.4	1.6-1.8	<3.3mm



Ordering Information





 CONTACT US
+44 7770 33343
+971 55 399 0985

 E Mail
business@hof-scientific.com
hof-scientific@ben.net.in

 VISIT US
128 City Road, EC1Y 2NX, London, UK
Business Bay, Ontario Tower, Dubai, UAE



THANK YOU



CONTACT US

+44 77710 33343
+971 55 399 0985



E Mail

business@hof-scientific.com
hof-scientific@ben.net.in



VISIT US

128 City Road, EC1V 2NX, London, UK
Business Bay, Ontario Tower, Dubai, UAE

www.hof-scientific.com