




Duct & Drain



A low-angle, upward-looking shot of a complex industrial facility. The image is dominated by a dense network of large, metallic ducts and pipes that snake across the frame. The lighting is a mix of cool blue tones from overhead industrial lights and a warm, golden-orange glow from a light source near the top center, creating a dramatic contrast. The perspective makes the ducts appear to converge towards the top of the image, emphasizing the height and scale of the structure. In the lower center, a piece of industrial equipment, possibly a cleaning unit, is partially visible. The overall impression is one of a large, intricate, and somewhat overwhelming industrial environment.

Duct Cleaning Equipment



Mini

Drill Powered Duct Cleaning Tool

Mini is suitable for all kinds of sharp bending ducts, with overall light weight ,soft and flexible shaft. Driven by electric pistol drill, which is easy to operate .



PRO

Portable Air Duct Cleaning Machine

It is suitable for dust cleaning in air ducts of central air conditioner, flour mill, chemical plant and other ducts. The cleaning brush rotates at high speed to clean up the dust inside the ducts.

Small ventilation ducts, easy to operate

Cleaning the dust in the ducts, cleaning without dead angle

Ball head brush design.

25+1 Torque adjustment.

Suitable for sharp bending ducts below 200rpm

Electric pistol drill drive.

No damage to duct.

Easy to operate, with overall light weight.

0-1400rpm stepless adjustment

Long distance cleaning

To improve the cleaning speed

Can clean 30 meters at a time

Suitable for different types of duct cleaning

50-800mm, widely applicable

Model Name	MINI	PRO
Name	Drilled Power duct cleaning machine	Portable air duct cleaning machine
Voltage	Nil	220-240V/110; 50Hz/60Hz
Power	Nil	550W
Brush Speed	25+1 Torque adjustment	0-1400 rpm (step less adjustable)
Hose Length	8 mtr (standard)	15 mtr (can be customized)
Brush	2 pcs (50-200mm for options)	4 Pcs (Various sizes for options)
Ceiling Height		
Weight Of Main Unit	2 KG	35KG
Dimension of Main Unit	45mm*45mm (Storage in bag)	440mm*240mm*320mm
Application Duct Range	Up to 200mm	50-800mm
Uses	Small ventilation ducts, suitable for all kinds of sharp bending ducts	Applicable to kind of duct cleaning, long cleaning distance, adjustable brush speed


VACU+

DUCT CLEANER VACUUM

VACU+ Negative air duct cleaner vacuum is a high-power duct cleaner vacuum. The motor is rotating at high speed. With 4000m3/h air volume, Negative air duct cleaner vacuum vacuums dust from ducts to its dust filter bag. This product adopts high quality centrifugal fan and high molecular sound absorbing material to reduce noise.



Rectangular Duct



Round Duct



Large vacuum, High capacity. 4000m3/h large air volume

2200w high power	Dust filter bag design.	Collapsible vacuum hose with telescopic plug tray and support	Universal wheel design
Fast vacuuming speed	Perfect dust collection.	Can be stretched freely	Universal wheel design is easy to operate
Save cleaning time	Filter out the fresh air	5m hose	Easy to move

Model Name	VACU+		
Name	Duct cleaner vacuum	Ceiling Height	2.6-3.5 mtr
Voltage	220-240V/110; 50Hz/60Hz	Weight for the main unit	88 KG
Power	2.2 KW	Dimension of the main unit	590mm*660mm*1025mm
Brush Speed		Applicable Duct Range	Up to 500mm
Hose Length	5 mtr (hose length)	Uses	Industrial vacuum cleaner, Large air volume, strong suction ability
Air Volume	4000 m3/h		

CLASSIC

ROTARY BRUSH AIR DUCT CLEANING MACHINE

The machine is a cleaning brush ventilation pipe cleaning equipment, it is a dry cleaning of the pipe, the standard cleaning brush diameter is large, so the equipment can be applicable to the pipeline is also a relatively large pipe, the diameter of the range between 80-800 mm.

The machine is best used with the VACU+ high-power negative pressure fan. CLASSIC ventilation pipe cleaner is responsible for removing dust with rotating brush, VACU+ negative pressure fan vacuum at the same time to achieve the best cleaning effect.



Large vacuum, High capacity.

4000m3/h large air volume

Widely cleaning application Applicable to 80-600mm ducts Save cleaning time	Forward and reverse rotation Forward and reverse rotation design. Can clean the ducts thoroughly	Brush speed is adjustable 0-1000rpm stepless adjustment Hard brush and soft brush for option. Can clean all kind of ducts	Provide long distance cleaning Hose is 45 mtr long Cart support makes your cleaning easier
--	---	---	---

Model Name	CLASSIC		
Name	Rotary brush air duct cleaning machine	Ceiling Height	
Voltage	220-240V/110; 50Hz/60Hz	Weight for the main unit	43 KG
Power	200 W	Dimension of the main unit	915mm*545mm*885mm
Brush Speed	0-1000 rpm(stepless adjustment)	Applicable Duct Range	Φ 50-Φ800mm
Hose Length	22 mtr/ 45mtr	Uses	Provide 45m long distance cleaning. Brush speed is step less adjustable
Air Volume			

CHAMP

Best Selling


DUCT CLEANING CRAWLER ROBOT WITH VACUUMS & CAMERAS

Highlight

CHAMP is a newly-designed air duct cleaning robot, mainly used for central air conditioning duct cleaning and applicable for large pipe and flat pipe cleaning. This equipment is a highly-intelligent one with cleaning robot doing 360°no-dead-corner cleaning and the operator just need to operate the mainframe through the 10.1-inch display screen. This is all in one unit with brushing, vacuums and cameras. It equips with suction on the on crawler and that directly suck the debris which the brush cleans the debris. HD cameras with strong LED lights ensures that duct can be clean thoroughly. This machine is equipped to clean large rectangular and round ducts.



Strong Vacuum




Vacuum Brush




360 Deg Cleaning


Direct
Vacuuming



Artificial Intelligence



Video Recording



Easy Maintenance

2000m³/h Vacuum ability

2 Cameras

2 Vacuum, two-way vacuum

2 Vacuum works simultaneously
Two-way vacuum, effective cleaning

2 rotating brushes clean together

Robot brush and bottom strip brush works simultaneously
No dead corner cleaning

HD Display

Strong LED light, enhance visual
1080P HD night vision camera.

2800 W high power

Pure Copper large motor, Powerful vacuum
Strong motor, can climb and step over obstacle

Model Name	CHAMP		
Name	Duct cleaning robot with vacuum and camera	Robot Crawling Speed	0.3 m/s
Voltage	220-240V/110; 50Hz/60Hz	Weight of the Robot unit	11 KG
Power	2800 W	Dimension of the Robot unit	735mm*310mm*195mm(when brush at bottom) 735mm*310mm*550mm(when brush at top)
Brush Speed	500 rpm	Applicable Duct Range	250mm 800mm width more than 350mm
Display Image	10" HD LCD Display Screen	Uses	Central air conditioning main ducts
Camera Pixel	AHD High -definition camera	Weight of Main Unit	43.5 KG
Light	4 bright LED lights	Dimension of Main Unit	480mm*500mm*700mm

MAGNUM


Best Selling

AIR DUCT CLEANING MACHINE WITH VACUUMS & CAMERAS

Direct
Vacuuming

Highlight

MAGNUM with camera is the all-in-one unit with brushing, vacuum and camera, which is suitable for 100mm-800mm duct cleaning. The main unit is equipped with 10" HD LCD display ensure that there is no dead corner left while cleaning duct. Strong LED ensure clear picture inside the duct. Camera is with night vision equipped. The brush speed is 0-1400rpm step less adjustable.



Circular



Rectangular.



Horizontal



Vertical



HIGH DEFINITION DISPLAY.

HD Display in the Air Ducts

HD night vision camera shown the inside the duct clearly.

10" HD LCD screen provides the complete screen monitoring

Brush speed is adjustable

0-1400rpm step less adjustment

Can clean various ducts

2 mode operation: manual & remote control

Manual mode is easy to operate

Remote control is effective within 1KM range

CLEANER BRUSHING

Applicable for circular, rectangular, horizontal & vertical ducts

Model Name	MAGNUM		
Name	Air Duct cleaning machine with vacuum and camera	Light	Bright LED
Voltage	220-240V/110; 50Hz/60Hz	Weight for the main unit	45 KG
Power	2800 W	Dimension of the main unit	460mm*402mm*762mm
Brush Speed	0-1400 rpm(stepless adjustment)	Applicable Duct Range	100 800mm
Display Size	10" HD LCD Display	Uses	Air ducts all king circular, rectangular, horizontal & vertical
Camera Panel	AHD HD		

PURE+

FOGGER MACHINE

Highlight

PURE+ is specially designed for air duct disinfection. It is convenient and flexible in use. With corrosion resistance, delicate atomization and long-distance spray, it is a very good air duct disinfection machine.



6 core strength



High Power Motor




High Speed Fog Spray



Flexible Hose Design



Air Pressure Self
Locking Nozzle



Thick Body



Decompression Strap

Model Name		PURE+	
Name	Fogger Machine	Gross Weight	3.34 KG
Voltage	220-240V/110; 50Hz/60Hz	Net Weight	2.35 KG
Power	1000 W	Dimension of the main unit	560mm*240mm*320mm
Spray Volume	470ml/min(adjustable)	Tank Capacity	5 Ltr
Spray Distance	6-8 mtr		

A photograph of a commercial kitchen featuring stainless steel equipment, including a large fryer, a stove with pots, and a large flat-top grill. Overhead, there are large stainless steel exhaust hoods. The floor is made of white square tiles. The text "KITCHEN EXHAUST CLEANING EQUIPMENTS" is overlaid in the center of the image.

KITCHEN EXHAUST CLEANING EQUIPMENTS

SCRUB+



Best Selling

Highlight

KITCHEN EXHAUST CLEANING MACHINE

FOR BEST EFFECT USE TOGETHER WITH CLOUD


Kitchen extraction cleaning equipment is an electric brushing machine for cleaning kitchen exhaust grease ducts. The Scrub+ kitchen exhaust cleaning machine, which is specially developed for kitchen grease ducts in restaurants and hotels, equipping with an innovative nylon/wire brush and spray chemical/agent/water at the same time, which has efficient cleaning capabilities for oily ducts.



High Power Motor




Forward & Reverse Rotation




Stepless Speed Adjustment



Foam Degrease.



Multiple Mode Option



HIGH SPEED CLEANING

FOAM BRUSHING

High power motor

1500W High Power Motor
Strong Power, effective cleaning for grease

Forward & Reverse Rotating

Can clean the grease quickly & thoroughly
Degreasing rates reached upto 90%

Brush Speed is stepless adjustment

0-1400rpm stepless adjustment
Applicable for rectangular ducts, Round ducts, Horizontal ducts, vertical ducts

Foam degrease the oil fouling

Scrub+ can work with Cloud foam generator to clean grease ducts by foam brushing

Multiple mode of operation

High Speed cleaning,
Agent Cleaning,
Hot water cleaning

Model Name	SCRUB+		
Name	Kitchen exhaust cleaning machine	Current	5 Amp
Voltage	220-240V/110; 50Hz/60Hz	Weight for the main unit	93 KG
Power	1500 W	Dimension of the main unit	1000mm*580mm*1000mm
Brush Speed	0-1400 rpm(stepless adjustment)	Applicable Duct Range	100-800mm
Water Flow	3L/Min	Uses	Wire brush for heavy grease cleaning. Can co work with CLOUD foam generator
Water Pressure	6-8 KG	Water Hose	20 mtr (standard)

CLOUD

FOAM GENERATOR

Best Selling

Highlight

FOR BEST EFFECT USE TOGETHER WITH SCRUB+

The CLOUD kitchen hood cleaning foam generator can co-work with SCRUB+ which is specially developed for kitchen fume ducts in restaurants, hotels, equipping with an innovative brush and spray cleaner at the same time. kitchen

4 core strength



Rich Foam.



Strong Degreasing.
Power



Cost Saving



Continuous Working

FEATURES

1

Compact Size, Easy to move

Integrated the foam machine with air compressor, it's compact size, simple connection way and easy to transport

Generate rich foaming

2

High Safety Performance

Water inlet valve with protection cover to prevent accidental collision in the process of use, which owns high safety

Strong foaming is good and creates
Degreasing power, thus clean faster

3

Intelligent Module

Intelligent module design for pressure, automatic control for pressure, do not need the artificial operation

Small dosage of agent greatly reduce the
cost of agent

Continuous Working- Air compressor works according to the tank pressure rating, so it can start or stop working
Automatically to keep the tank pressure at steady check



Model Name	CLOUD		
Name	Foam Generator	Working Pressure	0.15-0.25mpa (automatic control)
Voltage	220-240V/110; 50Hz/60Hz	Weight for the main unit	30 KG
Power	1500 W	Dimension of the main unit	340mm*540mm*940mm

Connect With Us.....



TRIUMPH360 DEGREE GLOBAL CONSULTANCY PVT. LTD.

Duct & Drain

PHONE: +91 7303020978

**EMAIL: info@triumph360deg.com;
triumph360degree@gmail.com**

Website: www.triumph360deg.com