Safety Data Sheet acc. to OSHA HCS

Printing date 01/08/2016 Reviewed on 01/08/2016

1 Identification

- · Product identifier
- · Trade name: Ground Force/TS
- · Application of the substance / the mixture Caustic Heavy Duty Degreaser
- Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Agent Clean

305 E. Walcott Road

Walcott, Ia 52773

- Information department: (563) 447-3402
- Emergency telephone number:

Infotrac; (800) 535-5053 (North America) (352) 323-3500 (International)



2 Hazard(s) identification

Classification of the substance or mixture

· Hazard pictograms



GHS05 Corrosion

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

GHS05

Label elements

Signal word Danger

- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- Hazard-determining components of labeling:

Eve Dam. 1 H318 Causes serious eve damage.

sodium hydroxide

disodium metasilicate

phosphoric acid 75%

Hazard statements

H314 Causes severe skin burns and eye damage.

Precautionary statements

Do not breathe dusts or mists.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes, Remove contact lenses, if present

and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Classification system:

NFPA ratings (scale 0 - 4)

· HMIS-ratings (scale 0 - 4)



Health = 3Reactivity = 0

HEALTH *4 Health = *4REACTIVITY 0 Reactivity = 0

0 Fire = 0

Other hazards

· Results of PBT and vPvB assessment · **PBT**: Not applicable.

· vPvB: Not applicable.

3 Composition/information on ingredients

- Chemical characterization: Mixtures
- Description:

Mixture of the substances listed below with nonhazardous additions.

Trade Secret

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing:

Do not induce vomiting; immediately call for medical help.

Drink copious amounts of water and provide fresh air. Immediately call a doctor.

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

- · Environmental precautions: Dilute with plenty of water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

1310-73-2 sodium hydroxide

PEL Long-term value: 2 mg/m³

REL Ceiling limit value: 2 mg/m³

(Contd. on page 4)

Safety Data Sheet acc. to OSHA HCS

Printing date 01/08/2016 Reviewed on 01/08/2016

Trade name: Ground Force/TS

(Contd. of page 3)

TLV Ceiling limit value: 2 mg/m³ 7664-38-2 phosphoric acid 75%

PEL Long-term value: 1 mg/m³
REL Short-term value: 3 mg/m³

Long-term value: 1 mg/m³
TLV Short-term value: 3 mg/m³
Long-term value: 1 mg/m³

· Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the

chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information

· Flammability (solid, gaseous):

· Appearance:

Form: Liquid
Color: Red
Odor: Odorless

Odor threshold:

• pH-value at 20 °C (68 °F):

• Change in condition

Melting point/Melting range:

Boiling point/Boiling range:

• Flash point:

Not applicable.

Not applicable.

· Ignition temperature:	
Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapor pressure at 20 °C (68 °F):	23 hPa (17 mm Hg)
Density at 20 °C (68 °F):	1.1 g/cm³ (9.18 lbs/gal)
Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
Water:	Fully miscible.
· Partition coefficient (n-octanol/water): Not determined.	
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	0.0 %
Water:	80.6 %
VOC content:	0.0 g/l / 0.00 lb/gl
Solids content:	17.2 %
· Other information	No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- \cdot LD/LC50 values that are relevant for classification:

1310-73-2 sodium hydroxide

Oral LD50 2000 mg/kg (rat)

6834-92-0 disodium metasilicate

Oral LD50 1280 mg/kg (rat)

- · Primary irritant effect:
- · on the skin: Strong caustic effect on skin and mucous membranes.
- · on the eye:

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Corrosive Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

no ingredient above de minimis level is listed

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

Safety Data Sheet acc. to OSHA HCS

Printing date 01/08/2016 Reviewed on 01/08/2016

Trade name: Ground Force/TS

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pHvalue harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

13 Disposal considerations

- Waste treatment methods
- Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

- · UN-Number
- · DOT, IMDG, IATA UN1719
- · UN proper shipping name
- · DOT, IATA Caustic alkali liquids, n.o.s. (Sodium hydroxide)

CAUSTIC ALKALI LIQUID, N.O.S. (SODIUM HYDROXIDE) · IMDG

- · Transport hazard class(es)
- DOT

· Packing group DOT, IMDG, IATA II





Label 8

- · Class 8 Corrosive substances
- Class 8 Corrosive substances
- · Label 8
- · IMDG, IATA

- · Environmental hazards:
- Not applicable.

- · Special precautions for user
- · Danger code (Kemler):
- · EMS Number: F-A,S-B
- · Segregation groups Alkalis· Stowage Category
- SG22 Stow "away from" ammonium salts · Segregation Code SG35 Stow "separated from" acids.
- Transport in bulk according to Annex II of
- MARPOL73/78 and the IBC Code

Not applicable.

(Contd. of page 7) · Transport/Additional information: Quantity limitations On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L · IMDG Limited quantities (LO) Code: E2 · Excepted quantities (EQ) Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml · UN "Model Regulation": UN 1719 CAUSTIC ALKALI LIQUIDS, N.O.S. (SODIUM HYDROXIDE), 8, II

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- Section 355 (extremely hazardous substances):
- None of the ingredients is listed.
- Section 313 (Specific toxic chemical listings):

7664-38-2 phosphoric acid 75%

TSCA (Toxic Substances Control Act):

All ingredients are listed.

- Proposition 65
- Chemicals known to cause cancer:

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

Chemicalsknown to cause reproductive toxicity for males.

None of the ingredients is listed.

Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- Carcinogenic categories
- EPA (Environmental Protection Agency)

None of the ingredients is listed.

TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms
- · Hazard-determining components of labeling: sodium hydroxide
- disodium metasilicate phosphoric acid 75%
- Hazard statements
- GHS05 H314 Causes severe skin burns and eye damage.
- Signal word Danger
- Precautionary statements
- Do not breathe dusts or mists.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing

P310 Immediately call a POISON CENTER/doctor.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Date of preparation / last revision 01/08/2016 / -· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA)

NYFFA: National FIFE PROTECTION ASSOCIATION (USA)
HMIS: Hazardous Materials Identification System (USA)
VOC: Volatile Organic Compounds (USA, EU)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit Skin Corr. 1A: Skin corrosion/irritation, Hazard Category 1A Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1

Page 3/3