

# Venicio

Distinctive Architectural Art Glass

## Natural Lamination



# Venicio

1125 W. Mahalo Place, Compton, CA 90220  
877.526.2474 [www.venicioglass.com](http://www.venicioglass.com)



## Natural Laminated

### Vineyard

Standard Panel Size      54" wide x 110" high (oversize panels available)

Thickness available (approximate sizes)

- 3/8" (9.52 mm) 5.01 lb/sq.ft
- 7/16" (11.11 mm) 5.69 lb/sq.ft
- 9/16" (14.35 mm) 7.31 lb/sq.ft
- 13/16" (20.64 mm) 10.56 lb/sq.ft

Glass Color

- Clear (standard)
- Low iron glass (low iron glass eliminates the green cast inherent in standard clear glass)
- All natural stock color glass
- Custom color (contact us)

Translucency options

- Clear (standard)
- Sandblasted (10-100% frosted)
- Color background (contact us)
- Translucency (81% 68% 8%)

Safety treatment

- Tempered/laminated
- Laminated

Design Options

- Shape –Cut
- Drill
- Notch
- Bent

Edge Finish available

- Flat Polish
- Miter (glass must be thicker than 7/16")

# Venicio

1125 W. Mahalo Place, Compton, CA 90220  
877.526.2474 [www.venicioglass.com](http://www.venicioglass.com)



Natural Laminated

## Verdallis/C

Standard Panel Size 54" wide x 110" high (oversize panels available)



Thickness available (approximate sizes)

- 3/8" (9.52 mm) 5.01 lb/sq.ft
- 7/16" (11.11 mm) 5.69 lb/sq.ft
- 9/16" (14.35 mm) 7.31 lb/sq.ft
- 13/16" (20.64 mm) 10.56 lb/sq.ft

Glass Color

- Clear (standard)
- Low iron glass (low iron glass eliminates the green cast inherent in standard clear glass)
- All natural stock color glass
- Custom color (contact us)

Translucency options

- Clear (standard)
- Sandblasted (10-100% frosted)
- Color background (contact us)
- Translucency (81% 68% 8%)

Safety treatment

- Tempered/laminated
- Laminated

Design Options


- Shape -Cut
- Drill
- Notch
- Bent

Edge Finish available

- Flat Polish
- Miter (glass must be thicker than 7/16")

# Venicio

1125 W. Mahalo Place, Compton, CA 90220  
877.526.2474 [www.venicioglass.com](http://www.venicioglass.com)



## Natural Laminated

## Trego/G

Standard Panel Size 54" wide x 110" high (oversize panels available)



Thickness available (approximate sizes)

- 3/8" (9.52 mm) 5.01 lb/sq.ft
- 7/16" (11.11 mm) 5.69 lb/sq.ft
- 9/16" (14.35 mm) 7.31 lb/sq.ft
- 13/16" (20.64 mm) 10.56 lb/sq.ft

Glass Color

- Clear (standard)
- Low iron glass (low iron glass eliminates the green cast inherent in standard clear glass)
- All natural stock color glass
- Custom color (contact us)

Translucency options

- Clear (standard)
- Sandblasted (10-100% frosted)
- Color background (contact us)
- Translucency (81% 68% 8%)

Safety treatment

- Tempered/laminated
- Laminated

Design Options

- Shape -Cut
- Drill
- Notch
- Bent

Edge Finish available

- Flat Polish
- Miter (glass must be thicker than 7/16")

# Venicio

1125 W. Mahalo Place, Compton, CA 90220  
877.526.2474 [www.venicioglass.com](http://www.venicioglass.com)



## Natural Laminated

### Oak Harvest

Standard Panel Size 54" wide x 110" high (oversize panels available)

Thickness available (approximate sizes)

- 3/8" (9.52 mm) 5.01 lb/sq.ft
- 7/16" (11.11 mm) 5.69 lb/sq.ft
- 9/16" (14.35 mm) 7.31 lb/sq.ft
- 13/16" (20.64 mm) 10.56 lb/sq.ft

Glass Color

- Clear (standard)
- Low iron glass (low iron glass eliminates the green cast inherent in standard clear glass)
- All natural stock color glass
- Custom color (contact us)

Translucency options

- Clear (standard)
- Sandblasted (10-100% frosted)
- Color background (contact us)
- Translucency (81% 68% 8%)

Safety treatment

- Tempered/laminated
- Laminated

Design Options

- Shape –Cut
- Drill
- Notch
- Bent

Edge Finish available

- Flat Polish
- Miter (glass must be thicker than 7/16")



# Venicio

1125 W. Mahalo Place, Compton, CA 90220  
877.526.2474 [www.venicioglass.com](http://www.venicioglass.com)



Natural Laminated

## Mango Oak

Standard Panel Size 54" wide x 110" high (oversize panels available)

Thickness available (approximate sizes)

- 3/8" (9.52 mm) 5.01 lb/sq.ft
- 7/16" (11.11 mm) 5.69 lb/sq.ft
- 9/16" (14.35 mm) 7.31 lb/sq.ft
- 13/16" (20.64 mm) 10.56 lb/sq.ft

Glass Color

- Clear (standard)
- Low iron glass (low iron glass eliminates the green cast inherent in standard clear glass)
- All natural stock color glass
- Custom color (contact us)

Translucency options

- Clear (standard)
- Sandblasted (10-100% frosted)
- Color background (contact us)
- Translucency (81% 68% 8%)

Safety treatment

- Tempered/laminated
- Laminated

Design Options

- Shape -Cut
- Drill
- Notch
- Bent

Edge Finish available

- Flat Polish
- Miter (glass must be thicker than 7/16")



# Venicio


1125 W. Mahalo Place, Compton, CA 90220  
877.526.2474 [www.venicioglass.com](http://www.venicioglass.com)



## Natural Laminated

### Leaves/Foila/1500

Standard Panel Size      54" wide x 110" high (oversize panels available)



Thickness available (approximate sizes)

- 3/8" (9.52 mm) 5.01 lb/sq.ft
- 7/16" (11.11 mm) 5.69 lb/sq.ft
- 9/16" (14.35 mm) 7.31 lb/sq.ft
- 13/16" (20.64 mm) 10.56 lb/sq.ft

Glass Color

- Clear (standard)
- Low iron glass (low iron glass eliminates the green cast inherent in standard clear glass)
- All natural stock color glass
- Custom color (contact us)

Translucency options

- Clear (standard)
- Sandblasted (10-100% frosted)
- Color background (contact us)
- Translucency (81% 68% 8%)

Safety treatment

- Tempered/laminated
- Laminated

Design Options

- Shape –Cut
- Drill
- Notch
- Bent

Edge Finish available

- Flat Polish
- Miter (glass must be thicker than 7/16")

# Venicio

1125 W. Mahalo Place, Compton, CA 90220  
877.526.2474 [www.venicioglass.com](http://www.venicioglass.com)



Natural Laminated

## Harvest/1530

Standard Panel Size 54" wide x 110" high (oversize panels available)



Thickness available (approximate sizes)

- 3/8" (9.52 mm) 5.01 lb/sq.ft
- 7/16" (11.11 mm) 5.69 lb/sq.ft
- 9/16" (14.35 mm) 7.31 lb/sq.ft
- 13/16" (20.64 mm) 10.56 lb/sq.ft

Glass Color

- Clear (standard)
- Low iron glass (low iron glass eliminates the green cast inherent in standard clear glass)
- All natural stock color glass
- Custom color (contact us)

Translucency options

- Clear (standard)
- Sandblasted (10-100% frosted)
- Color background (contact us)
- Translucency (81% 68% 8%)

Safety treatment

- Tempered/laminated
- Laminated

Design Options

- Shape –Cut
- Drill
- Notch
- Bent

Edge Finish available

- Flat Polish
- Miter (glass must be thicker than 7/16")



# Venicio

1125 W. Mahalo Place, Compton, CA 90220  
877.526.2474 [www.venicioglass.com](http://www.venicioglass.com)



## Natural Laminated

### D

Standard Panel Size 54" wide x 110" high (oversize panels available)

Thickness available (approximate sizes)

- 3/8" (9.52 mm) 5.01 lb/sq.ft
- 7/16" (11.11 mm) 5.69 lb/sq.ft
- 9/16" (14.35 mm) 7.31 lb/sq.ft
- 13/16" (20.64 mm) 10.56 lb/sq.ft

Glass Color

- Clear (standard)
- Low iron glass (low iron glass eliminates the green cast inherent in standard clear glass)
- All natural stock color glass
- Custom color (contact us)

Translucency options

- Clear (standard)
- Sandblasted (10-100% frosted)
- Color background (contact us)
- Translucency (81% 68% 8%)

Safety treatment

- Tempered/laminated
- Laminated

Design Options

- Shape –Cut
- Drill
- Notch
- Bent

Edge Finish available

- Flat Polish
- Miter (glass must be thicker than 7/16")



# Venicio

1125 W. Mahalo Place, Compton, CA 90220  
877.526.2474 [www.venicioglass.com](http://www.venicioglass.com)



Natural Laminated

## Brown Oak

Standard Panel Size 54" wide x 110" high (oversize panels available)

Thickness available (approximate sizes)

- 3/8" (9.52 mm) 5.01 lb/sq.ft
- 7/16" (11.11 mm) 5.69 lb/sq.ft
- 9/16" (14.35 mm) 7.31 lb/sq.ft
- 13/16" (20.64 mm) 10.56 lb/sq.ft

Glass Color

- Clear (standard)
- Low iron glass (low iron glass eliminates the green cast inherent in standard clear glass)
- All natural stock color glass
- Custom color (contact us)

Translucency options

- Clear (standard)
- Sandblasted (10-100% frosted)
- Color background (contact us)
- Translucency (81% 68% 8%)

Safety treatment

- Tempered

Design Options

- Shape –Cut
- Drill
- Notch
- Bent

Edge Finish available

- Flat Polish
- Miter (glass must be thicker than 7/16")



# Venicio

1125 W. Mahalo Place, Compton, CA 90220  
877.526.2474 [www.venicioglass.com](http://www.venicioglass.com)



## Natural Laminated

### Bamboo

Standard Panel Size 54" wide x 110" high (oversize panels available)

Thickness available (approximate sizes)

- 3/8" (9.52 mm) 5.01 lb/sq.ft
- 7/16" (11.11 mm) 5.69 lb/sq.ft
- 9/16" (14.35 mm) 7.31 lb/sq.ft
- 13/16" (20.64 mm) 10.56 lb/sq.ft

Glass Color

- Clear (standard)
- Low iron glass (low iron glass eliminates the green cast inherent in standard clear glass)
- All natural stock color glass
- Custom color (contact us)

Translucency options

- Clear (standard)
- Sandblasted (10-100% frosted)
- Color background (contact us)
- Translucency (81% 68% 8%)

Safety treatment

- Tempered/laminated
- Laminated

Design Options


- Shape –Cut
- Drill
- Notch
- Bent

Edge Finish available

- Flat Polish
- Miter (glass must be thicker than 7/16")

# Venicio

1125 W. Mahalo Place, Compton, CA 90220  
877.526.2474 [www.venicioglass.com](http://www.venicioglass.com)



## Natural Laminated

### Arbolette

Standard Panel Size 54" wide x 110" high (oversize panels available)



Thickness available (approximate sizes)

- 3/8" (9.52 mm) 5.01 lb/sq.ft
- 7/16" (11.11 mm) 5.69 lb/sq.ft
- 9/16" (14.35 mm) 7.31 lb/sq.ft
- 13/16" (20.64 mm) 10.56 lb/sq.ft

Glass Color

- Clear (standard)
- Low iron glass (low iron glass eliminates the green cast inherent in standard clear glass)
- All natural stock color glass
- Custom color (contact us)

Translucency options

- Clear (standard)
- Sandblasted (10-100% frosted)
- Color background (contact us)
- Translucency (81% 68% 8%)

Safety treatment

- Tempered/laminated
- Laminated

Design Options

- Shape –Cut
- Drill
- Notch
- Bent

Edge Finish available

- Flat Polish
- Miter (glass must be thicker than 7/16")

# Venicio

1125 W. Mahalo Place, Compton, CA 90220  
877.526.2474 [www.venicioglass.com](http://www.venicioglass.com)



## Natural Laminated

### Amate

Standard Panel Size 46" wide x 92" high (oversize panels available)

Thickness available (approximate sizes)

- 3/8" (9.52 mm) 5.01 lb/sq.ft
- 7/16" (11.11 mm) 5.69 lb/sq.ft
- 9/16" (14.35 mm) 7.31 lb/sq.ft
- 13/16" (20.64 mm) 10.56 lb/sq.ft

Glass Color

- Clear (standard)
- Low iron glass (low iron glass eliminates the green cast inherent in standard clear glass)
- All natural stock color glass
- Custom color (contact us)

Translucency options

- Clear (standard)
- Sandblasted (10-100% frosted)
- Color background (contact us)
- Translucency (81% 68% 8%)

Safety treatment

- Tempered/laminated
- Laminated

Design Options

- Shape –Cut
- Drill
- Notch
- Bent

Edge Finish available

- Flat Polish
- Miter (glass must be thicker than 7/16")



# Venicio

1125 W. Mahalo Place, Compton, CA 90220  
877.526.2474 [www.venicioglass.com](http://www.venicioglass.com)



## Natural Laminated

### A-B

Standard Panel Size 54" wide x 110" high (oversize panels available)



Thickness available (approximate sizes)

- 3/8" (9.52 mm) 5.01 lb/sq.ft
- 7/16" (11.11 mm) 5.69 lb/sq.ft
- 9/16" (14.35 mm) 7.31 lb/sq.ft
- 13/16" (20.64 mm) 10.56 lb/sq.ft

Glass Color

- Clear (standard)
- Low iron glass (low iron glass eliminates the green cast inherent in standard clear glass)
- All natural stock color glass
- Custom color (contact us)

Translucency options

- Clear (standard)
- Sandblasted (10-100% frosted)
- Color background (contact us)
- Translucency (81% 68% 8%)

Safety treatment

- Tempered/laminated
- Laminated

Design Options

- Shape -Cut
- Drill
- Notch
- Bent

Edge Finish available

- Flat Polish
- Miter (glass must be thicker than 7/16")

# Venicio

1125 W. Mahalo Place, Compton, CA 90220  
877.526.2474 [www.venicioglass.com](http://www.venicioglass.com)



## Natural Laminated

### 1610

Standard Panel Size      54" wide x 110" high (oversize panels available)

Thickness available (approximate sizes)

- 3/8" (9.52 mm) 5.01 lb/sq.ft
- 7/16" (11.11 mm) 5.69 lb/sq.ft
- 9/16" (14.35 mm) 7.31 lb/sq.ft
- 13/16" (20.64 mm) 10.56 lb/sq.ft

Glass Color

- Clear (standard)
- Low iron glass (low iron glass eliminates the green cast inherent in standard clear glass)
- All natural stock color glass
- Custom color (contact us)

Translucency options

- Clear (standard)
- Sandblasted (10-100% frosted)
- Color background (contact us)
- Translucency (81% 68% 8%)

Safety treatment

- Tempered/laminated
- Laminated

Design Options

- Shape –Cut
- Drill
- Notch
- Bent

Edge Finish available

- Flat Polish
- Miter (glass must be thicker than 7/16")



# Venicio

1125 W. Mahalo Place, Compton, CA 90220  
877.526.2474 [www.venicioglass.com](http://www.venicioglass.com)



## Natural Laminated

### 1515

Standard Panel Size 54" wide x 110" high (oversize panels available)

Thickness available (approximate sizes)

- 3/8" (9.52 mm) 5.01 lb/sq.ft
- 7/16" (11.11 mm) 5.69 lb/sq.ft
- 9/16" (14.35 mm) 7.31 lb/sq.ft
- 13/16" (20.64 mm) 10.56 lb/sq.ft

Glass Color

- Clear (standard)
- Low iron glass (low iron glass eliminates the green cast inherent in standard clear glass)
- All natural stock color glass
- Custom color (contact us)

Translucency options

- Clear (standard)
- Sandblasted (10-100% frosted)
- Color background (contact us)
- Translucency (81% 68% 8%)

Safety treatment


- Tempered/laminated
- Laminated

Design Options

- Shape -Cut
- Drill
- Notch
- Bent

Edge Finish available

- Flat Polish
- Miter (glass must be thicker than 7/16")





# Venicio

1125 W. Mahalo Place, Compton, CA 90220  
877.526.2474 [www.venicioglass.com](http://www.venicioglass.com)



## Natural Laminated

### 1500/1620

Standard Panel Size 54" wide x 110" high (oversize panels available)



Thickness available (approximate sizes)

- 3/8" (9.52 mm) 5.01 lb/sq.ft
- 7/16" (11.11 mm) 5.69 lb/sq.ft
- 9/16" (14.35 mm) 7.31 lb/sq.ft
- 13/16" (20.64 mm) 10.56 lb/sq.ft

Glass Color

- Clear (standard)
- Low iron glass (low iron glass eliminates the green cast inherent in standard clear glass)
- All natural stock color glass
- Custom color (contact us)

Translucency options

- Clear (standard)
- Sandblasted (10-100% frosted)
- Color background (contact us)
- Translucency (81% 68% 8%)

Safety treatment

- Tempered/laminated
- Laminated

Design Options


- Shape -Cut
- Drill
- Notch
- Bent

Edge Finish available

- Flat Polish
- Miter (glass must be thicker than 7/16")

# Venicio

1125 W. Mahalo Place, Compton, CA 90220  
877.526.2474 [www.venicioglass.com](http://www.venicioglass.com)



## Natural Laminated

### 1430/F

Standard Panel Size 46" wide x 92" high (oversize panels available)

Thickness available (approximate sizes)

- 3/8" (9.52 mm) 5.01 lb/sq.ft
- 7/16" (11.11 mm) 5.69 lb/sq.ft
- 9/16" (14.35 mm) 7.31 lb/sq.ft
- 13/16" (20.64 mm) 10.56 lb/sq.ft

Glass Color

- Clear (standard)
- Low iron glass (low iron glass eliminates the green cast inherent in standard clear glass)
- All natural stock color glass
- Custom color (contact us)

Translucency options

- Clear (standard)
- Sandblasted (10-100% frosted)
- Color background (contact us)
- Translucency (81% 68% 8%)

Safety treatment

- Tempered/laminated
- Laminated

Design Options

- Shape –Cut
- Drill
- Notch
- Bent

Edge Finish available

- Flat Polish
- Miter (glass must be thicker than 7/16")