



Audio/Visual Solution  
 SC State Contract 15% OFF MSRP  
 Effective Date 3/1/22

SKU	Category	Model Number	Product Description Long	WEIGHT (lb.)	MSRP	SC AV Price
<b>JBL Commercial Electronics</b>						
<b>Powered Pro Soundbars</b>						
			2.0 active soundbar with an application-specific feature set for hotel guestrooms and cruise ship staterooms. Volume limiting switch places upper limit on SPL. Security lockout plate prevents guests from tampering with advanced settings. One RCA analog input. Four 19mm (0.75") HF drivers, and two 51mm (2.0") LF drivers. Class D amplifier delivers 20W per channel. 56Hz - 20KHz (+/- 3dB). Works with any TV's line level, analog, stereo output (fixed or variable volume). IR Learning allows the PSB-1 to be controlled by any remote. All table/wall mounting hardware included. Black. Sold and packed as each.			
PSB-1	PSB-1	PSB-1		5.9	\$281.92	\$239.63
PSB-1/230	PSB-1/230	PSB-1/230	Same as PSB-1, with 230 Volt power cord.	5.9	\$281.92	\$239.63
<b>MIXERS</b>						
NCSM14-U-US	COMMERCIAL MIXER	NCSM14-U-US	4 Input - 1 Output Mixer, Fanless, 1U Half-Rack, Mounting kit included	7	\$553.31	\$470.32
NCSM28-U-US	COMMERCIAL MIXER	NCSM28-U-US	8 Input - 2 Output Mixer, Fanless, 1U Full-Rack, Mounting kit included	10.5	\$788.10	\$669.89
<b>MIXER-AMPLIFIERS</b>						
NVMA1120-0-US	Commercial Mixer-Amplifier	NVMA1120-0-US	VMA 1120: (5) input channel x (1) 120W output channel Mixer/Amplifier	33	\$621.09	\$527.93
NVMA1240-0-US	Commercial Mixer-Amplifier	NVMA1240-0-US	VMA 1240: (5) input channel x (1) 240W output channel Mixer/Amplifier	30	\$755.62	\$642.28
NVMA160-0-US	Commercial Mixer-Amplifier	NVMA160-0-US	VMA 160: (5) input channel x (1) 60W output channel Mixer/Amplifier	27	\$486.56	\$413.57
NVMA260-0-US	Commercial Mixer-Amplifier	NVMA260-0-US	VMA 260: (5) input channel x (2) 60W output channel Mixer/Amplifier	30	\$760.58	\$646.49
NVMA2120-0-US	Commercial Mixer-Amplifier	NVMA2120-0-US	VMA 2120: (8) input channel x (2) 120W output channel Mixer/Amplifier	35	\$822.89	\$699.45
NCSMA1120-U-US	COMMERCIAL MIXER-AMP	NCSMA1120-U-US	4 input - 1 x 120W DriveCore Mixer-Amp, Fanless, 4ohm/8ohm/70V/100V, 1U Half-Rack, Mounting kit	10	\$1,043.79	\$887.22
NCSMA180-U-US	COMMERCIAL MIXER-AMP	NCSMA180-U-US	4 input - 1 x 80W DriveCore Mixer-Amp, Fanless, 4ohm/8ohm/70V/100V, 1U Half-Rack, Mounting kit	10	\$772.52	\$656.64
NCSMA2120-U-US	COMMERCIAL MIXER-AMP	NCSMA2120-U-US	8 input - 2 x 120W DriveCore Mixer-Amp, Fanless, 4ohm/8ohm/70V/100V, 1U Full-Rack, Mounting kit	16.5	\$1,252.34	\$1,064.49
NCSMA240-U-US	COMMERCIAL MIXER-AMP	NCSMA240-U-US	8 input - 2 x 40W DriveCore Mixer-Amp, Fanless, 4ohm/8ohm/70V/100V, 1U Full-Rack, Mounting kit	15	\$901.48	\$766.25
NCSMA280-U-US	COMMERCIAL MIXER-AMP	NCSMA280-U-US	8 input - 2 x 80W DriveCore Mixer-Amp, Fanless, 4ohm/8ohm/70V/100V, 1U Full-Rack, Mounting kit	16	\$1,126.83	\$957.80
<b>AMPLIFIERS</b>						
NCSA1120Z-U-US	COMMERCIAL AMPLIFIER	NCSA1120Z-U-US	1 x 120W DriveCore Amplifier, Fanless, 4ohm/8ohm/70V/100V, 1U Half-Rack, Mounting kit	10	\$699.17	\$594.29
NCSA1300Z-0-US	Commercial Amplifier	NCSA1300Z-0-US		15.5	\$774.78	\$658.56
NCSA140Z-U-US	COMMERCIAL AMPLIFIER	NCSA140Z-U-US	1 x 40W DriveCore Amplifier, Fanless, 4ohm/8ohm/70V/100V, 1U Half-Rack, Mounting kit	9.5	\$343.12	\$291.65
NCSA180Z-U-US	COMMERCIAL AMPLIFIER	NCSA180Z-U-US	1 x 80W DriveCore Amplifier, Fanless, 4ohm/8ohm/70V/100V, 1U Half-Rack, Mounting kit	10	\$553.89	\$470.81
NCSA2120R-U-US	COMMERCIAL AMPLIFIER	NCSA2120R-U-US	2 x 120 Watt Amplifier at 4/8 Ohms	4	\$658.87	\$560.04
NCST2120-X	COMMERCIAL AMPLIFIER	NCST2120-X	2-Channel Transformer Kit for CSA2120	6	\$172.33	\$146.48
NCSA2120Z-U-US	COMMERCIAL AMPLIFIER	NCSA2120Z-U-US	2 x 120W DriveCore Amplifier, Fanless, 4ohm/8ohm/70V/100V, 1U Half-Rack, Mounting kit	12	\$932.09	\$792.28
NCSA2300Z-0-US	Commercial Amplifier	NCSA2300Z-0-US	2 x 300W DriveCore Amplifier, Fanless, 8ohm/70V/100V, supports CSR-V volume control, sleep mode (w/ disable), 2U Full-Rack, Mounting kit	20	\$996.78	\$847.26
NCSA240Z-U-US	COMMERCIAL AMPLIFIER	NCSA240Z-U-US	2 x 40W DriveCore Amplifier, Fanless, 4ohm/8ohm/70V/100V, 1U Half-Rack, Mounting kit	10.5	\$600.07	\$510.06
NCSA280Z-U-US	COMMERCIAL AMPLIFIER	NCSA280Z-U-US	2 x 80W DriveCore Amplifier, Fanless, 4ohm/8ohm/70V/100V, 1U Half-Rack, Mounting kit	11.5	\$761.97	\$647.68
<b>PAGING MICS</b>						
<b>CONTROLLERS - WALLPLATES</b>						
JBLCSR2SVBLKV	COMMERCIAL WALL CONTROLLERS	JBLCSR2SVBLKV	Wall Controller with 2-Position Source Selector and Volume Control; US Version (Black) For use with CSM-21, CSM-32	0.5	\$88.80	\$75.48
JBLCSR2SVWHTV	COMMERCIAL WALL CONTROLLERS	JBLCSR2SVWHTV	Wall Controller with 2-Position Source Selector and Volume Control; US Version (White) For use with CSM-21, CSM-32	0.1	\$89.69	\$76.23
JBLCSR3SVBLKV	COMMERCIAL WALL CONTROLLERS	JBLCSR3SVBLKV	Controller with 3-Position Source Selector and Volume Control; US Version (Black) For use with CSM-32	0.5	\$88.80	\$75.48
JBLCSR3SVWHTV	COMMERCIAL WALL CONTROLLERS	JBLCSR3SVWHTV	Wall Controller with 3-Position Source Selector and Volume Control; US Version (White) For use with CSM-32	0.2	\$88.80	\$75.48
JBLCSRVBKLV	COMMERCIAL WALL CONTROLLERS	JBLCSRVBKLV	Wall Controller with Volume Control; US Version (Black) For use with CSM-21, CSM-32, All CSMA	0.5	\$88.80	\$75.48
JBLCSRVVHTV	COMMERCIAL WALL CONTROLLERS	JBLCSRVVHTV	Wall Controller with Volume Control; US Version (White) For use with CSM-21, CSM-32, All CSMA	0.5	\$89.69	\$76.23

<b>CSS COMMERCIAL CEILING: CSS Commercial Solutions Ceiling Speakers</b>						
<b>CSS8004</b>	Ceiling Spkr	CSS8004	4" Commercial Series Ceiling Speaker. 90 dB sens, 5W multi-tap for 100V/70V 25V, pre-assembled with driver/grille/transformer, 175 deg coverage; punched metal grille, compatible with CSS-BB4 backcan and CSS-TB4/8 tile rails (priced as each; sold individually; master packs are 6 pcs).	2.5	\$26.04	\$22.13
<b>CSS8008</b>	Ceiling Spkr	CSS8008	8" Commercial Series Ceiling Speaker. 96 dB sens, 5W multi-tap for 100V/70V 25V, pre-assembled with driver/grille/transformer, 120 deg coverage; punched metal grille, compatible with CSS-BB8 backcan and CSS-TB4/8 tile rails (priced as each; sold individually; master packs are 6 pcs).	4.25	\$35.10	\$29.83
<b>CSS8018</b>	Ceiling Spkr	CSS8018	8" Commercial Series Ceiling Speaker. Very high 97 dB sens, 10W multi-tap for 100V/70V 25V, pre-assembled with driver/grille/transformer, 110 deg coverage; punched metal grille, compatible with CSS-BB8 backcan and CSS-TB4/8 tile rails (priced as each; sold individually; master packs are 6 pcs).	8	\$47.55	\$40.42
<b>CSS-BB4X6</b>	Accessory	CSS-BB4X6	Pack of 6 pcs of 4" backcans for CSS8004. Steel, zinc-plated, powder-coated, 4.8" (121mm) deep, 5 knockouts (priced an sold as a pack of 6 pcs).	6	\$66.80	\$56.78
<b>CSS-BB8X6</b>	Accessory	CSS-BB8X6	Pack of 6 pcs of 8" backcans for CSS8008 or CSS8018. Steel, zinc-plated, powder-coated, 4.8" (121 mm) deep, 5 knockouts (priced an sold as a pack of 6 pcs).	13	\$123.41	\$104.90
<b>CSS-TR4/8x12</b>	COMMERCIAL ACCESSORIES	CSS-TR4/8x12	Pack of 12 pcs Tile Rails for CSS-BB4 and CSS-BB8 Backcans (Priced as package)	6.25	\$45.29	\$38.49
<b>COMMERCIAL CEILING: LCT Lay-In Ceiling Series</b>						
<b>LCT 81C/T</b>	Ceiling Speaker	LCT 81C/T	Lay-in Ceiling Tile Speaker, 8" driver, for US-size suspended grid ceilings (NOT for 600 x 600 mm metric grids), combined 70V/100V and low impedance direct operation, 20W at 8Ω, 10W multi-tap transformer with taps at 10W, 5W, 2.5W (and 1.3W for 70V only) via rotary tap-selector switch, max SPL of 108 (peaks of 114 dB) a 1m (low-Z), very low-profile at 103 mm (4.1") deep, bare-wire connection in protected compartment, very high 96 dB sensitivity, 100° conical coverage pattern, designed for high intelligibility, UL1480 and UL2043, white full-face grille. priced as each sold in pairs	35	\$147.19	\$125.11
<b>JBL-LCT 81C/TM</b>	Ceiling Speaker	JBL-LCT 81C/TM	Lay-in Ceiling Tile Speaker, 8" driver, for 600mm x 60mm suspended grid ceilings (NOT for US 2' x 2' grids), combined 70V/100V and low impedance direct operation, 20W at 8Ω, 10W multi-tap transformer with taps at 10W, 5W, 2.5W (and 1.3W for 70V only) via rotary tap-selector switch, max SPL of 108 (peaks of 114 dB) a 1m (low-Z), very low-profile at 103 mm (4.1") deep, bare-wire connection in protected compartment, very high 96 dB sensitivity, 100° conical coverage pattern, designed for high intelligibility, UL1480 and UL2043, white full-face grille. priced as each sold in pairs.	15.2119	\$148.40	\$126.14
<b>COMMERCIAL CEILING: 8100 Series Ceiling Speakers</b>						
<b>8124</b>	Ceiling Spkr	8124	4" Open-Back Ceiling Speaker. 70V/100V taps at 6W, 3W, 1.5W (plus 0.75W at 70V), high 93 dB sens, 60 Hz to 18 kHz, for non-plenum applications, 1.2 kg (2.5 lb). (Priced as each, sold in packages of 4 pcs)	#N/A	\$40.76	\$34.65
<b>8128</b>	Ceiling Spkr	8128	8" Open-Back Ceiling Speaker. 70V/100V taps at 6W, 3W, 1.5W (plus 0.75W at 70V), very high 97 dB sens, 50 Hz to 16 kHz, for non-plenum applications, 1.4 kg (3.0 lb). (Priced as each, sold in packages of 4 pcs)	#N/A	\$53.00	\$45.05
<b>HPD8138</b>	Ceiling Spkr	HPD8138	8" Ceiling Speaker for Pre-Install Backcan, stylish look, for use with MTC-81BB8 backcan and MTC-81TB8 tile bridge, or standard backcans. Very high 97 dB sens, 95 Hz – 18 kHz, 6W multiple tap transformer, 90° coverage. (priced as each, sold in packs of 4 pcs)	#N/A	\$56.61	\$48.12
<b>MTC-8124C</b>	Accessory	MTC-8124C	C-ring for 8124, for installations requiring C-ring to spread ceiling loading. Integral clips for optional MTC-Rail tile rails. (Priced as each, sold in packages of 4 pcs [for 4 speakers])	2	\$11.32	\$9.62
<b>MTC-8128C</b>	Accessory	MTC-8128C	C-ring for 8128 (Priced as each, sold in packages of 4 pcs (for 4 speakers)	2.35	\$19.25	\$16.36
<b>MTC-81BB8</b>	Accessory	MTC-81BB8	Pre-Install backcan for 8138, 7.4 liter, 7"H x 11-3/4" dia, 11-1/4" mounting circle, 16 gauge steel, e-coated (priced as each sold in packs of 4 pcs)	3.8	\$43.02	\$36.57
<b>MTC-81TB8</b>	Accessory	MTC-81TB8	Tile Bridge for MTC-81BB8 backcan, 19 gauge steel with e-coating (priced as each, sold in packs of 4 pcs)	2.94	\$22.64	\$19.25
<b>MTC-ThinC-EAR</b>	Accessory	MTC-ThinC-EAR	Thin-ceiling dog-ears for when ceilings (or walls) are thin. Fits C24C/CT Micro & MircroPlus, C24C/CT, C26C/CT, C19CS/CST. 1 pack contains 24 pcs of dog-ears, priced per pack.	0.25	\$9.06	\$7.70
<b>MTC-RAIL</b>	Accessory	MTC-RAIL	Tile rails for 8124, 8128 (requires MTC-8124C or MTC-8128C c-rings) or for C42C speaker (with included c-ring), (priced as each. Sold in packs of 4 pcs, for 2 spkrs).	2.25	\$12.45	\$10.59
<b>COMMERCIAL CEILING: 10 Series Blind-Mount Ceiling Speakers</b>						
<b>CONTROL 12C/T</b>	Ceiling Spkr	CONTROL 12C/T		7.5	\$93.05	\$79.09

<b>CONTROL 12C/T-BK</b>	Ceiling Spkr	CONTROL 12C/T-BK	Compact Ceiling Loudspeaker with 76 mm (3 in) Full-Range Driver. 68 Hz – 17 kHz bandwidth, wide 130° coverage, 84 dB sensitivity Blind-mount backcan for quick and easy installation, dual conduit/cable clamp for in and thru cables. Combined 15 W multi-tap transformer at 70V/100V and 8Ω direct setting (20 W). Low profile backcan for shallow ceilings. Black. Priced as each, sold in pairs. International master pack is 2 speakers.	7.25	\$93.05	\$79.09
<b>CONTROL 14C/T</b>	Ceiling Spkr	CONTROL 14C/T	Two-Way 100 mm (4 in) Co-axial Ceiling Loudspeaker. 100 mm (4 in) high output driver with polypropylene cone and butyl rubber surround and 19 mm (3/4 in) soft-dome liquid-cooled tweeter, 74 Hz – 20 kHz bandwidth, wide 120° coverage, 87 dB sensitivity. Blind-mount backcan for quick and easy installation, dual conduit/cable clamp for in and thru cables. Combined 25 W multi-tap transformer at 70V/100V and 8Ω direct setting (30 W). White. Priced as each, sold in pairs. International master pack is 2 speakers.	9	\$130.61	\$111.02
<b>CONTROL 14C/T-BK</b>	Ceiling Spkr	CONTROL 14C/T-BK	Two-Way 100 mm (4 in) Co-axial Ceiling Loudspeaker. 100 mm (4 in) high output driver with polypropylene cone and butyl rubber surround and 19 mm (3/4 in) soft-dome liquid-cooled tweeter, 74 Hz – 20 kHz bandwidth, wide 120° coverage, 87 dB sensitivity. Blind-mount backcan for quick and easy installation, dual conduit/cable clamp for in and thru cables. Combined 25 W multi-tap transformer at 70V/100V and 8Ω direct setting (30 W). Black. Priced as each, sold in pairs. International master pack is 2 speakers.	9	\$130.61	\$111.02
<b>CONTROL 16C/T</b>	Ceiling Spkr	CONTROL 16C/T	Two-Way 165 mm (6.5 in) Co-axial Ceiling Loudspeaker. 165 mm (6.5 in) high output driver with polypropylene cone and butyl rubber surround and 19 mm (3/4 in) soft-dome liquid-cooled tweeter, 62 Hz – 20 kHz bandwidth, 110° coverage, high 91 dB sensitivity. Blind-mount backcan for quick and easy installation, dual conduit/cable clamp for in and thru cables. Combined 30 W multi-tap transformer at 70V/100V and 8Ω direct setting (50 W). White. Priced as each, sold in pairs. International master pack is 2 speakers.	12.4	\$167.61	\$142.47
<b>CONTROL 16C/T-BK</b>	Ceiling Spkr	CONTROL 16C/T-BK	Two-Way 165 mm (6.5 in) Co-axial Ceiling Loudspeaker. 165 mm (6.5 in) high output driver with polypropylene cone and butyl rubber surround and 19 mm (3/4 in) soft-dome liquid-cooled tweeter, 62 Hz – 20 kHz bandwidth, 110° coverage, high 91 dB sensitivity. Blind-mount backcan for quick and easy installation, dual conduit/cable clamp for in and thru cables. Combined 30 W multi-tap transformer at 70V/100V and 8Ω direct setting (50 W). Black. Priced as each, sold in pairs. International master pack is 2 speakers.	12	\$167.61	\$142.47
<b>CONTROL 18C/T</b>	Ceiling Spkr	CONTROL 18C/T	Two-Way 200 mm (8 in) Co-axial Ceiling Loudspeaker. 8 inch high output driver with polypropylene cone and butyl rubber surround and 25 mm (1 in) soft-dome liquid-cooled tweeter, 58 Hz – 20 kHz bandwidth, focused 90° coverage, high 92 dB sensitivity. Blind-mount backcan for quick and easy installation, dual conduit/cable clamp for in and thru cables. 60 W multi-tap transformer at 70V/100V and 8Ω direct setting for 90 Watts (260W peak). White. Priced as each, sold in pairs. Master pack = 2 speakers.	19.4	\$229.83	\$195.35
<b>CONTROL 18C/T-BK</b>	Ceiling Spkr	CONTROL 18C/T-BK	Two-Way 200 mm (8 in) Co-axial Ceiling Loudspeaker. 8 inch high output driver with polypropylene cone and butyl rubber surround and 25 mm (1 in) soft-dome liquid-cooled tweeter, 58 Hz – 20 kHz bandwidth, focused 90° coverage, high 92 dB sensitivity. Blind-mount backcan for quick and easy installation, dual conduit/cable clamp for in and thru cables. 60 W multi-tap transformer at 70V/100V and 8Ω direct setting for 90 Watts (260W peak). Black (-BK). Priced as each, sold in pairs. Master pack = 2 speakers.	39	\$229.83	\$195.35
<b>MTC-14WG</b>	Accessory	MTC-14WG	Weather Grille Accessory for Control 12C/T (White) and 14C/T (White). Aluminum, powder-coated, passed B117 salt-spray 200 hours, UV 100 hours, priced as each, packed in pairs. Masterpack 24 pieces.	1.5	\$21.51	\$18.29
<b>MTC-14WG-BK</b>	Accessory	MTC-14WG-BK	Weather Grille Accessory for Control 12C/T (Black) and 14C/T (Black). Aluminum, powder-coated, passed B117 salt-spray 200 hours, UV 100 hours, priced as each, packed in pairs. Masterpack 24 pieces.	3	\$20.38	\$17.32
<b>MTC-16WG</b>	Accessory	MTC-16WG	Weather Grille Accessory for Control 16C/T (White) and Control 26C & 26CT. Aluminum, powder-coated, passed B117 salt-spray 200 hours, UV 100 hours, priced as each, packed in pairs. Masterpack 24 pieces.	0.3	\$24.91	\$21.17
<b>MTC-16WG-BK</b>	Accessory	MTC-16WG-BK	Weather Grille Accessory for Control 16C/T (Black). Aluminum, powder-coated, passed B117 salt-spray 200 hours, UV 100 hours, priced as each, packed in pairs. Masterpack 24 pieces.	10	\$24.91	\$21.17
<b>JBL-MTC-CSTETH1</b>	Accessory	JBL-MTC-CSTETH1	Kit of 10 safety tethers for JBL press-in ceiling speaker grilles. For Control 10 Series, Control Micros, Control 20 Series, and Control 40 Series models. (1=pack of 10 tethers) Shippable in single packs, or master pack of 40 kits.	1	\$34.41	\$29.25
<b>COMMERCIAL CEILING: 20 Series Blind-Mount Ceiling Speakers</b>						
<b>C24CT MICROPLUS</b>	Ceiling Spkr	C24CT MICROPLUS	Medium Output Ceiling Speaker Assembly. Complete Assembly Includes Backcan, Grille and Tile Rails. Very Wide 150° Coverage. Shallow 100 mm (4 in) Depth. 70V/100V Input Transformers with Taps at 25W and 12W (Plus 6W at 70V Only). Priced as Each, Packed as Pairs. Master Pack Quantity: 8 Pieces.	8	\$148.32	\$126.07

<b>C24CT-BK</b>	Ceiling Spkr	C24CT-BK	Control 24CT in Black. 4" two-way vented ceiling speaker, 80 Hz – 20 kHz, 86 dB sensitivity, 80W program and 40W pink noise power, for use on a 70.7V or 100V distributed line, switchable taps at 30W, 15W and 7.5W (plus 37W at 70.7V only, 130° coverage, packaged with backcan, grille, support plate and tile rails. (priced as each, sold in pairs).	13	\$163.63	\$139.08
<b>CONTROL 24C</b>	Ceiling Spkr	CONTROL 24C	4" Two-Way Vented Ceiling Speaker, 80Hz – 20kHz, 86dB Sensitivity, 80W Program and 40W Pink Noise Power Capacity, SonicGuard™ Overload Protection, 16 ohms, 130° Coverage, Packaged with Backcan, Grille, Support Plate and Tile Rails. Priced as Each, Packed as Pairs. Master Pack Quantity: 8 Pieces.	8.25	\$150.67	\$128.07
<b>CONTROL 24C MICRO</b>	Ceiling Spkr	CONTROL 24C MICRO	4" Two-Way Ceiling Speaker, 15W Pink Noise, 30W Program Power Capacity. 8 ohms, Shallow 4" Back Depth. For Applications with Low Ceilings. Features Extremely Wide 150° coverage. Packaged with Backcan, Grille, Support Bracket and Tile Rails. Priced as Each, Packed as Pairs. Master Pack Quantity: 8 Pieces.	7.3	\$97.70	\$83.05
<b>CONTROL 24CT</b>	Ceiling Spkr	CONTROL 24CT	Control 24C with Transformer. For use on a 70.7V or 100V Distributed Line, Switchable Taps at 30W, 15W and 7.5W (Plus 3.7W at 70.7V only), No SonicGuard. Priced as Each, Packed as Pairs. Master Pack Quantity: 8 Pieces.	8.3	\$162.06	\$137.75
<b>CONTROL 24CT MICRO</b>	Ceiling Spkr	CONTROL 24CT MICRO	Control 24C Micro with Transformer. For use on a 70.7V or 100V Distributed Line. Taps are 8W, 4W and 2W, 1W (and 1/2W at 70.7V only). Priced as Each, Packed as Pairs. Master Pack Quantity: 8 Pieces.	7.95	\$103.59	\$88.05
<b>CONTROL 26C</b>	Ceiling Spkr	CONTROL 26C	6.5" Two-Way Vented Ceiling Speaker, 75Hz – 20kHz, 89dB Sensitivity, 150W Program and 75W Pink Noise Power Capacity, SonicGuard Overload Protection, 16 Ohms, 100° Coverage, Packaged With Backcan, Grille, Support Plate and Tile Rails. Priced as Each, Packed as Pairs. Master Pack Quantity: 4 Pieces.	9.15	\$195.40	\$166.09
<b>CONTROL 26CT</b>	Ceiling Spkr	CONTROL 26CT	Control 26C with Transformer. For use on a 70.7V or 100V Distributed Line, Switchable Taps at 60W, 30W and 15W (Plus 7.5W at 70.7V only), No SonicGuard. Priced as Each, Packed as Pairs. Master Pack Quantity: 4 Pieces.	10.3	\$220.12	\$187.11
<b>CONTROL 26-DT</b>	Ceiling Spkr	CONTROL 26-DT	200 mm (8 inch) Ceiling Speaker Transducer Assembly. Driver, Crossover Network and 70V/100V Transformer Assembly. Fits Standard Backcans for 8 Inch Speakers. Backcan must have 5+ inches depth. Coverage of 90°. Taps at 60W, 30W and 15W (Plus 7.5W at 70V Only). 1.9 kg (4.2 lb). Priced as Each, Packed as Pairs. See wb-site for list of compatible backcans and grilles.	6	\$141.26	\$120.07
<b>C26CT-LS</b>	Ceiling Spkr	C26CT-LS	Professional Ceiling Speaker for Life-Safety Applications. UL1480 UUMW Listed for use in Fire Alarm and/or Emergency Communication Systems. 6.5" coax, 80 Hz – 20 kHz, all-in-one, backcan attached. (priced as each; sold in pairs)	10.5	\$237.78	\$202.12
<b>CONTROL 19CS</b>	Ceiling Spkr	CONTROL 19CS	8" In-Ceiling Subwoofer, Nested Chamber™ Design, Linear Aperture™ Port, 42Hz – 200Hz, 200W Program and 100W Pink Noise Power Capacity, SonicGuard Overload Protection, 8 ohms, Packaged with Backcan, Support Plate and Tile Rails. Priced as Each, Packed as Pairs. Master Pack Quantity: 2 Pieces.	30	\$295.47	\$251.15
<b>CONTROL 19CST</b>	Ceiling Spkr	CONTROL 19CST	Control 19CS with Subwoofer Based Transformer. For use on a 70.7V or 100V Distributed Line, Switchable Taps at 60W, 30W and 15W (Plus 7.5W at 70.7V only), No SonicGuard. Priced as Each, Packed as Pairs. Master Pack Quantity: 2 Pieces.	26	\$320.19	\$272.16
<b>MTC-19MR</b>	Accessory	MTC-19MR	Optional Mud (Plaster) Ring Construction Bracket for Control 19CS, Control 19CST, and Control 226C/T. Installs before Sheetrock, Integral Ring Extension for Drywall Mudding. Each Pack Contains 6 Pieces.	7.6	\$272.86	\$231.93
<b>MTC-19NC</b>	Accessory	MTC-19NC	Optional New Construction Bracket for Control 19CS, Control 19CST, Control 226C/T, MTC-300BB8 and MTC-200BB6. Installs before Sheetrock as Cutout Template. Each Pack Contains 6 Pieces.	5.57	\$198.14	\$168.41
<b>MTC-24MR</b>	Accessory	MTC-24MR	Optional Mud (Plaster) Ring Construction Bracket for Control 24C, 24CT, 24C Micro, 24CT Micro, and 24CT Micro Plus. Installs before Sheetrock, Integral Ring Extension for Drywall Mudding. Each Pack Contains 6 Pieces.	6.3	\$165.30	\$140.51
<b>MTC-24NC</b>	Accessory	MTC-24NC	Optional New Construction Bracket for Control 24C, 24CT, 24C Micro, 24CT Micro, and 24CT Micro Plus. Installs before Sheetrock as Cutout Template. Each Pack Contains 6 Pieces.	5.25	\$127.94	\$108.75
<b>MTC-24TR</b>	Accessory	MTC-24TR	Trim Ring for Retrofit Installations of Control 24 into Cutouts Up to 250mm (10") Diameter, White. Each Pack Contains 10 Pieces.	10	\$172.38	\$146.53
<b>MTC-26MR</b>	Accessory	MTC-26MR	Optional Mud (Plaster) Ring Construction Bracket for Control 26C and Control 26CT, Installs before Sheetrock, Integral Ring Extension for Drywall Mudding. Each Pack Contains 6 Pieces.	6.8	\$197.00	\$167.45
<b>MTC-26NC</b>	Accessory	MTC-26NC	Optional New Construction Bracket for Control 26C and Control 26CT, Installs Before Sheetrock as Cutout Template. Each Pack Contains 6 Pieces.	5.25	\$146.05	\$124.15
<b>MTC-26TR</b>	Accessory	MTC-26TR	Trim Ring for Retrofit Installations of Control 26 into Cutouts Up to 250mm (10") Diameter, White. Each Pack Contains 10 Pieces.	7.85	\$172.38	\$146.53
<b>MTC-48TRx12</b>	Accessory	MTC-48TRx12	Tile rails for using many of JBL's ceiling speaker in 1200 mm (48 in) ceiling tile grid systems. Inverted-V design. Can be used with 8124/28, Control 19CS models. Control 24C Micro models, Control 24C models, Control 26 models, Control 40 Series models, and Control 226C/T. (Sold and packed as a kit of 12 tile rails (for 6 spkrs).	20.35	\$304.56	\$258.88

MTC-PC2	Accessory	MTC-PC2	Sealed Panel Cover for Input Terminal Compartment. Also functions as Strain Relief. Fits all Surface-Mount Models. Gland Nut Extends Toward Back. Priced is for a package of two covers.	0.25	\$30.57	\$25.98
MTC-PC3	Accessory	MTC-PC3	Sealed Panel Cover for Input Terminal Compartment. Also functions as Strain Relief. Fits all Surface-Mount Models. Side-Mounted Gland Nut for low-profile installations. Priced is for a package of two covers.	0.5	\$36.23	\$30.80
MTC-PCD	Accessory	MTC-PCD	Thick-ceiling dogears for ceilings up to 60 mm (2.5 in) thick. Fits C24C/CT Micro & MicroPlus, C24C/CT, C26C/CT, C19CS/CST. 1 kit (an order of "1") contains 24 pcs of dogears, priced per kit.	1	\$8.88	\$7.55
<b>COMMERCIAL CEILING: 40 Series Premium Ceiling Speakers</b>						
CONTROL 40CS/T	Ceiling Spkr	CONTROL 40CS/T	Direct-Radiating In-Ceiling Subwoofer with 8" driver, built-in crossover network with outputs for 2 or 4 pcs of Control 42C satellite speakers, 30 Hz - 300 Hz, 200W program, 100W pink noise, 70V/100V taps at 80W, 40W, 20W (and 10W @ 70V), plus 8 ohm direct, (priced as each, sold in pairs)	26.5	\$435.55	\$370.22
CONTROL 42C	Ceiling Spkr	CONTROL 42C	Ultra-Compact Satellite Speaker for use with Control 40CS/T of 50S/T subwoofer, 140 Hz - 20 kHz, 82 dB sens, 30W program and 15W pink noise, 16 ohm only, 160 degree coverage, Requires external high-pass (from subwoofer crossover or electronic crossover), C-ring included, tile rails optional (priced as each, sold in pairs).	3.5	\$94.17	\$80.05
CONTROL 45C/T	Ceiling Spkr	CONTROL 45C/T	Extremely consistent 120° broadband pattern control featuring JBL's exclusive conical Radiation Boundary Integrator® (RBI™) technology. Very consistent, full-range coverage of listening area while providing a small ceiling footprint. Wide, consistent coverage requires fewer speakers, reducing the cost of the installed system without sacrificing performance. Coaxial design featuring: 130 mm (5.25 in) polypropylene-coated paper cone with butyl rubber surround. 20 mm (.75 in) soft-dome tweeter on 210 mm (8.25 in) diameter wave guide. Bass extension down to 55 Hz. 8 ohm and 70V/100V operation. Integrated backcan for easy blind-mount" install. Packaged with grille and tile rails for easy installation.	15.5	\$269.06	\$228.70
CONTROL 47C/T	Ceiling Spkr	CONTROL 47C/T	Wide-coverage, extended bass ceiling spkr feature RBI. 6.5" two-way, 120 deg consistent coverage, 55 Hz - 20 kHz, 91 dB sens, taps at 60W, 30W, 15W (and 7.5W @ 70V) plus 8 ohm direct. (priced as each, sold in pairs.)	18.75	\$311.94	\$265.15
CONTROL 47HC	Ceiling Spkr	CONTROL 47HC	PREMIUM HIGH-CEILING COAX w/ 6.5"	22.5	\$376.69	\$320.19
CONTROL 47LP	Ceiling Spkr	CONTROL 47LP	Low-Profile version of C47D/T featuring RBI technology. Specs same as C47C/T except only 142 mm (5.6 in) deep, 68 Hz to 20 kHz. (priced as each; sold in pairs)	16	\$268.39	\$228.13
MTC-42MR	Accessory	MTC-42MR	Mud-Ring Construction Brackets for C42C (each pack contains 6 pcs)	2.25	\$156.33	\$132.88
MTC-42NC	Accessory	MTC-42NC	New Construction Ring Brackets for Control 42C (each pack contains 6 pcs)	41.8	\$129.07	\$109.71
MTC-47MR	Accessory	MTC-47MR	Mud-Ring construction Brackets for C47C/T & C47LP (each pack contains 6 pcs)	7.3	\$284.18	\$241.55
MTC-47NC	Accessory	MTC-47NC	New construction Brackets for C47C/T & C47LP (each pack contains 6 pcs)	5.2	\$204.93	\$174.19
<b>COMMERCIAL CEILING: 200 Series Medium-Format Ceiling Speakers</b>						
CONTROL 226C/T	Ceiling Spkr	CONTROL 226C/T	6.5" Coax Ceiling Loudspeaker. True-Broadband 120° Coverage. 150 Watts, 47 Hz to 19kHz Frequency Response, 90 dB Sensitivity. 1" Exit Compression Driver. 8 ohms Plus 70V/100V Taps at 60W, 30W, 15W (And 7.5W @ 70V). 13" Round Ported Baffle x 9.7" Deep. (Priced as Each, Sold in Pairs).	25	\$412.01	\$350.21
CONTROL 227C	Ceiling Spkr	CONTROL 227C	6.5" Coax Ceiling Loudspeaker with Compression Driver. Broadband 120° Coverage. 150 Watts, 43 Hz to 19kHz Frequency Response, 90 dB Sensitivity. 1" Exit Compression Driver. 8 ohms. 12" Round Ported Baffle x 5.8" Deep. (Priced and Sold as Each). UL LISTED	12.2	\$328.43	\$279.16
CONTROL 227CT	Ceiling Spkr	CONTROL 227CT	Control 227C with Pre-Attached 60 Watt 70V/100V Multi-Tap Transformer. Taps at 68 W, 34W and 17W (plus 8.5W at 70V only). 12" Round Baffle x 5.8" Deep. (Priced and Sold as Each). UL LISTED	14.65	\$374.34	\$318.19
MTC-200BB6	Accessory	MTC-200BB6	Backcan for Control 227C & CT. Round with extra-thick 16-gauge steel and heavy-duty 1/2" MDP reinforcement on top panel. Knockouts on sides and top panel. 0.5 cu ft, 13.3" dia x 8.1" deep, UL LISTED, (priced and shipped in eaches).	9.3	\$86.05	\$73.14
MTC-RG6/8	Accessory	MTC-RG6/8	*Previously MTC-300RG8*. Contemporary Round Grille for Control 227C/CT 6.5" and 328C/CT 8" Models". Fashionable Upscale Look, White, Metal, 13.6" Dia x 0.64" Deep. UL LISTED. Sold and Shipped as Eaches).	1.75	\$36.23	\$30.80
MTC-SG6/8	Accessory	MTC-SG6/8	Contemporary Square Grille for Control 200 & 300 Series 6.5" Medium-Format and 8" Large-format Coaxial Ceiling Loudspeakers. Fashionable, upscale look, white finish over zinc-plated metal. Fits Control 227C, 227CT, 328C and 328CT.	2.25	\$60.01	\$51.01
MTC-TB6/8	Accessory	MTC-TB6/8	Tile Bridge for Medium (C227C & C227CT) and Large (C328 & C328CT) Format Ceiling Speakers. 18-Gauge steel. 25.4" x 16.3" x 1" Deep. (Price as Each, Sold 6 pcs Per Box)	6	\$30.57	\$25.98

<b>COMMERCIAL CEILING: 300 Series Large-Format Ceiling Speakers</b>						
<b>CONTROL 312CS</b>	Ceiling Spkr	CONTROL 312CS	12" In-Ceiling Subwoofer. 400 Watts, 30 Hz – 4.5 kHz Frequency Response, 93 dB Sensitivity. 14.4" Square Ported Baffle x 6.3" Deep. EZ-Rail for Ease of Installation. UL LISTED	23	\$626.25	\$532.31
<b>CONTROL 321C</b>	Ceiling Spkr	CONTROL 321C	Premium 12" Coax Ceiling Loudspeaker. True-Broadband 90° Coverage. 250 Watts, 34 Hz to 18 kHz Frequency Response, 94 dB Sensitivity. 2412H Compression Driver. 14.4" Square Ported Baffle x 8.8" Deep. EZ-Rail™ For Ease of Installation. UL LISTED.	19.6	\$504.99	\$429.25
<b>CONTROL 321CT</b>	Ceiling Spkr	CONTROL 321CT	Control 321C with pre-attached 60 Watt 70V/100V Multi-Tap Transformer. Taps at 68W, 34W and 17W (Plus 8.5W at 70V Only). 14.4" Square Ported Baffle x 9.5" Deep. EZ-Rail for Ease of Installation. UL LISTED	21.75	\$555.62	\$472.28
<b>CONTROL 322C</b>	Ceiling Spkr	CONTROL 322C	High-Power 12" Coax Ceiling Loudspeaker with Medium Format Compression Driver. True Broadband 90° Coverage. 400 Watts, 32 Hz to 20 kHz Frequency Response, 95 dB Sensitivity. 2407H Compression Driver. 14.4" Square Ported Baffle x 8.8" Deep. EZ-Rail for Ease of Installation. UL LISTED	24	\$734.54	\$624.36
<b>CONTROL 322CT</b>	Ceiling Spkr	CONTROL 322CT	Control 322C with pre-attached 100 Watt 70V/100V Multi-Tap Transformer. Taps at 100W, 50W & 25W (Plus 12.5W at 70V Only). 14.4" Square Ported Baffle x 9.5" Deep. EZ-Rail for Ease of Installation. UL LISTED	26.15	\$798.11	\$678.40
<b>CONTROL 328C</b>	Ceiling Spkr	CONTROL 328C	8" Coax Ceiling Speaker with 12" Waveguide. Broadband 120° Coverage. 250 Watts, 45 Hz to 18 kHz Frequency Response, 93 dB Sensitivity. 2412H Compression driver. 12" Round Ported Baffle/Waveguide x 6.3" Deep. UL LISTED	14.75	\$409.65	\$348.20
<b>CONTROL 328CT</b>	Ceiling Spkr	CONTROL 328CT	Control 328C with pre-attached 60 Watt 70V/100V Multi-Tap Transformer. Taps at 68W, 34W & 17W (Plus 8.5W at 70V Only). 12" Round Ported Baffle with Waveguide, Depth 8.6". UL LISTED	17.2	\$460.27	\$391.23
<b>MTC-300BB12</b>	Accessory	MTC-300BB12	Best-in-Class Three Cubic Foot Back Box for 12" Models. Rectangular with Extra-Thick 16 Gauge Metal and Heavy Duty ½" MDF Reinforcement on Top and Side Panels. Fits Control 321C, 321CT, 322C, 322CT & 321CS. 23.1" x 18.2" (20" Incl. Side Tabs) x 12.8" Deep. NOW UL LISTED	47	\$304.56	\$258.88
<b>MTC-300BB8</b>	Accessory	MTC-300BB8	One Cubic Foot Back Box for 8" Models. Round with Extra-Thick 16 Gauge Metal and Heavy Duty ½" MDF Reinforcement on Top Panel. Knockouts on Sides and Top Panel. Fits Control 328C & 328CT. 15" Dia x 10.6" Deep. NOW UL LISTED	14.05	\$106.43	\$90.46
<b>MTC-300SG12</b>	Accessory	MTC-300SG12	Contemporary Square Grille for 12" Models. Fashionable Upscale Look, White, Metal, 16.3" x 16.3" x 0.4" Deep. NOW UL LISTED	2.96	\$48.68	\$41.38
<b>MTC-300T150</b>	Accessory	MTC-300T150	150 Watt Transformer for Higher Output from a 70V or 100V System. Use with Non-T Version Loudspeakers. Mounts to Tabs Inside MTC-300BB12 Back Box (Does not Mount on Driver Assembly). 3.1" H x 3.4" W x 3.4" Deep. NOW UL LISTED	1.75	\$99.63	\$84.69
<b>CSS COMMERCIAL SURFACE: CSS Commercial Solutions Surface Speakers</b>						
<b>CSS-1S/T</b>	Surface-Mt Spkr	CSS-1S/T	Compact 2-Way 100V/70V/8Ω Surface-Mount Loudspeaker. 5¼" LF and ¾" HF, 85 Hz – 18 kHz, 10 Watt Multi-Tap Transformer for 100V or 70V Distributed Speaker Lines (10W and 5W taps, plus 2.5W at 70V only), or 60W at 8Ω, ball-type wall-mount included. (priced as each; sold in pairs). 5¼" LF and ¾" HF, 85 Hz – 18 kHz, 10 Watt Multi-Tap Transformer for 100V or 70V Distributed Speaker Lines (10W and 5W taps, plus 2.5W at 70V only), or 60W at 8Ω, ball-type wall-mount included. (priced as each; sold in Compact 2-Way	6.1	\$145.74	\$123.88
<b>PAGING HORNS</b>						
<b>CSS-H15</b>	Paging Horn Spkr	CSS-H15	15 Watt Paging Horn. (Priced as each, 6 in masterpack)	3.5	\$107.56	\$91.43
<b>CSS-H30</b>	Paging Horn Spkr	CSS-H30	30 Watt Paging Horn (Priced as each, 4 in masterpack)	6	\$147.19	\$125.11
<b>COMMERCIAL SURFACE: Control 20/30 Series Surface Speakers</b>						
<b>Control 23-1</b>	Surface-Mt Spkr	Control 23-1	3" Two-Way Vented Loudspeaker, Invisiball® Installation System (plus U-bracket attachment points). 70 Hz - 20 kHz Frequency Range. 50 Watts Cont. Pink Noise Power Handling (200W peak) at 8 ohms plus 70V/100V taps at 15W, 7.5W, 3.7W (& 1.8W at 70V only). Woven Fiberglass Woofer. Black. Priced as Each, Packed as Pairs. Master Pack Quantity: 6 Pieces.	4.59	\$162.45	\$138.08
<b>CONTROL 23-1L</b>	Surface-Mt Spkr	CONTROL 23-1L	Low-Impedance-Only Version of Control 23-1 (&-WH), without 70V/100V transformer, 8 ohms only.	3.5	\$151.35	\$128.65
<b>CONTROL 23-1L-WH</b>	Surface-Mt Spkr	CONTROL 23-1L-WH	Control 23-1L in white	3.75	\$151.35	\$128.65
<b>CONTROL 23-1-WH</b>	Surface-Mt Spkr	CONTROL 23-1-WH	Control 23-1 in white.	4.59	\$162.45	\$138.08

<b>Control 25-1</b>	Surface-Mt Spkr	Control 25-1	5.25" Two-Way Vented Loudspeaker, Invisiball® Installation System (plus U-bracket attachment points). 60 Hz - 20 kHz Frequency Range. 100 Watts Cont. Pink Noise Power Handling (400W peak) at 8 ohms plus 70V/100V taps at 30W, 15W, 7.5W (& 3.7W at 70V only). Woven Fiberglass Woofer. Black or white (-WH). Priced as Each, Packed as Pairs.	9	\$218.61	\$185.82
<b>CONTROL 25-1L</b>	Surface-Mt Spkr	CONTROL 25-1L	Low-Impedance-Only Version of Control 25-1 (&-WH), without 70V/100V transformer, 8 ohms only.	7.3	\$194.32	\$165.17
<b>CONTROL 25-1L-WH</b>	Surface-Mt Spkr	CONTROL 25-1L-WH	Control 25-1L in white	7.3	\$194.32	\$165.17
<b>CONTROL 25-1-WH</b>	Surface-Mt Spkr	CONTROL 25-1-WH	Control 25-1 in white.	9	\$218.61	\$185.82
<b>CONTROL 25AV</b>	Surface-Mt Spkr	CONTROL 25AV	Premium Monitor Speaker. 5.25" Two-Way Vented System, Highly Weather Resistant with Indoor/Outdoor, Stainless Steel Grille, 100° x 100° Coverage, 200 W Program Power, 70V/100V taps of 60W, 30W and 15W (and 7.5 W at 70V), plus 8 ohm Thru, Built-In Invisiball® Installation System. Includes MTC-PC Sealed-Entrance Panel Cover. Priced as Each, Packed as Pairs. Master Pack Quantity: 6 Pieces.	10.2	\$253.09	\$215.13
<b>CONTROL 25AV-WH</b>	Surface-Mt Spkr	CONTROL 25AV-WH	Premium Monitor Speaker. 5.25" Two-Way Vented System, Highly Weather Resistant with Indoor/Outdoor, Stainless Steel Grille, 100° x 100° Coverage, 200 W Program Power, 70V/100V taps of 60W, 30W and 15W (and 7.5 W at 70V), plus 8 ohm Thru, Built-In Invisiball® Installation System, in white. Includes MTC-PC Sealed-Entrance Panel Cover. Priced as Each, Packed as Pairs. Master Pack Quantity: 6 Pieces.	10.5	\$253.09	\$215.13
<b>C25AV-LS</b>	Surface-Mt Spkr	C25AV-LS	Premium 5.25" two-way, UL1480 UUMW rated for fire alarm use, highly weather resistant, aluminum grille, UL1480/UUMW rated, 110 x 85 coverage, 200W program power, 70V/100V taps at 60W, 30W, 15W (7.5W @ 70V only), See spec sheet for details of UL listing, MTC-PC included, black (priced as each, sold in pairs).	10.15	\$273.10	\$232.14
<b>C25AV-LS-WH</b>	Surface-Mt Spkr	C25AV-LS-WH	Premium 5.25" two-way, UL1480 UUMW rated for fire alarm use, highly weather resistant, aluminum grille, UL1480/UUMW rated, 110 x 85 coverage, 200W program power, 70V/100V taps at 60W, 30W, 15W (7.5W @ 70V only), See spec sheet for details of UL listing, MTC-PC included, black (priced as each, sold in pairs), in white	19.75	\$273.10	\$232.14
<b>CONTROL 28-1</b>	Surface-Mt Spkr	CONTROL 28-1	8" Two-Way Vented Loudspeaker, Invisiball® Installation System (plus U-bracket attachment points). 45 Hz - 20 kHz Frequency Range. 120 Watts Cont. Pink Noise Power Handling (480W peak) at 8 ohms plus 70V/100V taps at 60W, 30W, 15W (& 7.5W at 70V only). Woven Fiberglass Woofer. Black or white (-WH). Priced as Each, Packed as Pairs.	17	\$353.15	\$300.17
<b>CONTROL 28-1L</b>	Surface-Mt Spkr	CONTROL 28-1L	Low-Impedance-Only Version of Control 28-1 (&-WH), without 70V/100V transformer, 8 ohms only.	15	\$330.72	\$281.12
<b>CONTROL 28-1L-WH</b>	Surface-Mt Spkr	CONTROL 28-1L-WH	Control 28-1L in white	15	\$330.72	\$281.12
<b>CONTROL 28-1-WH</b>	Surface-Mt Spkr	CONTROL 28-1-WH	Control 28-1 in white.	17	\$353.15	\$300.17
<b>C29AV-1</b>	Surface-Mt Spkr	C29AV-1	High Output Indoor/Outdoor Monitor Speaker. 150W Pink Noise, 300W Program Power, 92 dB Sensitivity. 70V/100V Taps at 110W, 55W, & 28W (and 14W at 70V) plus 8 ohm Thru. 110° x 80° Coverage with Rotatable Horn. Built-In Invisiball® Installation System plus Ten M6 Suspension Points. Kevlar Cone Woofer and Titanium Compression Driver. Includes Sonicguard(tm) Overload Protection. Includes MTC-PC2 Sealed-Entrance Panel Cover. (Priced and Packed as Each)	27	\$549.73	\$467.27
<b>C29AV-WH-1</b>	Surface-Mt Spkr	C29AV-WH-1	High Output Indoor/Outdoor Monitor Speaker. 150W Pink Noise, 300W Program Power, 92 dB Sensitivity. 70V/100V Taps at 110W, 55W, & 28W (and 14W at 70V) plus 8 ohm Thru. 110° x 80° Coverage with Rotatable Horn. Built-In Invisiball® Installation System plus Ten M6 Suspension Points. Kevlar Cone Woofer and Titanium Compression Driver. Includes Sonicguard(tm) Overload Protection. Includes MTC-PC2 Sealed-Entrance Panel Cover, in White. (Priced and Packed as Each).	33.15	\$549.73	\$467.27
<b>CONTROL 30</b>	Surface-Mt Spkr	CONTROL 30	High Output Indoor/Outdoor 3-Way Monitor Loudspeaker with 260mm (10 in) LF and Coaxial Mid-High Frequency Drivers. Extended Bandwidth, Extremely Smooth Response. Full Outdoor Capability (IP-x5). 38 Hz - 17 kHz. 250 Watts, 93 dB Sensitivity. SonicGuard Overload Protection. Included InvisiBall® Hardware Plus Ten 6 mm Attachment Points For Suspension and Optional U-Bracket. Includes 70V/100V Input Line Transformer with Taps at 150W, 75W, and 38W (Plus 19W At 70V only), Plus 4 ohm Bypass Position. Compact at 593 x 372 x 345 mm (23.3 x 14.6 x 13.5 in). 20.3 kg (42 lb).	52.95	\$961.74	\$817.48
<b>CONTROL 30-WH</b>	Surface-Mt Spkr	CONTROL 30-WH	High Output Indoor/Outdoor 3-Way Monitor Loudspeaker with 260mm (10 in) LF and Coaxial Mid-High Frequency Drivers. Extended Bandwidth, Extremely Smooth Response. Full Outdoor Capability (IP-x5). 38 Hz - 17 kHz. 250 Watts, 93 dB Sensitivity. SonicGuard Overload Protection. Included InvisiBall® Hardware Plus Ten 6 mm Attachment Points For Suspension and Optional U-Bracket. Includes 70V/100V Input Line Transformer with Taps at 150W, 75W, and 38W (Plus 19W At 70V only), Plus 4 ohm Bypass Position. Compact at 593 x 372 x 345 mm (23.3 x 14.6 x 13.5 in). 20.3 kg (42 lb), in White.	55	\$961.74	\$817.48

<b>CONTROL 31</b>	Surface-Mt Spkr	CONTROL 31	Two-Way, High Output Indoor-Outdoor Monitor Loudspeaker with 260mm (10 in) LF and 2414H-C Compression Driver. Extended Bandwidth, Extremely Smooth Response. Outdoor Capability to IP-55. 33 Hz – 19 kHz. 250 Watts, 92 dB Sensitivity. Included InvisiBall® Hardware Plus Ten 6 mm Attachment Points For Suspension and Optional U-Bracket. Includes 70V/100V Input Line Transformer with Taps at 150W, 75W, and 38W (Plus 19W At 70V only), Plus 8 ohm Bypass Position. 593 x 372 x 345 mm (23.3 x 14.6 x 13.5 in). 18.8 kg (41.5 lb). Priced as Each, Packed as Singles.	22	\$840.83	\$714.70
<b>CONTROL 31-WH</b>	Surface-Mt Spkr	CONTROL 31-WH	Two-Way, High Output Indoor-Outdoor Monitor Loudspeaker with 260mm (10 in) LF and 2414H-C Compression Driver. Extended Bandwidth, Extremely Smooth Response. Outdoor Capability to IP-55. 33 Hz – 19 kHz. 250 Watts, 92 dB Sensitivity. Included InvisiBall® Hardware Plus Ten 6 mm Attachment Points For Suspension and Optional U-Bracket. Includes 70V/100V Input Line Transformer with Taps at 150W, 75W, and 38W (Plus 19W At 70V only), Plus 8 ohm Bypass Position. 593 x 372 x 345 mm (23.3 x 14.6 x 13.5 in). 18.8 kg (41.5 lb). Priced as Each, Packed as Singles.	22	\$840.83	\$714.70
<b>CONTROL HST</b>	Surface-Mt Spkr	CONTROL HST	Control HST - Wide-Coverage On-Wall Speaker	10	\$372.21	\$316.37
<b>CONTROL HST-WH</b>	Surface-Mt Spkr	CONTROL HST-WH	Control HST - Wide-Coverage On-Wall Speaker	10	\$372.21	\$316.37
<b>CONTROLCRV</b>	Surface-Mt Spkr	CONTROLCRV	Curved-Design Dual 4" Speaker, selectable 70V/100V or 4 ohm, indoor/outdoor, combinable, 80 Hz - 20 kHz, 75W cont pink (300W peak), wall-mount bracket included (prices as each and sold individually), black. Master Pack Quantity: 4 Pieces	9.5	\$293.11	\$249.14
<b>CONTROLCRV-WH</b>	Surface-Mt Spkr	CONTROLCRV-WH	Curved-Design Dual 4" Speaker, selectable 70V/100V or 4 ohm, indoor/outdoor, combinable, 80 Hz - 20 kHz, 75W cont pink (300W peak), wall-mount bracket included (prices as each and sold individually), white. Master Pack Quantity: 4 Pieces	9.75	\$293.11	\$249.14
<b>CONTROL SB-2</b>	Surface-Mt Spkr	CONTROL SB-2	Slot-Loaded Vented Bandpass Subwoofer, Stereo, with Dual Voice-Coil 10" Transducer, Trapezoidal Enclosure for easy Corner Placement, 38Hz – 160Hz, 340W Program, 100dB Sensitivity, 8 ohm Stereo Inputs with High-Pass Satellite Outputs.	50	\$437.91	\$372.22
<b>CONTROL SB2210</b>	Surface-Mt Spkr	CONTROL SB2210	Compact, Low Profile, High-Power Subwoofer with 2 x 250mm (10 Inch) Woven-Fiberglass Cone Drivers. 500 Watts Cont. Pink Noise Power Handling (2000W peak), 13 M6 Suspension Points, feet, Optional U-bracket. 38 Hz-500 Hz Frequency Range, 355 x 590 x 570 mm, (14 x 23.3 x 22.5 In). Black. Priced and sold individually.	59	\$868.85	\$738.52
<b>CONTROL SB2210-WH</b>	Surface-Mt Spkr	CONTROL SB2210-WH	Control SB2210 in white (-WH)	59.5	\$868.85	\$738.52
<b>MTC-210UB</b>	Accessory	MTC-210UB	U-Bracket for Control SB-2210 Subwoofer, Black.	9	\$106.99	\$90.94
<b>MTC-210UB-WH</b>	Accessory	MTC-210UB-WH	U-Bracket for Control SB-2210 Subwoofer, White	20	\$106.99	\$90.94
<b>MTC-23CM</b>	Accessory	MTC-23CM	Ceiling-Mount Adapter for Control 23, Black. Each Pack Contains 2 Pieces.	1	\$18.12	\$15.40
<b>MTC-23CM-WH</b>	Accessory	MTC-23CM-WH	Ceiling-Mount Adapter for Control 23, White. Each Pack Contains 2 Pieces.	1	\$19.25	\$16.36
<b>MTC-23UB-1</b>	Accessory	MTC-23UB-1	U-Bracket for Control 23-1 & 23-1L. Black. Priced and packaged individually. Master Pack = 6 pcs.	1	\$35.10	\$29.83
<b>MTC-23UB-1-WH</b>	Accessory	MTC-23UB-1-WH	MTC-23UB-1 in white.	1	\$35.10	\$29.83
<b>MTC-23WMG-1</b>	Accessory	MTC-23WMG-1	WeatherMax™ Replacement Grille for Control 23-1 for harsh environments. Thick aluminum with 3-layer foam backing and powdercoat finish, black. Provides IP-55 Grille Rating. Priced and packaged individually.	0.5	\$41.89	\$35.61
<b>MTC-23WMG-1-WH</b>	Accessory	MTC-23WMG-1-WH	MTC-23WMG-1 in white.	0.5	\$41.89	\$35.61
<b>MTC-25UB-1</b>	Accessory	MTC-25UB-1	U-Bracket for Control 25-1 & 25-1L. Black. Priced and packaged individually. Master Pack = 6 pcs.	1	\$46.42	\$39.46
<b>MTC-25UB-1-WH</b>	Accessory	MTC-25UB-1-WH	MTC-25UB-1 in white.	1	\$46.42	\$39.46
<b>MTC-25WMG</b>	Accessory	MTC-25WMG	WeatherMax™ Replacement Grille for Control 25AV & 25AV-LS only. Stainless Steel with 3-Layer Foam. Provides IP-x5 Grille Rating, Black.	0.3	\$46.42	\$39.46
<b>MTC-25WMG-1</b>	Accessory	MTC-25WMG-1	WeatherMax™ Replacement Grille for Control 25-1 & 25-1L for harsh environments. Thick aluminum with 3-layer foam backing and powdercoat finish, black. Provides IP-55 Grille Rating. Priced and packaged individually.	1	\$58.87	\$50.04
<b>MTC-25WMG-1-WH</b>	Accessory	MTC-25WMG-1-WH	MTC-25WMG-1 in white.	1	\$58.87	\$50.04
<b>MTC-28/25CM</b>	Accessory	MTC-28/25CM	Ceiling-Mount Adapter for Control 28 and Control 25, Black. Each Pack Contains 2 Pieces.	1.1	\$33.97	\$28.87
<b>MTC-28/25CM-WH</b>	Accessory	MTC-28/25CM-WH	Ceiling-Mount Adapter for Control 28 and Control 25, White. Each Pack Contains 2 Pieces.	1.5	\$33.97	\$28.87
<b>MTC-28UB-1</b>	Accessory	MTC-28UB-1	U-Bracket for Control 28-1 & 28-1L. Black. Priced and packaged individually. Master Pack = 6 pcs.	4	\$60.01	\$51.01
<b>MTC-28UB-1-WH</b>	Accessory	MTC-28UB-1-WH	MTC-28UB-1 in white.	4	\$60.01	\$51.01
<b>MTC-28WMG-1</b>	Accessory	MTC-28WMG-1	WeatherMax™ Replacement Grille for Control 28-1 & 28-1L for harsh environments. Thick aluminum with 3-layer foam backing and powdercoat finish, black. Provides IP-55 Grille Rating. Priced and packaged individually.	2	\$82.65	\$70.25
<b>MTC-28WMG-1-WH</b>	Accessory	MTC-28WMG-1-WH	MTC-28WMG-1 in white.	2	\$82.65	\$70.25
<b>MTC-29MK</b>	Accessory	MTC-29MK	Marine Grille Kit for C29AV-1 Loudspeaker. Retrofit grille, adds extra durability when installing C29AV-1s in challenging corrosive environments such as sea-side restaurants, resorts in salt-air areas, water parks and swimming facilities. Kit includes extra-thick painted aluminum grille with WeatherMax™ backing plus stainless steel grille screws. Black.	1	\$162.75	\$138.34



MTC-29MK-WH	Accessory	MTC-29MK-WH	Marine Grille Kit for C29AV-1 Loudspeaker. Retrofit grille, adds extra durability when installing C29AV-1s in challenging corrosive environments such as sea-side restaurants, resorts in salt-air areas, water parks and swimming facilities. Kit includes extra-thick painted aluminum grille with WeatherMax™ backing plus stainless steel grille screws. Black.	1	\$162.75	\$138.34
MTC-29CM	Accessory	MTC-29CM	Ceiling-Mount Adapter for Control 29AV, Black. Each Pack Contains 1 Piece.	2.25	\$33.97	\$28.87
MTC-29CM-WH	Accessory	MTC-29CM-WH	Ceiling-Mount Adapter for Control 29AV, White. Each Pack Contains 1 Piece.	1.5	\$33.97	\$28.87
MTC-29UB	Accessory	MTC-29UB	U-Bracket for Control 29AV.	5.5	\$91.54	\$77.81
MTC-29UB-WH	Accessory	MTC-29UB-WH	U-Bracket for Control 29AV, in White.	5	\$91.54	\$77.81
MTC-30CM	Accessory	MTC-30CM	Ceiling-Mount Adapter for Control 30, Black. Contains 1 Piece.	3.3	\$39.23	\$33.34
MTC-30CM-WH	Accessory	MTC-30CM-WH	Ceiling-Mount Adapter for Control 30, White. Contains 1 Piece.	2.5	\$39.23	\$33.34
MTC-30MK	Accessory	MTC-30MK	Marine Grille Kit for Control 30 Loudspeaker. Retrofit grille, adds extra durability when installing Control 30's in challenging corrosive environments such as cruise ships, sea-side restaurants, resorts in salt-air areas, water parks and swimming facilities. Kit includes extra-thick painted aluminum grille with WeatherMax™ backing plus stainless steel grille screws and protection caps for baffle screws. Black.	2	\$162.87	\$138.44
MTC-30MK-WH	Accessory	MTC-30MK-WH	Marine Grille Kit for Control 30 Loudspeaker. Retrofit grille, adds extra durability when installing Control 30's in challenging corrosive environments such as cruise ships, sea-side restaurants, resorts in salt-air areas, water parks and swimming facilities. Kit includes extra-thick painted aluminum grille with WeatherMax™ backing plus stainless steel grille screws and protection caps for baffle screws. White.	1.25	\$183.42	\$155.90
MTC-30UB	Accessory	MTC-30UB	U-Bracket for Control 30, black.	6.75	\$99.86	\$84.88
MTC-30UB-WH	Accessory	MTC-30UB-WH	U-Bracket for Control 30, white.	6.65	\$99.86	\$84.88
MTC-SB2W	Accessory	MTC-SB2W	Bracket for Installing Control SB-2 to Wall or Corner.	9.55	\$178.89	\$152.05
MTC-SBT300	Accessory	MTC-SBT300	300 Watt Multi-Tap 70V/100V Transformer for SB2210. Kit includes transformer (for mounting on existing studs inside input plate) with modular connectors for fast hook-up. Connect proper wire for tap setting. 300W, 150W, 75W at 70V/100V (plus 37W at 70V). Priced and packaged individually.	4	\$113.22	\$96.24
<b>COMMERCIAL SURFACE: Control 50 Series Sub/Sat speakers</b>						
CONTROL 50S/T	Surface-Mt Spkr	CONTROL 50S/T	Compact surfact-mount subwoofer with built-in crossover. 200 mm (8 in) long-throw woofer, 100W cont pink noise (400W peak), selectable 70V/100V or low-impedance, drives 2 or 4 satellite speakers (C42C, C52 or C62P), wall-mount bracket included, black (priced as each;).	25	\$441.44	\$375.22
CONTROL 50S/T-WH	Surface-Mt Spkr	CONTROL 50S/T-WH	Compact surfact-mount subwoofer with built-in crossover. 200 mm (8 in) long-throw woofer, 100W cont pink noise (400W peak), selectable 70V/100V or low-impedance, drives 2 or 4 satellite speakers (C42C, C52 or C62P), wall-mount bracket included, black (priced as each;).	25	\$441.44	\$375.22
CONTROL 52	Surface-Mt Spkr	CONTROL 52	Satellite Speaker, 60 mm (2.5 in) low-distortion driver, for use with C50S/T or C50CS/T subwoofer or requires external high-pass, 16 ohms, wall-mount bracket included (priced as each, sold in pairs), black.	3.7	\$78.87	\$67.04
CONTROL 52-WH	Surface-Mt Spkr	CONTROL 52-WH	Satellite Speaker, 60 mm (2.5 in) low-distortion driver, for use with C50S/T or C50CS/T subwoofer or requires external high-pass, 16 ohms, wall-mount bracket included (priced as each, sold in pairs), white.	3.7	\$78.87	\$67.04
C50PACK	Surface-Mt Spkr	C50PACK	Subwoofer-Satellite System with 4 Satellite Speakers. Includes 1 pc Control 50S/T and 4 pcs Control 52, 30 – 20 kHz response, 100W, selectable 70V/100V or 4 ohms, wall-mount brackets included, black. (each pack contains 1 subwoofer + 4 satellites)	32.45	\$718.07	\$610.36
C50PACK-WH	Surface-Mt Spkr	C50PACK-WH	Subwoofer-Satellite System with 4 Satellite Speakers. Includes 1 pc Control 50S/T and 4 pcs Control 52, 30 – 20 kHz response, 100W, selectable 70V/100V or 4 ohms, wall-mount brackets included, black or white. (each pack contains 1 subwoofer + 4 satellites), in white	32.7	\$718.07	\$610.36
<b>COMMERCIAL PENDANT: Control 60 Series</b>						
C60PS/T	Pendant Spkr	C60PS/T	High impact, 150 Watt direct radiating pendant subwoofer with built-in passive crossover for up to four satellite speakers. 200 mm (8 in) long-excursion driver. 8 ohm (150 Watt) and 70V/100V (100 Watt) operation. Hanging hardware with 4.5 m (15 foot) galvanized steel cable and easy to adjust clamp. Stylish design, available in black or white (-WH). UL listed (speaker and hanging cable system).(priced as each; sold in pairs).	9.5	\$465.26	\$395.47
C60PS/T-WH	Pendant Spkr	C60PS/T-WH	High impact, 150 Watt direct radiating pendant subwoofer with built-in passive crossover for up to four satellite speakers. 200 mm (8 in) long-excursion driver. 8 ohm (150 Watt) and 70V/100V (100 Watt) operation. Hanging hardware with 4.5 m (15 foot) galvanized steel cable and easy to adjust clamp. Stylish design, available in black or white (-WH). UL listed (speaker and hanging cable system).(priced as each; sold in pairs).	19	\$465.26	\$395.47

C62P	Pendant Spkr	C62P	Ultra-Compact Mid-High Satellite Pendant Speaker. 2.5" driver, ideal for speech and mid-high music and for visually sensitive applications. Add up to 4 pics on a Control 50S/T (or 40 CS/T) subwoofer for full-range, 20W, 16 ohms, redundant suspension cable system included (priced as each; sold in pairs).	5.05	\$117.72	\$100.06
C62P-WH	Pendant Spkr	C62P-WH	Ultra-Compact Mid-High Satellite Pendant Speaker. 2.5" driver, ideal for speech and mid-high music and for visually sensitive applications. Add up to 4 pics on a Control 50S/T (or 40 CS/T) subwoofer for full-range, 20W, 16 ohms, redundant suspension cable system included (priced as each; sold in pairs), in white	5.5	\$117.72	\$100.06
C64P/T	Pendant Spkr	C64P/T	Compact Full-Range Pendant Speaker. 4" (100 mm) driver with polypropylene cone, 120 degree conical coverage, 50 Watts Cont. Pink Noise Power Handling (200W peak) at 8 ohms, plus 30W 70V/100V multi-tap transformer, redundant suspension cable system included. Black. Priced as each, sold and packaged in pairs.	6.75	\$201.80	\$171.53
C64P/T-WH	Pendant Spkr	C64P/T-WH	Compact Full-Range Pendant Speaker. 4" (100 mm) driver with polypropylene cone, 120 degree conical coverage, 50 Watts Cont. Pink Noise Power Handling (200W peak) at 8 ohms, plus 30W 70V/100V multi-tap transformer, redundant suspension cable system included. White (-WH). Priced as each, sold and packaged in pairs.	13	\$201.80	\$171.53
C65P/T	Pendant Spkr	C65P/T	Compact Full-Range Pendant Speaker with RBI. 5-1/4" (130 mm) LF & silk dome HF, RBI Radiation Boundary Integrator® technology with 120 degree conical coverage, true coax, 75W at 8 ohms, plus 10W 70V/100V multi-tap transformer, redundant suspension cable system included (priced as each sold in pairs).	10.2	\$263.46	\$223.94
C65P/T-WH	Pendant Spkr	C65P/T-WH	Compact Full-Range Pendant Speaker with RBI. 5-1/4" (130 mm) LF & silk dome HF, RBI Radiation Boundary Integrator® technology with 120 degree conical coverage, true coax, 75W at 8 ohms, plus 10W 70V/100V multi-tap transformer, redundant suspension cable system included (priced as each sold in pairs), in white.	10.5	\$263.46	\$223.94
C67HC/T	Pendant Spkr	C67HC/T	Narrow-coverage High-Ceiling Pendant Speaker with RBI. 6-1/2" (165 mm) LF & silk dome HF, RBI Radiation Boundary Integrator® technology with narrow 75 degree conical coverage, true coax, excellent clarity in high-ceiling installs and reverberant spaces, 75W at 8 ohms plus 60W 70V/100V multi-tap transformer, redundant suspension cable system included (priced as each; sold in pairs).	16	\$448.44	\$381.17
C67HC/T-WH	Pendant Spkr	C67HC/T-WH	Narrow-coverage High-Ceiling Pendant Speaker with RBI. 6-1/2" (165 mm) LF & silk dome HF, RBI Radiation Boundary Integrator® technology with narrow 75 degree conical coverage, true coax, excellent clarity in high-ceiling installs and reverberant spaces, 75W at 8 ohms plus 60W 70V/100V multi-tap transformer, redundant suspension cable system included (priced as each; sold in pairs), in white.	16.25	\$448.44	\$381.17
C67P/T	Pendant Spkr	C67P/T	Extended-Bass Full-Range Pendant Speaker with RBI. 6-1/2" (165 mm) LF & silk dome HF, RBI Radiation Boundary Integrator® technology with 120 degree conical coverage, true coax, 75W at 8 ohms plus 60W 70V/100V multi-tap transformer, redundant suspension cable system included (priced as each; sold in pairs).	15	\$381.17	\$324.00
C67P/T-WH	Pendant Spkr	C67P/T-WH	Extended-Bass Full-Range Pendant Speaker with RBI. 6-1/2" (165 mm) LF & silk dome HF, RBI Radiation Boundary Integrator® technology with 120 degree conical coverage, true coax, 75W at 8 ohms plus 60W 70V/100V multi-tap transformer, redundant suspension cable system included (priced as each; sold in pairs), in white.	15	\$381.17	\$324.00
MTC-PC60	Accessory	MTC-PC60	Terminal Cover for C64P/T, C65P/T, C67 P/T & C67HCT. Comes in black only, but is intended for use on white speakers also.	0.5	\$15.85	\$13.47
MTC-PC62	Accessory	MTC-PC62	Terminal Cover for C62P, blk only	0.2	\$10.39	\$8.83
<b>IN-WALLS: Control 100 In-Wall Speakers</b>						
CONTROL 126W	In-Wall Sprk	CONTROL 126W	Premium In-Wall Two-Way Loudspeaker with 6-1/2" (165 mm) Woofer. Polymer-Coated Aluminum-Cone Woofer With Pure Butyl Rubber Surround, Low-Diffraction Swivel Aimable Titanium Tweeter. High-Slope Crossover Network, Paintable, 98 mm ( 3-7/8 in) Depth (For Wallboard Plus Stud). 88 dB Sensitivity, 100 Watts (50W RMS/200W Peak), 38 Hz to 20 kHz Frequency Response. Sold in Pairs, Priced as Each.	5	\$223.67	\$190.12
CONTROL 126WT	In-Wall Sprk	CONTROL 126WT	Control 126W With Transformer for Use on a 70.7V or 100V Distributed Line. Selectable Taps at 30W, 15W, and 7.5W (Plus 3.7W at 70V Only). (Priced as Each, Sold in Pairs).	6.5	\$247.21	\$210.13
CONTROL 128W	In-Wall Sprk	CONTROL 128W	Premium Quality In-Wall Two-Way Loudspeaker with 8" (200 mm) Woofer. Polymer-Coated Aluminum-Cone Woofer With Pure Butyl Rubber Surround, Low-Diffraction Swivel Aimable Titanium Tweeter. High-Slope Crossover Network, Paintable, 102 mm ( 4 in) Depth (For Wallboard Plus Stud). 90 dB Sensitivity, 60 Watts RMS (120W Program/240W Peak), 30 Hz to 20 kHz Frequency Response.	8.5	\$275.46	\$234.14
CONTROL 128WT	In-Wall Sprk	CONTROL 128WT	Control 128W With Transformer for Use on a 70.7V or 100V Distributed Line. Selectable Taps at 50W, 25W, and 12W (Plus 6W at 70V Only). (Priced as Each, Sold in Pairs).	8	\$303.71	\$258.15
WB6	Accessory	WB6	PRE-INSTALL BRCKT C126W to studs in New Construction sold as Each priced as each	0.75	\$30.91	\$26.28

WB8	Accessory	WB8	Rough-In Frame for Installing Control 128W to Studs in New Construction. Sold as Each, Priced as Each.	#N/A	\$30.91	\$26.28
<b>LANDSCAPE:</b>						
<b>Control 80 Series Landscape Speakers</b>						
CONTROL 85M	Landscape Spkr	CONTROL 85M	Compact 5¼" Mushroom-Style Landscape Speaker. 5-1/4" (130 mm) polypropylene cone woofer with rubber surround & 3/4" (19 mm) tweeter, 55 Hz - 18 kHz, 80 Watts Cont. Pink Noise Power Handling (320W peak) at 8 ohms, plus 30W multi-tap transformer. IP-56 rated. Hunter green. Priced and packed individually.	25	\$280.28	\$238.23
CONTROL 88M	Landscape Spkr	CONTROL 88M	High-Power 8" Mushroom-Style Landscape Speaker. 8" (200 mm) polypropylene cone woofer with rubber surround & 1" (25 mm) tweeter, 47 Hz - 16 kHz, 120 Watts Cont. Pink Noise Power Handling (480W peak) at 8 ohms, plus 60W multi-tap transformer. IP-56 rated. Hunter green. Priced and packed individually.	24.15	\$420.41	\$357.35
<b>COLUMNS</b>						
<b>CBT Series Pattern-Controlled Columns</b>						
CBT 50LA-1	Column Spkr	CBT 50LA-1	50 cm Straight Line Array Column with 8 x 2" Drivers and Constant Beamwidth Technology, 20° vertical coverage, music (flat)/speech switch, 60W multi-tap transformer or 8 ohms, 80 Hz – 20 kHz, 150W cont pink (600W peak), wall bracket included. (priced and sold individually)	17	\$566.16	\$481.23
CBT 50LA-1-WH	Column Spkr	CBT 50LA-1-WH	50 cm Straight Line Array Column with 8 x 2" Drivers and Constant Beamwidth Technology, 20° vertical coverage, music (flat)/speech switch, 60W multi-tap transformer or 8 ohms, 80 Hz – 20 kHz, 150W cont pink (600W peak), wall bracket included. (priced and sold individually)	17	\$566.16	\$481.23
CBT 50LA-LS	Column Spkr	CBT 50LA-LS	50CM Tall Column Spkr, EN54 1 per carton, 1 per Masterpack	20	\$611.00	\$519.35
CBT 50LA-LS-WH	Column Spkr	CBT 50LA-LS-WH	50CM Tall Column Spkr, WH,EN54 1 per carton, 1 per Masterpack	20	\$611.00	\$519.35
CBT 100LA-1	Column Spkr	CBT 100LA-1	Straight Line Array Column with 16 x 2" Drivers and Constant Beamwidth Technology. Switchable 40° or 15° vertical coverage, music (flat)/speech switch, 100W multi-tap transformer or 8 ohms, 80 Hz – 20 kHz, 325W continuous pink noise, 100 cm tall (priced and sold individually) .	25.6	\$1,031.41	\$876.70
CBT 100LA-1-WH	Column Spkr	CBT 100LA-1-WH	Straight Line Array Column with 16 x 2" Drivers and Constant Beamwidth Technology. Switchable 40° or 15° vertical coverage, music (flat)/speech switch, 100W multi-tap transformer or 8 ohms, 80 Hz – 20 kHz, 325W continuous pink noise, 100 cm tall (priced and sold individually).	25	\$1,031.41	\$876.70
CBT 100LA-LS	Column Spkr	CBT 100LA-LS	(EN54 Life/Safety) Straight Line Array Column with 16 x 2" Drivers and Constant Beamwidth Technology. Switchable 40° or 15° vertical coverage, music (flat)/speech switch, 100W multi-tap transformer or 8 ohms, 80 Hz – 20 kHz, 325W continuous pink noise, 100 cm tall (priced and sold individually).	25.5	\$1,155.18	\$981.90
CBT 100LA-LS-WH	Column Spkr	CBT 100LA-LS-WH	(EN54 Life/Safety) Straight Line Array Column with 16 x 2" Drivers and Constant Beamwidth Technology. Switchable 40° or 15° vertical coverage, music (flat)/speech switch, 100W multi-tap transformer or 8 ohms, 80 Hz – 20 kHz, 325W continuous pink noise, 100 cm tall (priced and sold individually) New in -1 version: Included wall bracket adjusts for SWIVEL (pan) as well as tilt aiming, for increased aiming versatility.	23	\$1,155.18	\$981.90
CBT 200LA-1	Column Spkr	CBT 200LA-1	200 cm (6.6 ft) Tall Constant Beamwidth Technology™ Line Array Column with Thirty-Two 50 mm (2 in) Drivers. Patented CBT Technology for true constant directivity & reduced lobing. Extended pattern control. Selectable vertical pattern – 30° or 15° for medium or long-throw. Asymmetrical Progressive-Gradient vertical coverage setting directs more sound toward far areas. Dynamic Sonic-Guard™ low-audibility overload protection. Swivel (pan) / tilt wall bracket included 70V/100V transformer (each module, for 120W + 120W), plus direct capability. Available black or white (-WH). Sold and packed as each -- carton includes top and bottom speaker modules and coupling plate, which comprise one CBT 200LA-1 column, plus wall bracket	45.65	\$2,410.37	\$2,048.81
CBT 200LA-1-WH	Column Spkr	CBT 200LA-1-WH	200 cm (6.6 ft) Tall Constant Beamwidth Technology™ Line Array Column with Thirty-Two 50 mm (2 in) Drivers. Patented CBT Technology for true constant directivity & reduced lobing. Extended pattern control. Selectable vertical pattern – 30° or 15° for medium or long-throw. Asymmetrical Progressive-Gradient vertical coverage setting directs more sound toward far areas. Dynamic Sonic-Guard™ low-audibility overload protection. Swivel (pan) / tilt wall bracket included 70V/100V transformer (each module, for 120W + 120W), plus direct capability. Available black or white (-WH). Sold and packed as each -- carton includes top and bottom speaker modules and coupling plate, which comprise one CBT 200LA-1 column, plus wall bracket	46.1	\$2,410.37	\$2,048.81
CBT 70J-1	Column Spkr	CBT 70J-1	70 cm J-Shaped Coaxial Line Array with 16 x 1" and 4 x 5" Drivers and Asymmetrical Coverage. Constant Beamwidth Technology, switchable 45° or 25° vertical coverage, music (flat)/speech switch, 8 ohms, 60 Hz – 20 kHz, 500W cont pink (2000W peak), wall bracket included. (priced and sold individually). New in -1 version: Included wall bracket adjusts for SWIVEL (pan) as well as tilt aiming, for increased aiming versatility. Thicker, stronger grille which is more robust for use in temporary special event applications.	31.95	\$1,453.69	\$1,235.64

<b>CBT 70J-1-WH</b>	Column Spkr	CBT 70J-1-WH	70 cm J-Shaped Coaxial Line Array with 16 x 1" and 4 x 5" Drivers and Asymmetrical Coverage. Constant Beamwidth Technology, switchable 45° or 25° vertical coverage, music (flat)/speech switch, 8 ohms, 60 Hz – 20 kHz, 500W cont pink (2000W peak), wall bracket included. (priced and sold individually). New in -1 version: Included wall bracket adjusts for SWIVEL (pan) as well as tilt aiming, for increased aiming versatility. Thicker, stronger grille which is more robust for use in temporary special event applications.	31.7	\$1,453.69	\$1,235.64
<b>CBT 70JE-1</b>	Column Spkr	CBT 70JE-1	70 cm Extension for CBT 70J-1 Line Array, 4 x 5" Drivers. 500W continuous pink noise, 8 ohms, linking bracket included, 70 cm tall for 140 cm tall CBT 70J-1/JE-1 array, connect 70J-1 and 70JE-1 in parallel. (priced and sold individually). Combined with CBT 70J-1, system response is 45 Hz – 20 kHz with well controlled pattern to 250 Hz.	26.1	\$824.01	\$700.41
<b>CBT 70JE-1-WH</b>	Column Spkr	CBT 70JE-1-WH	70 cm Extension for CBT 70J-1 Line Array, 4 x 5" Drivers. 500W continuous pink noise, 8 ohms, linking bracket included, 70 cm tall for 140 cm tall CBT 70J-1/JE-1 array, connect 70J-1 and 70JE-1 in parallel. (priced and sold individually). Combined with CBT 70J-1, system response is 45 Hz – 20 kHz with well controlled pattern to 250 Hz.	27.65	\$824.01	\$700.41
<b>CBT 1000</b>	Column Spkr	CBT 1000	High-Output Two-Way Line Array Column with Highly Adjustable Vertical Coverage and Tapered Horizontal Waveguide. Six (6) 165 mm (6-1/2 in) high-excursion LF drivers and twenty-four (24) 25 mm (1 in) extra-high-power soft dome tweeters. Constant Beamwidth Technology, switchable between 4 "pattern up" and 4 "pattern down" vertical coverages (for total of 16 settings, music (flat)/speech switch, 4 ohms, 45 Hz – 20 kHz, 1500W cont pink (6000W peak), two-part wall bracket included. Black. (Priced and sold individually).	84	\$2,970.92	\$2,525.28
<b>CBT 1000E</b>	Column Spkr	CBT 1000E	Extension for CBT 1000 Line Array, six (6) 165 mm (6-1/2") high-excursion LF drivers, 1500W cont pink noise (6000 W peak), 8 ohms (note CBT1000+1000E is a 4 ohm system), linking coupler bracket included, 100 cm tall for 200 cm tall CBT 1000+E array, connect CBT1000 and CBT1000E in parallel. Combined with CBT 1000, system response is 38 Hz – 20 kHz with well controlled pattern to 200 Hz. (priced and sold individually).	64.5	\$1,625.60	\$1,381.76
<b>CBT 1000E-WH</b>	Column Spkr	CBT 1000E-WH	Extension for CBT 1000 Line Array. Same as CBT1000E, in white. (priced and sold individually).	64.5	\$1,625.60	\$1,381.76
<b>CBT 1000-WH</b>	Column Spkr	CBT 1000-WH	High-Output Two-Way Line Array Column with Highly Adjustable Vertical Coverage and Tapered Horizontal Waveguide. Same as CBT1000, in white. (Priced and sold individually).	86	\$2,970.92	\$2,525.28
<b>CBT1K-ACC1</b>	Column Spkr Accessory	CBT1K-ACC1	Accessory Kit, Includes 2 sets MTC-CBT-FM3 Flush-Mount Wall Bracket and 1 pc MTC-CBT-OS3 Off-Set Bracket (for installing extender on the top). (Priced as the kit.)	13	\$112.11	\$95.29
<b>CBT1K-ACC1-WH</b>	Column Spkr Accessory	CBT1K-ACC1-WH	CBT1K-ACC1 Accessory Kit in white.	13	\$121.45	\$103.23
<b>MTC-CBT-70T</b>	Accessory	MTC-CBT-70T	Bolt on Transformer Module to allow CBT70J-1 or CBT70JE-1 Speaker to be used on 70V/100V Distributed Line Speaker. 120W Multi-Tap, Gland Nuts Provide Water Tight Cable Entrance and Exit. Sold and priced as each.	3.35	\$147.19	\$125.11
<b>MTC-CBT-70T-WH</b>	Accessory	MTC-CBT-70T-WH	Bolt on Transformer Module to allow CBT70J-1 or CBT70JE-1 Speaker to be used on 70V/100V Distributed Line Speaker. 120W Multi-Tap, Gland Nuts Provide Water Tight Cable Entrance and Exit. White. Sold and priced as each.	21.5	\$148.32	\$126.07
<b>MTC-CBT-FM1</b>	Accessory	MTC-CBT-FM1	"Flush-Mount" Wall Bracket for CBT50LA-1 and 100LA-1	0.8	\$47.55	\$40.42
<b>MTC-CBT-FM1-WH</b>	Accessory	MTC-CBT-FM1-WH	"Flush-Mount" Wall Bracket for CBT50LA-1 and 100LA-1, White.	0.75	\$47.55	\$40.42
<b>MTC-CBT-FM2</b>	Accessory	MTC-CBT-FM2	"Flush-Mount" Wall Bracket for CBT70J-1 and 70J-1/JE-1	7.24	\$66.80	\$56.78
<b>MTC-CBT-FM2-WH</b>	Accessory	MTC-CBT-FM2-WH	"Flush-Mount" Wall Bracket for CBT70J-1 and 70J-1/JE-1, White.	8	\$66.80	\$56.78
<b>MTC-CBT-FM3</b>	Accessory	MTC-CBT-FM3	"Flush-Mount" Wall Bracket for CBT1000/1000E. Included in the CBT1K-ACC1 kit, Order CBT1K-ACC1 kit.			
<b>MTC-CBT-FM3-WH</b>	Accessory	MTC-CBT-FM3-WH	"Flush-Mount" Wall Bracket for CBT1000/1000E, white. Included in the CBT1K-ACC1 kit, Order CBT1K-ACC1 kit.			
<b>MTC-CBT-SMB1</b>	Accessory	MTC-CBT-SMB1	Suspension Bracket, fits all CBT Models	1.85	\$71.33	\$60.63
<b>MTC-CBT-SUS3</b>	Column Spkr Accessory	MTC-CBT-SUS3	Suspension Adapter Plates for ALL CBT ModelsSuspension Bracket, fits all CBT Models. Bent-metal adapter plates that provide convenient clip points for suspending CBT speakers via aircraft cable and other methods. Includes 2 pcs, for top & bottom mounting. Provides 3 clip points each -- center and two sides. Drilled with three speaker spacing/bolt patterns to fit: CBT-50LA-1, 100LA-1, 200LA-1, 70J-1, 70J-1+70JE-1 array, 1000, 1000+1000E array. (Priced as a carton containing 2 bent-metal adapter plates.)	2.8	\$38.49	\$32.72
<b>MTC-CBT-SUS3-WH</b>	Column Spkr Accessory	MTC-CBT-SUS3-WH	Suspension Adapter Plates. MTC-CBT-SUS3 in white.	9	\$38.49	\$32.72
<b>COLUMNS:</b>						
<b>Intellivox Powered Column Speakers</b>						
<b>ADC NON_POWERED</b>						
<b>IVX-17959145</b>	Intellivox and IntelliDisc Accessories	IVX-17959145	WAGO 231 5pin female cable connector w/ strain-relief housing		\$37.74	\$32.08
<b>IVX-17959146</b>	Intellivox and IntelliDisc Accessories	IVX-17959146	WAGO 231 6pin female cable connector w/ strain-relief housing		\$39.44	\$33.52
<b>IVX-20010</b>	Intellivox 115 & 180 Series	IVX-20010	Weather-proofing kit, Intellivox 115/180 series. Only for amp at top units.. Made to Order Call for availability	#N/A	\$959.66	\$815.71

IVX-20012	Intellivox 280 & 380 Series	IVX-20012	Weather-proofing kit, Intellivox 280/380 series. Only for amp at top units.. Made to Order Call for availability	#N/A	\$959.66	\$815.71
IVX-20014	Intellivox 430 Series	IVX-20014	Weather-proofing kit, Intellivox 430 series. Only for amp at top units.. Made to Order Call for availability	#N/A	\$959.66	\$815.71
IVX-20016	Intellivox 500 Series	IVX-20016	Weather-proofing kit, AXYS Intellivox 500 series. Only for amp at top units.. Made to Order Call for availability	#N/A	\$959.66	\$815.71
<b>POWERED (&amp; Config. Options,</b>			. Made to Order Call for availability			
IVX-20021	Intellivox 115 Series	IVX-20021	Intellivox 115 series Custom Color Surcharge . Made to Order Call for availability	#N/A	\$627.82	\$533.64
IVX-20022	Intellivox 180 Series	IVX-20022	Intellivox 180 series Custom Color	#N/A	\$671.54	\$570.81
IVX-20023	Intellivox 280 & 280H Series Accessories	IVX-20023	Intellivox 280 series Custom Color Surcharge . Made to Order Call for availability	#N/A	\$739.93	\$628.94
IVX-20030	Intellivox High Power	IVX-20030	Intellivox-HP-DS170 Surcharge Custom Color. Made to Order Call for availability	#N/A	\$845.82	\$718.95
IVX-20033	Intellivox 380 Series	IVX-20033	Intellivox 380 series Custom Color Surcharge . Made to Order Call for availability	#N/A	\$808.31	\$687.07
IVX-20043	Intellivox 430 Series	IVX-20043	Intellivox 430 series Custom Color Surcharge . Made to Order Call for availability	#N/A	\$844.19	\$717.56
IVX-20063	Intellivox 500 Series	IVX-20063	Intellivox 500 series Custom Color Surcharge . Made to Order Call for availability	#N/A	\$890.15	\$756.63
IVX-21608	Intellivox High Power	IVX-21608	Intellivox-HP-DS370 Surcharge Custom Color. Made to Order Call for availability	#N/A	\$969.75	\$824.29
IVX-576125	Intellivox ADC 70V/100V arrays	IVX-576125	Intellivox V-90 MKII, Ral 9007 - EN54:24. Made to Order. Made to Order Call for availability	#N/A	\$2,118.88	\$1,801.05
IVX-576126	Intellivox ADC 70V/100V arrays	IVX-576126	Intellivox H-90 MKII Symmetric Dir Cntl, Ral 9007 - EN54:24. Made to Order Call for availability	#N/A	\$2,223.14	\$1,889.67
IVX-577125	Intellivox ADC 70V/100V arrays	IVX-577125	Intellivox V-90 MKII, Ral 9010 - EN54:24. Made to Order Call for availability	30	\$2,118.88	\$1,801.05
IVX-577126	Intellivox ADC 70V/100V arrays	IVX-577126	Intellivox H-90 MKII Symmetric Directivity Control, Ral 9010 - EN54:24. Made to Order Call for availability	#N/A	\$2,223.14	\$1,889.67
IVX-577135	Intellivox ADC 70V/100V arrays	IVX-577135	Intellivox V-90 MKII, Special Color] - EN54:24. Made to Order Call for availability	#N/A	\$2,577.41	\$2,190.80
IVX-577136	Intellivox ADC 70V/100V arrays	IVX-577136	Intellivox H-90 MKII, Special Color] - EN54:24. Made to Order Call for availability	#N/A	\$2,577.41	\$2,190.80
IVX-587000	Intellivox 115 Series	IVX-587000	Intellivox-DS115, Amp@Bottom. Made to Order Call for availability	30	\$5,968.74	\$5,073.43
IVX-587001	Intellivox 115 Series	IVX-587001	Intellivox-DS115, Amp@Top. Made to Order Call for availability	#N/A	\$5,968.74	\$5,073.43
IVX-587020	Intellivox 180 Series	IVX-587020	Intellivox-DS180, Amp@Bottom. Made to Order Call for availability	#N/A	\$8,750.19	\$7,437.66
IVX-587021	Intellivox 180 Series	IVX-587021	Intellivox-DS180, Amp@Top. Made to Order Call for availability	#N/A	\$8,750.19	\$7,437.66
IVX-587040	Intellivox 180 Series	IVX-587040	Intellivox-DSX180, Amp@Bottom. Made to Order Call for availability	#N/A	\$8,750.19	\$7,437.66
IVX-587060	Intellivox 280 Series Loudspeakers	IVX-587060	Intellivox-DS280, Amp@Bottom. Made to Order Call for availability	#N/A	\$11,863.68	\$10,084.13
IVX-587061	Intellivox 280 Series Loudspeakers	IVX-587061	Intellivox-DS280, Amp@Top. Made to Order Call for availability	#N/A	\$11,864.05	\$10,084.44
IVX-587041	Intellivox 180 Series	IVX-587041	Intellivox-DSX180, Amp@Top. Made to Order Call for availability	#N/A	\$8,750.19	\$7,437.66
IVX-587120	Intellivox 430 Series	IVX-587120	Intellivox-DS430, Amp@Bottom. Made to Order Call for availability	#N/A	\$20,743.71	\$17,632.16
IVX-587121	Intellivox 430 Series	IVX-587121	Intellivox-DS430, Amp@Top. Made to Order Call for availability	#N/A	\$20,743.71	\$17,632.16
IVX-587140	Intellivox 430 Series	IVX-587140	Intellivox-DSX430, Amp@Bottom. Made to Order Call for availability	#N/A	\$20,743.71	\$17,632.16
IVX-587141	Intellivox 430 Series	IVX-587141	Intellivox-DSX430, Amp@Top. Made to Order Call for availability	#N/A	\$20,743.71	\$17,632.16
IVX-587160	Intellivox 500 Series	IVX-587160	Intellivox-DS500, Amp@Bottom. Made to Order Call for availability	#N/A	\$23,626.06	\$20,082.15
IVX-587161	Intellivox 500 Series	IVX-587161	Intellivox-DS500, Amp@Top. Made to Order Call for availability	#N/A	\$23,626.06	\$20,082.15
IVX-587180	Intellivox 500 Series	IVX-587180	Intellivox-DSX500, Amp@Bottom. Made to Order Call for availability	#N/A	\$23,626.06	\$20,082.15
IVX-587181	Intellivox 500 Series	IVX-587181	Intellivox-DSX500, Amp@Top. Made to Order Call for availability	#N/A	\$23,626.06	\$20,082.15
IVX-587300	Intellivox 380 Series	IVX-587300	Intellivox-DS380, Amp@Bottom. Made to Order Call for availability	#N/A	\$16,956.64	\$14,413.14
IVX-587301	Intellivox 380 Series	IVX-587301	Intellivox-DS380, Amp@Top. Made to Order Call for availability	#N/A	\$16,956.64	\$14,413.14
IVX-587350	Intellivox 380 Series	IVX-587350	Intellivox-DSX380, Amp@Bottom. Made to Order Call for availability	425	\$16,956.64	\$14,413.14
IVX-587351	Intellivox 380 Series	IVX-587351	Intellivox-DSX380, Amp@Top. Made to Order Call for availability	#N/A	\$16,956.64	\$14,413.14
<b>HP HIGH-POWER</b>			. Made to Order Call for availability			
IVX-587480	Intellivox 280HD Series Loudspeakers	IVX-587480	Intellivox-DSX280HD, Amp@Bottom. Made to Order Call for availability	#N/A	\$11,982.32	\$10,184.97
IVX-587481	Intellivox 280HD Series Loudspeakers	IVX-587481	Intellivox-DSX280HD, Amp@Top. Made to Order Call for availability	#N/A	\$11,982.32	\$10,184.97
IVX-587870	Intellivox High Power	IVX-587870	Intellivox-HP-DS170, High Power. Made to Order Call for availability	#N/A	\$13,220.01	\$11,237.01
IVX-587890	Intellivox High Power	IVX-587890	Intellivox-HP-DS370, High Power. Made to Order Call for availability	#N/A	\$28,774.15	\$24,458.03
IVX-802000	Intellivox and IntelliDisc Accessories	IVX-802000	Intellivox Hinge Bracket 90°, RAL9010. Made to Order Call for availability	2	\$102.02	\$86.72
IVX-802105	Intellivox Accessories	IVX-802105	Intellivox Cable entry cover box 2x M16, Inc. fasteners, RAL9010. Made to Order Call for availability	2	\$278.03	\$236.33
IVX-802110	Intellivox Accessories	IVX-802110	Intellivox Cable entry cover plate 2x PG13.5, Inc. fasteners, RAL9010. Made to Order Call for availability	#N/A	\$57.18	\$48.60
IVX-802120	Intellivox Accessories	IVX-802120	Intellivox Cable entry cover box 6x XLR, pre-assembled, RAL9010. Made to Order Call for availability	15	\$1,082.98	\$920.54
IVX-802225	Intellivox and IntelliDisc Accessories	IVX-802225	Intellivox Wall Bracket 25mm, Set (2 pcs) Inc. fasteners, RAL9010. Made to Order Call for availability	#N/A	\$97.54	\$82.91
IVX-802226	Intellivox and IntelliDisc Accessories	IVX-802226	Intellivox Wall Bracket 25mm, Set (3 pcs) Inc. fasteners, RAL9010. Made to Order Call for availability	2	\$137.90	\$117.21
IVX-802227	Intellivox and IntelliDisc Accessories	IVX-802227	Intellivox Wall Bracket 25mm, Set (2 pcs) Inc. fasteners, RAL9007. Made to Order Call for availability	#N/A	\$102.12	\$86.80

IVX-802235	Intellivox and IntelliDisc Accessories	IVX-802235	Intellivox Wall Bracket 35mm, Set (2 pcs) Inc. fasteners, RAL9010. Made to Order Call for availability	2	\$97.54	\$82.91
IVX-802236	Intellivox and IntelliDisc Accessories	IVX-802236	Intellivox Wall Bracket 35mm, Set (3 pcs) Inc. fasteners, RAL9010. Made to Order Call for availability	#N/A	\$137.90	\$117.21
IVX-802261	Intellivox and IntelliDisc Accessories	IVX-802261	Intellivox Wall Bracket 60mm, Set (3 pcs) Inc. fasteners, RAL9010. Made to Order Call for availability	3	\$156.95	\$133.41
IVX-806602	Intellivox and IntelliDisc Accessories	IVX-806602	Set of Hinges (yellow passivated) for Ivx DC/DS115/180/280. Made to Order Call for availability	#N/A	\$127.81	\$108.63
IVX-806608	Intellivox and IntelliDisc Accessories	IVX-806608	Intellivox Swivel Wall Bracket 90°, RAL9010. Made to Order Call for availability	3	\$152.47	\$129.60
IVX-806618	Intellivox and IntelliDisc Accessories	IVX-806618	Intellivox Swivel Wall Bracket 45°, RAL9010. Made to Order Call for availability	3	\$149.11	\$126.74
IVX-806668	Intellivox and IntelliDisc Accessories	IVX-806668	Intellivox Swivel Wall Bracket 90°, RAL9007. Made to Order Call for availability	#N/A	\$152.47	\$129.60
IVX-807402	Intellivox and IntelliDisc Accessories	IVX-807402	Set of Hinges (yellow passivated) for Ivx DC/DS430/500. Made to Order Call for availability	#N/A	\$180.50	\$153.42
DUR386612	Intellivox and IntelliDisc Accessories	DUR386612	PROGRAM SET UNIVERSAL USB.	#N/A	\$704.05	\$598.44
<b>POINT SOURCE</b>						
<b>AWC All-Weather Compact</b>						
AWC62	Surface-Mt Spkr	AWC62	6.5" 2-Way All-Weather Compact Co-axial Loudspeaker. 110° x 110° broadband control, co-ax driver with 165 mm (6.5 in) Kevlar-reinforced woofer with 38 mm (1.5 in) voice coil and 25 mm (1 in) compression driver. Excellent clarity extended frequency response. 175 Watt power handling (700 W peaks), 70 Hz - 18 kHz frequency range, overload HF protection, 120 Watt 70V/100V multi-tap or direct 8 ohm low-impedance. U-Bracket included. Light Gray, paintable. Sold and packed as each.	20	\$426.02	\$362.12
AWC62-BK	Surface-Mt Spkr	AWC62-BK	Same as AWC62, in black. Sold and packed as each.	5	\$426.02	\$362.12
AWC82	Surface-Mt Spkr	AWC82	8" 2-Way All-Weather Compact Co-axial Loudspeaker. 120° x 120° broadband control, co-ax driver with 200 mm (8 in) Kevlar-reinforced woofer and 25 mm (1 in) compression driver with high-temp polymer diaphragm. Excellent clarity with extended frequency response. 250 Watt power handling (1000 Watt peaks), 80 Hz - 20 kHz frequency range, overload HF protection, 200 Watt 70V/100V multi-tap or direct 8? low-impedance. U-Bracket included. Gray or black (-BK), paintable. Sold and packed as each.	29.9	\$566.16	\$481.23
AWC82-BK	Surface-Mt Spkr	AWC82-BK	8" 2-Way All-Weather Compact Co-axial Loudspeaker. 120° x 120° broadband control, co-ax driver with 200 mm (8 in) Kevlar-reinforced woofer and 25 mm (1 in) compression driver with high-temp polymer diaphragm. Excellent clarity with extended frequency response. 250 Watt power handling (1000 Watt peaks), 80 Hz - 20 kHz frequency range, overload HF protection, 200 Watt 70V/100V multi-tap or direct 8? low-impedance. U-Bracket included. Gray or black (-BK), paintable. Sold and packed as each.	29.85	\$566.16	\$481.23
AWC129	Surface-Mt Spkr	AWC129	12" 2-Way All-Weather Compact Co-axial Loudspeaker. 90° x 90° broadband control, co-ax driver with 300 mm (12 in) Kevlar-reinforced woofer with 75 mm (3 in) voice coil and 25 mm (1 in) compression driver, high-temp polymer diaphragm. Excellent clarity extended frequency response. 400 Watt power handling (1600 W peaks), 55 Hz - 20 kHz frequency range, overload HF protection, 200 Watt 70V/100V multi-tap or direct 8? low-impedance. U-Bracket included. Gray or black (-BK), paintable. Sold and packed as each.	41	\$1,059.44	\$900.52
AWC129-BK	Surface-Mt Spkr	AWC129-BK	12" 2-Way All-Weather Compact Co-axial Loudspeaker. 90° x 90° broadband control, co-ax driver with 300 mm (12 in) Kevlar-reinforced woofer with 75 mm (3 in) voice coil and 25 mm (1 in) compression driver, high-temp polymer diaphragm. Excellent clarity extended frequency response. 400 Watt power handling (1600 W peaks), 55 Hz - 20 kHz frequency range, overload HF protection, 200 Watt 70V/100V multi-tap or direct 8? low-impedance. U-Bracket included. Gray or black (-BK), paintable. Sold and packed as each.	46.75	\$1,059.44	\$900.52
AWC159	Surface-Mt Spkr	AWC159	15" 2-Way All-Weather Compact Co-axial Loudspeaker. 90° x 90° broadband control, co-ax driver with 380 mm (15 in) Kevlar-reinforced woofer with 75 mm (3 in) voice coil and 38 mm (1.5 in) compression driver, high-temp polymer diaphragm. Excellent clarity extended frequency response. 500 Watt power handling (2000 W peaks), 52 Hz - 20 kHz frequency range, 300 Watt 70V/100V multi-tap or direct 8 ohm low-impedance. U-Bracket included. Gray or black (-BK), paintable. Sold and packed as each.	58.2	\$1,625.60	\$1,381.76
AWC159-BK	Surface-Mt Spkr	AWC159-BK	15" 2-Way All-Weather Compact Co-axial Loudspeaker. 90° x 90° broadband control, co-ax driver with 380 mm (15 in) Kevlar-reinforced woofer with 75 mm (3 in) voice coil and 38 mm (1.5 in) compression driver, high-temp polymer diaphragm. Excellent clarity extended frequency response. 500 Watt power handling (2000 W peaks), 52 Hz - 20 kHz frequency range, 300 Watt 70V/100V multi-tap or direct 8 ohm low-impedance. U-Bracket included. Gray or black (-BK), paintable. Sold and packed as each.	58.2	\$1,625.60	\$1,381.76

AWC15LF	Surface-Mt Spkr	AWC15LF-BK	15" All-Weather Compact Low Frequency Loudspeaker. 380 mm (15 in) Kevlar-reinforced cone with 75 mm (3 in) voice coil. Designed to extend low frequency response of a sound system. 500 Watt power handling (2000 W peaks), 45 Hz - 2.2 kHz frequency range, 300 Watt 70V/100V multi-tap or direct 8 ohm low-impedance. U-Bracket included. Gray or black (-BK), paintable. Sold and packed as each.	50	\$1,221.00	\$1,037.85
AWC15LF-BK	Surface-Mt Spkr	AWC15LF-BK	15" All-Weather Compact Low Frequency Loudspeaker. 380 mm (15 in) Kevlar-reinforced cone with 75 mm (3 in) voice coil. Designed to extend low frequency response of a sound system. 500 Watt power handling (2000 W peaks), 45 Hz - 2.2 kHz frequency range, 300 Watt 70V/100V multi-tap or direct 8 ohm low-impedance. U-Bracket included. Gray or black (-BK), paintable. Sold and packed as each.	50	\$1,233.21	\$1,048.23
<b>POINT SOURCE</b>						
<b>AW All-Weather (full size)</b>						
AW266	AE Series	AW266	High Output 12" 2-way Full-Range 60 x 60 Loudspeaker-GRAY. Priced as each.	72	\$4,464.22	\$3,794.59
AW266-BK	AE Series	AW266-BK	High Output 12" 2-way Full-Range 60 x 60 Loudspeaker-BLACK. Priced as each.	79.7	\$4,464.22	\$3,794.59
AW266-LS	AE Series	AW266-LS	12" 2-Way All Weather Loudspeaker with EN54-24 Certification. Priced as each.	72	\$4,464.22	\$3,794.59
AW266-LS-BK	AE Series	AW266-LS-BK	12" 2-Way All Weather Loudspeaker with EN54-24 Certification, black. Priced as each.	#N/A	\$4,464.22	\$3,794.59
AW295	AE Series	AW295	High Output 12" 2-way Full-Range 90 x 50 Loudspeaker-GRAY. Priced as each.	72	\$4,464.22	\$3,794.59
AW295-BK	AE Series	AW295-BK	High Output 12" 2-way Full-Range 90 x 50 Loudspeaker-BLACK. Priced as each.	71	\$4,464.22	\$3,794.59
AW295-LS	AE Series	AW295-LS	12" 2-Way All Weather Loudspeaker with EN54-24 Certification. Priced as each.	55	\$4,464.22	\$3,794.59
AW526	AE Series	AW526	High Output 15" 2-way Full-Range 120 x 60 Loudspeaker-GRAY. Priced as each.	84	\$4,831.94	\$4,107.15
AW526-BK	AE Series	AW526-BK	High Output 15" 2-way Full-Range 120 x 60 Loudspeaker-BLACK. Priced as each.	64	\$4,831.94	\$4,107.15
AW526-LS	AE Series	AW526-LS	15" 2-Way All Weather Loudspeaker with EN54-24 Certification. Priced as each.	#N/A	\$4,831.94	\$4,107.15
AW526-LS-BK	AE Series	AW526-LS-BK	15" 2-Way All Weather Loudspeaker with EN54-24 Certification, black. Priced as each.	#N/A	\$4,831.94	\$4,107.15
AW566	AE Series	AW566	High Output 15" 2-way Full-Range 60 x 60 Loudspeaker-GRAY. Priced as each.	80	\$4,831.94	\$4,107.15
AW566-BK	AE Series	AW566-BK	High Output 15" 2-way Full-Range 60 x 60 Loudspeaker-BLACK. Priced as each.	81.45	\$4,831.94	\$4,107.15
AW566-LS	AE Series	AW566-LS	15" 2-Way All Weather Loudspeaker with EN54-24 Certification. Priced as each.	75	\$4,831.94	\$4,107.15
AW566-LS-BK	AE Series	AW566-LS-BK	15" 2-Way All Weather Loudspeaker with EN54-24 Certification, black. Priced as each.	#N/A	\$4,831.94	\$4,107.15
AW595	AE Series	AW595	High Output 15" 2-way Full-Range 90 x 50 Loudspeaker-GRAY. Priced as each.	82	\$4,831.94	\$4,107.15
AW595-BK	AE Series	AW595-BK	High Output 15" 2-way Full-Range 90 x 50 Loudspeaker-BLACK. Priced as each.	71.2	\$4,831.94	\$4,107.15
AW595-LS	AE Series	AW595-LS	15" 2-Way All Weather Loudspeaker with EN54-24 Certification. Priced as each.	81.25	\$4,831.94	\$4,107.15
AW595-LS-BK	AE Series	AW595-LS-BK	15" 2-Way All Weather Loudspeaker with EN54-24 Certification, black. Priced as each.	55	\$4,831.94	\$4,107.15
<b>POINT-SOURCE</b>						
<b>AE Compact Series</b>						
AC15	AE Series	AC15	Ultra-Compact 2-Way Loudspeaker with 1 x 5.25" LF. 90° x 90° Coverage, Passive. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-15. Sold as 2 per carton.	11.2	\$429.38	\$364.97
AC15-WH	AE Series	AC15-WH	AC15 in white.	11.15	\$515.71	\$438.35
AC16	AE Series	AC16	Ultra-Compact 2-Way Loudspeaker with 1 x 6.5" LF. 90° x 90° Coverage, Passive. Compact PT™ Progressive Transition™ Waveguide. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-16.	19.45	\$1,038.14	\$882.42
AC16-WH	AE Series	AC16-WH	AC16 in white.	20	\$1,038.14	\$882.42
AC18/26	AE Series	AC18/26	Compact 2-Way Loudspeaker with 1 x 8" LF. 120° x 60° Coverage, Passive. Compact PT™ Progressive Transition™ Waveguide, Rotatable. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-18.	19.6	\$1,271.33	\$1,080.63
AC18/26-WH	AE Series	AC18/26-WH	AC18/26 in white.	29	\$1,271.33	\$1,080.63
AC18/95	AE Series	AC18/95	Compact 2-Way Loudspeaker with 1 x 8" LF. 90° x 50° Coverage, Passive. Compact PT™ Progressive Transition™ Waveguide, Rotatable. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-18.	28.35	\$1,271.33	\$1,080.63
AC18/95-WH	AE Series	AC18/95-WH	AC18/95 in white.	29	\$1,271.33	\$1,080.63
AC18/95-WRC	Custom Shop Item	AC18/95-WRC	Ultra-Compact 2-Way Loudspeaker with 1 x 5.25" LF. 90° x 90° Coverage, Passive. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-15. Sold as 2 per carton.	#N/A	\$2,246.28	\$1,909.34
AC25	AE Series	AC25	Ultra-Compact 2-Way Loudspeaker with 2 x 5.25" LF. 90° x 90° Coverage, Passive. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-25.	18	\$959.66	\$815.71
AC25-WH	AE Series	AC25-WH	AC25 in white.	17.55	\$959.66	\$815.71
AC25-WRX	AE Series	AC25-WRX	Ultra-Compact 2-Way Loudspeaker with 1 x 5.25" LF. 90° x 90° Coverage, Passive. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-15. Sold as 2 per carton.	#N/A	\$1,199.91	\$1,019.92
AC26	AE Series	AC26	Compact 2-Way Loudspeaker with 2 x 6.5" LF. 90° x 90° Coverage, Passive. Compact PT™ Progressive Transition™ Waveguide. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-26.	24	\$1,484.34	\$1,261.69
AC26-WH	AE Series	AC26-WH	AC26 in white.	29	\$1,484.34	\$1,261.69

			Compact 2-Way Loudspeaker with 2 x 8" LF. 120° x 60° Coverage, Passive. Compact PT™ Progressive Transition™ Waveguide, Rotatable. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-28.			
<b>AC28/26</b>	AE Series	AC28/26		46.35	\$1,715.28	\$1,457.99
<b>AC28/26-WH</b>	AE Series	AC28/26-WH	AC28/26 in white.	46	\$1,715.28	\$1,457.99
			Compact 2-Way Loudspeaker with 2 x 8" LF. 90° x 50° Coverage, Passive. Compact PT™ Progressive Transition™ Waveguide, Rotatable. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-28.			
<b>AC28/95</b>	AE Series	AC28/95		47	\$1,715.28	\$1,457.99
<b>AC28/95-WH</b>	AE Series	AC28/95-WH	AC28/95 in white.	47	\$1,715.28	\$1,457.99
<b>AC115S</b>	AE Series	AC115S	15" Subwoofer with 75mm (3 in) voice coil.	61.1	\$1,143.52	\$971.99
<b>AC115S-WH</b>	AE Series	AC115S-WH	AC115S in White	62	\$952.94	\$809.99
<b>AC118S</b>	AE Series	AC118S	18" Subwoofer with 75mm (3 in) voice coil.	80	\$1,065.05	\$905.29
<b>AC118S-WH</b>	AE Series	AC118S-WH	AC118S in White	80	\$1,065.05	\$905.29
			10" 2-way full-range system, rotatable 90° x 50° waveguide coverage pattern with 2408H-2 25mm (1 in) exit, 38mm (1.5 in) voice coil.			
<b>AC195</b>	AE Series	AC195		33.5	\$840.83	\$714.70
<b>AC195-WH</b>	AE Series	AC195-WH	AC195 in White	39	\$840.83	\$714.70
			12" 2-way system, 60° x 60° waveguide coverage pattern with 2408H-2 25mm (1 in) exit, 38mm (1.5 in) voice coil.			
<b>AC266</b>	AE Series	AC266		#N/A	\$1,145.86	\$973.98
<b>AC266-WH</b>	AE Series	AC266-WH	AC266 in White	#N/A	\$1,145.86	\$973.98
			12" 2-way system, 90° x 90° waveguide coverage pattern with 2408H-2 25mm (1 in) exit, 38mm (1.5 in) voice coil.			
<b>AC299</b>	AE Series	AC299		44.2	\$1,143.52	\$971.99
<b>AC299-WH</b>	AE Series	AC299-WH	AC299 in White	49	\$1,143.52	\$971.99
			15" 2-way system, 60° x 60° waveguide coverage pattern with 2408H-2 25mm (1 in) exit, 38mm (1.5 in) voice coil.			
<b>AC566</b>	AE Series	AC566		51	\$1,278.05	\$1,086.35
<b>AC566-WH</b>	AE Series	AC566-WH	AC566 in White	54	\$1,278.05	\$1,086.35
			15" 2-way system, 90° x 90° waveguide coverage pattern with 2408H-2 25mm (1 in) exit, 38mm (1.5 in) voice coil.			
<b>AC599</b>	AE Series	AC599		#N/A	\$1,340.88	\$1,139.75
<b>AC599-WH</b>	AE Series	AC599-WH	AC299 in White	#N/A	\$1,340.88	\$1,139.75
			8" 2-way full-range system, rotatable 90° x 50° waveguide coverage pattern with 2414H-C 25mm (1 in) exit, 25mm (1 in) voice coil.			
<b>AC895</b>	AE Series	AC895		25.8	\$807.19	\$686.11
<b>AC895-WH</b>	AE Series	AC895-WH	AC895 in White	31	\$807.19	\$686.11
<b>MTU-15</b>	AE Series	MTU-15	U-Bracket For Model AC15, Blk	3	\$91.93	\$78.14
<b>MTU-15-WH</b>	AE Series	MTU-15-WH	U-Bracket For Model AC15, White	3	\$91.93	\$78.14
<b>MTU-16</b>	AE Series	MTU-16	U-Bracket For Model AC16, Blk	3.55	\$121.08	\$102.92
<b>MTU-16-WH</b>	AE Series	MTU-16-WH	U-Bracket For Model AC16, White	5	\$121.08	\$102.92
<b>MTU-18</b>	AE Series	MTU-18	U-Bracket For Models AC18/xx, Blk	4.1	\$141.26	\$120.07
<b>MTU-18-WH</b>	AE Series	MTU-18-WH	U-Bracket For Models AC18/xx, White	4.1	\$141.26	\$120.07
<b>MTU-25</b>	AE Series	MTU-25	U-Bracket For Model AC25, Blk	5	\$112.11	\$95.29
<b>MTU-25-WH</b>	AE Series	MTU-25-WH	U-Bracket For Model AC25, White	3	\$112.11	\$95.29
<b>MTU-26</b>	AE Series	MTU-26	U-Bracket For Model AC26, Blk	4.5	\$134.53	\$114.35
<b>MTU-26-WH</b>	AE Series	MTU-26-WH	U-Bracket For Model AC26, White	4.55	\$134.53	\$114.35
<b>MTU-28</b>	AE Series	MTU-28	U-Bracket For Models AC28/xx, Blk	5.35	\$177.13	\$150.56
<b>MTU-28-WH</b>	AE Series	MTU-28-WH	U-Bracket For Models AC28/xx, White	7	\$177.13	\$150.56
<b>MTU-195</b>	AE Series	MTU-195	U Bracket for AC195, Blk	15	\$127.81	\$108.63
<b>MTU-195-WH</b>	AE Series	MTU-195-WH	U Bracket for AC195, White	15	\$127.81	\$108.63
<b>MTU-266-99</b>	AE Series	MTU-266-99	U bracket for AC266 and AC299, Blk	9	\$147.99	\$125.79
<b>MTU-266-99-WH</b>	AE Series	MTU-266-99-WH	U bracket for AC266 and AC299, White	10	\$147.99	\$125.79
<b>MTU-566-99</b>	AE Series	MTU-566-99	U Bracket for AC566 and AC599, Blk	15	\$161.44	\$137.22
<b>MTU-566-99-WH</b>	AE Series	MTU-566-99-WH	U Bracket for AC566 and AC599, White	15	\$161.44	\$137.22
<b>MTU-895</b>	AE Series	MTU-895	U Bracket for AC895, Blk	15	\$114.35	\$97.20
<b>MTU-895-WH</b>	AE Series	MTU-895-WH	U Bracket for AC895, White	15	\$114.35	\$97.20
<b>OSB-1</b>	AE Series	OSB-1	Overhead suspension bracket for AC895, AC195,AC266,AC299,AC566, and AC599, Blk	12	\$47.09	\$40.02
<b>OSB-1-WH</b>	AE Series	OSB-1-WH	Overhead suspension bracket for AC895, AC195,AC266,AC299,AC566, and AC599, White	2.3	\$47.09	\$40.02
<b>WMB-100</b>	AE Series	WMB-100	Wall mount bracket for AC895, AC195, AC266, AC299, AC566, and AC599, Blk	8.5	\$174.89	\$148.66
<b>WMB-100-WH</b>	AE Series	WMB-100-WH	Wall mount bracket for AC895, AC195, AC266, AC299, AC566, and AC599, White	8.5	\$174.89	\$148.66
<b>POINT-SOURCE AE Series</b>						
			Compact 2-Way Loudspeaker with 1 x 12" LF. 100° x 100° Coverage, Bi-Amp/Passive Switchable. Compact PT™ Progressive Transition™ Waveguide. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-4. Optional Planar Array Frame Kit PAF-2K 3 Wide Array With ASB6118 Subwoofer Center.			
<b>AC2212/00</b>	AE Series	AC2212/00		49.35	\$1,376.71	\$1,170.20



AC2212/00-WH	AE Series	AC2212/00-WH	Compact 2-Way Loudspeaker with 1 x 12" LF. 100° x 100° Coverage, Bi-Amp/Passive Switchable. Compact PT™ Progressive Transition™ Waveguide. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-4.	50	\$1,504.52	\$1,278.84
AC2212/95	AE Series	AC2212/95	Compact 2-Way Loudspeaker with 1 x 12" LF. 90° x 50° Coverage, Bi-Amp/Passive Switchable. Compact PT™ Progressive Transition™ Waveguide. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-4.	44	\$1,313.93	\$1,116.84
AC2212/95-WH	AE Series	AC2212/95-WH	Compact 2-Way Loudspeaker with 1 x 12" LF. 90° x 50° Coverage, Bi-Amp/Passive Switchable. Compact PT™ Progressive Transition™ Waveguide. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-4.	44.5	\$1,313.93	\$1,116.84
AC2215/00-WH	AE Series	AC2215/00-WH	Compact 2-Way Loudspeaker with 1 x 15" LF. 100° x 100° Coverage, Bi-Amp/Passive Switchable. Compact PT™ Progressive Transition™ Waveguide. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-2. White finish.	64	\$1,695.10	\$1,440.84
AC2215/64	AE Series	AC2215/64	Compact 2-Way Loudspeaker with 1 x 15" LF. 60° x 40° Coverage, Bi-Amp/Passive Switchable. Compact PT™ Progressive Transition™ Waveguide. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-2.	57.4	\$1,432.77	\$1,217.85
AC2215/64-WH	AE Series	AC2215/64-WH	Compact 2-Way Loudspeaker with 1 x 15" LF. 60° x 40° Coverage, Bi-Amp/Passive Switchable. Compact PT™ Progressive Transition™ Waveguide. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-2. White finish.	61.45	\$1,432.77	\$1,217.85
AC2215/95-WH	AE Series	AC2215/95-WH	Compact 2-Way Loudspeaker with 1 x 15" LF. 90° x 50° Coverage, Bi-Amp/Passive Switchable. Compact PT™ Progressive Transition™ Waveguide. Suspension Eyebolts Not Included. Optional U-Bracket Model MTU-2. White finish.	57.4	\$1,432.77	\$1,217.85
ASB4128	AE Series	ASB4128	Medium Power Dual 18" Subwoofer, 2 x 18" 2042H Drivers, Parallel/Discrete Switchable. Priced as each. Suspension Eyebolts Not Included.	170	\$3,219.80	\$2,736.83
ASB4128-WH	AE Series	ASB4128-WH	Medium Power Dual 18" Subwoofer, 2 x 18" 2042H Drivers, Parallel/Discrete Switchable. Priced as each. Suspension Eyebolts Not Included. White finish.	120	\$3,219.80	\$2,736.83
AM5212/00	AE Series	AM5212/00	Medium Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual magnetic gap 262H low frequency driver and 2408H-1 high-frequency 38mm (1.5 in) exit, 38mm (1.5 in) voice-coil compression driver. 100° x 100° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Optional U-bracket model MTU-3.	63	\$2,148.03	\$1,825.82
AM5212/00-WH	AE Series	AM5212/00-WH	Medium Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual magnetic gap 262H low frequency driver and 2408H-1 high-frequency 38mm (1.5 in) exit, 38mm (1.5 in) voice-coil compression driver. 100° x 100° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Optional U-bracket model MTU-3. White finish.	50	\$2,148.03	\$1,825.82
AM5212/26	AE Series	AM5212/26	Medium Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual magnetic gap 262H low frequency driver and 2408H-1 high-frequency 38mm (1.5 in) exit, 38mm (1.5 in) voice-coil compression driver. 120° x 60° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Optional U-bracket model MTU-3. White finish.	52.75	\$2,148.03	\$1,825.82
AM5212/26-WH	AE Series	AM5212/26-WH	Medium Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual magnetic gap 262H low frequency driver and 2408H-1 high-frequency 38mm (1.5 in) exit, 38mm (1.5 in) voice-coil compression driver. 120° x 60° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Optional U-bracket model MTU-3. White finish.	55	\$2,148.03	\$1,825.82
AM5212/64	AE Series	AM5212/64	Medium Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual magnetic gap 262H low frequency driver and 2408H-1 high-frequency 38mm (1.5 in) exit, 38mm (1.5 in) voice-coil compression driver. 60° x 40° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Optional U-bracket model MTU-3.	45	\$2,148.03	\$1,825.82
AM5212/64-WH	AE Series	AM5212/64-WH	Medium Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual magnetic gap 262H low frequency driver and 2408H-1 high-frequency 38mm (1.5 in) exit, 38mm (1.5 in) voice-coil compression driver. 60° x 40° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Optional U-bracket model MTU-3. White finish.	54	\$2,148.03	\$1,825.82
AM5212/66	AE Series	AM5212/66	Medium Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual magnetic gap 262H low frequency driver and 2408H-1 high-frequency 38mm (1.5 in) exit, 38mm (1.5 in) voice-coil compression driver. 60° x 60° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Optional U-bracket model MTU-3.	50	\$2,148.03	\$1,825.82

AM5212/66-WH	AE Series	AM5212/66-WH	Medium Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual magnetic gap 262H low frequency driver and 2408H-1 high-frequency 38mm (1.5 in) exit, 38mm (1.5 in) voice-coil compression driver. 60° x 60° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Optional U-bracket model MTU-3. White finish.	52	\$2,148.03	\$1,825.82
AM5212/95	AE Series	AM5212/95	Medium Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual magnetic gap 262H low frequency driver and 2408H-1 high-frequency 38mm (1.5 in) exit, 38mm (1.5 in) voice-coil compression driver. 90° x 50° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Optional U-bracket model MTU-3.	55	\$2,148.03	\$1,825.82
AM5212/95-WH	AE Series	AM5212/95-WH	Medium Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual magnetic gap 262H low frequency driver and 2408H-1 high-frequency 38mm (1.5 in) exit, 38mm (1.5 in) voice-coil compression driver. 90° x 50° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Optional U-bracket model MTU-3. White finish.	55	\$1,789.28	\$1,520.88
AM5215/26	AE Series	AM5215/26	Medium Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual magnetic gap 265H low frequency driver and 2408H-1 high-frequency 38mm (1.5 in) exit, 38mm (1.5 in) voice-coil compression driver. 120° x 60° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Optional U-bracket model MTU-1.	71	\$2,266.86	\$1,926.83
AM5215/26-WH	AE Series	AM5215/26-WH	Medium Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual magnetic gap 265H low frequency driver and 2408H-1 high-frequency 38mm (1.5 in) exit, 38mm (1.5 in) voice-coil compression driver. 120° x 60° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Optional U-bracket model MTU-1. White finish.	62.75	\$2,266.86	\$1,926.83
AM5215/64	AE Series	AM5215/64	Medium Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual magnetic gap 265H low frequency driver and 2408H-1 high-frequency 38mm (1.5 in) exit, 38mm (1.5 in) voice-coil compression driver. 60° x 40° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Optional U-bracket model MTU-1.	63	\$2,266.86	\$1,926.83
AM5215/64-WH	AE Series	AM5215/64-WH	Medium Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual magnetic gap 265H low frequency driver and 2408H-1 high-frequency 38mm (1.5 in) exit, 38mm (1.5 in) voice-coil compression driver. 60° x 40° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Optional U-bracket model MTU-1. White finish.	62.75	\$2,266.86	\$1,926.83
AM5215/66	AE Series	AM5215/66	Medium Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual magnetic gap 265H low frequency driver and 2408H-1 high-frequency 38mm (1.5 in) exit, 38mm (1.5 in) voice-coil compression driver. 60° x 60°rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Optional U-bracket model MTU-1.	61.4	\$1,889.05	\$1,605.70
AM5215/66-WH	AE Series	AM5215/66-WH	Medium Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual magnetic gap 265H low frequency driver and 2408H-1 high-frequency 38mm (1.5 in) exit, 38mm (1.5 in) voice-coil compression driver. 60° x 60°rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Optional U-bracket model MTU-1. White finish.	62	\$1,889.05	\$1,605.70
AM5215/95	AE Series	AM5215/95	Medium Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual magnetic gap 265H low frequency driver and 2408H-1 high-frequency 38mm (1.5 in) exit, 38mm (1.5 in) voice-coil compression driver. 90° x 50° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Optional U-bracket model MTU-1.	63	\$2,266.86	\$1,926.83
AM5215/95-WH	AE Series	AM5215/95-WH	Medium Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 50.8 mm (2-in) dual voice coil and dual magnetic gap 265H low frequency driver and 2408H-1 high-frequency 38mm (1.5 in) exit, 38mm (1.5 in) voice-coil compression driver. 90° x 50° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Optional U-bracket model MTU-1. White finish.	84.5	\$2,266.86	\$1,926.83
ASB6112	AE Series	ASB6112	Ultra Compact High-Power 12" Subwoofer System. 2263H Differential Drive® woofer, 3" dual voice coil – dual gap, neodymium magnet. Multiply hardwood enclosure with DuraFlex™ finish and 14-gauge steel grille. Sixteen M10 suspension points. Available in Black or White. Priced as each.	44	\$1,836.36	\$1,560.91
ASB6112-WH	AE Series	ASB6112-WH	Ultra Compact High-Power 12" Subwoofer System. 2263H Differential Drive® woofer, 3" dual voice coil – dual gap, neodymium magnet. Multiply hardwood enclosure with DuraFlex™ finish and 14-gauge steel grille. Sixteen M10 suspension points. White finish. Priced as each.	46.35	\$1,836.36	\$1,560.91

<b>ASB6115</b>	AE Series	ASB6115	Compact High-Power 15" Subwoofer System. 2265H-1 Differential Drive® woofer, 3" dual voice coil – dual gap, neodymium magnet. Multiply hardwood enclosure with DuraFlex™ finish and 14-gauge steel grille. Sixteen M10 suspension points. Available in Black and White. Priced as each.	56	\$2,076.28	\$1,764.84
<b>ASB6115-WH</b>	AE Series	ASB6115-WH	Compact High-Power 15" Subwoofer System. 2265H-1 Differential Drive® woofer, 3" dual voice coil – dual gap, neodymium magnet. Multiply hardwood enclosure with DuraFlex™ finish and 14-gauge steel grille. Sixteen M10 suspension points. White finish. Priced as each.	69	\$2,076.28	\$1,764.84
<b>ASB6118</b>	AE Series	ASB6118	High Power Single 18" Subwoofer. 1 x 18" 2242H VGC™ Driver. Suspension Eyebolts Not Included. Arrays with AM6200 and AM4200 Mid-High Loudspeakers Using Optional PAF-2K Planar Array Frame Kit. Priced as each.	108.4	\$2,677.19	\$2,275.61
<b>ASB6118-WH</b>	AE Series	ASB6118-WH	High Power Single 18" Subwoofer. 1 x 18" 2242H VGC™ Driver. Suspension Eyebolts Not Included. Arrays with AM6200 and AM4200 Mid-High Loudspeakers Using Optional PAF-2K Planar Array Frame Kit. White finish. Priced as each.	110	\$2,677.19	\$2,275.61
<b>ASB6125</b>	AE Series	ASB6125	Dual 15" High-Power Subwoofer System. 2 x 2265H-1 Differential Drive® woofer, 3" dual voice coil – dual gap, neodymium magnet. Multiply hardwood enclosure with DuraFlex™ finish and 14-gauge steel grille. Sixteen M10 suspension points. Available in Black and White. Priced as each.	97	\$3,262.40	\$2,773.04
<b>ASB6125-WH</b>	AE Series	ASB6125-WH	Dual 15" High-Power Subwoofer System. 2 x 2265H-1 Differential Drive® woofer, 3" dual voice coil – dual gap, neodymium magnet. Multiply hardwood enclosure with DuraFlex™ finish and 14-gauge steel grille. Sixteen M10 suspension points. White finish. Priced as each.	96	\$3,262.40	\$2,773.04
<b>ASB6128</b>	AE Series	ASB6128	High Power Dual 18" Subwoofer. 2 x 18" 2242H VGC™ Driver, Parallel/Discrete Switchable. Suspension Eyebolts Not Included. Arrays with AM6340 and AM4340 Loudspeakers Using PAF-2K Planar Array Frame Kit. Priced as each.	161	\$4,217.58	\$3,584.94
<b>ASB6128-WH</b>	AE Series	ASB6128-WH	High Power Dual 18" Subwoofer. 2 x 18" 2242H VGC™ Driver, Parallel/Discrete Switchable. Suspension Eyebolts Not Included. Arrays with AM6340 and AM4340 Loudspeakers Using PAF-2K Planar Array Frame Kit. White finish. Priced as each.	182.25	\$4,217.58	\$3,584.94
<b>ASH6118</b>	AE Series	ASH6118	Horn Loaded Subwoofer, Maximum Low Frequency Output & Sensitivity. 1 x 18" 2242H SVG™ Driver. Designed to be Used In Multiples (2 Minimum, 4 Optimum) with Proximity Placement Or With Proper Boundary Surface Loading. Not Suspendable. Special Order, Typical 4 Week Lead Time. Priced as each.	230	\$4,408.17	\$3,746.94
<b>AM7200/64</b>	AE Series	AM7200/64	High Power Mid-High Frequency Loudspeaker with JBL CMCD-82H mid driver, and 2432H High Frequency 38mm (1.5 in) exit, 75mm (3-in) voice coil compression driver. 60° x 40° Coverage, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Fits Optional Planar Array Frame Kits PAF-2K and PAF-3K. See AE Bracket Handbook for Details.	74	\$3,560.61	\$3,026.52
<b>AM7200/95</b>	AE Series	AM7200/95	High Power Mid-High Frequency Loudspeaker with JBL CMCD-82H mid driver, and 2432H High Frequency 38mm (1.5 in) exit, 75mm (3-in) voice coil compression driver. 90° x 50° Coverage, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Fits Optional Planar Array Frame Kits PAF-2K and PAF-3K. See AE Bracket Handbook for Details.	73.25	\$3,560.61	\$3,026.52
<b>AM7212/00</b>	AE Series	AM7212/00	High Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual magnetic gap 2262H low frequency driver and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 100° x 100° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Optional U-bracket model MTU-3.	55.95	\$3,228.77	\$2,744.45
<b>AM7212/00-WH</b>	AE Series	AM7212/00-WH	High Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual magnetic gap 2262H low frequency driver and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 100° x 100° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Optional U-bracket model MTU-3.	55	\$3,228.77	\$2,744.45
<b>AM7212/26</b>	AE Series	AM7212/26	High Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual magnetic gap 2262H low frequency driver and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 120° x 60° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Optional U-bracket model MTU-3.	57.35	\$3,228.77	\$2,744.45
<b>AM7212/26-WH</b>	AE Series	AM7212/26-WH	High Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual magnetic gap 2262H low frequency driver and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 120° x 60° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Optional U-bracket model MTU-3. White finish.	27.5	\$3,228.77	\$2,744.45

<b>AM7212/64</b>	AE Series	AM7212/64	High Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual magnetic gap 2262H low frequency driver and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 60° x 40° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Optional U-bracket model MTU-3.	59	\$3,228.77	\$2,744.45
<b>AM7212/64-WH</b>	AE Series	AM7212/64-WH	High Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual magnetic gap 2262H low frequency driver and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 60° x 40° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Optional U-bracket model MTU-3. White finish.	60.65	\$3,228.77	\$2,744.45
<b>AM7212/66</b>	AE Series	AM7212/66	High Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual magnetic gap 2262H low frequency driver and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 60° x 60° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Optional U-bracket model MTU-3.	51	\$3,228.77	\$2,744.45
<b>AM7212/66-WH</b>	AE Series	AM7212/66-WH	High Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual magnetic gap 2262H low frequency driver and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 60° x 60° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Optional U-bracket model MTU-3. White finish.	60.65	\$3,228.77	\$2,744.45
<b>AM7212/95</b>	AE Series	AM7212/95	High Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75 mm (3-in) dual voice coil and dual magnetic gap 2262H low frequency driver and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 90° x 50° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Optional U-bracket model MTU-3.	57.6	\$3,228.77	\$2,744.45
<b>AM7212/95-WH</b>	AE Series	AM7212/95-WH	High Power 12" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75 mm (3-in) dual voice coil and dual magnetic gap 2262H low frequency driver and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 90° x 50° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Optional U-bracket model MTU-3. White finish.	58	\$3,228.77	\$2,744.45
<b>AM7215/26</b>	AE Series	AM7215/26	High Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual magnetic gap 2265H low frequency driver and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 120° x 60° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Optional U-bracket model MTU-1.	66.9	\$3,390.21	\$2,881.68
<b>AM7215/26-WH</b>	AE Series	AM7215/26-WH	High Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual magnetic gap 2265H low frequency driver and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 120° x 60° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Optional U-bracket model MTU-1. White finish.	67.55	\$3,390.21	\$2,881.68
<b>AM7215/64</b>	AE Series	AM7215/64	High Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual magnetic gap 2265H low frequency driver and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 60° x 40° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Optional U-bracket model MTU-1	68.25	\$3,390.21	\$2,881.68
<b>AM7215/64-WH</b>	Custom Shop Item	AM7215/64-WH	High Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual magnetic gap 2265H low frequency driver and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 60° x 40° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Optional U-bracket model MTU-1. White finish.	66	\$3,423.77	\$2,910.21
<b>AM7215/66</b>	AE Series	AM7215/66	High Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual magnetic gap 2265H low frequency driver and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 60° x 60° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Optional U-bracket model MTU-1.	67	\$3,390.21	\$2,881.68
<b>AM7215/66-WH</b>	AE Series	AM7215/66-WH	High Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual magnetic gap 2265H low frequency driver and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 60° x 60° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Optional U-bracket model MTU-1. White finish.	100	\$3,390.21	\$2,881.68

AM7215/95	AE Series	AM7215/95	High Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual magnetic gap 2265H low frequency driver and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 90° x 50° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Optional U-bracket model MTU-1.	66	\$3,390.21	\$2,881.68
AM7215/95-WH	AE Series	AM7215/95-WH	High Power 15" 2-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual magnetic gap 2265H low frequency driver and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 90° x 50° rotatable Progressive Transition™ waveguide, Bi-Amp/Passive Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Optional U-bracket model MTU-1. White finish.	67	\$3,390.21	\$2,881.68
AM7315/64	AE Series	AM7315/64	High Power 3-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual magnetic gap 2265H low frequency driver, CMCD-82H mid driver, and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 60° x 40° Coverage, Bi-Amp/Tri-Amp Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Fits Optional Planar Array Frame Kits PAF-2K and PAF-3K. See AE Bracket Handbook for Details.	101	\$4,816.25	\$4,093.81
AM7315/95	AE Series	AM7315/95	High Power 3-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual magnetic gap 2265H low frequency driver, CMCD-82H mid driver, and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 90° x 50° Coverage, Bi-Amp/Tri-Amp Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Fits Optional Planar Array Frame Kits PAF-2K and PAF-3K. See AE Bracket Handbook for Details.	110	\$4,816.25	\$4,093.81
AM7315/95-WH	AE Series	AM7315/95-WH	High Power 3-Way Full-Range Loudspeaker System with JBL Differential Drive® 75mm (3-in) dual voice coil and dual magnetic gap 2265H low frequency driver, CMCD-82H mid driver, and 2432H high-frequency 38mm (1.5 in) exit, 75mm (3 in) voice-coil compression driver. 90° x 50° Coverage, Bi-Amp/Tri-Amp Switchable. Available in Black or White (-WH). Priced as each. Suspension eyebolts not included. Fits Optional Planar Array Frame Kits PAF-2K and PAF-3K. See AE Bracket Handbook for Details.	113	\$4,816.25	\$4,093.81
AL7115	AE Series	AL7115	High Power 1 x 15" Low Frequency Loudspeaker. 1 x 15" 2265H Differential Drive® woofer. Available in Black or White (-WH). Priced as each. Suspension Eyebolts Not Included. Arrays With AM7200 and Mid-High Loudspeakers using PAF-3K Planar Array Frame Kit.	70	\$2,076.28	\$1,764.84
AL7115-WH	AE Series	AL7115-WH	High Power 1 x 15" Low Frequency Loudspeaker. 1 x 15" 2265H Differential Drive® woofer. Available in Black or White (-WH). Priced as each. Suspension Eyebolts Not Included. Arrays With AM7200 and Mid-High Loudspeakers using PAF-3K Planar Array Frame Kit.	70	\$2,076.28	\$1,764.84
ASB7118	AE Series	ASB7118	Ultra High-Power 18" Subwoofer System. . 2269H Differential Drive® Vented Gap™ woofer, 4" dual voice coil – dual gap, neodymium magnet. Multiply hardwood enclosure with DuraFlex™ finish and 14-gauge steel grille. Sixteen M10 suspension points. Available in Black and White. Priced as each.	108.4	\$4,004.57	\$3,403.88
ASB7118-WH	AE Series	ASB7118-WH	Ultra High-Power 18" Subwoofer System. . 2269H Differential Drive® Vented Gap™ woofer, 4" dual voice coil – dual gap, neodymium magnet. Multiply hardwood enclosure with DuraFlex™ finish and 14-gauge steel grille. Sixteen M10 suspension points. White finish. Priced as each.	125	\$4,004.57	\$3,403.88
ASB7128	AE Series	ASB7128	Dual 18" Ultra High-Power Subwoofer System. 2 x 2269H Differential Drive® Vented Gap™ woofer, 4" dual voice coil – dual gap, neodymium magnet. Multiply hardwood enclosure with DuraFlex™ finish and 14-gauge steel grille. Sixteen M10 suspension points. Available in Black and White. Priced as each.	158.5	\$7,027.05	\$5,973.00
ASB7128-WH	AE Series	ASB7128-WH	Dual 18" Ultra High-Power Subwoofer System. 2 x 2269H Differential Drive® Vented Gap™ woofer, 4" dual voice coil – dual gap, neodymium magnet. Multiply hardwood enclosure with DuraFlex™ finish and 14-gauge steel grille. Sixteen M10 suspension points. White finish. Priced as each.	158	\$7,027.05	\$5,973.00
CWT128	AE Series	CWT128	Crossfired Waveguide Technology. Extremely wide coverage dual 8", dual 2408H-1 compression drivers in a compact 2-way passive loudspeaker system. 400W Watt pink noise power handling. 1600 Watt peak power handling. 126 dB maximum SPL, 8 ohms. Foam backed powder coated 16 gauge steel grille. Four M10 suspension points and OmniMount® provision on rear panel. Standard finish: Black DuraFlex™. Optional finishes: White (-WH), WRC and WRX. Net weight 18.6 kg (40.9 lbs). Priced as each.	66.85	\$3,094.24	\$2,630.10

CWT128-WH	AE Series	CWT128-WH	Crossfired Waveguide Technology. Extremely wide coverage dual 8", dual 2408H-1 compression drivers in a compact 2-way passive loudspeaker system. 400W Watt pink noise power handling. 1600 Watt peak power handling. 126 dB maximum SPL, 8 ohms. Foam backed powder coated 16 gauge steel grille. Four M10 suspension points and OmniMount® provision on rear panel. Standard finish: Black DuraFlex™. Optional finishes: White (-WH), WRC and WRX. Net weight 18.6 kg (40.9 lbs). Priced as each.	66.85	\$3,094.24	\$2,630.10
<b>AE SERIES ACCESSORIES</b>						
MTU-1	AE Series	MTU-1	U-Bracket For Models AM7215/xx and AM5215/xx.	10.5	\$224.22	\$190.59
MTU-1-WH	AE Series	MTU-1-WH	U-Bracket For Models AM7215/xx and AM5215/xx. White finish.	9.85	\$253.37	\$215.36
MTU-2	AE Series	MTU-2	U-Bracket For Model AC2215/xx	7.5	\$253.37	\$215.36
MTU-2-WH	AE Series	MTU-2-WH	U-Bracket For Model AC2215/xx. White finish.	8	\$253.37	\$215.36
MTU-3	AE Series	MTU-3	U-Bracket For Models AM7212/xx and AM5212/xx.	9.5	\$262.34	\$222.99
MTU-3-WH	AE Series	MTU-3-WH	U-Bracket For Models AM7212/xx and AM5212/xx. White finish.	9.5	\$262.34	\$222.99
MTU-4	AE Series	MTU-4	U-Bracket For Model AC2212/xx.	6	\$262.34	\$222.99
MTU-4-WH	AE Series	MTU-4-WH	U-Bracket For Model AC2212/xx. White finish.	7	\$262.34	\$222.99
229-00009-01	AE Series	229-00009-01	Set of Three M10 x 35mm Forged Shoulder Steel Eyebolts (priced and ships as a PACK of 3 bolts)	1	\$53.81	\$45.74
<b>POINT-SOURCE</b>						
<b>PD Precision Directivity Series</b>						
PD5255	PD Series	PD5255	Dual 15" subwoofer system, 2275H driver, 75mm (3 in) voice coil, 4-ohm nominal impedance.	132	\$2,878.98	\$2,447.14
PD5255 - WH	PD Series	PD5255 - WH	Dual 15" subwoofer system, 2275H driver, 75mm (3 in) voice coil, 4-ohm nominal impedance.	#N/A	\$3,022.53	\$2,569.15
PD544	PD Series	PD544	15" Horn-Loaded 2-way full-range system, 40? x 40? coverage pattern with 2432H 38mm (1.5 in) exit, 75mm (3 in) voice coil and 2031H 15" low-frequency driver with 75mm (3 in) voice coil, 8 ohm nominal system impedance.	162	\$4,035.96	\$3,430.57
PD544 - WH	PD Series	PD544 - WH	15" Horn-Loaded 2-way full-range system, 40? x 40? coverage pattern with 2432H 38mm (1.5 in) exit, 75mm (3 in) voice coil and 2031H 15" low-frequency driver with 75mm (3 in) voice coil, 8 ohm nominal system impedance. *NEW*	#N/A	\$4,236.87	\$3,601.34
PD564	PD Series	PD564	15" Horn-Loaded 2-way full-range system, rotatable 60? x 40? coverage pattern with 2432H 38mm (1.5 in) exit, 75mm (3 in) voice coil and 2031H 15" low-frequency driver with 75mm (3 in) voice coil, 8 ohm nominal system impedance.	154	\$4,035.96	\$3,430.57
PD564 - WH	PD Series	PD564 - WH	15" Horn-Loaded 2-way full-range system, rotatable 60? x 40? coverage pattern with 2432H 38mm (1.5 in) exit, 75mm (3 in) voice coil and 2031H 15" low-frequency driver with 75mm (3 in) voice coil, 8 ohm nominal system impedance. *NEW*	#N/A	\$4,236.87	\$3,601.34
PD566 - WH	PD Series	PD566 - WH	15" Horn-Loaded 2-way full-range system, 60? x 60? coverage pattern with 2432H 38mm (1.5 in) exit, 75mm (3 in) voice coil and 2031H 15" low-frequency driver with 75mm (3 in) voice coil, 8 ohm nominal system impedance. *NEW*	#N/A	\$4,236.87	\$3,601.34
PD595	PD Series	PD595	15" Horn-Loaded 2-way full-range system, rotatable 90? x 50? coverage pattern with 2432H 38mm (1.5 in) exit, 75mm (3 in) voice coil and 2031H 15" low-frequency driver with 75mm (3 in) voice coil, 8 ohm nominal system impedance.	157	\$4,035.96	\$3,430.57
PD595 -WH	PD Series	PD595 -WH	15" Horn-Loaded 2-way full-range system, rotatable 90? x 50? coverage pattern with 2432H 38mm (1.5 in) exit, 75mm (3 in) voice coil and 2031H 15" low-frequency driver with 75mm (3 in) voice coil, 8 ohm nominal system impedance.	#N/A	\$4,236.87	\$3,601.34
PD743	PD Series	PD743	Precision Directivity™ Mid/High Frequency Coaxial with 40 x 30 Dispersion. Dual large format 2430H HF drivers with IFS™ Interference Free Summation, dual 2250J very high output 8" MF Drivers, well controlled dispersion to below 400 Hz, ten M10 integrated suspension points. 150 Hz to 16 kHz frequency range. 700 W MF, 150 W HF continuous power capability. Max SPL capability of 139 dB continuous, 145 peak. Compact 991 H x 991 W x 1146 D mm (39 x 39 x 45.1 in), 111.4 kg (245 lb).	133	\$14,653.11	\$12,455.14

PD743-WH	Custom Shop Item	PD743-WH	Precision Directivity™ Mid/High Frequency Coaxial with 40 x 30 Dispersion. Dual large format 2430H HF drivers with IFS™ Interference Free Summation, dual 2250J very high output 8" MF Drivers, well controlled dispersion to below 400 Hz, ten M10 integrated suspension points. 150 Hz to 16 kHz frequency range. 700 W MF, 150 W HF continuous power capability. Max SPL capability of 139 dB continuous, 145 peak. Compact 991 H x 991 W x 1146 D mm (39 x 39 x 45.1 in), 111.4 kg (245 lb). With Weather Protection Treatment. Refer to WEATHER RESISTANT Configurations for AE, PD & VLA Series document for details regarding WRC/WRX models. Standard color is GRAY. Available in Black (-BK) & White (-WH).8-10 weeks ship time for orders of 1-10, larger needs to be reviewed	#N/A	\$14,797.41	\$12,577.80
PD764	PD Series	PD764	Precision Directivity™ Mid/High Frequency Coaxial with 40 x 30 Dispersion. Dual large format 2430H HF drivers with IFS™ Interference Free Summation, dual 2250J very high output 8" MF Drivers, well controlled dispersion to below 400 Hz, ten M10 integrated suspension points. 150 Hz to 16 kHz frequency range. 700 W MF, 150 W HF continuous power capability. Max SPL capability of 139 dB continuous, 145 peak. Compact 991 H x 991 W x 1146 D mm (39 x 39 x 45.1 in), 111.4 kg (245 lb).	#N/A	\$13,348.86	\$11,346.53
PD764-WH	Custom Shop Item	PD764-WH	Precision Directivity™ Mid/High Frequency Coaxial with 40 x 30 Dispersion. Dual large format 2430H HF drivers with IFS™ Interference Free Summation, dual 2250J very high output 8" MF Drivers, well controlled dispersion to below 400 Hz, ten M10 integrated suspension points. 150 Hz to 16 kHz frequency range. 700 W MF, 150 W HF continuous power capability. Max SPL capability of 139 dB continuous, 145 peak. Compact 991 H x 991 W x 1146 D mm (39 x 39 x 45.1 in), 111.4 kg (245 lb). With Weather Protection Treatment. Refer to WEATHER RESISTANT Configurations for AE, PD & VLA Series document for details regarding WRC/WRX models. Standard color is GRAY. Available in Black (-BK) & White (-WH).8-10 weeks ship time for orders of 1-10, larger needs to be reviewed	#N/A	\$13,480.95	\$11,458.81
PD5122	PD Series	PD5122	High Output Low Frequency Loudspeaker with 12" Slot Loaded Woofers. Two 300mm (12 in.) VGC™ Vented Gap Cooled 2206H Low Frequency Drivers in a Slot Loaded, Vented Configuration. Same as LF Section in PD5322 Series. 41 Hz to 1 Hz Frequency Range. 375 x 673 x 706 mm (14.8 x 26.5 x 27.8 in.), 36.4 kg (80 lb). *NEW*	50	\$3,163.74	\$2,689.18
PD5122-WH	PD Series	PD5122-WH	High Output Low Frequency Loudspeaker with 12" Slot Loaded Woofers. Two 300mm (12 in.) VGC™ Vented Gap Cooled 2206H Low Frequency Drivers in a Slot Loaded, Vented Configuration. Same as LF Section in PD5322 Series. 41 Hz to 1 Hz Frequency Range. 375 x 673 x 706 mm (14.8 x 26.5 x 27.8 in.), 36.4 kg (80 lb). White finish. *NEW*			
PD6200/43	PD Series	PD6200/43	High Output Two-Way MID/HIGH Frequency Loudspeaker with 8" MF and 40° x 30° Coverage Pattern. 200 mm (8 in.) CMCD™ Cone Midrange Compression Driver and Large Format 2431H Neodymium HF Driver. 200 Hz to 17 kHz Frequency Range. 991 x 673 x 706 mm. (39 x 26.5 x 27.8 in), 58.8 kg (130 lbs).	200	\$5,784.88	\$4,917.14
PD6200/43-WH	PD Series	PD6200/43-WH	High Output Two-Way MID/HIGH Frequency Loudspeaker with 8" MF and 40° x 30° Coverage Pattern. 200 mm (8 in.) CMCD™ Cone Midrange Compression Driver and Large Format 2431H Neodymium HF Driver. 200 Hz to 17 kHz Frequency Range. 991 x 673 x 706 mm. (39 x 26.5 x 27.8 in), 58.8 kg (130 lbs). White finish.	#N/A	\$5,784.88	\$4,917.14
PD6200/64	PD Series	PD6200/64	High Output Two-Way MID/HIGH Frequency Loudspeaker with 8" MF and 60° x 40° Coverage Pattern. 200 mm (8 in.) CMCD-82H™ Cone Midrange Compression Driver and Large Format 2431H Neodymium HF Driver. 200 Hz to 17 kHz Frequency Range. 991 x 673 x 706 mm. (39 x 26.5 x 27.8 in), 58.8 kg (130 lbs).	200	\$4,035.96	\$3,430.57
PD6200/64-WH	PD Series	PD6200/64-WH	High Output Two-Way MID/HIGH Frequency Loudspeaker with 8" MF and 60° x 40° Coverage Pattern. 200 mm (8 in.) CMCD-82H™ Cone Midrange Compression Driver and Large Format 2431H Neodymium HF Driver. 200 Hz to 17 kHz Frequency Range. 991 x 673 x 706 mm. (39 x 26.5 x 27.8 in), 58.8 kg (130 lbs). White finish.	140	\$4,035.96	\$3,430.57
PD6200/66	PD Series	PD6200/66	High Output Two-Way MID/HIGH Frequency Loudspeaker with 8" MF and 60° x 60° Coverage Pattern. 200 mm (8 in.) CMCD-82H™ Cone Midrange Compression Driver and Large Format 2431H Neodymium HF Driver. 200 Hz to 17 kHz Frequency Range. 991 x 673 x 706 mm. (39 x 26.5 x 27.8 in), 58.8 kg (130 lbs).	140	\$4,035.96	\$3,430.57
PD6200/66-WH	PD Series	PD6200/66-WH	High Output Two-Way MID/HIGH Frequency Loudspeaker with 8" MF and 60° x 60° Coverage Pattern. 200 mm (8 in.) CMCD-82H™ Cone Midrange Compression Driver and Large Format 2431H Neodymium HF Driver. 200 Hz to 17 kHz Frequency Range. 991 x 673 x 706 mm. (39 x 26.5 x 27.8 in), 58.8 kg (130 lbs). White finish.	140	\$4,035.96	\$3,430.57
PD6200/95	PD Series	PD6200/95	High Output Two-Way MID/HIGH Frequency Loudspeaker with 8" MF and 90° x 50° Coverage Pattern. 200 mm (8 in.) CMCD-82H™ Cone Midrange Compression Driver and Large Format 2431H Neodymium HF Driver. 200 Hz to 17 kHz Frequency Range. 991 x 673 x 706 mm. (39 x 26.5 x 27.8 in), 58.8 kg (130 lbs).	100	\$4,035.96	\$3,430.57

PD6200/95-WH	PD Series	PD6200/95-WH	High Output Two-Way MID/HIGH Frequency Loudspeaker with 8" MF and 90° x 50° Coverage Pattern. 200 mm (8 in.) CMCD-82H™ Cone Midrange Compression Driver and Large Format 2431H Neodymium HF Driver. 200 Hz to 17 kHz Frequency Range. 991 x 673 x 706 mm. (39 x 26.5 x 27.8 in), 58.8 kg (130 lbs). White finish.	150	\$4,035.96	\$3,430.57
PD6212/43	PD Series	PD6212/43	High Sensitivity Two-Way FULL-RANGE Loudspeaker with Horn Loaded 12" LF and 40° x 30° Coverage Pattern. 300 mm (12 in.) M222- 8A Horn-loaded LF and Large Format 2451H-1 Neodymium HF Driver. 80 Hz to 18 kHz Frequency Range. 991 x 673 x 897 mm. (39 x 26.5 x 35.3 in), 79.5 kg (175 lbs).	150	\$6,323.00	\$5,374.55
PD6212/43-WH	PD Series	PD6212/43-WH	High Sensitivity Two-Way FULL-RANGE Loudspeaker with Horn Loaded 12" LF and 40° x 30° Coverage Pattern. 300 mm (12 in.) M222- 8A Horn-loaded LF and Large Format 2451H-1 Neodymium HF Driver. 80 Hz to 18 kHz Frequency Range. 991 x 673 x 897 mm. (39 x 26.5 x 35.3 in), 79.5 kg (175 lbs). White finish.	#N/A	\$6,323.00	\$5,374.55
PD6212/64	PD Series	PD6212/64	High Sensitivity Two-Way FULL-RANGE Loudspeaker with Horn Loaded 12" LF and 60° x 40° Coverage Pattern. 300 mm (12 in.) M222- 8A Horn-loaded LF and Large Format 2451H-1 Neodymium HF Driver. 80 Hz to 18 kHz Frequency Range. 991 x 673 x 706 mm. (39 x 26.5 x 27.8 in), 69 kg (152 lbs).	150	\$4,574.09	\$3,887.97
PD6212/64-WH	PD Series	PD6212/64-WH	High Sensitivity Two-Way FULL-RANGE Loudspeaker with Horn Loaded 12" LF and 60° x 40° Coverage Pattern. 300 mm (12 in.) M222- 8A Horn-loaded LF and Large Format 2451H-1 Neodymium HF Driver. 80 Hz to 18 kHz Frequency Range. 991 x 673 x 706 mm. (39 x 26.5 x 27.8 in), 69 kg (152 lbs).	180	\$4,574.09	\$3,887.97
PD6212/66	PD Series	PD6212/66	High Sensitivity Two-Way FULL-RANGE Loudspeaker with Horn Loaded 12" LF and 60° x 60° Coverage Pattern. 300 mm (12 in.) M222- 8A Horn-loaded LF and Large Format 2451H-1 Neodymium HF Driver. 80 Hz to 18 kHz Frequency Range. 991 x 673 x 706 mm. (39 x 26.5 x 27.8 in), 69 kg (152 lbs).	150	\$4,574.09	\$3,887.97
PD6212/66-WH	PD Series	PD6212/66-WH	High Sensitivity Two-Way FULL-RANGE Loudspeaker with Horn Loaded 12" LF and 60° x 60° Coverage Pattern. 300 mm (12 in.) M222- 8A Horn-loaded LF and Large Format 2451H-1 Neodymium HF Driver. 80 Hz to 18 kHz Frequency Range. 991 x 673 x 706 mm. (39 x 26.5 x 27.8 in), 69 kg (152 lbs). White finish.	160	\$4,574.09	\$3,887.97
PD6212/95	PD Series	PD6212/95	High Sensitivity Two-Way FULL-RANGE Loudspeaker with Horn Loaded 12" LF and 90° x 50° Coverage Pattern. 300 mm (12 in.) M222- 8A Horn-loaded LF and Large Format 2451H-1 Neodymium HF Driver. 80 Hz to 18 kHz Frequency Range. 991 x 673 x 706 mm. (39 x 26.5 x 27.8 in), 69 kg (152 lbs).	150	\$4,574.09	\$3,887.97
PD6212/95-WH	PD Series	PD6212/95-WH	High Sensitivity Two-Way FULL-RANGE Loudspeaker with Horn Loaded 12" LF and 90° x 50° Coverage Pattern. 300 mm (12 in.) M222- 8A Horn-loaded LF and Large Format 2451H-1 Neodymium HF Driver. 80 Hz to 18 kHz Frequency Range. 991 x 673 x 706 mm. (39 x 26.5 x 27.8 in), 69 kg (152 lbs). White finish	180	\$4,574.09	\$3,887.97
PD6322/43	PD Series	PD6322/43	High Output Three-Way FULL-RANGE Loudspeaker with 12" LF, 8" MF and 40° x 30° Coverage Pattern. Two 300 mm Loaded LF Configuration, 200 mm (8 in) CMCD™ Cone MidRange Compression Driver and Large Format 2431H Neodymium HF Driver. 40 Hz to 17 kHz Frequency Range. 991 x 673 x 897 mm. (39 x 26.5 x 35.3 in), 87.3 kg (192 lbs).	200	\$7,264.73	\$6,175.02
PD6322/43-WH	PD Series	PD6322/43-WH	High Output Three-Way FULL-RANGE Loudspeaker with 12" LF, 8" MF and 40° x 30° Coverage Pattern. Two 300 mm Loaded LF Configuration, 200 mm (8 in) CMCD™ Cone MidRange Compression Driver and Large Format 2431H Neodymium HF Driver. 40 Hz to 17 kHz Frequency Range. 991 x 673 x 897 mm. (39 x 26.5 x 35.3 in), 87.3 kg (192 lbs). White finish.	249	\$7,264.73	\$6,175.02
PD6322/64-H	PD Series	PD6322/64-H	High Output Three-Way FULL-RANGE Loudspeaker with 12" LF, 8" MF and 60° x 40° Coverage Pattern. Two 300 mm (12 in.) VGC™ Vented Gap Cooled 2206H Woofers in a Slot Loaded LF, 200 mm (8 in) CMCD™ Cone Midrange Compression Driver and Large Format 2431H Neodymium HF Driver. 41 Hz to 17 kHz Frequency Range. 991 x 673 x 706 mm. (39 x 26.5 x 27.8 in), 77 kg (170 lbs).	#N/A	\$5,381.28	\$4,574.09
PD6322/64-WH	PD Series	PD6322/64-WH	High Output Three-Way FULL-RANGE Loudspeaker with 12" LF, 8" MF and 60° x 40° Coverage Pattern. Two 300 mm (12 in.) VGC™ Vented Gap Cooled 2206H Woofers in a Slot Loaded LF, 200 mm (8 in) CMCD™ Cone Midrange Compression Driver and Large Format 2431H Neodymium HF Driver. 41 Hz to 17 kHz Frequency Range. 991 x 673 x 706 mm. (39 x 26.5 x 27.8 in), 77 kg (170 lbs). White finish.	200	\$5,381.28	\$4,574.09
PD6322/66	PD Series	PD6322/66	High Output Three-Way FULL-RANGE Loudspeaker with 12" LF, 8" MF and 60° x 60° Coverage Pattern. Two 300 mm (12 in.) VGC™ Vented Gap Cooled 2206H Woofers in a Slot Loaded LF, 200 mm (8 in) CMCD™ Cone Midrange Compression Driver and Large Format 2431H Neodymium HF Driver. 41 Hz to 17 kHz Frequency Range. 991 x 673 x 706 mm. (39 x 26.5 x 27.8 in), 77 kg (170 lbs).	200	\$5,381.28	\$4,574.09
PD6322/66-WH	PD Series	PD6322/66-WH	High Output Three-Way FULL-RANGE Loudspeaker with 12" LF, 8" MF and 60° x 60° Coverage Pattern. Two 300 mm (12 in.) VGC™ Vented Gap Cooled 2206H Woofers in a Slot Loaded LF, 200 mm (8 in) CMCD™ Cone Midrange Compression Driver and Large Format 2431H Neodymium HF Driver. 41 Hz to 17 kHz Frequency Range. 991 x 673 x 706 mm. (39 x 26.5 x 27.8 in), 77 kg (170 lbs). White finish.	200	\$5,381.28	\$4,574.09



PD6322/95	PD Series	PD6322/95	High Output Three-Way FULL-RANGE Loudspeaker with 12" LF, 8" MF and 90° x 50° Coverage Pattern. Two 300 mm (12 in.) VGC™ Vented Gap Cooled 2206H Woofers in a Slot Loaded LF, 200 mm (8 in) CMCD™ Cone Midrange Compression Driver and Large Format 2431H Neodymium HF Driver. 41 Hz to 17 kHz Frequency Range. 991 x 673 x 706 mm. (39 x 26.5 x 27.8 in), 77 kg (170 lbs).	180	\$5,381.28	\$4,574.09
PD6322/95-WH	PD Series	PD6322/95-WH	High Output Three-Way FULL-RANGE Loudspeaker with 12" LF, 8" MF and 90° x 50° Coverage Pattern. Two 300 mm (12 in.) VGC™ Vented Gap Cooled 2206H Woofers in a Slot Loaded LF, 200 mm (8 in) CMCD™ Cone Midrange Compression Driver and Large Format 2431H Neodymium HF Driver. 41 Hz to 17 kHz Frequency Range. 991 x 673 x 706 mm. (39 x 26.5 x 27.8 in), 77 kg (170 lbs). White finish.	215	\$5,381.28	\$4,574.09
<b>LINE ARRAY: VLA Line Array Modules</b>						
JBL-P3267MX	PD Series	VLA301I	High Output Three-Way Full-Range Horn-Loaded Line Array Loudspeaker System. 30° Horizontal Horn Coverage Pattern. 2x15" LF, 2x8" MF, 3x1.5" Exit HF	#N/A	\$13,070.25	\$11,109.71
JBL-P3269MX	PD Series	VLA301HI	High Output Three-Way Full-Range Horn-Loaded Line Array Loudspeaker System. 30° Horizontal Horn Coverage Pattern. 2x15" LF, 4x8" MF, 6x1.5" Exit HF	#N/A	\$14,846.25	\$12,619.31
VLA601I	PD Series	VLA601I	High Output Three-Way Full-Range Horn-Loaded Line Array Loudspeaker System. 60° Horizontal Horn Coverage Pattern. 2x15" LF, 2x8" MF, 3x1.5" Exit HF	#N/A	\$10,878.00	\$9,246.30
VLA601HI	PD Series	VLA601HI	High Output Three-Way Full-Range Horn-Loaded Line Array Loudspeaker System. 60° Horizontal Horn Coverage Pattern. 2x15" LF, 4x8" MF, 6x1.5" Exit HF	70	\$13,403.25	\$11,392.76
JBL-P3183MX	PD Series	VLA901I	High Output Three-Way Full-Range Horn-Loaded Line Array Loudspeaker System. 90° Horizontal Horn Coverage Pattern. 2x15" LF, 2x8" MF, 3x1.5" Exit HF	#N/A	\$9,027.63	\$7,673.49
JBL-P3266MX	PD Series	VLA901HI	High Output Three-Way Full-Range Horn-Loaded Line Array Loudspeaker System. 90° Horizontal Horn Coverage Pattern. 2x15" LF, 4x8" MF, 6x1.5" Exit HF	#N/A	\$12,765.00	\$10,850.25
VLA-C2100-GR	VLA Compact	VLA-C2100-GR	Same as VLA-C2100-BK, but in Gray.	#N/A	\$6,566.76	\$5,581.75
VLA-C2100-BK	VLA Compact	VLA-C2100-BK	Two-way horn-loaded line array loudspeaker system. 100° horizontal horn coverage pattern. 2x10"LF, 3x0.8" Exit HF. Comes standard with IP55 weather protection, with fiberglass enclosure and stainless steel components. Bi-amp or passive (field switchable). Black.	#N/A	\$6,566.76	\$5,581.75
VLA-C265-GR	VLA Compact	VLA-C265-GR	Same as VLA-C265-BK, but in Gray.	#N/A	\$6,566.76	\$5,581.75
VLA-C265-BK	VLA Compact	VLA-C265-BK	Two-way horn-loaded line array loudspeaker system. 65° horizontal horn coverage pattern. 2x10"LF, 3x0.8" Exit HF. Comes standard with IP55 weather protection, with fiberglass enclosure and stainless steel components. Bi-amp or passive (field switchable). Black.	#N/A	\$6,566.76	\$5,581.75
VLA-C125S-GR	VLA Compact	VLA-C125S-GR	Same as VLA-C125S-BK, but in Gray.	#N/A	\$5,594.40	\$4,755.24
VLA-C125S-BK	VLA Compact	VLA-C125S-BK	Subwoofer for VLA Compact line array system. Dual 15" Differential Drive® transducers. Comes standard with IP55 weather protection, with fiberglass enclosure and stainless steel components. Black.	#N/A	\$5,434.56	\$4,619.38
VLA-C125S-ACC	VLA Compact	VLA-C125S-ACC	Kit for wiring of 3 VLA-C-125S subwoofers in cardioid configuration (2 front-facing and 1 rear-facing). Allows for neat, unexposed inter-cabinet wiring via the tops and bottoms of cabinets.	#N/A	\$339.66	\$288.71
JBL-VLACSB2BK	VLA Compact	VLA-C-SB2	Suspension Kit for VLA-C Arrays with 2 pcs VLA-C-SB2 Suspension Bars (for top and bottom of array) and 3 pcs Forged-Shoulder Eye Bolts. See user's guide for instructions and limitations. Black only.		\$2,604.06	\$2,213.45
<b>LINE ARRAYS: Vertec Series Large Format Line Arrays</b>						
VT4883	VERTEC	VT4883	Subcompact 2 x 12" Cardioid-Arrayable Subwoofer Loudspeaker with 2x JBL Differential Drive® dual voice coil and dual magnetic gap 2263H-1 12" long-excursion low frequency drivers. Vented-Bandpass Enclosure Topology with Rigid Internal Bracing. Pole Mount. Designed for Reverse-Arrayable Orientation to create Gradient Cardioid Subwoofer Arrays. Patented Integrated Suspension Hardware. Perforated Steel Grilles with Foam Backing, Four Handles. NL8 and NL4 Connectors with Front Auxiliary Connector. Combine in Arrays with VT4886.	65	\$5,035.49	\$4,280.17
VT4886	VERTEC	VT4886	Subcompact 2 x 6.5" Passive 3-Way High Directivity Line Array Element Loudspeaker with 2x JBL Differential Drive® dual voice coil and dual magnetic gap 2166H 165mm (6.5") low frequency drivers, 4x 2103G 2.5" midrange drivers and 2x 2414H high-frequency 25.4mm (1 in) voice-coil compression drivers. Integrated MF/HF Waveguide with RBI (Radiation Boundary Integrator® and Thermomaster® Technology, Three-way passive network, Patented Integrated Suspension Hardware. Perforated Steel Grilles with Foam Backing, Two Handles. NL8 and NL4 Connectors. Combine to Form Articulated Arrays.	40	\$4,855.41	\$4,127.10
VT4886-AF	VERTEC	VT4886-AF	Subcompact System Array Frame for suspension of VT4883, VT4886 or mixed VT4883/VT4886 arrays. Mates to integrated suspension hardware on both models. Can also be used for ground stacking. Machined Aluminum with Graded Assembly Hardware. Receiver Blocks and Steel Quick Release Pins with Restraining Lanyards. Black.	28	\$2,881.38	\$2,449.18

VT4886-SF	VERTEC	VT4886-SF	Subcompact System Short Frame for suspension of VT4886 arrays. Mates to integrated suspension hardware on VT4886. Can also be used for ground stacking. Machined Aluminum with Graded Assembly Hardware. Aluminum Receiver Blocks and Steel Quick Release Pins with Restraining Lanyards. An attachment point for Bottom-array. Weight 5.8 kg (12.8 lb). Black.	17.3	\$2,327.27	\$1,978.18
VTX-RC500	VTX SERIES	VTX RC500	Rotating Truss/Pipe Clamp, MAX Capacity: 500kg (1100lbs)	#N/A	\$1,110.00	\$943.50
<b>POINT SOURCE</b>						
VTX-F12	VTX SERIES	VTX-F12	VTX F Series F12 2-Way Fill Enclosure featuring patented D2 compression driver technology and Differential Drive® LF cone transducer. Includes: (1x) D2430K D2 compression driver mounted on 90x50 degree Progressive Transition waveguide; (1x) 2262H dual 3-inch voice coil, dual magnet 12" transducer. Integral pole mount socket and M10 mount points. Optional VTX F12-UB universal bracket available. Weight 18.6 kg (41 lb). Black.	40	\$2,009.10	\$1,707.74
VTX-F15	VTX SERIES	VTX-F15	VTX F Series F15 2-Way Fill Enclosure featuring patented D2 compression driver technology and Differential Drive® LF cone transducer. Includes: (1x) D2430K D2 compression driver mounted on 90x50 degree Progressive Transition waveguide; (1x) 2265H dual 3-inch voice coil, dual magnet 15" transducer. Integral pole mount socket and M10 mount points. Optional VTX F15-UB universal bracket available. Weight 22.9 kg (50.5 lb). Black.	50	\$2,437.56	\$2,071.93
VTX-F18S	VTX SERIES	VTX-F18S	VTX F Series F18S Compact Subwoofer Enclosure featuring ultra long throw, patented Differential Drive® LF transducer configured in a front-loaded alignment with large area, laminar-flow, low-turbulence ports. Includes: (1x) 2269H dual 4-inch voice coil, dual magnet 18" transducer; front NL4 connector for use when F18S enclosures are configured in rear-firing mode to create reverse-cardioid subwoofer arrays. Compact rectangular form factor. Weight 45.4 kg (100 lb). Black.	80	\$3,330.00	\$2,830.50
VTX-F35/95	VTX Series	VTX-F35/95	CSX: F35, high output three-way full range system. Designed to address a wide range of applications, where high-impact, high-fidelity audio, needs to be delivered. The trapezoidal full-range, CSX F35 will be the go-to choice for customers needing high-power side-fills, mains speakers, or a V5-compliant high-performance compliment to a larger VTX system. The CSX-F35 has exceptional power-to-weight ratio thanks to its lightweight, Differential Drive 2265H- 15" and 2169H-8" transducers. High Frequency is delivered from a D2 driver coupled to a multi-band Progressive Transition Waveguide and available in 60x40 or 90x50 coverage patterns. The CSX F-35 is Stackable and includes M10 mounting points.	#N/A	\$4,828.50	\$4,104.23
VTX-F35/64	VTX Series	VTX-F35/64	CSX: F35, high output three-way full range system. Designed to address a wide range of applications, where high-impact, high-fidelity audio, needs to be delivered. The trapezoidal full-range, CSX F35 will be the go-to choice for customers needing high-power side-fills, mains speakers, or a V5-compliant high-performance compliment to a larger VTX system. The CSX-F35 has exceptional power-to-weight ratio thanks to its lightweight, Differential Drive 2265H- 15" and 2169H-8" transducers. High Frequency is delivered from a D2 driver coupled to a multi-band Progressive Transition Waveguide and available in 60x40 or 90x50 coverage patterns. The CSX F-35 is Stackable and includes M10 mounting points.	#N/A	\$4,828.50	\$4,104.23
<b>M SERIES</b>						
VTX-M20	VTX -M Series	VTX-M20	VTX M Series is JBL's latest in premium stage monitoring products designed for the most demanding, highest output stage monitoring applications, including high profile concerts, broadcast events or fixed installations. The line is comprised of the dual-10" VTX M20 and the dual-12" VTX M22 both featuring neodymium Differential Drive woofers making the two products some of the lightest monitors in their class. The high frequency section features a unique newly developed, diamond shaped waveguide that is based on JBL's Image Control technology - a technology originally developed for the M2 Master Reference studio monitor. The new waveguide coupled with a D2 Dual Diaphragm high frequency delivers a symmetrical 60H x 60V coverage pattern that is spatially consistent, allowing M-Series to reach excellent gain before feedback performance. Both the M20 and M22 can be configured to operate in Single Channel or Dual Channel (Bi-Amp) modes via the easily accessible mode selection switches.	62	\$4,051.50	\$3,443.78
VTX-M22	VTX -M Series	VTX-M22	VTX M Series is JBL's latest in premium stage monitoring products designed for the most demanding, highest output stage monitoring applications, including high profile concerts, broadcast events or fixed installations. The line is comprised of the dual-10" VTX M20 and the dual-12" VTX M22 both featuring neodymium Differential Drive woofers making the two products some of the lightest monitors in their class. The high frequency section features a unique newly developed, diamond shaped waveguide that is based on JBL's Image Control technology - a technology originally developed for the M2 Master Reference studio monitor. The new waveguide coupled with a D2 Dual Diaphragm high frequency delivers a symmetrical 60H x 60V coverage pattern that is spatially consistent, allowing M-Series to reach excellent gain before feedback performance. Both the M20 and M22 can be configured to operate in Single Channel or Dual Channel (Bi-Amp) modes via the easily accessible mode selection switches.	75	\$4,939.50	\$4,198.58

VTX-G28-ACC	VTX SERIES	VTX-G28-ACC	VTX G28 Accessory Cover Caster-Board for transportation and protection of one G28 enclosure. Includes: padded, reinforced protective cover with handle cutouts and rear panel access flap; dolly wheel-board with rugged, tour grade casters and rotating cam mechanism for secure attachment.	48	\$2,164.50	\$1,839.83
VTX-S25-VT	VTX SERIES	VTX-S25-VT	VTX S25 Vertical Transporter for transportation of up to three VTX S25 enclosures in a vertical column in either front-firing or cardioid mode. Includes: dolly board with four tour grade casters (2 locking casters per dolly board). Reinforced protective cover (VTX-S25-VT-CVR) supplied separately.	47	\$1,110.00	\$943.50
VTX-S25-VT-CVR	VTX SERIES	VTX-S25-VT-CVR	VTX S25 Vertical Transporter Cover for use with VTX-S25-VT. Modular, reconfigurable design allows for protection of two or three VTX S25 enclosures in either front-firing or cardioid mode.	20	\$1,221.00	\$1,037.85
VTX-S28-ACC	VTX SERIES	VTX-S28-ACC	VTX S28 Accessory Cover Caster-Board for transportation and protection of one S28 enclosure. Includes: padded, reinforced protective cover with handle cutouts and rear panel access flap; dolly wheel-board with rugged, tour grade casters and rotating cam mechanism for secure attachment.	42	\$1,887.00	\$1,603.95
VTX-S28-VTC	VTX SERIES	VTX-S28-VTC	VTX S28 Vertical Transporter for transportation of up to three VTX S28 enclosures in a vertical column in either front-firing or cardioid mode. Includes: dolly board with four tour grade casters (2 locking casters per dolly board). Reinforced protective cover (VTX-S28-VT-CVR) supplied separately.	87	\$2,197.80	\$1,868.13
VTX-S28-VT-CVR	VTX SERIES	VTX-S28-VT-CVR	VTX S28 Vertical Transporter Cover for use with VTX-S28-VT. Modular, reconfigurable design allows for protection of three VTX S28 enclosures in either front-firing or cardioid mode.	42	\$1,609.50	\$1,368.08
VTX-V20-AF	VTX SERIES	VTX-V20-AF	VTX V20 ARRAY FRAME for suspending or ground stacking VTX V20 or VTX S25 enclosures. Includes leveling screw jacks; optional extension bar available. Weight 46.3 kg (102 lb). Steel, black.	120	\$5,439.00	\$4,623.15
VTX-V20-AF-EB	VTX SERIES	VTX-V20-AF-EB	VTX V20 ARRAY FRAME EXTENSION BAR for use with VTX-V20-AF, front- or rear-mounted. Single (central) or dual (side-mounted) extension bars can be used for added stability and tilt adjustment to facilitate ground stacked systems. Weight 22.7 kg (50 lb). Steel, black.	52	\$1,590.00	\$1,351.50
VTX-V20-DF	VTX SERIES	VTX-V20-DF	VTX V20 DOWNFILL ADAPTER Frame for suspension of up to 6 VTX V20 line array elements beneath VTX V25, V25-CS, V25-II, and V25-II-CS arrays. Mates to integrated suspension, has attachment points for compression of V25-CS and V25-II-CS arrays.	73	\$3,524.25	\$2,995.61
VTX-V20-LH	VTX SERIES	VTX-V20-LH	Columbus McKinnon (CM) Series 653 ¾ ton manual lever hoist	25	\$848.00	\$720.80
VTX-V20-PB	VTX SERIES	VTX-V20-PB	VTX V20 PULL BACK ADAPTER for attachment to bottom V20 enclosure to facilitate rear pull back (compression-style) suspension. Weight TBD kg (TBD lb). Steel, black.	30	\$1,537.00	\$1,306.45
VTX-V20-VT	VTX SERIES	VTX-V20-VT	VTX V20 Vertical Transporter for transportation of up to four VTX V20 enclosures in a vertical column. Includes: dolly board with four tour grade casters (2 locking casters per dolly board). Reinforced protective cover (VTX-V20-VT-CVR) supplied separately.	30	\$1,443.00	\$1,226.55
VTX-V20-VT-CVR	VTX SERIES	VTX-V20-VT-CVR	VTX V20 Vertical Transporter Cover for use with VTX-V20-VT. Modular, reconfigurable design allows for protection of three to four VTX V20 enclosures.	30	\$999.00	\$849.15
VTX-V20-VT-CVRW	VTX SERIES	VTX-V20-VT-CVRW	VTX V20 Vertical Transporter Wrap Cover for use with VTX-V20-VT. Allows for protection of three to four VTX V20 enclosures without the need to remove the VTX-V20-AF from the top of a stack of VTX V20 enclosures.	22	\$999.00	\$849.15
VTX-V25-ACC	VTX SERIES	VTX-V25-ACC	VTX V25 Accessory Cover Caster-Board for transportation and protection of one V25 enclosure. Includes: padded, reinforced protective cover with handle cutouts and rear panel access flap; dolly wheel-board with rugged, tour grade casters and rotating cam mechanism for secure attachment.	36.26	\$1,609.50	\$1,368.08
VTX-V25-AF	VTX SERIES	VTX-V25-AF	VTX V25 ARRAY FRAME - TOURING for suspending or ground stacking VTX V25 or VTX S28 enclosures. Includes leveling screw jacks; optional extension bar available. Weight 80.3 kg (176.9 lb). Steel, black.	182	\$6,993.00	\$5,944.05
VTX-V25-AF-EB	VTX SERIES	VTX-V25-AF-EB	VTX V25 ARRAY FRAME EXTENSION BAR for use with VTX-V25-AF, front- or rear-mounted. Single (central) or dual (side-mounted) extension bars can be used for added stability and tilt adjustment to facilitate ground stacked systems. Weight 32.3 kg (71.1 lb). Steel, black.	78	\$2,164.50	\$1,839.83
VTX-V25-CS-K	VTX SERIES	VTX-V25-CS-K	VTX V25 COMPRESSION SUSPENSION KIT for converting 1x VTX V25 enclosure to compression-style suspension. Includes: 2x labels, 2x slot hinge bars, 2x ASM bars, 2x QRP lanyard assemblies and mount hardware. Label application jig supplied separately with order. Weight TBD kg (TBD lb). Steel, black.	5.2	\$921.30	\$783.11
VTX-V25-CS-K-LJ	VTX SERIES	VTX-V25-CS-K-LJ	VTX V25 COMPRESSION SUSPENSION KIT LABEL JIG INSTALLATION FIXTURE (1X LABEL JIG PER CS-K ORDER)	0.8	\$111.00	\$94.35
VTX-V25-LH	VTX SERIES	VTX-V25-LH	VTX V25 LEVER HOIST for attachment to VTX-V25-PB pull back adapter to facilitate rear pull back (compression-style) suspension. Weight TBD kg (TBD lb). Steel, black.	30	\$1,276.50	\$1,085.03
VTX-V25-PB	VTX SERIES	VTX-V25-PB	VTX V25 PULL BACK ADAPTER for attachment to bottom V25 enclosure to facilitate rear pull back (compression-style) suspension. Weight TBD kg (TBD lb). Steel, black.	40	\$1,742.70	\$1,481.30
VTX-V25-VTC	VTX SERIES	VTX-V25-VTC	VTX V25 Vertical Transporter for transportation of up to four VTX V25 enclosures in a vertical column. Includes: dolly board with four tour grade casters (2 locking casters per dolly board). Reinforced protective cover (VTX-V25-VT-CVR) supplied separately.	61	\$1,964.70	\$1,670.00

VTX-V25-VT-CVR	VTX SERIES	VTX-V25-VT-CVR	VTX V25 Vertical Transporter Cover for use with VTX-V25-VT. Modular, reconfigurable design allows for protection of three to four VTX V25 enclosures.	37.75	\$1,387.50	\$1,179.38
VTX-V25-VT-CVRW	VTX SERIES	VTX-V25-VT-CVRW	VTX V25 Vertical Transporter Wrap Cover for use with VTX-V25-VTC. Allows for protection of three to four VTX V25 enclosures without the need to remove the VTX-V25-AF from the top of a stack of VTX V25 enclosures.	22	\$960.15	\$816.13
VTX-V25-WG-UK	VTX SERIES	VTX-V25-WG-UK	WAVEGUIDE UPGRADE KIT	11	\$634.29	\$539.14
<b>LINE ARRAY &amp; PORTABLE: VRX Fixed Curvature Line Array</b>						
VRX928LA	VRX SERIES	VRX928LA	8" two-way line-array system with 1 x 2168H-1 Differential Drive® 400 W LF; 2 x 2414H 1 inch compression driver HF on Constant Curvature waveguide; dual angle pole socket and integral rigging hardware; passive or bi-amplified operation. Black DuraFlex™ finish.	30	\$1,974.69	\$1,678.49
VRX928LA-WH	VRX SERIES	VRX928LA-WH	8" Two-Way Line-Array System with 1 x 2168H-1 Differential Drive® 400W LF; 2 x 2414H 1 inch Compression Driver HF on Constant Curvature Waveguide; Dual Angle Pole Socket and Integral Rigging Hardware; Passive or Bi-Amplified Operation. White DuraFlex™ Finish.	30	\$2,442.00	\$2,075.70
VRX932LA-1	VRX SERIES	VRX932LA-1	12" two-way line-array system with 1 x 2262H Differential Drive® LF; 3 x 2408J Annular Ring Diaphragm HF on Constant Curvature waveguide; dual angle pole socket and integral rigging hardware; passive or bi-amplified operation. Black DuraFlex™ finish.	55	\$3,829.50	\$3,255.08
VRX932LA-1WH	VRX SERIES	VRX932LA-1WH	12" two-way line-array system with 1 x 2262H Differential Drive® LF; 3 x 2408J Annular Ring Diaphragm HF on Constant Curvature waveguide; dual angle pole socket and integral rigging hardware; passive or bi-amplified operation. White DuraFlex™ finish.	55.4	\$3,829.50	\$3,255.08
VRX932LAP	VRX SERIES	VRX932LAP	Powered 12" two-way line-array system with 1 x 2262H Differential Drive® LF, 3 x 2408J HF on Constant Curvature waveguide; Crown DPC-2 amplifier module with system DSP; dual angle pole socket and integral rigging hardware; black DuraFlex™ finish.	55	\$4,795.20	\$4,075.92
VRX915M	VRX SERIES	VRX915M	15" two-way dedicated floor monitor system with an 800 watt 2265H Differential Drive® LF; 2452H, 4" voice coil compression driver, 50 x 90 waveguide; passive or bi-amplified operation; compact 30° symmetrical wedge enclosure; Black DuraFlex™ finish; heavy duty 16 gauge foam backed steel grille.	51	\$2,819.40	\$2,396.49
VRX915S	VRX SERIES	VRX915S	15" Bass Reflex Subwoofer	63	\$2,109.00	\$1,792.65
VRX915S-WH	VRX SERIES	VRX915S-WH	15" Bass Reflex Subwoofer - white	63	\$2,109.00	\$1,792.65
VRX918S	VRX SERIES	VRX918S	18" compact, flying subwoofer; 2268H Differential Drive® LF; integral flying hardware compatible with VRX932LA-1 and accessories; handles and pole mount deleted. Black DuraFlex™ finish.	90	\$2,308.80	\$1,962.48
VRX918SP	VRX SERIES	VRX918SP	Powered 18" flying subwoofer; 2268H Differential Drive® LF, Crown DPC-2 Amplifier Module with system DSP; Integral Rigging Hardware Compatible with VRX932LAP; Top Mounted M20 Threaded Pole Socket; Black DuraFlex™ finish.	85	\$3,318.90	\$2,821.07
VRX918S-WH	VRX SERIES	VRX918S-WH	18" Compact, Flying Subwoofer; 2268H Differential Drive® LF; Integral Flying Hardware Compatible with VRX932LA and Accessories; Designed for Fixed Installations with JBL's White Duraflex™; No Pole Mount or Handles Included.	79	\$2,308.80	\$1,962.48
VRX-AF-II	VRX SERIES	VRX-AF	Array Frame for suspending VRX932LA-1/P, VRX918S/P enclosures. Includes 4 x Quick Release Pins, 2 x Shackles, 2 x Drop Levers	14.1	\$1,164.39	\$989.73
VRX-SMAF	VRX SERIES	VRX-SMAF	Small Array Frame for suspending VRX928LA and VRX915S arrays. Includes 2 x quick release pins, 2 x shackles, 2 x drop levers..	6.8	\$865.80	\$735.93
<b>PORTABLE: EON Series</b>						
JBL-EONONEMK2-NA	EON	JBL-EONONEMK2-NA	JBL EON ONE MK2 BATTERY POWERED COLUMN SPEAKER	42.55	\$1,699.00	\$1,444.15
JBL-EONONECHGR-NA	EON	JBL-EONONECHGR-NA	JBL EON ONE MK2 DUAL BATTERY CHARGER		\$331.89	\$282.11
JBL-EONONE-BATT	EON	JBL-EONONE-BATT	JBL EON ONE MK2 SPARE BATTERY		\$331.89	\$282.11
EON One Compact-NA	EON	EON One Compact	JBL EON ONE Compact is all-in-one rechargeable personal PA with an 8-inch woofer, a 4-channel digital mixer, Bluetooth audio and control, EQ, delay, reverb, chorus, and phantom power.	23.5	\$761.74	\$647.48
EONONECOMPACT-BATT	EON	EONONECOMP-BATT	EONONECOMP-BATT priced and sold as singles		\$137.36	\$116.76
EONONECOMP-CHGR-NA	EON	EONONECOMP-CHGR-NA		76.059	\$136.53	\$116.05
EONONECOMPACT-5V9V	EON	EONONECOMPACT-5V9V	EON ONE Compact - AKG DMS100/300 USB Power Cable		\$27.75	\$23.59
EONONECOMPACT-512V	EON	EONONECOMPACT-512V	JBL EON ONE Compact 5v to 12v USB Power Supply		\$27.75	\$23.59
EON208P	EON	EON208P	JBL Packaged PA System with integrated 300 Watt powered mixer; 8-channel mixer with user selectable Reverb on Ch1-4, 2 x 8" JBL two-way speakers, durable plastic enclosure. Weight 38.8lbs.	50	\$997.89	\$848.21
JBL-EON700 YOKE	EON	EON700 Yoke	JBL EON700 UNIVERSAL YOKE MOUNT	2	\$149.00	\$126.65
JBL-EON710-NA	EON	EON710	JBL EON710 10" POWERED LOUDSPEAKER	26.46	\$699.00	\$594.15
JBL-EON712-NA	EON	EON712	JBL EON712 12" POWERED LOUDSPEAKER	32.19	\$749.00	\$636.65
JBL-EON715-NA	EON	EON715	JBL EON715 15" POWERED LOUDSPEAKER	37.48	\$799.00	\$679.15
JBL-EON718s-NA	EON	EON718S	JBL EON715 15" POWERED LOUDSPEAKER	78.26	\$1,199.00	\$1,019.15

<b>PORTABLE: IRX Portable Speakers</b>						
IRX108BT-NA	IRX Series	IRX108BT	Powered 8" Portable Speaker with Bluetooth	20.5	\$460.65	\$391.55
IRX112BT-NA	IRX Series	IRX112BT	12" two-way front of house passive speaker system; 1000 Watt peak power handling, 128dB Maximum SPL, 8 ohms. 19mm MDF enclosure, 18-gauge hexagon perforated steel grille. Net Weight 27.4kg (60.5 lbs)	32	\$527.25	\$448.16
JBL-IRX115S-NA	IRX Series	IRX115BT	JBL IRX115S 15" Powered Subwoofer	76	\$901.32	\$766.12
<b>PORTABLE: JRX Portable Speakers</b>						
JRX212	JRX SERIES	JRX212	12" two-way stage monitor or front of house passive speaker system; 1000 Watt peak power handling, 129dB Maximum SPL, 8 ohms. 19mm MDF enclosure, 18-gauge hexagon perforated steel grille. Net Weight 19.5kg (43 lbs).	46	\$363.64	\$309.09
JRX215	JRX SERIES	JRX215	15" two-way front of house passive speaker system; 1000 Watt peak power handling, 128dB Maximum SPL, 8 ohms. 19mm MDF enclosure, 18-gauge hexagon perforated steel grille. Net Weight 27.4kg (60.5 lbs).	66.5	\$435.90	\$370.51
JRX218S	JRX SERIES	JRX218S	18" passive compact subwoofer; 1400 Watt peak power handling, 127dB Maximum SPL, 4 ohms. 19mm MDF enclosure, 18-gauge hexagon perforated steel grille. Net Weight 40.4kg (89 lbs).	85	\$727.27	\$618.18
JRX225	JRX SERIES	JRX225	Dual 15" two-way front of house passive speaker system; 2000 Watt peak power handling, 133dB Maximum SPL, 4 ohms. 19mm MDF enclosure, 18-gauge hexagon perforated steel grille. Net Weight 42.6kg (94 lbs).	101	\$655.01	\$556.76
<b>PORTABLE: PRX Portable Speakers NON-POWERED</b>						
PRX412M	PRX PASSIVE	PRX412M	12" two-way stage monitor or front of house passive speaker system; 1200 Watt peak power handling , 126dB Maximum SPL , 8 ohms. DuraFlex™-covered 18mm plywood enclosure, 16 gauge cloth-backed steel grille, dual 36 mm pole sockets, non-skid rubber feet. 12 M10 suspension points. Net Weight 17.5kg (38 lbs.)	36	\$733.99	\$623.89
PRX412M-WH	PRX PASSIVE	PRX412M-WH	12" two-way stage monitor or front of house passive speaker system; 1200 Watt peak power handling , 126dB Maximum SPL , 8 ohms. White DuraFlex™-covered 18mm plywood enclosure, 16 gauge cloth-backed steel grille. 12 M10 suspension points. Net Weight 17.5kg (38 lbs.)	43	\$858.86	\$730.03
PRX415M	PRX PASSIVE	PRX415M	15" two-way stage monitor or front- of- house passive speaker system; 1200 Watt peak power handling , 129dB Maximum SPL , 8 ohms. DuraFlex™-covered 18mm plywood enclosure, 16 gauge cloth-backed steel grille, dual 36 mm pole sockets, non-skid rubber feet. 12 M10 suspension points. Net Weight 21kg (46 lbs.)	50	\$803.36	\$682.86
PRX415M-WH	PRX PASSIVE	PRX415M-WH	15" two-way stage monitor or front- of- house passive speaker system; 1200 Watt peak power handling , 129dB Maximum SPL , 8 ohms. White DuraFlex™-covered 18mm plywood enclosure, 16 gauge cloth-backed steel grille. 12 M10 suspension points. Net Weight 21kg (46 lbs.)	56.8	\$942.11	\$800.80
PRX418S	PRX PASSIVE	PRX418S	Compact 18" portable subwoofer system; 35Hz Frequency Range, 2400 watt peak power handling, 130dB Max SPL, cloth-backed steel grille M20 pole socket, non-skid rubber feet, Net Weight 33.5kg (74 lbs.)	90.9	\$1,094.74	\$930.53
PRX425	PRX PASSIVE	PRX425	Dual 15" two-way passive speaker system; 2400 Watt peak power handling , 134dB Maximum SPL , 4 ohms. DuraFlex™-covered 18mm plywood enclosure, 16 gauge cloth-backed steel grille, dual 36 mm pole sockets, non-skid rubber feet. 12 M10 suspension points. Net Weight 33.5kg (74 lbs.)	88.8	\$1,094.74	\$930.53
<b>POWERED</b>						
JBL-PRXONEINSKIT	PRX SERIES	JBL PRX ONE INSTALL ADAPTER BRACKET KIT	JBL PRX ONE Install Bracket and Adapter Kit	10.5 LB	\$498.39	\$423.63
JBL-PRX ONE-NA	PRX SERIES	JBL-PRX ONE-NA	JBL PRX ONE Powered Column PA Speaker	31.75KG	\$2,339.88	\$1,988.90
PRX812W	PRX SERIES	PRX812W	Powered, 1500W, 12" two-way, bass-reflex system with monitor angle, WiFi capability in a wood cabinet, dual pole mount, M10 suspension points. 135db SPL peak with a 90° x 50° nominal coverage pattern, user-selectable DSP that includes EQ.	50	\$1,186.59	\$1,008.60
PRX815W	PRX SERIES	PRX815W	Powered, 1500W, 15" two-way, bass-reflex system with monitor angle, WiFi capability in a wood cabinet, dual pole mount, M10 suspension points. 137db SPL peak with a 90° x 50° nominal coverage pattern, user-selectable DSP that includes EQ.	45	\$1,293.15	\$1,099.18
PRX815XLFW	PRX SERIES	PRX815XLFW	Powered, 1500W, 15" extended low frequency subwoofer with WiFi capability in a wood cabinet, dual pole mount, M20 threaded pole socket. 134 db SPL with dbx Type IV Limiter circuit.	71	\$1,792.65	\$1,523.75
PRX818XLFW	PRX SERIES	PRX818XLFW	Powered, 1500W, 18" extended low frequency subwoofer with WiFi capability in a wood cabinet, dual pole mount, M20 threaded pole socket. 134 db SPL with dbx Type IV Limiter circuit.	100	\$1,808.19	\$1,536.96
PRX825W	PRX SERIES	PRX825W	Powered, 1500W, dual 15" two-way, bass-reflex system with WiFi capability in a wood cabinet, dual pole mount, M10 suspension points. 138db SPL peak with a 90° x 50° nominal coverage pattern, user-selectable DSP that includes EQ.	100	\$1,802.36	\$1,532.01

<b>PRX835W</b>	PRX SERIES	PRX835W	Powered, 1500W, 15" three-way, full-range system with WiFi capability in a wood cabinet, dual pole mount, M10 suspension points. 138db SPL peak with a 90° x 50° nominal coverage pattern, user-selectable DSP that includes EQ.	80	\$1,802.36	\$1,532.01
<b>PORTABLE: SRX Portable Speakers</b>						
<b>SRX812</b>	SRX SERIES	SRX812	SRX812 is a two-way full range speaker with a 12" woofer made for use as a light duty main PA, monitor, or rear or side fill. Premium utility hardware makes SRX812 an ideal solution for sound reinforcement. Tunings for Crown amps and dbx processors are available at jblpro.com	61	\$1,316.74	\$1,119.23
<b>SRX815</b>	SRX SERIES	SRX815	SRX815 is a two-way full range speaker with a 15" woofer made for use as a light to medium duty main PA, monitor, or rear or side fill. Premium utility hardware makes SRX815 an ideal solution for sound reinforcement. Tunings for Crown amps and dbx processors are available at jblpro.com	74	\$1,455.49	\$1,237.16
<b>SRX835</b>	SRX SERIES	SRX835	SRX835 is a three-way full range speaker with a 15" woofer made for use as a medium duty main PA, or rear or side fill. Premium utility hardware makes SRX835 an ideal solution for sound reinforcement. Tunings for Crown amps and dbx processors are available at jblpro.com	106	\$1,871.74	\$1,590.98
<b>SRX818S</b>	SRX SERIES	SRX818S	SRX818S is a single 18" subwoofer for concert, touring, or installed use, featuring a standard M20 pole cup for use with top boxes, indexing feet for stacking in both standard and cardioid position, and a 136dB max SPL. Tunings for Crown amps and dbx processors are available at jblpro.com	80	\$1,732.99	\$1,473.04
<b>SRX828S</b>	SRX SERIES	SRX828S	SRX828S is a dual 18" subwoofer for concert, touring, or installed use, featuring a wide stance for splaying top boxes, indexing feet for stacking in both the standard and cardioid position, and a 141dB max SPL. Tunings for Crown amps and dbx processors are available at jblpro.com	164	\$2,329.61	\$1,980.17
<b>SRX812P</b>	SRX SERIES	SRX812P	2000 Watt Powered 2-way system featuring Crown Amplification, network control, and full user configurable DSP. The SRX812P can be used as either a monitor or a main system and features M10 suspension points for easy rigging. Full suite of onboard DSP includes 20 PEQs, 96kHz FIR filters, signal generators, and 2 seconds of delay.	66	\$1,830.11	\$1,555.60
<b>SRX815P</b>	SRX SERIES	SRX815P	2000 Watt Powered 2-way system featuring Crown Amplification, network control, and full user configurable DSP. The SRX815P can be used as either a monitor or a main system and features M10 suspension points for easy rigging. Full suite of onboard DSP includes 20 PEQs, 96kHz FIR filters, signal generators, and 2 seconds of delay.	74	\$1,968.86	\$1,673.53
<b>SRX835P</b>	SRX SERIES	SRX835P	2000 Watt Powered 3-way system featuring Crown Amplification, network control, and full user configurable DSP. The SRX835P can be pole mounted or stacked and splayed atop a subwoofer, and features M10 suspension points for easy rigging. Full suite of onboard DSP includes 20 PEQs, 96kHz FIR filters, signal generators, and 2 seconds of delay.	105	\$2,246.36	\$1,909.41
<b>SRX818SP</b>	SRX SERIES	SRX818SP	1000 Watt Powered 18" subwoofer featuring Crown Amplification, network control, and full user configurable DSP. The SRX818SP provides extended low frequency for any system, and features M10 suspension points for easy rigging. Full suite of onboard DSP includes 20 PEQs, 96kHz FIR filters, signal generators, and 2 seconds of delay.	103	\$2,246.36	\$1,909.41
<b>SRX828SP</b>	SRX SERIES	SRX828SP	2000 Watt Powered dual 18" subwoofer featuring Crown Amplification, network control, and full user configurable DSP. The SRX828SP provides extended low frequency for any system, and features M10 suspension points for easy rigging. Full suite of onboard DSP includes 20 PEQs, 96kHz FIR filters, signal generators, and 2 seconds of delay.	172	\$2,801.36	\$2,381.16
<b>PORTABLE: Portable PA Stands</b>						
<b>JBLPOLE-GA</b>	PPAACCESSORIES	JBLPOLE-GA	JBL speaker pole featuring gass assist adjustment from 36" to 53".	10	\$243.09	\$206.63
<b>JBLPOLE-MA</b>	PPAACCESSORIES	JBLPOLE-MA	JBL speaker pole with manual adjustment from 36" to 55".	4	\$146.52	\$124.54
<b>JBLTRIPOD-GA</b>	PPAACCESSORIES	JBLTRIPOD-GA	JBL speaker tripod featuring gass assist adjustment from 3' 8" to 6' 7"	12	\$371.85	\$316.07
<b>JBLTRIPOD-MA</b>	PPAACCESSORIES	JBLTRIPOD-MA	JBL speaker tripod with manual adjustment from 4' 2" to 6' 5".	20	\$158.06	\$134.35
<b>Recording &amp; Broadcast</b>						
<b>104SET-BTW-US</b>	STUDIO MONITORS	104SET-BT-US-WHT	JBL 104 Studio Monitors Bluetooth		\$249.74	\$212.28
<b>104SET-BT-US</b>	STUDIO MONITORS	104SET-BT-US	JBL 104 Studio Monitors Bluetooth		\$249.74	\$212.28
<b>305PMKII</b>	STUDIO MONITORS	305PMKII	S/M, 305PMKII	#N/A	\$206.74	\$175.73
<b>306PMKII</b>	STUDIO MONITORS	306PMKII	S/M, 306PMKII	#N/A	\$276.11	\$234.70
<b>308PMKII</b>	STUDIO MONITORS	308PMKII	S/M, 308PMKII	#N/A	\$345.49	\$293.66
<b>LSR310S</b>	STUDIO MONITORS	LSR310S	10-inch powered subwoofer.	41	\$553.89	\$470.81
<b>LSR705i</b>	STUDIO MONITORS	LSR705i	Compact high output two-way externally powered studio monitor with 725G five-inch (127 mm) high-excursion low frequency transducer and 2409H high-frequency compression driver; Patent-pending Image Control Waveguide provides a seamless crossover transition and detailed imaging. 39Hz - 36 kHz frequency range; 107dB Maximum Peak SPL; Dividing Network Transition Frequency: 1.9 kHz. Dividing Network can be bypassed for bi-amplified operation. Birch Plywood enclosure includes rear and bottom mounting points; Not intended for stand-alone use. Complete system requires HARMAN Professional signal processor and external Crown Power Amplifier (not Included.)	11	\$831.39	\$706.68

705P	STUDIO MONITORS	705P	JBL 7-Series 705P 5-inch Bi-Amplified Master Reference Studio Monitor, with 725G five-inch low frequency transducer, 2409H HF transducer, and patented Image Control Waveguide. Dual Class-D Power Amplifiers with 250 Watts for LF and 250 Watts for HF. Digital and Analog Inputs. Integrated Room and User EQ.	18	\$1,386.39	\$1,178.43
LSR708i	STUDIO MONITORS	LSR708i	Compact high output two-way externally powered studio monitor with 728G eight-inch (203 mm) high-excursion differential driver low frequency transducer and 2409H high-frequency compression driver; Patent-pending Image Control Waveguide provides a seamless crossover transition and detailed imaging. 35Hz - 36 kHz frequency range; 114dB Maximum Peak SPL; Dividing Network Transition Frequency: 1.7 kHz. Dividing Network can be bypassed for bi-amplified operation. Birch Plywood enclosure includes rear and bottom mounting points; Not intended for stand-alone use. Complete system requires HARMAN Professional signal processor and external Crown Power Amplifier (not Included.)	28	\$1,830.39	\$1,555.83
708P	STUDIO MONITORS	708P	JBL 7-Series 708P 8-inch Bi-Amplified Master Reference Studio Monitor, with 728G eight-inch Differential Drive (tm) low-frequency transducer, 2409H HF transducer, and patented Image Control Waveguide. Dual Class-D Power Amplifiers with 250 Watts for LF and 250 Watts for HF. Digital and Analog Inputs. Integrated Room and User EQ.	40	\$2,496.39	\$2,121.93
INTONATO24FX	Studio Monitor Controller	INTONATO24FX	Intonato 24 Monitor Management Tuning System. Ideal for use with JBL M2, 7 Series studio monitors. Provides automated calibration and control of stereo, surround and immersive audio monitoring systems. 24 speaker outputs, 24 analog and digital inputs. Flexible routing and monitoring configurations, store and recall of custom user profiles. 2-U rack mount ready. Calibration microphone included. Comprehensive control via supplied Macintosh Windows, and tablet software. Optional Intonato Desk Top Controller.	#N/A	\$4,162.50	\$3,538.13
INTONATO-DC-M	Studio Monitor Controller	INTONATO-DC-M	Intonato Desktop Controller. Accessory for use with Intonato 24. Large master Volume Control, MUTE, DIM and Keys that provide instant access to Intonato 24 functions including individual speaker MUTE, SOLO, SCENES, TALKBACK and more. Compact desktop form-factor 2.84" (H) x 6.73" (L) x 4.70" (W) 72.0mm (H) 117.0mm (L) x 119.4mm (W). Connections: CAT5, RJ45 connector. Power Requirements: Power Over Ethernet (POE supply, CAT5 cable not included).	19	\$1,110.00	\$943.50
M2	M2	M2	M2 Master Reference Monitor: A Free-Standing, 2-Way System that can be placed in any environment to provide an exceptionally accurate monitoring experience. Leveraging a new generation of JBL high-output, ultra-low distortion transducers, the M2 provides in-room frequency response of 20 Hz to 40 kHz, and an extraordinary 123 dB maximum SPL to meet the demanding music, cinema and broadcast production requirements for impactful dynamic range.	150	\$6,660.00	\$5,661.00
SUB18	Studio Subwoofer	SUB18	SUB 18 Studio subwoofer. (Speaker Only. Requires External Power Amplifier) Designed for applications in which very high continuous output and extended low frequency performance are required. Delivers unprecedented performance for demanding dance music production, while providing exceptional accuracy required in cinema post production applications. As an add-on to JBL's M2 Master Reference Monitor system, the SUB18 allows three times greater output from the system.	138.5	\$3,607.50	\$3,066.38
C1PRO	CONTROL SERIES	C1PRO	Compact Size Two-Way, 5.25" Low Frequency, .75" Polycarbonate Dome Tweeter, Molded Enclosure, Shielded Magnet, Black. Priced as Each. Packaged and sold in pairs.	5.75	\$118.84	\$101.01
C1PRO-WH	CONTROL SERIES	C1PRO-WH	Compact Size Two-Way, 5.25" Low Frequency, .75" Polycarbonate Dome Tweeter, Molded Enclosure, Shielded Magnet, White. Priced as Each. Packaged and sold in pairs.	5.75	\$118.84	\$101.01
C2PM	CONTROL SERIES	C2PM	One Control 2P Powered Master speaker, (without passive extension speaker) and power supply.	8	\$224.22	\$190.59
C2PS	CONTROL SERIES	C2PS	Control 2P Stereo Set. Includes one C2PM powered master, one Passive Extension Speaker, one Power Supply and two Snap-On Angle Pedestals. Both speakers have a 5.25" Low Frequency and .75" Polycarbonate Dome Tweeter, Shielded Magnets, Molded Enclosures. Powered master incorporates 35 watts amplification x 2 channels; two Balanced XLR ¼" and two unbalanced RCA inputs; Stereo Volume Control; Stereo Headphone Jack; HF Contour Control.	13.25	\$291.49	\$247.76
MTC-2P	CONTROL SERIES	MTC-2P	Wall-Mount Bracket Kit for Control 2P. Includes Two Wall Mounts, Not Recommended For Mobile Applications.	0.75	\$30.54	\$25.96
CONTROL 5	CONTROL SERIES	CONTROL 5	Compact Size Two-Way, 6.5" Low Frequency, 1" Pure Titanium Dome Tweeter, Molded Enclosure, Shielded Magnet, Black, Priced as Each. Master Pack Quantity: 2 Pieces.	13.5	\$244.40	\$207.74
NPATCH BLK	STUDIO ACCESSORIES	NPATCH BLK	Compact 2 channel analog passive volume control with Rotary volume attenuation control, Mute button; two TRS/XLR combo inputs (balanced and unbalanced); two TRS outputs (balanced and unbalanced); one Mini jack I/O. Metal enclosure. Passive design - no power required. Dimensions W x D x H: 5.1 in x 3.75 in. 2.0 in (130 mm x 95 mm x 51 mm) ; Weight: 0.8 lbs (.34 kg)	0.5	\$76.59	\$65.10
CONTROL SB-210	Ceiling Spkr	CONTROL SB-210	Control sb-210		\$799.34	\$679.44
WK-4S	CASTER SET OF 4 SWIVEL CASTERS	WK-4S	CASTER SET OF 4 SWIVEL CASTERS	7.35	\$100.77	\$85.65
IVX-97665012	Intellivox 280 & 280H Series Accessories	IVX-97665012	Dummy Enclosure. Intellivox 280 series. Made to Order Call for availability	#N/A	\$2,995.58	\$2,546.24
IVX-97745012	Intellivox 430 Series	IVX-97745012	Dummy Enclosure. Intellivox 430 series. Made to Order Call for availability	#N/A	\$5,186.21	\$4,408.28
<b>JBL Commercial Electronics</b>						\$0.00
<b>AMPLIFIERS</b>				#N/A		\$0.00

CONTROLLERS - WALLPLATES				#N/A		\$0.00
JBLCSR2SVBLKV	COMMERCIAL WALL CONTROLLERS	CSR-2SV-BLK	Wall Controller with 2-Position Source Selector and Volume Control; US Version (Black) For use with CSM-21, CSM-32	0.5	\$69.00	\$58.65
JBLCSR2SVWHTV	COMMERCIAL WALL CONTROLLERS	CSR-2SV-WHT	Wall Controller with 2-Position Source Selector and Volume Control; US Version (White) For use with CSM-21, CSM-32	0.1	\$69.00	\$58.65
JBLCSR3SVBLKV	COMMERCIAL WALL CONTROLLERS	CSR-3SV-BLK	Controller with 3-Position Source Selector and Volume Control; US Version (Black) For use with CSM-32	0.5	\$69.00	\$58.65
JBLCSR3SVWHTV	COMMERCIAL WALL CONTROLLERS	CSR-3SV-WHT	Wall Controller with 3-Position Source Selector and Volume Control; US Version (White) For use with CSM-32	0.2	\$69.00	\$58.65
JBLCSRVBKV	COMMERCIAL WALL CONTROLLERS	CSR-V-BLK	Wall Controller with Volume Control; US Version (Black) For use with CSM-21, CSM-32, All CSMA	0.5	\$65.00	\$55.25
JBLCSRVWHTV	COMMERCIAL WALL CONTROLLERS	CSR-V-WHT	Wall Controller with Volume Control; US Version (White) For use with CSM-21, CSM-32, All CSMA	0.5	\$65.00	\$55.25
<b>CSS COMMERCIAL CEILING: CSS Commercial Solutions Ceiling Speakers</b>						
CSS8004	Ceiling Spkr	S/M, CSS8004 - 4", 5W	4" Commercial Series Ceiling Speaker. 90 dB sens, 5W multi-tap for 100V/70V 25V, pre-assembled with driver/grille/transformer, 175 deg coverage; punched metal grille, compatible with CSS-BB4 backcan and CSS-TB4/8 tile rails (priced as each; sold individually; master packs are 6 pcs).	2.5	\$19.00	\$16.15
CSS8008	Ceiling Spkr	S/M, CSS8008 8", 5w	8" Commercial Series Ceiling Speaker. 96 dB sens, 5W multi-tap for 100V/70V 25V, pre-assembled with driver/grille/transformer, 120 deg coverage; punched metal grille, compatible with CSS-BB8 backcan and CSS-TB4/8 tile rails (priced as each; sold individually; master packs are 6 pcs).	4.25	\$29.00	\$24.65
CSS8018	Ceiling Spkr	S/M, CSS8018 8", 10W	8" Commercial Series Ceiling Speaker. Very high 97 dB sens, 10W multi-tap for 100V/70V 25V, pre-assembled with driver/grille/transformer, 110 deg coverage; punched metal grille, compatible with CSS-BB8 backcan and CSS-TB4/8 tile rails (priced as each; sold individually; master packs are 6 pcs).	8	\$39.00	\$33.15
<b>ACCESSORIES</b>						
CSS-BB4X6	Accessory	S/M, CSS-BB4X6-- 4" BACKCAN (1=6 PCS)	Pack of 6 pcs of 4" backcans for CSS8004. Steel, zinc-plated, powder-coated, 4.8" (121mm) deep, 5 knockouts (priced an sold as a pack of 6 pcs).	6	\$66.80	\$56.78
CSS-BB8X6	Accessory	CSS-BB8X6 8" BACKCAN (1 = 6 PCS)	Pack of 6 pcs of 8" backcans for CSS8008 or CSS8018. Steel, zinc-plated, powder-coated, 4.8" (121 mm) deep, 5 knockouts (priced an sold as a pack of 6 pcs).	13	\$123.41	\$104.90
<b>CSS-TR4/8x12</b>	COMMERCIAL ACCESSORIES	CSS-TR4/8x12	Pack of 12 pcs Tile Rails for CSS-BB4 and CSS-BB8 Backcans (Priced as package)	6.25	\$39.00	\$33.15
<b>COMMERCIAL CEILING: LCT Lay-In Ceiling Series</b>						
LCT 81C/T	Ceiling Speaker	Low-Profile Lay-In 2' x 2' Ceiling Tile Speaker w 8" driver	Lay-in Ceiling Tile Speaker, 8" driver, for US-size suspended grid ceilings (NOT for 600 x 600 mm metric grids), combined 70V/100V and low impedance direct operation, 20W at 8Ω, 10W multi-tap transformer with taps at 10W, 5W, 2.5W (and 1.3W for 70V only) via rotary tap-selector switch, max SPL of 108 (peaks of 114 dB) a 1m (low-Z), very low-profile at 103 mm (4.1") deep, bare-wire connection in protected compartment, very high 96 dB sensitivity, 100° conical coverage pattern, designed for high intelligibility, UL1480 and UL2043, white full-face grille. Sold as each; packed in pairs.	18.3	\$119.00	\$101.15
<b>CSS COMMERCIAL SURFACE: CSS Commercial Solutions Surface Speakers</b>						
CSS-1S/T	Surface-Mt Spkr	2-way Surface-Mount Speaker with 8-ohm..	Compact 2-Way 100V/70V/8Ω Surface-Mount Loudspeaker. 5/4" LF and 3/4" HF, 85 Hz – 18 kHz, 10 Watt Multi-Tap Transformer for 100V or 70V Distributed Speaker Lines (10W and 5W taps, plus 2.5W at 70V only), or 60W at 8Ω, ball-type wall-mount included. (priced as each; sold in pairs). 5 1/4" LF and 3/4" HF, 85 Hz – 18 kHz, 10 Watt Multi-Tap Transformer for 100V or 70V Distributed Speaker Lines (10W and 5W taps, plus 2.5W at 70V only), or 60W at 8Ω, ball-type wall-mount included. (priced as each; sold inCompact 2-Way	6.1	\$115.00	\$97.75
<b>PAGING HORNS</b>						
CSS-H15	Paging Horn Spkr	15 Watt Paging Horn (6 in masterpack)	15 Watt Paging Horn. (Priced as each, 6 in masterpack)	1	\$85.00	\$72.25
CSS-H30	Paging Horn Spkr	30 Watt Paging Horn (4 in masterpack)	30 Watt Paging Horn (Priced as each, 4 in masterpack)	6	\$119.00	\$101.15