

PARKSIDE TIMBER  
produces some of the  
finest quality hardwood  
timber products, lending  
a distinct premium feel to  
any project.



PRODUCT RANGE



**PARKSIDE**  
TIMBER

Parkside Timber's Queensland Spotted Gum has been produced by Australians for Australians for over 60 years.

Parkside are Australia's leading producer of Spotted Gum, with over 85% of our production focusing on this species. So when looking at who knows and understands this magnificent product, look no further than Parkside Timber, your Spotted Gum specialists.

PARKSIDE TIMBER has a proud history of producing some of the finest quality hardwood timber products for generations. Our involvement in architectural and designer based projects has been the cornerstone of our business for decades.

PARKSIDE have been sawmilling for over 60 years in regional Queensland areas and involved in the regional building and construction industry for more than a century.







PARKSIDE decking is perfect in any decking application. It adds beauty, richness and depth to any commercial or residential application.



## PARKSIDE DECKING

An Australian icon.

PARKSIDE is the largest producer of Queensland Spotted Gum Decking. In addition, we produce decking in Red and Grey Ironbark and Queensland Reds species that boast proven durability in Australian conditions.

### SPECIES

Spotted Gum | Ironbark | Queensland Reds | Mixed Blends

### GRADES

Select | Standard | Feature

### SIZES

65 | 86 | 135 x 19mm, 135 x 32mm and 140 x 25mm  
Lengths - Random Packs - 1.5m - 5.7m

### DURABILITY

Class 1 Above Ground Product | ACQ H3 Treatment

### CERTIFICATION

Chain of Custody as per AS 4707-2008 PEFC/AFS  
Manufactured to comply with AS 2796  
All species are fire rated in accordance with AS 3959-2009 and BAL19 as a minimum  
Spotted Gum and Red Ironbark are fire rated to BAL 29




QLD SPOTTED GUM  
Hardness 11



GREY and RED IRONBARK  
Hardness 14



QUEENSLAND REDS  
Hardness 12



MIXED BLENDS  
Hardness 10.5

Your most beautiful floor starts with Parkside Timber's highly impressive Australian hardwood flooring.



## PARKSIDE FLOORING

An Australian beauty.

PARKSIDE flooring includes a stunning range of tongue and groove solid timber flooring and can be matched to renovated floors or prepared for new floor construction.

### SPECIES

Spotted Gum | Ironbark | Queensland Reds | Mixed Blends

### GRADES

Select | Standard | Feature

### SIZES and LENGTHS

80 | 130 x 19mm - Lengths - 0.9m - 5.9m

75 | 125 x 14mm - Overlay - Standard & Better | Feature Grade

### DURABILITY

Class 1 Above Ground Product


### CERTIFICATION

Chain of Custody as per AS 4707-2008 PEFC/ FS

Manufactured to comply with AS 2796

All species are fire rated in accordance with AS 3959-2009 and BAL19 as a minimum

Spotted Gum and Red Ironbark are fire rated to BAL 29



QLD SPOTTED GUM  
Hardness 11



GREY and RED IRONBARK  
Hardness 14




QUEENSLAND REDS  
Hardness 12



MIXED BLENDS  
Hardness 10.5





PARKSIDE cladding is visually striking and creates a unique and stunning facade that will offer you a variety of benefits beyond the aesthetic.



## PARKSIDE CLADDING

Aesthetics, comfort and structural performance.

PARKSIDE timber cladding provides an attractive and economical way to finish the exterior and interior of both new and old buildings. It suits a traditional, modern and uniquely designed commercial and residential building.

### SPECIES

Spotted Gum | Red and Grey Ironbark

### GRADES

Select | Standard

### SIZES


SHIPLAP 125 x 19mm and CHAMFER 122 x 19mm  
End matched shiplap


### DURABILITY

Class 1 Above Ground Product | ACQ H3 Treatment

### CERTIFICATION

Chain of Custody as per AS 4707-2008 PEFC/AFS  
Manufactured to comply with AS 2796  
Fire rated in accordance with AS 3959-2009 and BAL19





PARKSIDE F27 hardwood is known for its versatility, durability and strength, offering a sustainable building option with a sensational timber look.



## PARKSIDE F27 HARDWOOD

Proven durability in Australian conditions.

PARKSIDE F27 seasoned structural hardwood is extremely strong and durable. It offers excellent structural integrity as well as a decorative and functional finish.

### SPECIES

Spotted Gum | Limited Ironbark

### SIZES and LENGTHS

70 | 90 | 140 | 190 | 240 x 35mm

70 | 90 | 140 | 190 | 240 x 45mm

Lengths - 0.9m - 6.0m

### DURABILITY

Class 1 Above Ground Product | ACQ H3 Treatment

### CERTIFICATION

Chain of Custody as per AS 4707-2008 PEFC/AFS

Manufactured to comply with AS 2796

Spotted Gum is fire rated to BAL 29







PARKSIDE GL18 Posts are a beautiful feature for any home, backyard deck or poolside gazebo.



## PARKSIDE GL18 POSTS

Naturally aesthetic and structurally sound.

PARKSIDE GL18 Posts are independently GLTAA certified and fire rated. Produced from Queensland Spotted Gum, they are an attractive feature for any home.

### APPLICATIONS

Verandah Posts | Patio Posts | Newel Posts

### SPECIES

Spotted Gum Select Grade

### SIZES

90 x 90mm | 115 x 115mm | 140 x 140mm  
Lengths - 2.4, 2.7, 3.0, 3.6, 4.2, 4.8 and 5.4m

### DURABILITY


Class 1 Above Ground Product | ACQ H3 Treatment

### CERTIFICATION

GLTAA Certified posts  
Manufactured to comply with AS/NZS 1328.1:1998  
Fire rated in accordance with AS 1720.4 and BAL 29  
Chain of Custody as per AS/ 4707-2008 PEFC/AFS.







Add some Aussie strength  
and style to your next  
build with PARKSIDE  
GL20 Beams.



## PARKSIDE GL20 BEAMS

A proven performer in high load applications.

Made from sustainably sourced Spotted Gum, PARKSIDE GL20 Beams are not only strong, but will provide your home with a stylish design statement.

### APPLICATIONS

Lintels | Bearers | Beams | Rafters | Columns

### SPECIES

Spotted Gum

### SIZES and LENGTHS

140 | 190 | 240 | 290 x 65mm

Lengths - 3.6, 4.8, 5.4 and 6.0m

### DURABILITY

Class 1 Above Ground Product | ACQ H3 Treatment


### CERTIFICATION


GLTAA Certified beams

Manufactured to comply with AS/NZS 1328.1:1998

Fire rated in accordance with AS 1720.4 and BAL 29

Chain of Custody as per AS/ 4707-2008 PEFC/AFS





PARKSIDE GOS F14 graded timbers, ideal for high strength applications.



## **PARKSIDE** Structural GOS F14

An ideal option for building projects.

PARKSIDE F14 GOS is strong, stable and durable to suit the harshest of conditions. PARKSIDE F14 GOS has been tried and proven over generations, and today is still the ideal product for outdoor requirements.

### APPLICATIONS

Decking Joists | Bearers | Structural Members

### SPECIES

Spotted Gum | Ironbark

### SIZES

Available in a wide range of small to large end section sizes.  
Available in job lots and pack lots.

### DURABILITY

Class 1 Above Ground Product | ACQ H3 Treatment

### CERTIFICATION

Fire rated in accordance with AS 1720.4 and can be up to BAL 29 upon request.

Chain of Custody as per AS/ 4707-2008 PEFC/AFS





## Product Warranty

When correctly installed and maintained, Parkside Timber products are guaranteed to perform their intended function for the design life of the component. The terms of our warranty will be provided with our products when they are supplied.

Refer to Parkside Installation Guides for handling, storage, installation and maintenance information.

Decking

Flooring

Cladding

Laminated Products

For further information please contact Parkside Timber on 1800 257 099 or [timber@parkside.biz](mailto:timber@parkside.biz).

Timber Queensland also provide a comprehensive library of Technical Data Sheets; please ask your Parkside Timber Representative for further information.



FEEL FREE TO CONTACT PARKSIDE TIMBER

National FreeCall 1800 257 099

Email [timber@parkside.biz](mailto:timber@parkside.biz)

Instagram [parkside\\_timber](https://www.instagram.com/parkside_timber)

Web [parksidetimber.com.au](http://parksidetimber.com.au)

