



PARKSIDE TIMBER produces some of the finest quality hardwood timber products, lending a distinct premium feel to any project.

**PRODUCT RANGE**



# Parkside Timber has been producing products by Australians for Australians for over 75 years.

PARKSIDE TIMBER has a proud history of producing some of the finest quality hardwood timber products for generations and our involvement in architectural and designer based projects has been the cornerstone of our business.

PARKSIDE offers a wide variety of species and products to help the greatest of imaginations, and professionals, complete their projects.

The natural durability of the species produced plus the high manufacturing standards held by the Aussies producing PARKSIDE TIMBER products makes our products some of the highest quality in the marketplace.



The Australian market has seen many imported and substitute products come and go, but over the last 60+ years PARKSIDE TIMBER products have been tried and proven, outlasting the competition in both production and application.

Over this time, we have undergone a number of state of the art sawmilling upgrades in green mill practices and kiln drying techniques and the latest improvements in the dry mill have ensured that PARKSIDE products are second to none in quality.

PARKSIDE dry mill changes have included the introduction of state of the art hardwood laser eye sawmilling technology, the first of its kind seen in the Southern Hemisphere. Due to this upgrade, every PARKSIDE dried product is mechanically analysed and tested to ensure consistency of quality in every piece produced.



PARKSIDE adds beauty, richness and depth to any commercial or residential application.



## PARKSIDE DECKING

An Australian icon.

PARKSIDE is the largest producer of Queensland Spotted Gum Decking. In addition, we produce decking in Red and Grey Ironbark and Queensland Reds species that boast proven durability in Australian conditions.

### SPECIES

Spotted Gum | Ironbark | Queensland Reds | Mixed Blends

### GRADES

Select | Standard | Feature

### SIZES

65 | 86 | 135 x 19mm, 135 x 32mm and 140 x 25mm

Lengths - Random Packs - 1.5m - 5.7m

### DURABILITY

Class 1 Above Ground Product | ACQ H3 Treatment


### CERTIFICATION

Chain of Custody as per AS 4707-2008 PEFC/AFS

Manufactured to comply with AS 2796

All species are fire rated in accordance with AS 3959-2009 and BAL19 as a minimum


Spotted Gum and Red Ironbark are fire rated to BAL 29




**QLD SPOTTED GUM**  
Hardness 11



**GREY and RED IRONBARK**  
Hardness 14



**QUEENSLAND REDS**  
Hardness 12



**MIXED BLENDS**  
Hardness 10.5

Your most beautiful floor starts with Parkside Timber's highly impressive Australian hardwood flooring.



## PARKSIDE FLOORING

An Australian beauty.

PARKSIDE flooring includes a stunning range of tongue and groove solid timber flooring and can be matched to renovated floors or prepared for new floor construction.

### SPECIES

Spotted Gum | Ironbark | Queensland Reds | Mixed Blends

### GRADES

Select | Standard | Feature

### SIZES and LENGTHS

80 | 130 x 19mm - Lengths - 0.9m - 5.9m

75 | 125 x 14mm - Overlay - Standard & Better | Feature Grade

### DURABILITY

Class 1 Above Ground Product

### CERTIFICATION

Chain of Custody as per AS 4707-2008 PEFC/ FS

Manufactured to comply with AS 2796

All species are fire rated in accordance with AS 3959-2009 and BAL19 as a minimum

Spotted Gum and Red Ironbark are fire rated to BAL 29



**QLD SPOTTED GUM**  
Hardness 11



**GREY and RED IRONBARK**  
Hardness 14



**QUEENSLAND REDS**  
Hardness 12



**MIXED BLENDS**  
Hardness 10.5

PARKSIDE cladding creates a unique and stunning facade that will offer you a variety of benefits beyond the aesthetic.



## PARKSIDE CLADDING

*Aesthetics, comfort and structural performance.*

PARKSIDE timber cladding provides an attractive and economical way to finish the exterior and interior of both new and old buildings. It suits a traditional, modern and uniquely designed commercial and residential building.

### SPECIES

Spotted Gum | Red and Grey Ironbark

### GRADES

Select | Standard

### SIZES

SHIPLAP 125 x 19mm and CHAMFER 122 x 19mm

End matched shiplap

### DURABILITY


Class 1 Above Ground Product | ACQ H3 Treatment

### CERTIFICATION

Chain of Custody as per AS 4707-2008 PEFC/AFS

Manufactured to comply with AS 2796

Fire rated in accordance with AS 3959-2009 and BAL19



PARKSIDE F27 hardwood is known for its versatility, durability and strength, offering a sustainable building option with a sensational timber look.



## PARKSIDE F27 HARDWOOD

Proven durability in Australian conditions.

PARKSIDE F27 seasoned structural hardwood is extremely strong and durable. It offers excellent structural integrity as well as a decorative and functional finish.

### SPECIES

Spotted Gum | Limited Ironbark

### SIZES and LENGTHS

70 | 90 | 140 | 190 x 35mm

70 | 90 | 140 | 190 | 240 x 45mm

Lengths - 0.9m - 6.0m

### DURABILITY


Class 1 Above Ground Product | ACQ H3 Treatment

### CERTIFICATION

Chain of Custody as per AS 4707-2008 PEFC/AFS

Manufactured to comply with AS 2796

Spotted Gum is fire rated to BAL 29



PARKSIDE GL18 Posts are a beautiful feature for any home, backyard deck or poolside gazebo.



## PARKSIDE GL18 POSTS

Naturally aesthetic and structurally sound.

PARKSIDE GL18 Posts are independently GLTAA certified and fire rated. Produced from Queensland Spotted Gum, they are an attractive feature for any home.

### APPLICATIONS

Verandah Posts | Patio Posts | Newel Posts

### SPECIES

Spotted Gum Select Grade

### SIZES

90 x 90mm | 100 x 100mm | 115 x 115mm | 140 x 140mm  
Lengths - 2.4, 2.7, 3.0, 3.6, 4.2, 4.8 and 5.4m


### DURABILITY

Class 1 Above Ground Product | ACQ H3 Treatment

### CERTIFICATION

GLTAA Certified posts

Manufactured to comply with AS/NZS 1328.1:1998  
Fire rated in accordance with AS 1720.4 and BAL 29  
Chain of Custody as per AS/ 4707-2008 PEFC/AFS.





Add some Aussie strength and style to your next build with PARKSIDE GL20 Beams.



## **PARKSIDE** GL20 BEAMS

A proven performer in high load applications.

Made from sustainably sourced Spotted Gum, PARKSIDE GL20 Beams are not only strong, but will provide your home with a stylish design statement.

### **APPLICATIONS**

Lintels | Bearers | Beams | Rafters | Columns

### **SPECIES**

Spotted Gum

### **SIZES and LENGTHS**

140 | 190 | 240 | 290 x 65mm

Lengths - 3.6, 4.8, 5.4 and 6.0m

### **DURABILITY**

Class 1 Above Ground Product | ACQ H3 Treatment


### **CERTIFICATION**


GLTAA Certified beams

Manufactured to comply with AS/NZS 1328.1:1998

Fire rated in accordance with AS 1720.4 and BAL 29

Chain of Custody as per AS/ 4707-2008 PEFC/AFS





PARKSIDE GOS F14 graded timbers, ideal for high strength applications.



## **PARKSIDE** Structural GOS F14

An ideal option for building projects.

PARKSIDE F14 GOS is strong, stable and durable to suit the harshest of conditions. PARKSIDE F14 GOS has been tried and proven over generations, and today is still the ideal product for outdoor requirements.

### **APPLICATIONS**

Decking Joists | Bearers | Structural Members

### **SPECIES**

Spotted Gum | Ironbark | Forest Red Gum

### **SIZES**

Available in a wide range of small to large end section sizes.  
Available in job lots and pack lots.

### **DURABILITY**

Class 1 Above Ground Product | ACQ H3 Treatment

### **CERTIFICATION**

Fire rated in accordance with AS 1720.4 and can be up to BAL 29 upon request.

Chain of Custody as per AS/ 4707-2008 PEFC/AFS



With the exciting acquisition of Auswest, Parkside now offer a diverse range of western and southern timber products.

In October 2019 Parkside completed the acquisition of the Auswest Western Australian and Victorian operations.

Manufacturing a diverse range of timber products from large, heavy structural sections, floor joists, roofing timbers and roof tile battens to value added kiln dried and dressed products such as floorboards, decking and some of the most beautiful furniture timbers you will ever find, we believe that we have the right timber for your needs, whatever they may be.


Strong, hard-wearing and incredibly beautiful.



We are not the only ones who appreciate our timber. Parkside Timber distributes timber throughout Australia and to many countries all over the world.

The United Kingdom, New Zealand, China, Hong Kong, South Africa, Indonesia, Korea, Holland, Canada and the United States – all of these countries enjoy the beauty and quality of our timber.

Parkside decking offers a very attractive appearance to complement any architectural style and decor.



## Western and Southern Decking

A Western Australian icon.

A Parkside deck provides the ideal look for both modern and classic homes, and is the perfect choice for large commercial projects.

### APPLICATIONS

Decking Joists | Bearers | Structural Members

### SPECIES and SIZES

Silvertop	90 x 22
Karri	65/85/135 x 20
Jarrah	65/ 85/130 x 20

All Pencil Round Four Corners

### DURABILITY

Class 2 Above Ground Applications


### CERTIFICATION

Chain of Custody as per AS 4707-2008 PEFC/AFS


Silvertop is deemed to satisfy the requirements for bushfire prone areas under AS3959.



Silvertop (VIC)  
Hardness 9.5



Karri (WA)  
Hardness 9.0



Jarrah (WA)  
Hardness 8.5

A hardwearing Parkside Floor is sure to remain a centrepiece in your home for generations.



## Western and Southern Flooring

A natural beauty to any interior.

Parkside Flooring is hard enough to outlast your great grandchildren and is fast becoming the most beautiful and durable flooring product in Australia.

### SPECIES and SIZES


Chestnut	80   130 x 19 Secret Nailed End Matched
	85   130 x 14 Overlay
	180 x 19 Plain End
Wormy Chestnut®	80 x 19 Secret Nailed End Matched
	85   105 x 14 Overlay
	180 x 19 Plain End
Karri	85   130 x 19 Secret Nailed End Matched
	85   105 x 14 Overlay
Jarrah	80   130 x 19 Secret Nailed End Matched
	85   130 x 13 Overlay

### DURABILITY

Class 3

### CERTIFICATION


Chain of Custody as per AS 4707-2008 PEFC/AFS




**Chestnut**  
Hardness 8.1



**Wormy Chestnut®**  
Hardness 8.1



**Karri**  
Hardness 9.0



**Jarrah**  
Hardness 8.5

Parkside screening provides your finishing touches to any aspect of architectural or landscape design.



## Western and Southern Screening

Limited only by your imagination.

Natural Hardwood Screening is an ideal way to enclose an outdoor entertaining area or provide that perfect backdrop to any landscape.

### APPLICATIONS

Screens | Fencing | Wall Panels and features

### SPECIES

Karri | Jarrah

### SIZES

65/85/130 x 20

Pencil round 4 edges

### DURABILITY


Class 2 Above Ground Product

### CERTIFICATION

Chain of Custody as per AS/ 4707-2008 PEFC/AFS



Parkside Joinery timber is extremely durable hardwood, renowned for its strength and beauty.



## Western and Southern Joinery

Offering Australia's most unique hardwoods.

Parkside Joinery hardwoods are expertly kiln dried and reconditioned to meet specific market requirements throughout the world.

### APPLICATIONS

Stair Treads | Door and Window frames | Furniture

### SPECIES

Karri | Jarrah

### SIZES

A range of sizes to suit any application

75/100/150/200/250 x 25

75/100/150/200/250/300 x 38

75/100/150/200/250/300 x 50


### DURABILITY

Class 2 Above Ground Product

### CERTIFICATION

Chain of Custody as per AS/ 4707-2008 PEFC/AFS

Jarrah is a highly durable hardwood with natural flame – resistant properties . When used in exterior applications it exhibits excellent termite and rot resistance.



Parkside Structural is a proven performer when used in structural applications.



## Western Structural

Capable of spanning long distances with a minimal amount of support.

Over the decades Parkside structural timbers have earned a reputation as a reliable construction material exhibiting exceptional strength and engineering capabilities.

### APPLICATIONS

Bridges | Wharf Timbers | Railway Crossings | Sleepers | Power Pole Cross Arms | Roofing Timbers | Pergolas

### SPECIES

Green Structural Karri | Jarrah Structural

### SIZES and LENGTHS

Please contact your local Parkside Timber representative for size availability.

### DURABILITY

Class 2 Above Ground Product

### CERTIFICATION

Chain of Custody as per AS/ 4707-2008 PEFC/AFS

Graded in accordance with Australian Standard 2082-1979 to stress grades F8, F11 or F14





## Product Warranty

When correctly installed and maintained, Parkside Timber products are guaranteed to perform their intended function for the design life of the component. The terms of our warranty will be provided with our products when they are supplied.

Refer to Parkside Installation Guides for handling, storage, installation and maintenance information.

Decking

Flooring

Cladding

Laminated Products

For further information please contact Parkside Timber.

**Export Manger Warren Tye**

P +61 439 756 052

E [wtye@parkside.biz](mailto:wtye@parkside.biz)

Timber Queensland also provide a comprehensive library of Technical Data Sheets; please ask your Parkside Timber Representative for further information.



**FEEL FREE TO CONTACT PARKSIDE TIMBER**

National FreeCall 1800 257 099

Email [timber@parkside.biz](mailto:timber@parkside.biz)

Instagram [parkside\\_timber](https://www.instagram.com/parkside_timber)

**EXPORT ENQUIRIES**

Warren Tye +61 439 756 052

Email [wtye@parkside.biz](mailto:wtye@parkside.biz)

[parksidetimber.com.au](http://parksidetimber.com.au)

