



## **2020 Product List: Brand & Manufacturers**

Product Description Included

### ***RCF System***

#### **HDL 30 – A**

##### **ACTIVE TWO-WAY LINE ARRAY MODULE**


- 2200W Two Way Amplifier
- 137 dB Max SPL
- Exclusive FiRPHASE technology on-board
- RDNet Control and Management



#### **SUB 9006-AS**

##### **ACTIVE HIGH POWER SUBWOOFER**

- 7200 Watt Peak power - 3600 Watt RMS
- 2 x 18" Woofer
- 30 Hz - 400 Hz frequency response
- RDNet remote control



#### **SUB 9004-AS**

##### **ACTIVE HIGH POWER SUBWOOFER**

- 2800 W power rating
- 136 dB SPL Max RDNet remote monitoring and control
- 1 x 18" Hyper Ventilation Neodymium Subwoofer



#### **NX 15-SMA**

##### **ACTIVE COAXIAL STAGE MONITOR**

- 1400 Watt Peak, 700 Watt RMS digital bi-amplification
- 15" High power neodymium woofer, 2.5" voice coil 1.7" kapton dome, 1" exit, neodymium high frequency driver
- 130 dB max spl



#### **EVOX 12**

##### **ACTIVE TWO-WAY ARRAY**

- 1400 Watt
- 15" Woofer
- 8 x 4" neodymium full-range woofer
- 130 dB max SPL



## **EVOX J8**

### **ACTIVE TWO WAY PORTABLE ARRAY**

- 128 dB Max SPL
- 1400 Watt 2-way power
- DSP Processing with FiRPHASE
- 12" woofer, high power 2.5" voice coil



## **RDNET CONTROL 8**

### **8 OUTPUT MASTER UNIT**

- ETHERNET (REMOTE CONTROL) AND USB (DIRECT CONTROL) PC CONNECTION TO RDNET
- CONTROL UP TO 8 SUB-NETS OF UP TO 32 SLAVE DEVICES
- ALL DEVICES ARE CYCLICALLY SCANNED ("POLLING") 10 TIMES A SECOND
- AUTO DETECT DEVICE PLACEMENT



## ***QSC System***

### **KW181**

#### **Active 18-inch Subwoofer**

- Rugged, texture-painted birch enclosures
- Threaded pole socket
- Speaker mounting pole included (35 mm diameter, 36 inches (91 cm) long, M20 thread.)
- Comfortable ergonomic handles
- 18" subwoofer



### **KW153**

#### **Active 15-inch 3-way**

- 15-inch woofer; 6.5-inch midrange woofer; 1.75-inch diaphragm compression driver
- 75° conical DMT coverage
- Maximum SPL 134 dB peak
- 1000-watt Class D power modules in all models (2 × 500 W continuous)



## KW152

### Active 15-inch 2-way

- 15-inch Woofer; 1.75-inch diaphragm compression driver
- 60° conical DMT coverage
- Maximum SPL 133 dB peak
- 1000 watt Class D power modules in all models (2 x 500 W continuous)



## K12.2

### Active 12-inch 2-way

- Best in class audio performance
- 2000 Watt Class-D amplifier module
- Intrinsic Correction™ tuning and loudspeaker management
- Directivity Matched Transition™ (DMT) design provides excellent power response and consistent performance across the listening area



## CP12

### 12-inch Compact Active Loudspeaker

- Compact and powerful performance
- 1000 Watt peak power Class-D amplifier module
- Easily selected contours for commonly-used applications
- Advanced DSP with Intrinsic Correction™ for superior sound quality and speaker protection



## CP8

### 8-inch Compact Active Loudspeaker

- Compact and powerful performance
- 1000 Watt peak power Class-D amplifier module
- Easily selected contours for commonly-used applications
- Advanced DSP with Intrinsic Correction™ for superior sound quality and speaker protection



## TouchMix-16

### 22-Channel Compact Digital Mixer

- Capacitive touchscreen offers a wealth of on-screen information while also providing confident hands-on control
- 120 presets provide real-world live sound settings for commonly-used instruments and microphones
- Simple and Advanced modes offer either basic or comprehensive controls



## ***Midas***

### **Midas M32 Live**

32-Channel Digital Mixer, With Native Multi-Track Recording

- Live performance and studio recording digital console with up to 40 simultaneous input channels
- (32) award-winning Midas PRO microphone preamplifiers
- (25) time-aligned and phase-coherent mix buses
- AES50 networking allows up to 96 inputs and 96 outputs



### **Midas DL32**

32-Input, 16-Output Stage Box

- 48 bidirectional audio channels over Cat 5e cable @ 48kHz, 24 @ 96kHz
- Single cable duplex interconnection for audio and sample clocks
- Ethernet physical layer audio data transmission
- High channel count and ultra-low deterministic latency



## ***Sennheiser***

### **Evolution Wireless G4 – 100 Series**

- True diversity half-rack receiver in a full-metal housing with intuitive LCD display for full control
- Easy and flexible wireless synchronization between transmitter and receiver via infrared
- Fast frequency allocation for up to 12 receivers via new linking function; Up to 20 compatible channels



### **Evolution wireless 100-935 G3-1G8**

- Sturdy metal housing (transmitter and receiver)
- 1500 tunable frequencies within 1785-1800 MHz range for interference-free reception
- Enhanced frequency bank system with up to 12 compatible frequencies
- High-quality true diversity reception



### **SKM D1**

- High variety of microphone heads for versatile, professional live sound
- Automatic sensitivity adjustment – no need for manual gain settings
- License-free 2.4 GHz band, no registration costs
- Sturdy metal housing



### **Sennheiser Evolution Wireless D1 835 Handheld Set (EW D1-835-S)**

- Features the highly lauded Sennheiser e 835 microphone capsule
- The e 835 is a cardioid capsule with good feedback rejection (even on loud stages)
- One-touch sync
- Rugged metal chassis



## ***Yamaha***

### **Yamaha Stage Custom Birch 5-Piece Shell Pack with 22" Bass Drum**

- Bass Drum(s): 22" x 17"
- Tom(s): 10" x 7", 12" x 8"
- Floor Tom(s): 16" x 15"
- Snare: 14" x 5-1/2"



### **MX 61**

61-note touch-sensitive synth action keyboard

- One Touch Layer & Split
- USB Audio/MIDI Integration
- DAW Remote
- Portable Audio Player Input



### **Yamaha MG10XU**

10-channel mixer — with compression, effects, USB connection, and DAW software

- 24-bit/192k Hz 2-in/2-out USB 2.0 audio interface
- Works with select iOS devices via Apple® iPad® Camera Connection Kit — Lightning to USB Camera Adapter (sold separately)
- Cubase AI4 digital audio workstation software (download version)



## ***Pioneer***

### **Pioneer DDJ-SZ Digital DJ Controller**

Professional DJ controller

- 8.1-inch jog wheels offers precise control over mixing and scratching.
- Hot cue, roll, slicer, and sampler buttons.
- Color-coded performance pads.
- Two USB slots where two computers can be connected.



**Pioneer DJ DJM-S9**

High-end 2-channel club mixer

- 12 Customizable FX buttons.
- Style levers for triggering FX briefly or locking them in.
- Customizable Filter FX dials on each channel.
- 2 built-in USB soundcards.



**Pioneer CDJ-2000 Professional CD/MP3 Player**

- Plays all major music formats from multiple sources
- Features advanced MIDI implementation



***Korg***

**Korg TRITON ProX 88-Key Workstation**

- 256 General MIDI Level 2-compatible programs
- 838 quality PCM sounds
- 32MB PCM ROM containing 425 multisamples
- Realistic instrument samples and cutting-edge electronic sounds



***Mark Bass***

**Markbass CMD 102P 300/500W 2x10 Tilt-Back Bass Combo Amp**

- Provides a 4-band EQ, as well as VLE (Vintage Loudspeaker Emulator) and VPF (Variable Pre-shape Filter) filters for control.



***Technics***

**Technics SL1200MK2 Turntable**

- Quartz direct-drive
- Sliding pitch control with strobe
- Detachable headshell
- Accepts standard-mount cartridges



## ***Fender***

### **Fender Hot Rod Deluxe IV 40-watt 1x12" Tube Combo Amp**

- Refined version of the classic Hot Rod platform
- 1 x 12" Celestion A-type speaker offers "smooth highs, laid-back midrange and full, round lows"
- 3 x 12AX7 preamp tubes and 2 x 6L6 power tubes, capable of everything from sparkling cleans to high-gain distortion



## ***Roland***

### **SPD-SX Sampling Pad**

- Unique sampling-pad concept
- 4 GB internal memory
- Nine velocity-sensitive rubber pads, two external dual-trigger inputs
- Easy capturing and assignment of audio data through Multi-Pad Sampling



## ***Alto***

### **Alto Stealth Wireless System**

- Add wireless audio connectivity to any active loudspeaker
- Enjoy faster setups and teardowns
- Eliminate complex cable runs
- Dual-channel transmitter (x1) with two XLR+1/4
- 



## ***Martin by Harman***

### ***M-Touch***

Most powerful controller of its class with a full 512 DMX channels

- Lighting controllers and software from HARMAN Professional
- Length: 394 mm (15.5 in.)
- Width: 218.5 mm (8.6 in.)
- Height: 46.5 mm (1.8 in.)
- Weight: 1.5 kg (3.3 lbs.)



## ***Proline***

### **Proline ThinTri64 PAR 64 Tri-LED Wash Light**

- 12 x 3-watt tri-color LEDs with dual-layer optics
- Vibrant color and illumination
- Easy access menu
- Bold red, green and blue primary colors



## ***Chauvet***

### **CHAUVET DJ Freedom Par Quad-4 IP Indoor/Outdoor Battery-Powered Wireless LED Par-Style Wash Light Regular**

- Convenient, wireless non-DMX control using the IRC-6 remote
- Create customized colors using the built-in LED display
- Achieve smooth LED fading with built-in dimming curves
- Suitable for every event with either black or white housing



### **COLORband H9 USB**

- Full-size hex-color LED strip light functions as chase effect, blinder or wall washer
- D-Fi USB compatibility for wireless Master/Slave or DMX control
- Generate a broad spectrum of colors and achieve natural-looking color temperatures with 6-in-1 LED technology
- 3 zones of control create amazing chase effects



### **CHAUVET DJ 4BAR LT USB LED Wash Light Effect System**

Create large, coordinated light shows with other 4BAR fixtures

- Power and Current: 51 W, 0.4 A @ 230 V, 50 Hz
- Fits Tripod Sizes: 1 in (25.4 mm)
- Weight: 10.8 lb (4.9 kg)
- Size: 36.1 x 3.7 x 10.8 in (918.1 x 95 x 274.3 mm)



### **CHAUVET Professional COLORdash Par Q12 IP Outdoor RGBA LED Wash Light**

- IP65-rated outdoor wash light with rugged aluminum housing
- Powered by 12 RGBA 8.4W LEDs
- Adjustable PWM for flicker-free operation on camera
- OLED display with password protection and touchscreen interface



### Rogue R2 Wash

- 19 RGBW LEDs, 15 W each
- 5 zones of LED control for pixel mapping control
- Unique lens design for excellent color blending
- Fast, smooth pan and tilt movement



### Rogue R2 Beam

- Powerful 1-degree beam, 133,200 lux @ 15 m
- 17 gobos with continuous variable-speed wheel scroll
- 8-facet rotating prism for incredible gobo and beam effects
- Color wheel with 14 colors, split color ability, and continuous variable-speed scrolling



### F4IP

- 4.8 mm pitch outdoor video panel works with the VIP Drive 43Nova, using the Novastar control protocol
- Black body LEDs accurately reproduce high contrast video quality
- 1000 x 500 mm magnesium die-cast housing makes this product among the lightest in its class



### VIP Drive 43Nova 2

- Video wall processor that switches, scales, and outputs video signal to any Novastar video panel (including F3, F4IP, Vivid 4)
- Powerful standalone mapping configures most video walls without a computer
- Custom user interface makes setting up your wall fast and easy with on-screen visual feedback



## ***Trusst by Chauvet***

### TRUSST Trusst Straight Box Truss Segment, Includes 1 Set of Connectors

Rugged and durable aluminum truss systems that are an ideal installation choice for exhibitions, entertainment, production, and retail applications. Choose from various sizes of 12”:

- 6.6’
- 3.3’
- 9.8’



## Sumner

### ***Sumner Eventer Stage Lifts 16' (4.9 m)***

- Black anodized aluminum telescoping masts fade out on the stage
- Lifts 500 lbs. (225 kg) 16' (4.9 m)
- Sumner-built winch specifically designed for the application
- Compact - folds up for storage and transport



***Proud Users Of:***

