



# eLighting

STAINLESS STEEL TRI-PROOF



# STAINLESS STEEL TRI-PROOF

Designed for harsh industrial environments, this stainless steel housing delivers exceptional strength and corrosion resistance. The IP66 rating ensures complete protection against dust and powerful water jets. Ideal for chemical plants, food processing, marine, and wash-down areas.

Built to protect lighting components and ensure long-term, reliable performance.



\* LED Tube lamps not included

# Specifications

Fixture Size (LxWxH)	1300x200x90mm 5.9Kg	1600x200x90mm 7.2
LED Source	2 x T8 1200mm LED Tubes	2 x T8 1500mm LED Tube
Housing Material	304 Brushed Stainless Steel Body with Safety Glass	
Ingress Protection	IP66	
Light source	LED Lamp T8	
Tube Type	T8 LED (G13 Pins)	
Rated Input Voltage	220 - 240V AC	
Wiring	Directly Wired for LED Tubes	
Diffuser	Clear Tempered High Impact Safety Glass	
Impact Resistance	IK09	
Operating temperature	-30 + 55°C	
Photometric	Lamp Source dependent / Flat Diffuser	
Mounting Options	Surface Mount / Suspended	
Certification	SANS 60598-1 / SANS 60529 ( EX versions SANS6079	

