

IA

Since its debut, the IA has won the Kona World Championship a staggering six consecutive times. In a sport that demands sacrifice, the IA lacks for nothing. Aerodynamic, confidence-inspiring, and serviceable, it's simply the best triathlon bike that the world has ever seen.





IA FRD / ULTIMATE / DURA ACE DI2



IA / ADVANCED / AXS



IA / ADVANCED / ULTEGRA DI2



IA / ADVANCED / ULTEGRA



IA / ADVANCED / 105



IA / ADVANCED / 105 RIM BRAKE



AR / FRD



AR / ADVANCED



FRAME / FORK Felt IntegratedAero Disc | UHC Ultimate + TeXtreme carbon fiber

GROUP Shimano Dura-Ace Di2 R9180, 2x11 - 52/36T, 11-30T

WHEELS ZIPP 454 NSW Front, 858 NSW Rear, Carbon Tubeless, Continental Grand Prix 5000 TL 25c

SIZES - 48, 51, 54, 56, 58

Frame: Felt IntegratedAero Disc | UHC Ultimate + TeXtreme carbon fiber

Fork: Felt IntegratedAero Dagger Disc | UHC Ultimate + TeXtreme carbon fiber

Headset: IS (IS-2)

Speed: 2x11-speed

Shifters: BaseBar - Shimano Dura-Ace Di2 R9180, TRI/TT / Extensions: Shimano Dura-Ace Di2 SW-R9160, TRI/TT

Front Derailleur: Shimano Dura-Ace R9150 Di2, braze-on

Rear Derailleur: Shimano Dura-Ace R9150 Di2, short cage

Crankset: Shimano Dura-Ace R9100, 52/36T

Bottom Bracket: CeramicSpeed BSA for Shimano Road

Cassette: Shimano Dura-Ace R9100, 11-28T

Chain: Shimano Dura-Ace HG901

Brake Levers : Shimano Dura-Ace R9180, TRI/TT, hydraulic

Brakes : Shimano Dura-Ace R9170, hydraulic disc, flat mount

Brake Rotors: Shimano Dura-Ace RT900, Center Lock, 140mm/140mm

Front Wheel: 454 NSW Carbon Tubeless Disc-brake

Rear Wheel: 858 NSW Carbon Tubeless Disc-brake, SRAM/Shimano

Tires: Continental Grand Prix 5000 TL, 700x25c

Thru Axles: TA 12x100 front, TA 12x142 horizontal rear

Stem: Felt Dagger Direct | SuperLite aluminum

Handlebar: BaseBar - Devox Dagger Integrated | UHC Ultimate + Nano / Extensions: Devox f-Bend | carbon fiber, 3-position

Bartape: Felt Dimpled gel pads, Felt VelvetGel tape, and Felt bar end plugs

Seatpost: Felt AeroTRI IL 1.0 VM | UHC Advanced + TeXtreme carbon fiber

Saddle: ISM PS1.0 Ti

Accessories: IA CALpac 2.0 Top Tube storage / IA BTSpac Seat Tube storage box / Dagger stem cover with 1/4-turn Garmin Mount /

Shimano SM-BCR2 Battery Charger / ZIPP tubeless valve stems (1x80mm, 1x100mm) / Compliance Channel aero seatpost covers /

Carbon assembly paste

AQUA GEO 

BLACK GEO 

\$10 199



FRAME / FORK Felt IntegratedAero Disc | UHC Advanced + TeXtreme carbon fiber

GROUP SRAM Force eTap AXS, 2x12 - 48/35T, 10-28T

WHEELS Reynolds AR58/62 DB Custom, carbon, Continental Grand Sport Race 25c

SIZES - 48, 51, 54, 56, 58

AQUA GEO 

BLACK GEO 

\$10 199



FRAME / FORK Felt IntegratedAero Disc | UHC Advanced + TeXtreme carbon fiber

GROUP SRAM Force eTap AXS, 2x12 - 48/35T, 10-28T

WHEELS Reynolds AR58/62 DB Custom, carbon, Continental Grand Sport Race 25c

SIZES - 48, 51, 54, 56, 58

AQUA GEO 

BLACK GEO 

Frame: Felt IntegratedAero Disc | UHC Advanced + TeXtreme carbon fiber

Fork: Felt IntegratedAero Dagger Disc | UHC Advanced + TeXtreme carbon fiber

Headset: IS (IS-2)

Speed: 2x11-speed

Shifters: BaseBar - SRAM eTap Blips / Extensions: SRAM eTap Clics

Front Derailleur: SRAM Force eTap AXS, braze-on

Rear Derailleur: SRAM Force eTap AXS

Crankset: SRAM Force, DUB, 48/35T

Bottom Bracket: SRAM DUB BSA

Cassette: SRAM XG-1270, 10-28T

Chain: SRAM Force

Brake Levers : SRAM S-900 AERO HRD, hydraulic

Brakes : SRAM S-900 AERO HRD, hydraulic disc, flat mount

Brake Rotors: SRAM CenterLine XR, Center Lock, 140mm/140mm

Front Wheel: Reynolds AR58/62 DB Custom

Rear Wheel: Reynolds AR58/62 DB Custom, Shimano

Tires: Continental Grand Sport Race, 700x25c

Thru Axles: TA 12x100 front, TA 12x142 horizontal rear

Stem: Felt Dagger 31.8 | SuperLite aluminum

Handlebar: BaseBar - Devox Bayonet 3.1 | SuperLite aluminum / Extensions: Devox Ergomod | aluminum

Bartape: Felt EVA arm pads with anti-microbial cover and Felt Gel tape

Seatpost: Felt AeroTRI IL 1.0 VM | UHC Advanced + TeXtreme carbon fiber

Saddle: ISM PS1.0

Accessories: IA CALpac 2.0 Top Tube storage / A BTSpac Seat Tube storage box / SRAM PowerPack (Battery Charger, 2x Battery) /

Reynolds tubeless valve stems (2x75mm) / Compliance Channel aero seatpost covers / Carbon assembly paste

PURPLE GEO 

WHITE GEO 

\$9 199



FRAME / FORK Felt IntegratedAero Disc | UHC Advanced + TeXtreme carbon fiber

GROUP Shimano Ultegra Di2 R8050, 2x11 - 52/36T, 11-28T

WHEELS Reynolds AR58/62 DB Custom, carbon, Continental Grand Sport Race 25c

SIZES - 48, 51, 54, 56, 58

PURPLE GEO 

WHITE GEO 

\$9 199



FRAME / FORK Felt IntegratedAero Disc | UHC Advanced + TeXtreme carbon fiber

GROUP Shimano Ultegra Di2 R8050, 2x11 - 52/36T, 11-28T

WHEELS Reynolds AR58/62 DB Custom, carbon, Continental Grand Sport Race 25c

SIZES - 48, 51, 54, 56, 58

WHITE GEO 

 PURPLE GEO 

Frame: Felt IntegratedAero Disc | UHC Advanced + TeXtreme carbon fiber

Fork: Felt IntegratedAero Dagger Disc | UHC Advanced + TeXtreme carbon fiber

Headset: IS (IS-2)

Speed: 2x11-speed

Shifters: BaseBar- TRP HD-T910D, hydraulic with integrated Di2 shift buttons (right hand) / Extensions- Shimano Dura-Ace Di2 SW-R9160, TRI/TT

Front Derailleur: Shimano Ultegra R8050 Di2, braze-on

Rear Derailleur: Shimano Ultegra R8050 Di2, short cage

Crankset: Shimano Ultegra R8000, 52/36T

Bottom Bracket: Shimano BBR60

Cassette: Shimano Ultegra R8000, 11-28T

Chain: Shimano Ultegra HG701

Brake Levers : TRP HD-T910D, hydraulic with integrated Di2 shift buttons (right hand)

Brakes : TRP HD-T910, hydraulic disc, flat mount

Brake Rotors: TRP TR-25, Center Lock, 140mm/140mm

Front Wheel: Reynolds AR58/62 DB Custom

Rear Wheel: Reynolds AR58/62 DB Custom, Shimano

Tires: Continental Grand Sport Race, 700x25c

Thru Axles: TA 12x100 front, TA 12x142 horizontal rear

Stem: Felt Dagger 31.8 | SuperLite aluminum

Handlebar: BaseBar - Devox Bayonet 3.1 | SuperLite aluminum / Extensions: Devox Ergomod | aluminum

Bartape: Felt EVA arm pads with anti-microbial cover and Felt Gel tape

Seatpost: Felt AeroTRI IL 1.0 VM | UHC Advanced + TeXtreme carbon fiber

Saddle: ISM PS1.0

Accessories: IA CALpac 2.0 Top Tube storage / IA BTSpac Seat Tube storage box / Shimano SM-BCR2 Battery Charger /

Reynolds tubeless valve stems (2x75mm) / Compliance Channel aero seatpost covers / Carbon assembly paste

DESERT GEO

AQUAFRESH GEO

\$6 999



FRAME / FORK Felt IntegratedAero Disc | UHC Advanced + TeXtreme carbon fiber

GROUP Shimano Ultegra R8000, 2x11 - 52/36T, 11-28T

WHEELS Reynolds AR58/62 DB Custom, carbon, Continental Grand Sport Race 25c

SIZES - 48, 51, 54, 56, 58

DESERT GEO

AQUAFRESH GEO

\$6 999



FRAME / FORK Felt IntegratedAero Disc | UHC Advanced + TeXtreme carbon fiber

GROUP Shimano Ultegra R8000, 2x11 - 52/36T, 11-28T

WHEELS Reynolds AR58/62 DB Custom, carbon, Continental Grand Sport Race 25c

SIZES - 48, 51, 54, 56, 58

DESERT GEO 

 AQUAFRESH GEO 

Frame: Felt IntegratedAero Disc | UHC Advanced + TeXtreme carbon fiber

Fork: Felt IntegratedAero Dagger Disc | UHC Advanced + TeXtreme

Headset: IS (IS-2)

Speed: 2x11-speed

Shifters: microSHIFT A11, TRI/TT

Front Derailleur: Shimano Ultegra R8000, braze-on

Rear Derailleur: Shimano Ultegra R8000, short cage

Crankset: Shimano Ultegra R8000, 52/36T

Bottom Bracket: Shimano BBR60

Cassette: Shimano Ultegra R8000, 11-28T

Chain: Shimano Ultegra HG701

Brake Levers : TRP HD-T910, hydraulic

Brakes : TRP HD-T910, hydraulic disc, flat mount

Brake Rotors: TRP TR-25, Center Lock, 140mm/140mm

Front Wheel: Reynolds AR58/62 DB Custom

Rear Wheel: Reynolds AR58/62 DB Custom, Shimano

Tires: Continental Grand Sport Race, 700x25c

Thru Axles: TA 12x100 front, TA 12x142 horizontal rear

Stem: Felt Dagger 31.8 | SuperLite aluminum

Handlebar: BaseBar - Devox Bayonet 3.1 | SuperLite aluminum / Extensions: Devox Ergomod | aluminum

Bartape: Felt EVA arm pads with anti-microbial cover and Felt Gel tape

Seatpost: Felt AeroTRI IL 1.0 VM | UHC Advanced carbon fiber

Saddle: ISM PS1.0

Accessories: IA CALpac 2.0 Top Tube storage / IA BTSpac Seat Tube storage box / Shimano SM-BCR2 Battery Charger /

Reynolds tubeless valve stems (2x75mm) / Compliance Channel aero seatpost covers / Carbon assembly paste

CHARTREUSE GEO



CHARCOAL GEO



\$5 199



FRAME / FORK Felt IntegratedAero Disc | UHC Advanced + TeXtreme carbon fiber

GROUP Shimano 105 R7000, 2x11 - 52/36T, 11-28T

WHEELS Devox WheelRDS.A1 | 30/19, aluminum, Shimano hubs, Continental Grand Sport Race 25c

SIZES - 48, 51, 54, 56, 58

CHARTREUSE GEO



CHARCOAL GEO



\$5 199



FRAME / FORK Felt IntegratedAero Disc | UHC Advanced + TeXtreme carbon fiber

GROUP Shimano 105 R7000, 2x11 - 52/36T, 11-28T

WHEELS Devox WheelRDS.A1 | 30/19, aluminum, Shimano hubs, Continental Grand Sport Race 25c

SIZES - 48, 51, 54, 56, 58

CHARTREUSE GEO 

 CHARCOAL GEO 

Frame: Felt IntegratedAero Disc | UHC Advanced + TeXtreme carbon fiber

Fork: Felt IntegratedAero Dagger Disc | UHC Advanced + TeXtreme carbon fiber

Headset: IS (IS-2)

Speed: 2x11-speed

Shifters: microSHIFT A11, TRI/TT

Front Derailleur: Shimano 105 R7000, braze-on

Rear Derailleur: Shimano 105 R7000, short cage

Crankset: Shimano 105 R7000, 52/36T

Bottom Bracket: Shimano RS500

Cassette: Shimano 105 R7000, 11-28T

Chain: Shimano 105 HG601

Brake Levers : TRP HD-T910, hydraulic

Brakes : TRP HD-T910, hydraulic disc, flat mount

Brake Rotors: TRP TR-25, Center Lock, 140mm/140mm

Front Wheel: Devox WheelRDS.A1 | 30/19, Shimano hubs

Rear Wheel: Devox WheelRDS.A1 | 30/19, Shimano hubs

Tires: Continental Grand Sport Race, 700x25c

Thru Axles: TA 12x100 front, TA 12x142 horizontal rear

Stem: Felt Dagger 31.8 | SuperLite aluminum

Handlebar: BaseBar - Devox Bayonet 3.1 | SuperLite aluminum / Extensions: Devox Ergomod | aluminum

Bartape: Felt EVA arm pads with anti-microbial cover and Felt Gel tape

Seatpost: Felt AeroTRI IL 1.0 VM | UHC Advanced carbon fiber

Saddle: ISM PS1.0

Accessories: IA CALpac 2.0 Top Tube storage / IA BTSpac Seat Tube storage box / Compliance Channel aero seatpost covers /

Carbon assembly paste



FRAME / FORK Felt IntegratedAero Disc | UHC Advanced + TeXtreme carbon fiber

GROUP Shimano 105 R7000, 2x11 - 52/36T, 11-28T

WHEELS Devox WheelRRS.A1 | 24/19, aluminum, Shimano hubs, Continental Grand Sport Race 25c

SIZES - 48, 51, 54, 56, 58

Frame: Felt IntegratedAero Disc | UHC Advanced + TeXtreme carbon fiber

Fork: Felt IntegratedAero Dagger Disc | UHC Advanced + TeXtreme carbon fiber

Headset: IS (IS-2)

Speed: 2x11-speed

Shifters: microSHIFT A11, TRI/TT

Front Derailleur: Shimano 105 R7000, braze-on

Rear Derailleur: Shimano 105 R7000, short cage

Crankset: Shimano 105 R7000, 52/36T

Bottom Bracket: Shimano RS500

Cassette: Shimano 105 R7000, 11-28T

Chain: Shimano 105 HG601

Brake Levers : Tektro TL720

Brakes : Front: Shimano 105 R7000 dual-pivot caliper / Rear: Shimano 105 R7010-R under bottom bracket mount caliper

Front Wheel: Devox WheelRRS.A1 | 24/19, Shimano hubs

Rear Wheel: Devox WheelRRS.A1 | 24/19, Shimano hubs

Tires: Continental Grand Sport Race, 700x25c

Quick Release: QR100 front, QR 130 rear horizontal with integrated adjusters

Stem: Felt Dagger 31.8 | Lite aluminum

Handlebar: BaseBar - Devox Bayonet 3.1 | SuperLite aluminum / Extensions: Devox Ergomod | aluminum

Bartape: Felt EVA arm pads with anti-microbial cover and Felt Gel tape

Seatpost: Felt AeroTRI IL 1.0 VM | UHC Advanced carbon fiber

Saddle: ISM PS1.1

Accessories: IA CALpac 2.0 Top Tube storage / IA BTSpac Seat Tube storage box / Compliance Channel aero seatpost covers /

Carbon assembly paste



FRAME / FORK Felt IntegratedAero Disc | UHC Ultimate + TeXtreme carbon fiber

STEM Felt Dagger Direct | SuperLite aluminum **BAR** BaseBar - Devox Dagger Integrated | UHC Ultimate + Nano

SEATPOST Felt AeroTRI IL 1.0 VM | UHC Advanced + TeXtreme carbon fiber

SIZES - 48, 51, 54, 56, 58

CEMENT GEO ☐

\$4 999



FRAME / FORK Felt IntegratedAero Disc | UHC Advanced + TeXtreme carbon fiber

STEM Felt Dagger Direct | SuperLite aluminum **BAR** BaseBar - Devox Dagger Integrated | UHC Ultimate + Nano

SEATPOST Felt AeroTRI IL 1.0 VM | UHC Advanced carbon fiber

SIZES - 48, 51, 54, 56, 58

Size	48	51	54	56	58
HA	71.5	71.5	72	72	72
SA	79.5	79	78.5	78	77.5
TT Horiz	468	486	510	541	573
TT C-C					
HT Length	67.5	96	111	136	163
Seat Tube C-T	496	525	546	571	598
Seat Tube C-C					
BB Drop	72	72	72	72	72
BB Rise					
CS	408.5	408.5	408.5	408.5	408.5
Front Center	572	589	602	630	659
Wheelbase	969.5	986.5	999.5	1028.5	1057.5
Standover	744	776	790	819	840
Fork Length	376	376	376	376	376
Rake	50	50	45	45	45
Lower HS Stack	1	1	1	1	1
Reach	381	389	405	426	447
Stack	473	501	520	544	569