



## VR

The VR epitomizes the spirit of the modern endurance cyclist. It offers a new perspective on how to experience terrain, distance, and topography, by empowering its rider to explore beyond his or her perceived limitations.





VR / ADVANCED / ULTEGRA DI2



VR / ADVANCED / ULTEGRA



VR / ADVANCED / 105



VR / 40



VR / 60



**FRAME / FORK** Felt VariableRoad 3.0 | UHC Advanced + TeXtreme carbon fiber

**GROUP** Shimano Ultegra Di2 R8050, 2x11 - 50/34T, 11-34T

**WHEELS** Reynolds AR29 DB, carbon, Vittoria Rubino Pro IV 30c

SIZES - 43, 47, 51, 54, 56, 58, 61

**Frame:** Felt VariableRoad 3.0 | UHC Advanced + TeXtreme carbon fiber

**Fork:** Felt VariableRoad 3.0 | UHC Advanced + TeXtreme carbon fiber

**Headset:** IS (IS-2)

**Speed:** 2x11-speed

**Shifters:** Shimano Ultegra Di2 R8070

**Front Derailleur:** Shimano Ultegra R8050 Di2, braze-on

**Rear Derailleur:** Shimano Ultegra R8050 Di2, long cage

**Crankset:** Shimano Ultegra R8000, 50/34T

**Bottom Bracket:** Token Ninja Lite, BB386 for Shimano (24mm)

**Cassette:** Shimano Ultegra HG800, 11-34T

**Chain:** Shimano Ultegra HG701

**Brakes :** Shimano Ultegra R8070, hydraulic disc, flat mount

**Brake Rotors:** Shimano Ultegra RT800, Center Lock, 160mm/140mm

**Front Wheel:** Reynolds AR29 DB Custom

**Rear Wheel:** Reynolds AR29 DB Custom, Shimano

**Tires:** Vittoria Rubino Pro IV, 700x30c

**Thru Axles:** TA 12x100 front, TA 12x142 rear

**Stem:** Devox StemR.A1

**Handlebar:** Devox DBar.A2

**Bartape:** Additional comfort gel padding, Felt VelvetGel tape with 3M reflective base, and reflective Felt Bubble-Tech F-Wing bar end plugs

**Seatpost:** Devox Post.C2 Cap

**Saddle:** Prologo Dimension Space T4.0

**Accessories:** Shimano SM-BCR2 Battery Charger / Shimano hose fitting kit (2x olives and connector inserts) /

Reynolds tubeless valve stems (2x45mm) / Carbon assembly paste





**FRAME / FORK** Felt VariableRoad 3.0 | UHC Performance carbon fiber

**GROUP** Shimano Ultegra R8000, 2x11 - 50/34T, 11-34T

**WHEELS** Reynolds AR29 DB, carbon, Vittoria Rubino Pro IV, 700x30c

SIZES - 43, 47, 51, 54, 56, 58, 61

**Frame:** Felt VariableRoad 3.0 | UHC Advanced + TeXtreme carbon fiber

**Fork:** Felt VariableRoad 3.0 | UHC Advanced + TeXtreme carbon fiber

**Headset:** 43, 47cm: IS (IS-2) / 51, 54, 56, 58, 61cm: IS (NO.42)

**Speed:** 2x11-speed

**Shifters:** Shimano Ultegra R8020

**Front Derailleur:** Shimano Ultegra R8000, braze-on

**Rear Derailleur:** Shimano Ultegra R8000, long cage

**Crankset:** Shimano Ultegra R8000, 50/34T

**Bottom Bracket:** Token Ninja Lite, BB386 for Shimano (24mm)

**Cassette:** Shimano Ultegra HG800, 11-34T

**Chain:** Shimano Ultegra HG701

**Brakes :** Shimano Ultegra R8070, hydraulic disc, flat mount

**Brake Rotors:** Shimano Ultegra RT800, Center Lock, 160mm/140mm

**Front Wheel:** Reynolds AR29 DB Custom

**Rear Wheel:** Reynolds AR29 DB Custom, Shimano

**Tires:** Vittoria Rubino Pro IV, 700x30c

**Thru Axles:** TA 12x100 front, TA 12x142 rear

**Stem:** Devox StemR.A1

**Handlebar:** Devox DBar.A2

**Bartape:** Additional comfort gel padding, Felt VelvetGel tape with 3M reflective base, and reflective Felt Bubble-Tech F-Wing bar end plugs

**Seatpost:** Devox Post.C2 Cap

**Saddle:** Prologo Dimension Space STN

**Accessories:** Shimano hose fitting kit (2x olives and connector inserts) / Reynolds tubeless valve stems (2x45mm) /

Carbon assembly past





**FRAME / FORK** Felt VariableRoad 3.0 | UHC Performance carbon fiber

**GROUP** Shimano 105 R7000, 2x11 - 50/34T, 11-34T

**WHEELS** Devox WheelRDS.A1 | 23/21, aluminum, Shimano hubs, Vittoria Rubino Pro IV, 700x30c

SIZES - 43, 47, 51, 54, 56, 58, 61

**Frame:** Felt VariableRoad 3.0 | UHC Advanced + TeXtreme carbon fiber

**Fork:** Felt VariableRoad 3.0 | UHC Advanced + TeXtreme carbon fiber

**Headset:** 43, 47cm: IS (IS-2) / 51, 54, 56, 58, 61cm: IS (NO.42)

**Speed:** 2x11-speed

**Shifters:** 43, 47cm: Shimano 105 R7025 Short-Reach / 51, 54, 56, 58, 61cm: Shimano 105 R7020

**Front Derailleur:** Shimano 105 R7000, braze-on

**Rear Derailleur:** Shimano 105 R7000, long cage

**Crankset:** Shimano 105 R7000, 50/34T

**Bottom Bracket:** Token Ninja Lite, BB386 for Shimano (24mm)

**Cassette:** Shimano 105 R7000, 11-34T

**Chain:** Shimano 105 HG601

**Brakes :** Shimano 105 R7070, hydraulic disc, flat mount

**Brake Rotors:** Shimano RT70, Center Lock, 160mm/140mm

**Front Wheel:** Devox WheelRDS.A1 | 23/21, Shimano hubs

**Rear Wheel:** Devox WheelRDS.A1 | 23/21, Shimano hubs

**Tires:** Vittoria Rubino Pro IV, 700x30c

**Thru Axles:** TA 12x100 front, TA 12x142 rear

**Stem:** Devox StemR.A2 6D

**Handlebar:** Devox DBar.A2

**Bartape:** Additional comfort gel padding, Felt VelvetGel tape with 3M reflective base, and reflective Felt Bubble-Tech F-Wing bar end plugs

**Seatpost:** Devox Post.A3

**Saddle:** Prologo Dimension Space STN

**Accessories:** Shimano hose fitting kit (2x olives and connector inserts) / Carbon assembly paste





**FRAME** Felt VariableRoad 3.0 | SuperLite aluminum **FORK** UHC Advanced carbon fiber

**GROUP** Shimano Tiagra 4700, 2x10 - 50/34T, 11-34T

**WHEELS** Devox WheelRDS.A1 | 23/21, aluminum, Shimano hubs, Vittoria Zaffiro Pro V, 700x30c

SIZES - 43, 47, 51, 54, 56, 58, 61

**Frame:** Felt VariableRoad 3.0 | SuperLite aluminum

**Fork:** Felt VariableRoad 3.0 | UHC Advanced carbon fiber

**Headset:** 43, 47cm: IS (IS-2) / 51, 54, 56, 58, 61cm: IS (NO.42)

**Speed:** 2x10-speed

**Shifters:** Shimano Tiagra 4720

**Front Derailleur:** Shimano Tiagra 4700, band type, Ø31.8mm

**Rear Derailleur:** Shimano Tiagra 4700, long cage

**Crankset:** Shimano Tiagra 4700, 50/34T

**Bottom Bracket:** Token Ninja Lite, BB386 for Shimano (24mm)

**Cassette:** Shimano HG500, 11-34T

**Chain:** Shimano HG54

**Brakes :** Shimano Tiagra 4770, hydraulic disc, flat mount

**Brake Rotors:** Shimano RT70, Center Lock, 160mm/140mm

**Front Wheel:** Devox WheelRDS.A1 | 23/21, Shimano hubs

**Rear Wheel:** Devox WheelRDS.A1 | 23/21, Shimano hubs

**Tires:** Vittoria Zaffiro Pro V, 700x30c

**Thru Axles:** TA 12x100 front, TA 12x142 rear

**Stem:** Devox StemR.A2 6D

**Handlebar:** Devox DBar.A2

**Bartape:** Additional comfort gel padding, Felt VelvetGel tape with 3M reflective base, and reflective Felt Bubble-Tech F-Wing bar end plugs

**Seatpost:** Devox Post.A3

**Saddle:** Devox Seat.MIG

**Accessories:** Carbon assembly paste



PEWTER 

GLOW GREEN 

\$1 449



\$1 299



**FRAME** Felt VariableRoad 3.0 | SuperLite aluminum **FORK** Felt VariableRoad 3.0 | UHC Advanced carbon fiber

**GROUP** Shimano Claris R2000, 2x8 - 50/34T, 11-34T

**WHEELS** Devox WheelRDS.A3 | 23/21, aluminum, Vittoria Zaffiro V wire bead 700x30c

SIZES - 43, 47, 51, 54, 56, 58, 61

PEWTER 

GLOW GREEN 

**Frame:** Felt VariableRoad 3.0 | SuperLite aluminum

**Fork:** Felt VariableRoad 3.0 | UHC Advanced carbon fiber

**Headset:** 43, 47cm: IS (IS-2) / 51, 54, 56, 58, 61cm: IS (NO.42)

**Speed:** 2x10-speed

**Shifters:** Shimano Claris R2000

**Front Derailleur:** Shimano Claris R2000, band type, Ø31.8mm

**Rear Derailleur:** Shimano Claris R2000, short cage

**Crankset:** Shimano Claris R2000, 50/34T

**Bottom Bracket:** Token Ninja Lite, BB386 for Shimano (24mm)

**Cassette:** Shimano HG318, 11-34T

**Chain:** Shimano HG71

**Brakes :** Tektro MD-C550, dual piston disc, flat mount

**Brake Rotors:** Tektro TR-22, 160mm

**Front Wheel:** Devox WheelRDS.A3 | 23/21

**Rear Wheel:** Devox WheelRDS.A3 | 23/21, Shimano

**Tires:** Vittoria Zaffiro V wire bead, 700x30c

**Thru Axles:** TA 12x100 front, TA 12x142 rear

**Stem:** Devox StemR.A2 VA

**Handlebar:** Devox DBar.A2

**Bartape:** Additional comfort gel padding, Felt VelvetGel tape with 3M reflective base, and reflective Felt Bubble-Tech F-Wing bar end plugs

**Seatpost:** Devox Post.A3

**Saddle:** Devox Seat.MIG

**Accessories:** Carbon assembly paste

| Size           | 43   | 47   | 51   | 54   | 56   | 58   | 61   |
|----------------|------|------|------|------|------|------|------|
| HA             | 70.3 | 71.3 | 72   | 72.5 | 72.5 | 72.5 | 72.5 |
| SA             | 75.3 | 74.7 | 74.5 | 74   | 73.5 | 73   | 73   |
| TT Horiz       | 495  | 510  | 525  | 545  | 563  | 580  | 595  |
| TT C-C         | 479  | 494  | 506  | 524  | 540  | 556  | 571  |
| HT Length      | 115  | 130  | 145  | 165  | 185  | 205  | 225  |
| Seat Tube C-T  | 410  | 430  | 450  | 480  | 500  | 520  | 550  |
| Seat Tube C-C  |      |      |      |      |      |      |      |
| BB Drop        | 72   | 72   | 70   | 70   | 70   | 70   | 70   |
| BB Rise        |      |      |      |      |      |      |      |
| CS             | 412  | 412  | 415  | 415  | 415  | 417  | 417  |
| Front Center   | 576  | 580  | 583  | 595  | 608  | 620  | 635  |
| Wheelbase      | 977  | 981  | 989  | 1000 | 1013 | 1027 | 1042 |
| Standover      | 665  | 687  | 708  | 737  | 757  | 777  | 805  |
| Fork Length    | 380  | 380  | 380  | 380  | 380  | 380  | 380  |
| Rake           | 52   | 52   | 50   | 50   | 50   | 50   | 50   |
| Lower HS Stack | 1    | 1    | 1    | 1    | 1    | 1    | 1    |
| Reach          | 355  | 363  | 369  | 379  | 386  | 392  | 401  |
| Stack          | 521  | 539  | 555  | 576  | 595  | 614  | 633  |