

 2021-22-23

**FELT**<sup>®</sup>

BICYCLES / CALIFORNIA



SATIN VELVET 

3 529



**FRAME** Felt Gravel | SuperLite aluminum **FORK** Adventure | UHC Advanced carbon fiber

**GROUP** SRAM Force 1, 1x11 - 40T, 11-42T

**WHEELS** Devox WheelRDS.A0 GX1 | 30/21, aluminum, Vittoria Terreno Dry Tubeless TNT 700x40c

**Frame:** Felt Gravel | SuperLite aluminum

**Fork:** Felt Gravel - Adventure | UHC Advanced carbon fiber

**Headset:** IS (NO.42)

**Speed:** 1x11-speed

**Shifters:** SRAM Force 1 Hydraulic

**Front Derailleur:** N/A

**Rear Derailleur:** SRAM Force 1, long cage

**Crankset:** Praxis Works Zayante Carbon-S, 40T DM WT

**Bottom Bracket:** Threaded T47 86.5mm

**Cassette:** SRAM PG-1130, 11-42T

**Chain:** SRAM PC-1130

**Brakes :** SRAM Force 1, hydraulic disc, flat mount

**Brake Rotors:** SRAM Centerline, Center Lock, 160mm/160mm

**Front Wheel:** Devox WheelRDS.A0 GXA | 30/21

**Rear Wheel:** Devox WheelRDS.A0 GXA | 30/21

**Tires:** Vittoria Terreno Dry, Tubeless Ready (TNT), Anthracite Sidewall, 700x40c

**Thru Axles:** TA 12x100, TA 12x142

**Stem:** Devox StemR.A1

**Handlebar:** Devox DBar.A1 GXA

**Bartape:** Felt VelvetGel tape with 3M reflective base and Felt Bubble-Tech F-

**Seatpost:** Devox Post.C2

**Saddle:** Prologo Dimension NDR T4.0

**Accessories:** BREED fender system - removable eye-bolts, chain stay fender mount, and seat stay fender bridge /

Carbon assembly paste



**FRAME** Felt Gravel | SuperLite aluminum **FORK** Felt Gravel - Adventure | UHC Performance carbon fiber

**GROUP** Shimano GRX 600, 1x11 - 40T, 11-42T

**WHEELS** Devox WheelRDS.A1 with Shimano hubs | 23/21, aluminum, Vittoria Terreno Dry Tubeless TNT 700x40c

**Frame:** Felt Gravel | SuperLite aluminum

**Fork:** Felt Gravel - Adventure | UHC Performance carbon fiber with aluminum steerer tube

**Headset:** IS (NO.42)

**Speed:** 1x11-speed

**Shifters:** Shimano GRX RX600

**Front Derailleur:** N/A

**Rear Derailleur:** Shimano GRX RX812

**Crankset:** Shimano GRX RX600, 40T

**Bottom Bracket:** Threaded T47 86.5mm

**Cassette:** Shimano M7000, 11-42T

**Chain:** Shimano 105 HG601

**Brakes :** Shimano GRX RX400, hydraulic disc, flat mount

**Brake Rotors:** Shimano RT70, Center Lock, 160/140mm

**Front Wheel:** Devox WheelRDS.A1 | 23/21, Shimano hubs

**Rear Wheel:** Devox WheelRDS.A1 | 23/21, Shimano hubs

**Tires:** Vittoria Terreno Dry, Tubeless Ready (TNT), Anthracite Sidewall, 700x40c

**Thru Axles:** TA 12x100, TA 12x142

**Stem:** Devox StemR.A2 6D

**Handlebar:** Devox DBar.A1 GXA

**Bartape:** Felt Gel tape with Felt Bubble-Tech F-Wing bar end plugs

**Seatpost:** Devox Post.C2

**Saddle:** Prologo Dimension NDR T4.0

**Accessories:** BREED fender system - removable eye-bolts, chain stay fender mount, and seat stay fender bridge /

Carbon assembly paste

Size	47	51	54	56	58	61
HA	70	70.5	70.5	71	71.5	71.5
SA	74	74	74	73	73	72
TT Horiz	530	540	555	570	585	600
TT C-C	506	516	531	544	558	573
HT Length	130	135	150	165	180	200
Seat Tube C-T	440	470	500	520	540	570
Seat Tube C-C	397	516	531	544	558	573
BB Drop	72	72	72	72	72	72
BB Rise						
CS	420	420	420	420	420	420
Front Center	603	610	620	625	629	639
Wheelbase	1013	1019	1030	1035	1039	1048
Standover	687	708	737	757	777	805
Fork Length	400	400	400	400	400	400
Rake	50	50	50	50	50	50
Lower HS Stack	1	1	1	1	1	1
Reach	374	379	385	389	394	397
Stack	544	561	575	591	607	626

## **BROAM**

The Broam craves two-wheeled adventure. Designed for riders as diverse as the utilitarian urbanite to the rugged outdoors fan, the Broam is equally at home on one's daily commute to bikepacking through the wilderness.



\$2,779



**FRAME** Felt Adventure | SuperLite aluminum **FORK** Felt Gravel - Adventure | UHC Performance carbon fiber

**GROUP** Shimano GRX 600, 2x11 - 46/30T, 11-34T

**WHEELS** Devox WheelRDS.A1 with Shimano hubs | 23/21, aluminum, Maxxis Re-Fuse Max Shield tubeless ready, 700x40c

SIZES - 47, 51, 54, 56, 58, 61



**Frame:** Felt Adventure | SuperLite aluminum

**Fork:** Felt Gravel - Adventure | UHC Performance carbon fiber with aluminum steerer tube

**Headset:** IS (NO.42)

**Speed:** 2x11-speed

**Shifters:** Shimano GRX RX600

**Front Derailleur:** Shimano GRX RX810, braze-on with Ø31.8mm clamp adapter

**Rear Derailleur:** Shimano GRX RX810

**Crankset:** Shimano GRX RX600, 46/30T

**Bottom Bracket:** Shimano RS500

**Cassette:** Shimano 105 HG700, 11-34T

**Chain:** Shimano 105 HG601

**Brakes :** Shimano GRX RX400, hydraulic disc, flat mount

**Brake Rotors:** Shimano RT70, Center Lock, 160/140mm

**Front Wheel:** Devox WheelRDS.A1 | 23/21, Shimano hubs

**Rear Wheel:** Devox WheelRDS.A1 | 23/21, Shimano hubs

**Tires:** Maxxis Refuse with Max Shield, tubeless ready, 700x40c

**Thru Axles:** TA 12x100, TA 12x142

**Stem:** Devox StemR.A2 6D

**Handlebar:** Devox DBar.A2 GXA

**Bartape:** Felt VelvetGel tape with 3M reflective base and Felt Bubble-Tech F-Wing bar end plugs

**Seatpost:** Devox Post.A3

**Saddle:** Selle Royal Essenza Gel

**Accessories:** N/A



2022-23

**BROAM | 30 | GRX 600**

GLOSS CARAMEL



\$2,779



**FRAME** Felt Adventure | SuperLite aluminum **FORK** Felt Gravel - Adventure | UHC Performance carbon fiber

**GROUP** Shimano GRX 600, 2x11 - 46/30T, 11-34T

**WHEELS** Devox WheelRDS.A1 with Shimano hubs | 23/21, aluminum, Maxxis Re-Fuse Max Shield tubeless ready, 700x40c

SIZES - 47, 51, 54, 56, 58, 61

**FELT**  
BICYCLES / CALIFORNIA

**Frame:** Felt Adventure | SuperLite aluminum

**Fork:** Felt Gravel - Adventure | UHC Performance carbon fiber with aluminum steerer tube

**Headset:** IS (NO.42)

**Speed:** 2x11-speed

**Shifters:** Shimano GRX RX600

**Front Derailleur:** Shimano GRX RX810, braze-on with Ø31.8mm clamp adapter

**Rear Derailleur:** Shimano GRX RX810

**Crankset:** Shimano GRX RX600, 46/30T

**Bottom Bracket:** Shimano RS500

**Cassette:** Shimano 105 HG700, 11-34T

**Chain:** Shimano 105 HG601

**Brakes :** Shimano GRX RX400, hydraulic disc, flat mount

**Brake Rotors:** Shimano RT70, Center Lock, 160/140mm

**Front Wheel:** Devox WheelRDS.A1 | 23/21, Shimano hubs

**Rear Wheel:** Devox WheelRDS.A1 | 23/21, Shimano hubs

**Tires:** Maxxis Refuse with Max Shield, tubeless ready, 700x40c

**Thru Axles:** TA 12x100, TA 12x142

**Stem:** Devox StemR.A2 6D

**Handlebar:** Devox DBar.A2 GXA

**Bartape:** Felt VelvetGel tape with 3M reflective base and Felt Bubble-Tech F-Wing bar end plugs

**Seatpost:** Devox Post.A3

**Saddle:** Selle Royal Essenza Gel

**Accessories:** N/A



**FRAME** Felt Adventure | SuperLite aluminum **FORK** Felt Gravel - Adventure | UHC Performance carbon fiber  
**GROUP** Shimano GRX 400, GRX 600 crank, Tiagra brake lever/shifters, 2x10 - 46/30T, 11-34T  
**WHEELS** Devox WheelRDS.A1 with Shimano hubs | 23/21, aluminum, Maxxis Refuse with Silkworm 700x40c

**Frame:** Felt Adventure | SuperLite aluminum

**Fork:** Felt Gravel - Adventure | UHC Performance carbon fiber with aluminum steerer tube

**Headset:** IS (NO.42)

**Speed:** 2x10-speed

**Shifters:** Shimano Tiagra 4700

**Front Derailleur:** Shimano GRX RX400, braze-on with Ø31.8mm clamp band

**Rear Derailleur:** Shimano GRX RX400

**Crankset:** Shimano GRX RX600-10, 46/30T

**Bottom Bracket:** Shimano RS500

**Cassette:** Shimano HG500, 11-34T

**Chain:** Shimano HG54

**Brakes :** TRP HY/RD, cable actuated hydraulic disc, flat mount

**Brake Rotors:** TRP TR-35, Center Lock, 160/140mm

**Front Wheel:** Devox WheelRDS.A1 | 23/21, Shimano hubs

**Rear Wheel:** Devox WheelRDS.A1 | 23/21, Shimano hubs

**Tires:** Maxxis Refuse with Silkworm, 700x40c

**Thru Axles:** TA 12x100, TA 12x142

**Stem:** Devox StemR.A2 VA

**Handlebar:** Devox DBar.A2 GXA

**Bartape:** Felt VelvetGel tape with 3M reflective base and Felt Bubble-Tech F-Wing bar end plugs

**Seatpost:** Devox Post.A3

**Saddle:** Selle Royal Essenza Gel

**Accessories:** N/A



2022-23

**BROOM | 40 | GRX 400**

GLOSS SEAWEED 

\$2 229



**FRAME** Felt Adventure | SuperLite aluminum **FORK** Felt Gravel - Adventure | UHC Performance carbon fiber  
**GROUP** Shimano GRX 400, GRX 600 crank, Tiagra brake lever/shifters, 2x10 - 46/30T, 11-34T  
**WHEELS** Devox WheelRDS.A1 with Shimano hubs | 23/21, aluminum, Maxxis Refuse with Silkworm 700x40c

SIZES - 47, 51, 54, 56, 58, 61

**FELT**  
BICYCLES / CALIFORNIA

**Frame:** Felt Adventure | SuperLite aluminum

**Fork:** Felt Gravel - Adventure | UHC Performance carbon fiber with aluminum steerer tube

**Headset:** IS (NO.42)

**Speed:** 2x10-speed

**Shifters:** Shimano Tiagra 4700

**Front Derailleur:** Shimano GRX RX400, braze-on with Ø31.8mm clamp band

**Rear Derailleur:** Shimano GRX RX400

**Crankset:** Shimano GRX RX600-10, 46/30T

**Bottom Bracket:** Shimano RS500

**Cassette:** Shimano HG500, 11-34T

**Chain:** Shimano HG54

**Brakes :** TRP HY/RD, cable actuated hydraulic disc, flat mount

**Brake Rotors:** TRP TR-35, Center Lock, 160/140mm

**Front Wheel:** Devox WheelRDS.A1 | 23/21, Shimano hubs

**Rear Wheel:** Devox WheelRDS.A1 | 23/21, Shimano hubs

**Tires:** Maxxis Refuse with Silkworm, 700x40c

**Thru Axles:** TA 12x100, TA 12x142

**Stem:** Devox StemR.A2 VA

**Handlebar:** Devox DBar.A2 GXA

**Bartape:** Felt VelvetGel tape with 3M reflective base and Felt Bubble-Tech F-Wing bar end plugs

**Seatpost:** Devox Post.A3

**Saddle:** Selle Royal Essenza Gel

**Accessories:** N/A

DUCK EGG BLUE 

BLACK 

\$ 1 529



**FRAME** Felt Adventure | SuperLite aluminum **FORK** Felt Gravel - Adventure | UHC Performance carbon fiber

**GROUP** Shimano Claris R2000, Shimano RS200 crank, 2x8 - 46/34T, 11-34T

**WHEELS** Devox WheelRDS.A3 | 23/21, aluminum, Maxxis Refuse with Silkworm, wire bead 700x40c



DUCK EGG BLUE 

BLACK 

\$ 1 529



**FRAME** Felt Adventure | SuperLite aluminum **FORK** Felt Gravel - Adventure | UHC Performance carbon fiber

**GROUP** Shimano Claris R2000, Shimano RS200 crank, 2x8 - 46/34T, 11-34T

**WHEELS** Devox WheelRDS.A3 | 23/21, aluminum, Maxxis Refuse with Silkworm, wire bead 700x40c

DUCK EGG BLUE 

BLACK 

**Frame:** Felt Adventure | SuperLite aluminum

**Fork:** Felt Gravel - Adventure | UHC Performance carbon fiber with aluminum steerer tube

**Headset:** IS (NO.42)

**Speed:** 2x8-speed

**Shifters:** Shimano Claris R2000

**Front Derailleur:** Shimano Claris R2000, band type, Ø31.8mm

**Rear Derailleur:** Shimano Sora R3000, medium cage

**Crankset:** Shimano RS200, 46/34T

**Bottom Bracket:** Shimano UN26, 110mm

**Cassette:** Shimano HG318, 11-34T

**Chain:** Shimano HG71

**Brakes :** Tektro MD-C550, dual piston disc, flat mount

**Brake Rotors:** Tektro TR-22, 160/140mm

**Front Wheel:** Devox WheelRDS.A3 | 23/21

**Rear Wheel:** Devox WheelRDS.A3 | 23/21

**Tires:** Maxxis Refuse with Silkworm, wire bead, 700x40c

**Thru Axles:** TA 12x100, TA 12x142

**Stem:** Devox StemR.A2 VA

**Handlebar:** Devox DBar.A2 GXA

**Bartape:** Felt VelvetGel tape with 3M reflective base and Felt Bubble-Tech F-Wing bar end plugs

**Seatpost:** Devox Post.A3

**Saddle:** Selle Royal Essenza Gel

**Accessories:** N/A

Size	47	51	54	56	58	61
HA	70.5	70.5	71	71	71	71
SA	74	74	74	73	73	73
TT Horiz	530	535	555	570	580	595
TT C-C	512	517	534	546	557	572
HT Length	125	145	165	180	200	220
Seat Tube C-T	410	435	460	485	515	545
Seat Tube C-C	365	391	416	442	472	502
BB Drop	72	72	72	72	72	72
BB Rise						
CS	450	450	450	450	450	450
Front Center	599	605	616	626	636	652
Wheelbase	1039	1045	1056	1066	1076	1092
Standover	688	713	720	762	790	818
Fork Length	400	400	400	400	400	400
Rake	50	50	50	50	50	50
Lower HS Stack	1	1	1	1	1	1
Reach	372	372	380	385	389	398
Stack	551	570	591	605	324	643