

Wooden entry doors



Wooden entry doors overview

Live the way you are – naturally individual





Contents

UNILUX opening up perspectives	04
All good things come in sixes: Brand advantages of UNILUX	06
The world of UNILUX wooden entry doors	09
UNILUX wooden entry doors: ExclusivLine	10
UNILUX wooden entry doors: HighLine panel doors	14
UNILUX wooden entry doors: HighLine panel doors	24
UNILUX wooden entry doors: JuniorLine	32
Design freedom in shapes and materials	38
Glass	44
Handles and handles variants	48
Advantages and technical details	58
Protection and security	62
Overview	64
The reliability of a big name – Made in Germany	66







UNILUX

One brand. One promise.

Modern wooden doors only share a name with their „ancestors“. Good carpentry and appearance alone is no longer enough, because energy efficiency, safety and functionality standards have increased dramatically to meet today’s customer needs.

That’s why all UNILUX wooden doors are development projects that demonstrate intelligence and complex engineering.

To be able to provide access to these masterpieces to more than just a select few customers UNILUX mass-produces them. That means it’s possible for us to offer these unique wood products at a price that makes top quality affordable.

UNILUX opening up perspectives.



All good things come in sixes:

The UNILUX brand advantages.

Brand advantage 1: Durability

Since we were founded, UNILUX has always used the highest-quality materials. Down to the finest detail: UNILUX wood products rely on high-quality coatings with UV blockers. The high-quality production and strict quality control guarantee that you will enjoy your UNILUX product for years.

Brand advantage 2: Freedom of design

Some things are a matter of taste. Thus, you can choose from three design lines (ExclusivLine, HighLine, JuniorLine), five fine woods (oak, spruce, pine, larch, eucalyptus grandis) as well as 189 colors and varnish wood shades (e.g. oak, mahogany, beech, walnut). Variety right from the factory.

Brand advantage 3: Energy balance

UNILUX's solid construction style not only guarantees durability, but also helps save energy. Each of our wooden entry doors also has a specially developed insulating core and thermally separated spacers between the glass panes. This results in better thermal insulation, more comfort near the glass and significantly less condensation formation in cold months. Each UNILUX entry door is glazed with at least one 40mm thick triple pane. This will further reduce heating costs.





Brand advantage 4: Security

Sometimes an entry door doesn't just have to withstand rain and stormy weather, but also unwelcome guests. That's why UNILUX makes all the locking parts of steel. In addition, each of our wooden entry doors already has a continuous striker plate in the standard version.

Brand advantage 5: Service

UNILUX works exclusively with our own qualified retailers. You can find them anywhere in Germany, right on site with their own local showrooms. Your regional UNILUX retailer will offer you detailed advice and assist you with your plans. They will also ensure prompt, correct installation, and will be available at any time if you have any service-related needs.

Brand advantage 6: Brand quality

At UNILUX, there has always been one fast rule: Only products of uncompromising quality leave the factory. This made our company a recognized quality leader over the decades. Anyone who pays heed to the UNILUX logo can be certain of always receiving a „Made in Germany“-branded product.







Each one a masterpiece

The world of UNILUX wooden entry doors.

Wood gives a feeling of wellbeing. A unique material that outlasts all fashions and has always inspired carpenters and cabinetmakers to craftsmanship. Us, too.

ExclusivLine: For the highest demands

No compromises! That's your motto. Because it is your dream house. Modern architecture meets the highest design standards. The matching door: ExclusivLine.

HighLine panel doors: The showpieces

We have developed this model series with great attention to detail. The combination of high-quality materials and refined engineering is your guarantee for a door that will demonstrate its quality every day.



HighLine frame doors: The classics


Our High Line frame doors are the epitome of a timeless design language. Designs that survive every trend and will continue to emit a perfect picture.

JuniorLine: The little big things

Small in price, big in performance – that's the idea behind the models in the JuniorLine. Door after door, they show that brand quality can be affordable.







UNILUX ExclusivLine entry doors

Style-defining. Future-looking. Unique.

Wood does not have to be rustic. The UNILUX ExclusivLine effectively demonstrates how a traditional material forms the basis for groundbreaking design. In style, it consistently goes its own way. It is oriented towards the pioneers of the avant-garde, creating an entrance that is a work of art.

If your entry door is the entrance to state-of-the-art architecture, then the ExclusivLine models are the perfect choice. You set the creative accent your dream home deserves.

Design in perfection – ExclusivLine





Type 2400

- Oak old wood
- Vertical fiber course with pilasterstrips in stainless steel
- Handle 7041 stainless steel



Type 2401

- Oak knotty
- Vertical fiber course
- Applications in lacquered metal
- Clear glass
- Handle 7002 stainless steel



Type 2402

- Concrete look
- Pilaster strips in stainless steel
- Handle 7041 stainless steel

Free choice:

What you see on every entry door photo is always just ONE design variation. In fact, there are countless design options. Depending on the model, you can choose between different types of wood, grooves, pilaster strips, RAL colors and much more. This is how a UNILUX door model turns into your own personal dream entry door.



Type 2403

- Pine, vertical fiber course
- RAL 7016 and 7040
- Pilaster strips in stainless steel
- Clear glass
- Handle 7090 stainless steel



Type 2404

- Oak, vertical fiber course
- Pilaster strips in stainless steel
- Clear glass
- Handle 7041 stainless steel

Classic, of course:

Applications of slate slabs from the prehistoric times give your entry door a particularly individual touch.

Slate



Type 2405

- Spruce, vertical fiber course
- Applications in slate look and pilaster
- Clear glass
- Handle 7090 stainless steel




Type 2406


- Oak, vertical fiber course
- Applications in slate look and pilaster strips
- Design glass
- Handle 7041 stainless steel



Classic, modern:

Without concrete, architecture would have been inconceivable since Bauhaus movement. This application underlines modern architecture congenially.

Concrete gray & anthracite







UNILUX HighLine panel doors

Timeless. Balanced. Personal.

For a planner a house door may only represent a functional connection between inside and outside. But it's actually a lot more. It's the business card for your house. The visible access to your individual, unique home. That's why it should reflect your individuality, too, and show the world outside who you are.

HighLine panel doors are a virtuoso when playing with geometric forms. Because this style blends aesthetics with dynamics, it gives timeless architecture a powerful individual note.

Set accents – HighLine panel doors





Type 2103

- Oak
- Vertical fiber course
- Pilaster strips in stainless steel
- Handle 7090 stainless steel



Type 2104

- Oak
- Horizontal fiber course
- Pilaster strips in stainless steel
- Handle 7101 stainless steel



Type 2106

- Varnished pine
- Vertical fiber course
- Pilaster strips in stainless steel
- Handle 7090 stainless steel



That little extra:

Horizontal pilaster strips are a design element that add extra structure and elegance to the entry door (see Models 2103, 2104 and 2106).

Pilaster strips



Type 2107

- Larch
- Vertical fiber course with fillets
- Design glass
- Handle 7090 stainless steel



Type 2108

- Spruce
- Vertical fiber course with fillets
- Design glass
- Handle 7090 stainless steel



Type 2109

- Varnished pine
- Horizontal fiber course with fillets
- Design glass
- Handle 7093 stainless steel



Strong in every thickness:

Choose between 2 frame depths (78 and 90 mm) and 3 sash thicknesses (78, 90 and 100 mm). Five strong connections that can withstand a lot.

Installation depth





Type 2114

- Spruce
- Horizontal fiber course
- Applications made of metal and pilaster strips in stainless steel
- Design glass
- Handle 7093 stainless steel



Type 2110

- Oak
- Vertical fiber course
- Ornamental grooves
- Design glass
- Handle 7093 stainless steel



Type 2111

- Pine
- Horizontal fiber course
- Applications made of metal
- Clear glass
- Handle 7041 stainless steel



Our tip for you:

Pretty and practical. A stainless steel kick plate doesn't just look great – it also protects your door.

Stainless steel base



Type 2113

- Pine
- Horizontal fiber course
- Applications made of stainless steel
- Clear glass
- Handle 7041 stainless steel



Type 2115

- Larch
- Vertical fiber course
- Design glass
- Handle 7003 stainless steel



Type 2116

- Spruce
- Vertical fiber course
- Applications made of metal and stainless steel
- Ornamental grooves
- Design glass
- Handle 7003 stainless steel



Type 2115

Larch





Type 2102

- Traffic white (RAL)
- Handle 7010 stainless steel



Type 2105

- Lower panel and frame
Silk gray (RAL)
- Top panel pearl white (RAL)
- Clear glass
- Handle 7012 stainless steel



Type 2112

- Blue gray (RAL)
- Clear glass
- Handle 7043 stainless steel



Type 2127

- Pine green (RAL)
- Clear glass
- Handle 7001 polished brass



Type 2128

- Traffic red (RAL)
- Pave white matt glass
- Handle 7017 stainless steel
- Stainless steel base (surcharge)



01



02



03

[01] **Type 2112**

Basalt gray color


[02] **Type 2105**


Anthracite gray color

[03] **Type 2102**

Anthracite gray color







UNILUX HighLine frame doors

Original. Classic. Everlasting.

There are forms and colors that leave any fashion far behind. Designs that have lasted for decades or even centuries and will continue to do so in the future.

HighLine frame doors stand for a style that fits into the overall picture true to the original. It's a natural for renovations of older houses and for traditionally oriented architecture.

As beautiful as ever – HighLine frame doors





Type 2218

- Jatoba wood tone
- Masterligne glass
- Handle 7003 stainless steel



Type 2224

- Purple red (RAL)
- Clear glass
- Handle 7002 stainless steel



Type 2206

- Vermilion (RAL)
- Design glass
- Handle 7011 stainless steel



Massive appreciation:

Indestructible wood, tailored for perfect fit. A solid wood top layer is the icing on your high-quality UNILUX entry door.

High quality solid wood



Type 2200

- Pine
- Clear glass
- Handle 7002 stainless steel



Type 2201

- Pine
- Clear glass
- Handle 7002 stainless steel



Our tip for you:

Selecting a striking handle provides the design of your dream door with its visual completion.

Handle





Type 2210

- Walnut wood tone
- Baroque white glass
- Handle 5000 polished brass




Type 2212

- Concrete gray (RAL)
- Uadi white glass
- Handle 5000 polished brass



Type 2213

- Platinum gray (RAL)
- Clear glass
- Handle 5000 polished brass



Incidence of light:

You can determine light, transparency and atmosphere from a large selection of ornamentat glass patterns.

Obscure glass



Type 2304

- Moss green (RAL)
- Ice flower glass
- Handle 5004 polished brass



Type 2222

- Fir green (RAL)
- Clear glass
- Handle 7011 stainless steel



Type 2304
Moss green (RAL) color





Type 2227

- Black blue (RAL)
- Design glass
- Handle 7000 polished brass



Type 2228

- Wine red (RAL)
- Clear glass
- Handle 7001 polished brass



Type 2230

- Light gray (RAL)
- Baroque white glass
- Handle 7001 polished brass



Our tip for you:

Provide exciting accents, for example using special glass – nothing sets a house door apart like its glass.

Glass



Type 2302

- Slate gray (RAL)
- Clear glass
- Handle 6002 polished brass





Type 2303

- Wine red (RAL)
- Design glass
- Handle 5004 polished brass



Type 2226

- Traffic white (RAL)
- Clear glass
- Handle 5004 polished brass



Our tip for you:

Make it difficult for burglars. With the RC2-tested doors, you and your family can gain extra security.

RC2 test





Type 2208


- Iron gray (RAL)
- Silvit white glass
- Handle 5000 polished brass



Type 2209

- Moss green (RAL)
- Baroque white glass
- Handle 5000 polished brass
- without glass strips outside







UNILUX JuniorLine entry doors

**Attractive.
Cute.
Great price.**

Confident performance, modest pricing. Like its two brothers ExclusivLine and HighLine, the JuniorLine is made of high-quality wood. It's attractive for its familiar quality, mature technology and fresh design. You have a choice of four different handles, four different glass styles and all colors.

With the JuniorLine you get an original UNILUX entry door at a very cost-effective price you won't need to compromise.

Brand quality that doesn't cost the world – JuniorLine





Type 2011

- Red brown (RAL)
- Handle 7010 stainless steel



Type 2015

- Iron gray (RAL)
- Master carré glass
- Handle 7002 stainless steel



Type 2016

- Cobalt blue (RAL)
- Clear glass
- Handle 7002 stainless steel



Type 2011
Pearl beige (RAL) color



Type 2018

- Ruby red (RAL)
- Master carré glass
- Handle 7002 stainless steel



Type 2015
Iron gray (RAL) color





Type 2022

- Beige (RAL)
- Clear glass
- Handle 7002 stainless steel



Type 2023

- Traffic white (RAL)
- Master carré glass
- Handle 7012 stainless steel



01



02



03

[01 Type 2015
Iron gray color

[02 Type 2011
Anthracite gray color

[03 Type 2023
Traffic white color







Just like you

Your dream door from UNILUX.

UNILUX doesn't make you go by the book. Every entry door is a unique production in which you determine not only the model, size, wood, and color, but also all the details.

Special light cut-outs, optional sidelights and transoms allow you to set individual accents. Even the selection of the glass and the handle expresses your entirely personal, unique taste.

Thanks to this wide variety of options every UNILUX door has individuality built in at the factory.




Design freedom in shapes and materials.

Seated as though it were cast there

How large should a house door be? On which side must it open? Is one leaf better or two? And how much daylight should the door let in? These are questions that everybody will answer differently.

That is why you not only get our mass-produced UNILUX house doors in your personal length and width preferences, but also in the fittings of your choice. For example, with one or two flanking sidelights and transoms. Elements that highlight your door and set additional design accents.



Transom windows

For particularly high elements and more light

Sidelights

For particularly wide house door installations:
One or more sidelights for more light


Doorstop

Select the opening side

Let there be light

Entrances don't have to be pitch-dark. With light cut-outs in your house door, glazed sidelights and transoms let brightness into your hallway even without lamps.

That makes your entry more livable. Light, home-delivered by nature.



Light cut-outs

Rectangle or triangle? Symmetric panels or sweeping curves? With the light cut-outs, too, you have all the options you're used to getting from UNILUX.


Variety for more individuality.





More than bright

Not all glass is the same. Think for a moment how versatile this familiar material can be. From simple ornamental glasses to striking designer glasses.



A handle on design

Curled brass or straight-forward stainless steel? Historical classic or minimalistic modern? Every UNILUX handle isn't just a rock-solid piece of workmanship, it's also a visual gem expressing your taste and your style.



Base

For many models you can get an optional robust stainless steel guard.



Freedom of design in terms of material and color.



Life is colorful

Every UNILUX door matches your house not only in terms of architecture, but also color. The selection of colors and color variants leaves nothing to be desired.

Ask your UNILUX retailer for color fans. That gives you confidence that your favorite red (or favorite gray, or favorite blue etc.) will work on your house door.

And you can select from 15 semi-transparent glazes and about 200 covering RAL color paints. For the wood itself you can choose between the robust species of oak, pine, larch and eukalyptus grandis.

This fits your entry door harmoniously into the architecture of your house.



Eucalyptus Grandis



RAL colors

Wood patterns






Larch



Pine



Spruce






Oak



Choose from the following wood species: Oak, Pine, Larch, Eucalyptus Grandis and Spruce along with 20 glazing tones. Your UNILUX specialist dealer will be pleased to advise you on which glaze colors can be used on the respective types of wood.







Glass-clear style

Glass and glass variants.

Glass is a special material that lends every door its particular individual tone. We offer entry door glass that could hardly come in more variety – and we have individual design suggestions for every door. This permits you to express your personal style even when selecting the glass.

UNILUX glasses are attractive because they let natural light in while still leaving the view of strangers outside. Each of our ornamental and design glasses is proof that beauty and functionality aren't mutually exclusive.

UNILUX – glass can be so unique



Caution: temptation!

This sample case has it all. It can show you just what options you have when it comes to glass. It doesn't always have to be "just smooth". Ornamental and design glasses bring structure and elan to a familiar material.

Ask your local UNILUX retailer. He will be happy to show you the UNILUX glass sample case.






Chinchilla



Pave Matt white



Punto white



Satinato



Uadi white



Cathedral
big poundet







A handle on aesthetics

Handles and handle variants.

A door handle has to be tough – not everyone puts on their silk gloves to handle it. That's why robustness is the basic requirement for a good handle. But not only material resistance is important to us, but also the visual.

A UNILUX door handle looks inviting at all times. It complements the architecture and is the dot on the I of a representative door.

Good feeling in the hand, attractive appearance – door handles from UNILUX



UNILUX handle product range for exterior and side entrance doors.

Standard equipment

These handles are available at no extra charge



<u>7002 (s)</u>	<u>7050 (s)</u>	<u>7089</u>	<u>7093</u>	<u>7003 (s)</u>	<u>7085 (s)</u>	<u>7086 (s)</u>	<u>7090</u>
L 400 mm	L 400 mm	L 600 mm	L 600 mm	L 600 mm	L 600 mm	L 1,000 mm	L 1,500 mm



<u>7083</u>	<u>7084 (s)</u>
L 330 mm	L 400 mm



<u>4000*</u>	<u>4001*</u>	<u>4004*</u>	<u>4005*</u>
Alu silver	Alu silver	Alu silver	Alu silver

Outer escutcheons

Optionally, equip your door with a drilled round escutcheon or an attached escutcheon. For this you have these different designs as default.



3000

stainless steel
matt

3002*

bronze Old
German

3003*

brass
polished

3005*

stainless steel
matt

3007*

Alu silver



3008*

brass
polished

3011*

stainless steel
matt

3012*

stainless steel
matt

3013

stainless steel
matt

3015

stainless steel
matt

Interior handle

The standard equipment (S) includes a door lever on the inside that you can choose from 20 different designs*. For more individuality the handle package + offers additional colors.



2000 ○

stainless steel
matt, +

2001 ○

stainless steel
matt, S

2002 ○

stainless steel
matt, S

2003 ○

stainless steel
matt, S

2005 ○

stainless steel
matt, +

2007 ○

stainless steel
matt, S



2014 □

stainless steel
matt, S

2015 ○

brass
polished, +

2200

brass
polished, S

2203* ○

Alu silver, S

2204

brass
polished, +

2300* □

stainless steel
matt, +

2301* □

stainless steel
matt, +



Handle package +

The package for handy accents

This handle package provides you with a diverse selection of outer handles in three stages. You can choose between short handles, long handles and handles with a special feel. Of course, you will also find the matching outer escutcheons and the range of internal presses at UNILUX.



7081 (s)
L 295 mm



7082 (s)
L 295 mm



7010
L 330 mm



7011
L 330 mm



3017
stainless steel
matt



3019
stainless steel
matt



7012
L 330 mm



7088 (s)
L 350 mm



7033 (s)
L 400 mm



7091
L 400 mm



7092
L 800 mm



7041
L 800 mm



7097
L ≤ 1,500 mm

Components of handle package +

With this package, you have the choice between different outer handles and escutcheon as well as internal presses in numerous designs.



4006*

Alu steel colored

4007*

Alu brown

4008*

Alu silver



4009*

Alu white



5003*

Alu bronze



5004*

brass polished



5300*

Alu silber



5301*

burnished brass



6000

stainless steel matt



6001

stainless steel matt



Handle package ++

Slim look and special feel

With the three handle packages you determine the optical effect of your entry door. While the Package + contains modern and classic, functional handles, the Package ++ offers selected long handles over almost the entire door height as a design element, supplemented by selected short handles.

Components of handle package ++

Can it be even more valuable? With this package you can choose from numerous outer and interior handles, which convince in form and function.



4006*

stainless steel
matt

4007*

stainless steel
matt

4008*

stainless steel
matt

4009*

stainless steel
matt

4012

stainless steel
matt



5000*

brass
polished



5003*

brass
polished



7017 (s)

L 325 mm



7043

L 500 mm



7036 (s)

L 600 mm



7029

L 800 mm



7094

L 1,000 mm



7030

L 1,000 mm



7007 (s)

L 1,800 mm



7096 (s)

L ≤ 2,200 mm



7097

L ≤ 2,200 mm



7098

L ≤ 2,200 mm



Handle package +++

Package +++ fulfills your desire for an unique entry door experience through various applications and the highest quality materials. No matter which package you choose: Already at the first touch of the handle you feel the value and stability.

Components of handle package +++

A dream. You can expect perfectly shaped outer handles, which give your door a unique feel and value..



7102

stainless steel matt




7101

stainless steel matt



7001

L 300 mm



7095

L 1.050 mm



7037 (s)

L 1200 mm



7042

L 1,600 mm



7096 (s)

L > 2,200 mm



7097

L > 2,200 mm



7098

L > 2,200 mm



7099

all lengths



7100 (s)

all lengths







Advantages and technical details

Equipment in focus.

It's easy to talk about quality. But what does it actually mean? The following photos give you an idea of what is behind the style-defining UNILUX designs - namely solid workmanship.

The cross-sections and macro shots also make the interior of our entry doors transparent. This way, for example, you can recognize the difference between different frame installation depths or between a solid wood top layer and a plywood top layer.

Your UNILUX dealer would be happy to show you more details – after all, he is our partner when it comes to quality.



Advantages and technical details

The details make the difference.



Variable door thicknesses

Two frame installation depths (78 and 90 mm) with three sash thicknesses (78, 90 and 100 mm) allow for five different combinations, one of which is flush on the outside.




Glass stops

It pays to pay attention to details. Thanks to the type of glass strips integration - rustic rebated, diagonally rebated or straight flush-mounted - you can influence the visual effect (options available for almost all doors).




Optional solid wood top layer

Using this top layer, you can upgrade your entry door (in comparison: plywood on the left, solid wood on the right).



Variable frame thicknesses

You can choose between 80 and 130 mm (in 10 mm increments) at the side and top.





Threshold 78, 90, 100, edged

You can choose the threshold according to the sash thickness (78, 90 or 100 mm).



Modern fingerprint scanner

For more demanding systems, we offer the option of an electronic self closing device which opens your door electronically via remote control or fingerprint.



Solid wood insert in the glass rebate


Concealed nailing of the glass stops is possible on all panel doors - this benefits the overall visual impression.

3 gaskets

All good things ... Three seals (stop, middle, overlap) make your entry door bulkhead tight.

Concealed or accented hinges

In many constructions (up to 150 kg), the stainless steel hinge can be concealed. Or you can emphasize it by setting accents with one of 3 paint colors.



Drop-down seal

No whistling here! Thanks to the lowering seal, there is not even breeze between the door and the floor.

Further details at a glance:

- [01 Wet glazing inside and outside for a better color matching with the wood**
- [02 Enlargement profiles of 25 and 50 mm**
- [03 RC2-tested**



Protection and security

Not popular with burglars.

Burglars are under time pressure. The more obstacles you can put in their way, the quicker they'll give up. That's why at UNILUX we don't just think about design and comfort, but also about security systems and locks. And these – as we demonstrate in the serious approach we take every day – aren't something you should save on.

Good to know: Even in their standard version, UNILUX house doors have effective security mechanisms. We also offer add-ons that take these already-high mass-produced security standards and reinforce them even more.

This is UNILUX's contribution to making sure that unwelcome guests don't even get in the door.





Massive door frame with continuous one-piece striker plate

When it comes to security, a lot actually helps a lot. The more massive a door is, the more resistance it has against an attacker. With thicknesses of up to 79 millimeters, our doors provide robust natural protection against burglar.

All our models includes for a continuous one-piece striker plate. In practice this means: Since the locking generally engages firmly into that striker plate, the potential criminal has to break the entire bar out of the decorative frame – and that's a massive amount of extra work. This obstacle significantly raises the bar for burglars.

Safety glass

Thanks to a specially developed highly crack-resistant polycarbonate film, the optional safety glass stays inside the sash even when it gets heavily hit – good for you, bad for potential break-ins. By the way, the impact-resistant P2A safety glass from UNILUX has been certified by the German National Authority on Fire Arms and Ammunition.

Door catch

More effective and elegant than door chains. The optional door catch provides additional locking from inside and also acts as a stop when the door is only opened a crack. In case of an undesired visitor, it therefore makes it impossible to get a foot between the door and the frame.



ExclusivLine entry doors



Page 12

Type 2400

Page 12

Type 2401

Page 12

Type 2402

Page 13

Type 2403

Page 13

Type 2404

Page 13

Type 2405

Page 13

Type 2406

HighLine panel doors



Page 16

Type 2103

Page 16

Type 2104

Page 16

Type 2106

Page 17

Type 2107

Page 17

Type 2108

Page 17

Type 2109

Page 18

Type 2110



Page 18

Type 2111

Page 19

Type 2113

Page 18

Type 2114

Page 19

Type 2115

Page 19

Type 2116

Page 20

Type 2127

Page 20

Type 2128



Page 20

Type 2102

Page 20

Type 2105

Page 20

Type 2112

HighLine frame doors



Page 24

Type 2218



Page 24

Type 2206



Page 24

Type 2224



Page 25

Type 2200



Page 25

Type 2201



Page 26

Type 2210



Page 26

Type 2212



Page 26

Type 2213



Page 27

Type 2304



Page 27

Type 2222



Page 28

Type 2227



Page 28

Type 2228



Page 28

Type 2230



Page 29

Type 2302



Page 30

Type 2303



Page 30

Type 2226



Page 31

Type 2208



Page 31

Type 2209

JuniorLine entry doors



Page 34

Type 2011



Page 34

Type 2015



Page 34

Type 2016



Page 35

Type 2018



Page 36

Type 2022




Page 36

Type 2023



The reliability of a big name



UNILUX ensures award-winning long-term progress – by selecting the right partners and raw-material suppliers, and by being a member of leading institutions and associations:



UNILUX products meet international test and safety standards:





Company info

Publisher

UNILUX GmbH
54528 Salmtal / Germany
Phone +49 6578 189-0
Fax +49 6578 188-0

info@unilux.de
www.unilux.de

Notes

The content of this catalogue is not legally binding and may be subject to technical changes as part of further developments or errors in the text, images or descriptions. We only allow images and text material – including excerpts – to be used upon request, and with our express written consent.

The image material used is for illustrative purposes. Differences in colour are unfortunately unavoidable due to printing. The sample illustrations are not to scale.

© 2023, UNILUX GmbH. All rights reserved.



UNILUX headquarters, Salmtal



Contact:

Phone: +49 (0) 6578 189-0

E-Mail: info@unilux.de

Further information on products can
be found at: www.unilux.de