

INVESTOR UPDATE

ASX RELEASE

19 May 2023

COOLABAH METALS LIMITED

ACN 652 352 228

Level 8, London House,

216 St Georges Terrace

PERTH WA 6000

Telephone: +61 (08) 9481 0389

www.coolabahmetals.com.au

CONTACT

Cameron Provost

Managing Director

cameron@coolabahmetals.com.au

DIRECTORS

Cameron Provost

Steve Woodham

David Ward

TICKER

ASX:CBH

SHARES ON OFFER

61,550,001

LOCATION: Nymagee, NSW

UPDATE: BRADBURY'S PROSPECT RC DRILLING

Coolabah Metals Limited is pleased to announce an update regarding results from our maiden RC drilling program conducted at the Bradbury's Prospect within EL8638, 20km north of Nymagee, NSW.

Coolabah Metals Limited have completed additional modelling and interpretation from all available data from the recent RC drilling completed at the Bradbury's Prospect. Bradbury's is located within the Barrow Licence (EL8638), one of three 100% owned Exploration Licences collectively known as the Nymagee Project, covering 533.3 km².

- 17 RC drillholes completed totalling 2,718m across five prospect areas at our Barrow Licence EL8638.
- Drilling was targeting the source of the large 2km long magnetic anomaly, interpreted to be pyrrhotite (iron sulphide commonly associated with Cobar-Nymagee Style mineralisation).
- Encouragingly the drilling intersected significant amounts of sulphides including pyrrhotite, supporting the interpretation.
 - However, the volume of magnetic pyrrhotite intersected was not enough to explain the magnetic anomaly, suggesting the targeted main body of the anomaly is deeper.
- Follow-up geophysical modelling (using the drillhole data) indicates two parallel anomalies that remain untested.

The RC drilling was designed to test the Bradbury's Prospect, defined by a large elongate magnetic high 2km long and 500m wide, striking NW with a coincident soil arsenic anomaly. The magnetic high is interpreted to be the geophysical response from a large body of pyrrhotite and/or magnetite associated with Cobar-Nymagee Style mineralisation. Pyrrhotite is commonly associated with the nearby Cobar Style deposits forming discrete magnetic anomalies, spatially related to the deposits. The magnetic anomaly at Bradbury's is significantly larger than the anomalies to the known pyrrhotite bodies related to the Cobar-Nymagee Deposits.

Significant amounts of sulphides were intersected in the drillholes designed to test the magnetic anomaly. The dominant sulphides were pyrite and pyrrhotite, the ratio of pyrrhotite over pyrite was observed to be increasing with depth, but not enough volume of pyrrhotite was intersected to explain the magnetic anomaly.

Pyrrhotite is typically known to form at a higher temperature than pyrite, implying that the formation temperature for the sulphides is also increasing with depth approaching an interpreted intrusive source.

Coolabah engaged independent geophysical consultants to further model the Bradbury magnetic anomaly using the downhole magnetic susceptibility data obtained from the recent RC program in conjunction with airborne data from a 1996 Rookery survey flown for Delta Gold¹, to create a forward/profile model.

1. R00020434 (GS1998/341)



INVESTOR UPDATE

The modelling indicated that there are actually two separate parallel sources similarly orientated to the previously modelled large singular magnetic anomaly.

Both sources have been modelled as two vertical sheets. The width of these sheets vary from 60m to 95.5m and the orientation strikes at 158 degrees (true) and are positioned vertically.




Figure 1: Bradbury's Prospect - Completed RC holes over government ASIG magnetics and contoured soil arsenic (ppm).




Figure 2: Bradbury's Prospect – Plan view of generated magnetic models. Unconstrained 3D inversion model (buff orange) and two forward model profiles (blue) overlain with collar and drillhole traces.

Drilling completed was close but did not intersect either of the forward modelled profiles. The magnetic susceptibility of the modelled profile anomalies are of higher magnitude (ranging from 15.75- 19.25 $\text{SI} \times 10^{-3}$), than the measured magnetic susceptibility readings from the downhole samples at depth in holes CBRC001 to CBRC009 and CBRC012 ($1.20 \text{ SI} \times 10^{-3}$).

Coolabah Managing Director Cameron Provost, stated:

“Our original interpretation suggested that the magnetic anomaly was caused by pyrrhotite commonly associated with the Cobar-Nymagee style of deposits.

The drilling intersected significant amounts of pyrrhotite, what the interpretation suggested although the volumes we saw weren't enough to explain the intensity of the anomaly.

The additional modelling work suggests that it may be two large parallel anomalies not one.”



INVESTOR UPDATE




Figure 3: Bradbury's Prospect Long Section looking South-West.

Drillholes – Trace width = logged total sulphide percentage. Coloured by dominant sulphide species (yellow = pyrite, red = pyrrhotite).
Drillholes displayed CBRC001-CBRC009 and CBRC012.
Buff coloured shape = 3D magnetic inversion model, darker colour = higher intensity magnetic response.




Figure 4: Bradbury's Prospect Long Section looking North-West.

Drillholes – Trace width = highlighting increasing magnetic susceptibility at depth.
Buff coloured shape = Original 3D magnetic inversion model, darker (blue) colour = Subsequent forward model profiles.

INVESTOR UPDATE

Table 1: Drillhole Collar Information

| Hole_ID | TD_(m) | Easting_MGA94_55 | Northing_MGA94_55 | Elevation_(m) | Dip | Azimuth_MGA |
|---------|--------|------------------|-------------------|---------------|-----|-------------|
| CBRC001 | 174 | 440334 | 6471066 | 333.0 | -60 | 68.5 |
| CBRC002 | 150 | 440248 | 6471018 | 334.0 | -60 | 69.8 |
| CBRC003 | 174 | 440183 | 6470998 | 336.0 | -60 | 68.0 |
| CBRC004 | 180 | 440112 | 6470968 | 337.0 | -60 | 68.0 |
| CBRC005 | 150 | 440424 | 6470762 | 327.0 | -60 | 248.0 |
| CBRC006 | 162 | 440500 | 6470796 | 327.0 | -60 | 248.0 |
| CBRC007 | 144 | 440464 | 6470861 | 327.0 | -60 | 248.0 |
| CBRC008 | 150 | 440585 | 6470849 | 328.0 | -60 | 248.0 |
| CBRC009 | 150 | 440174 | 6470978 | 336.0 | -60 | 248.0 |
| CBRC010 | 150 | 441366 | 6470383 | 341.0 | -60 | 270.0 |
| CBRC011 | 156 | 441489 | 6470436 | 331.0 | -60 | 268.5 |
| CBRC012 | 240 | 440340 | 6470895 | 327.0 | -90 | 10.5 |
| CBRC013 | 150 | 439496 | 6472482 | 355.0 | -60 | 44.5 |
| CBRC014 | 150 | 439410 | 6472434 | 352.0 | -60 | 44.5 |
| CBRC015 | 150 | 439235 | 6475439 | 363.0 | -60 | 16.5 |
| CBRC016 | 150 | 439125 | 6475372 | 362.0 | -60 | 151.5 |
| CBRC017 | 138 | 441204 | 6473476 | 395.0 | -60 | 178.0 |

Table 2: Drilling Assay Results

| HOLE_ID | DEPTH_FROM | DEPTH_TO | Au_ppm | Cu_ppm | Pb_ppm | Zn_ppm | As_ppm | Ag_ppm | S_ppm |
|---------|------------|----------|--------|--------|--------|--------|--------|--------|-------|
| CBRC001 | 0.00 | 1.00 | -0.01 | 37 | 22 | 1725 | 8 | -1 | 400 |
| CBRC001 | 1.00 | 2.00 | -0.01 | 24 | 21 | 534 | 7 | -1 | 100 |
| CBRC001 | 2.00 | 3.00 | -0.01 | 14 | 18 | 54 | 12 | -1 | 100 |
| CBRC001 | 3.00 | 4.00 | 0.02 | 15 | 20 | 47 | 19 | -1 | 100 |
| CBRC001 | 4.00 | 5.00 | 0.01 | 14 | 17 | 59 | 20 | -1 | 100 |
| CBRC001 | 5.00 | 6.00 | 0.01 | 19 | 22 | 60 | 49 | -1 | 200 |
| CBRC001 | 6.00 | 7.00 | -0.01 | 22 | 21 | 82 | 66 | -1 | 300 |
| CBRC001 | 7.00 | 8.00 | -0.01 | 16 | 24 | 93 | 42 | -1 | 300 |
| CBRC001 | 8.00 | 9.00 | 0.02 | 25 | 22 | 138 | 69 | -1 | 400 |
| CBRC001 | 9.00 | 10.00 | 0.01 | 20 | 24 | 125 | 63 | -1 | 300 |
| CBRC001 | 10.00 | 11.00 | 0.01 | 30 | 18 | 96 | 70 | -1 | 400 |
| CBRC001 | 11.00 | 12.00 | 0.01 | 30 | 22 | 101 | 67 | -1 | 600 |
| CBRC001 | 12.00 | 13.00 | 0.01 | 28 | 25 | 141 | 29 | -1 | 400 |
| CBRC001 | 13.00 | 14.00 | 0.01 | 17 | 23 | 125 | 20 | -1 | 600 |
| CBRC001 | 14.00 | 15.00 | 0.01 | 21 | 32 | 112 | 26 | -1 | 400 |
| CBRC001 | 15.00 | 16.00 | 0.01 | 37 | 29 | 106 | 17 | -1 | 200 |
| CBRC001 | 16.00 | 17.00 | 0.02 | 51 | 28 | 89 | 34 | -1 | 200 |
| CBRC001 | 17.00 | 18.00 | 0.03 | 58 | 40 | 115 | 118 | -1 | 300 |

INVESTOR UPDATE

| HOLE_ID | DEPTH_FROM | DEPTH_TO | Au_ppm | Cu_ppm | Pb_ppm | Zn_ppm | As_ppm | Ag_ppm | S_ppm |
|---------|------------|----------|--------|--------|--------|--------|--------|--------|-------|
| CBRC001 | 18.00 | 19.00 | 0.02 | 50 | 27 | 102 | 144 | -1 | 200 |
| CBRC001 | 19.00 | 20.00 | 0.01 | 39 | 30 | 85 | 110 | -1 | 200 |
| CBRC001 | 20.00 | 21.00 | -0.01 | 33 | 31 | 88 | 33 | -1 | 300 |
| CBRC001 | 21.00 | 22.00 | 0.01 | 26 | 22 | 83 | 18 | -1 | 200 |
| CBRC001 | 22.00 | 23.00 | 0.03 | 44 | 23 | 123 | 37 | -1 | 200 |
| CBRC001 | 23.00 | 24.00 | 0.01 | 25 | 24 | 76 | 24 | -1 | 200 |
| CBRC001 | 24.00 | 28.00 | 0.01 | 31 | 34 | 124 | 50 | -1 | 200 |
| CBRC001 | 28.00 | 32.00 | -0.01 | 35 | 30 | 121 | 38 | -1 | -100 |
| CBRC001 | 32.00 | 36.00 | 0.01 | 34 | 29 | 108 | 35 | -1 | 100 |
| CBRC001 | 36.00 | 37.00 | 0.01 | 23 | 33 | 80 | 36 | -1 | -100 |
| CBRC001 | 37.00 | 38.00 | 0.01 | 14 | 29 | 86 | 26 | -1 | -100 |
| CBRC001 | 38.00 | 39.00 | 0.01 | 35 | 22 | 93 | 70 | -1 | 200 |
| CBRC001 | 39.00 | 40.00 | 0.02 | 49 | 21 | 103 | 91 | -1 | 300 |
| CBRC001 | 40.00 | 41.00 | 0.02 | 53 | 23 | 110 | 91 | -1 | 300 |
| CBRC001 | 41.00 | 42.00 | 0.02 | 73 | 28 | 108 | 51 | -1 | 300 |
| CBRC001 | 42.00 | 43.00 | 0.01 | 74 | 32 | 246 | 68 | -1 | 300 |
| CBRC001 | 43.00 | 44.00 | 0.01 | 43 | 16 | 89 | 48 | -1 | 400 |
| CBRC001 | 44.00 | 45.00 | 0.05 | 26 | 419 | 58 | 25 | 1 | 600 |
| CBRC001 | 45.00 | 46.00 | 0.01 | 33 | 56 | 68 | 43 | -1 | 400 |
| CBRC001 | 46.00 | 47.00 | 0.01 | 22 | 27 | 48 | 16 | -1 | 200 |
| CBRC001 | 47.00 | 48.00 | 0.01 | 28 | 26 | 69 | 21 | -1 | 100 |
| CBRC001 | 48.00 | 52.00 | 0.01 | 40 | 30 | 122 | 68 | -1 | 100 |
| CBRC001 | 52.00 | 56.00 | 0.01 | 43 | 29 | 137 | 64 | -1 | 600 |
| CBRC001 | 56.00 | 57.00 | -0.01 | 24 | 21 | 112 | 45 | -1 | 400 |
| CBRC001 | 57.00 | 58.00 | 0.01 | 44 | 31 | 124 | 29 | -1 | 600 |
| CBRC001 | 58.00 | 59.00 | 0.01 | 48 | 32 | 96 | 34 | -1 | 3900 |
| CBRC001 | 59.00 | 60.00 | -0.01 | 24 | 24 | 97 | 50 | -1 | 1200 |
| CBRC001 | 60.00 | 61.00 | 0.01 | 22 | 26 | 116 | 31 | -1 | 2300 |
| CBRC001 | 61.00 | 62.00 | 0.01 | 20 | 27 | 112 | 25 | -1 | 1600 |
| CBRC001 | 62.00 | 63.00 | 0.01 | 31 | 27 | 102 | 58 | -1 | 4300 |
| CBRC001 | 63.00 | 64.00 | 0.01 | 27 | 33 | 109 | 32 | -1 | 3800 |
| CBRC001 | 64.00 | 65.00 | 0.01 | 31 | 34 | 97 | 24 | -1 | 3700 |
| CBRC001 | 65.00 | 66.00 | 0.01 | 31 | 24 | 107 | 20 | -1 | 3100 |
| CBRC001 | 66.00 | 67.00 | -0.01 | 29 | 28 | 115 | 25 | -1 | 3900 |
| CBRC001 | 67.00 | 68.00 | 0.01 | 29 | 34 | 118 | 31 | -1 | 4300 |
| CBRC001 | 68.00 | 69.00 | 0.02 | 21 | 38 | 103 | 36 | -1 | 2200 |
| CBRC001 | 69.00 | 70.00 | 0.01 | 33 | 25 | 109 | 49 | -1 | 3800 |
| CBRC001 | 70.00 | 71.00 | 0.02 | 39 | 35 | 112 | 116 | -1 | 5400 |
| CBRC001 | 71.00 | 72.00 | 0.05 | 36 | 21 | 109 | 87 | -1 | 4200 |
| CBRC001 | 72.00 | 73.00 | 0.01 | 6 | 29 | 79 | 38 | -1 | 300 |
| CBRC001 | 73.00 | 74.00 | 0.01 | 25 | 22 | 118 | 167 | -1 | 4900 |

INVESTOR UPDATE

| HOLE_ID | DEPTH_FROM | DEPTH_TO | Au_ppm | Cu_ppm | Pb_ppm | Zn_ppm | As_ppm | Ag_ppm | S_ppm |
|---------|------------|----------|--------|--------|--------|--------|--------|--------|-------|
| CBRC001 | 74.00 | 75.00 | -0.01 | 33 | 25 | 104 | 18 | -1 | 4800 |
| CBRC001 | 75.00 | 76.00 | 0.01 | 34 | 20 | 108 | 21 | -1 | 4400 |
| CBRC001 | 76.00 | 77.00 | 0.06 | 34 | 21 | 97 | 32 | -1 | 5900 |
| CBRC001 | 77.00 | 78.00 | 0.01 | 28 | 28 | 105 | 33 | -1 | 3800 |
| CBRC001 | 78.00 | 79.00 | 0.02 | 72 | 22 | 193 | 227 | -1 | 12000 |
| CBRC001 | 79.00 | 80.00 | 0.01 | 51 | 38 | 191 | 51 | -1 | 6600 |
| CBRC001 | 80.00 | 81.00 | 0.01 | 66 | 40 | 203 | 144 | -1 | 6400 |
| CBRC001 | 81.00 | 82.00 | 0.01 | 38 | 23 | 105 | 36 | -1 | 4600 |
| CBRC001 | 82.00 | 83.00 | -0.01 | 46 | 19 | 120 | 23 | -1 | 6900 |
| CBRC001 | 83.00 | 84.00 | -0.01 | 42 | 37 | 125 | 16 | -1 | 5800 |
| CBRC001 | 84.00 | 85.00 | -0.01 | 33 | 26 | 128 | 8 | -1 | 4500 |
| CBRC001 | 85.00 | 86.00 | -0.01 | 30 | 34 | 118 | 11 | -1 | 4300 |
| CBRC001 | 86.00 | 87.00 | 0.01 | 39 | 32 | 143 | 6 | -1 | 5900 |
| CBRC001 | 87.00 | 88.00 | 0.01 | 40 | 38 | 165 | -5 | -1 | 7500 |
| CBRC001 | 88.00 | 89.00 | -0.01 | 48 | 29 | 160 | 9 | -1 | 7600 |
| CBRC001 | 89.00 | 90.00 | 0.01 | 34 | 27 | 124 | 6 | -1 | 6000 |
| CBRC001 | 90.00 | 91.00 | -0.01 | 30 | 32 | 106 | 13 | -1 | 5800 |
| CBRC001 | 91.00 | 92.00 | 0.01 | 32 | 50 | 137 | 17 | -1 | 5400 |
| CBRC001 | 92.00 | 93.00 | 0.04 | 34 | 46 | 197 | 17 | -1 | 6100 |
| CBRC001 | 93.00 | 94.00 | 0.03 | 32 | 45 | 183 | 11 | -1 | 7100 |
| CBRC001 | 94.00 | 95.00 | 0.01 | 41 | 17 | 133 | 12 | -1 | 5700 |
| CBRC001 | 95.00 | 96.00 | 0.01 | 24 | 26 | 99 | 19 | -1 | 3300 |
| CBRC001 | 96.00 | 97.00 | 0.01 | 27 | 28 | 126 | 21 | -1 | 5300 |
| CBRC001 | 97.00 | 98.00 | -0.01 | 27 | 23 | 112 | 10 | -1 | 5600 |
| CBRC001 | 98.00 | 99.00 | 0.01 | 31 | 26 | 114 | 8 | -1 | 6800 |
| CBRC001 | 99.00 | 100.00 | 0.01 | 23 | 27 | 95 | 13 | -1 | 6000 |
| CBRC001 | 100.00 | 101.00 | -0.01 | 30 | 24 | 114 | 7 | -1 | 6400 |
| CBRC001 | 101.00 | 102.00 | 0.01 | 24 | 31 | 109 | 11 | -1 | 5200 |
| CBRC001 | 102.00 | 103.00 | 0.01 | 31 | 30 | 105 | 21 | -1 | 7200 |
| CBRC001 | 103.00 | 104.00 | -0.01 | 27 | 38 | 131 | 15 | -1 | 5500 |
| CBRC001 | 104.00 | 105.00 | 0.01 | 30 | 35 | 136 | 20 | -1 | 3800 |
| CBRC001 | 105.00 | 106.00 | 0.01 | 20 | 34 | 104 | 22 | -1 | 3500 |
| CBRC001 | 106.00 | 110.00 | 0.01 | 32 | 30 | 125 | 21 | -1 | 3600 |
| CBRC001 | 110.00 | 114.00 | -0.01 | 30 | 26 | 94 | 15 | -1 | 4400 |
| CBRC001 | 114.00 | 115.00 | 0.01 | 34 | 38 | 120 | 26 | -1 | 5700 |
| CBRC001 | 115.00 | 116.00 | 0.01 | 46 | 26 | 154 | 17 | -1 | 9100 |
| CBRC001 | 116.00 | 117.00 | 0.01 | 30 | 58 | 90 | 18 | -1 | 5200 |
| CBRC001 | 117.00 | 118.00 | 0.01 | 52 | 18 | 92 | 39 | -1 | 10100 |
| CBRC001 | 118.00 | 119.00 | 0.01 | 45 | 12 | 98 | 14 | -1 | 9100 |
| CBRC001 | 119.00 | 120.00 | -0.01 | 44 | 15 | 125 | 28 | -1 | 7000 |
| CBRC001 | 120.00 | 121.00 | 0.01 | 22 | 25 | 53 | 109 | -1 | 2700 |

INVESTOR UPDATE

| HOLE_ID | DEPTH_FROM | DEPTH_TO | Au_ppm | Cu_ppm | Pb_ppm | Zn_ppm | As_ppm | Ag_ppm | S_ppm |
|---------|------------|----------|--------|--------|--------|--------|--------|--------|-------|
| CBRC001 | 121.00 | 122.00 | 0.01 | 38 | 16 | 77 | 60 | -1 | 4400 |
| CBRC001 | 122.00 | 123.00 | 0.01 | 45 | 18 | 79 | 26 | -1 | 3900 |
| CBRC001 | 123.00 | 124.00 | -0.01 | 31 | 14 | 69 | 54 | -1 | 2800 |
| CBRC001 | 124.00 | 125.00 | 0.01 | 33 | 20 | 77 | 41 | -1 | 3700 |
| CBRC001 | 125.00 | 126.00 | 0.01 | 31 | 19 | 94 | 54 | -1 | 3500 |
| CBRC001 | 126.00 | 130.00 | -0.01 | 29 | 22 | 89 | 48 | -1 | 2500 |
| CBRC001 | 130.00 | 134.00 | -0.01 | 33 | 30 | 105 | 18 | -1 | 4900 |
| CBRC001 | 134.00 | 138.00 | -0.01 | 25 | 18 | 82 | 17 | -1 | 3700 |
| CBRC001 | 138.00 | 142.00 | 0.01 | 27 | 28 | 76 | 13 | -1 | 4900 |
| CBRC001 | 142.00 | 146.00 | -0.01 | 21 | 24 | 84 | 11 | -1 | 2100 |
| CBRC001 | 146.00 | 150.00 | -0.01 | 24 | 34 | 96 | 97 | -1 | 3200 |
| CBRC001 | 150.00 | 154.00 | -0.01 | 30 | 21 | 121 | 43 | -1 | 3900 |
| CBRC001 | 154.00 | 158.00 | -0.01 | 33 | 27 | 125 | 14 | -1 | 3900 |
| CBRC001 | 158.00 | 162.00 | -0.01 | 29 | 26 | 125 | 11 | -1 | 3600 |
| CBRC001 | 162.00 | 166.00 | -0.01 | 29 | 37 | 114 | 11 | -1 | 4600 |
| CBRC001 | 166.00 | 170.00 | -0.01 | 30 | 32 | 119 | 10 | -1 | 5100 |
| CBRC001 | 170.00 | 174.00 | -0.01 | 35 | 24 | 119 | 15 | -1 | 3900 |
| CBRC002 | 0.00 | 4.00 | 0.01 | 18 | 19 | 67 | 15 | -1 | 200 |
| CBRC002 | 4.00 | 8.00 | -0.01 | 23 | 27 | 114 | 25 | -1 | 100 |
| CBRC002 | 8.00 | 12.00 | 0.01 | 34 | 29 | 168 | 18 | -1 | 100 |
| CBRC002 | 12.00 | 16.00 | 0.01 | 47 | 32 | 159 | 11 | -1 | 100 |
| CBRC002 | 16.00 | 20.00 | 0.01 | 49 | 36 | 195 | 17 | -1 | 200 |
| CBRC002 | 20.00 | 24.00 | 0.01 | 61 | 34 | 126 | 13 | -1 | 300 |
| CBRC002 | 24.00 | 28.00 | 0.01 | 46 | 30 | 124 | 23 | -1 | 500 |
| CBRC002 | 28.00 | 32.00 | 0.01 | 53 | 34 | 143 | 23 | -1 | 300 |
| CBRC002 | 32.00 | 36.00 | 0.01 | 50 | 37 | 151 | 9 | -1 | 200 |
| CBRC002 | 36.00 | 40.00 | 0.01 | 44 | 35 | 187 | 9 | -1 | -100 |
| CBRC002 | 40.00 | 44.00 | 0.01 | 52 | 32 | 163 | 12 | -1 | 100 |
| CBRC002 | 44.00 | 48.00 | 0.01 | 51 | 30 | 149 | 7 | -1 | 100 |
| CBRC002 | 48.00 | 52.00 | 0.01 | 59 | 29 | 136 | 32 | -1 | -100 |
| CBRC002 | 52.00 | 56.00 | 0.01 | 52 | 31 | 147 | 20 | -1 | 900 |
| CBRC002 | 56.00 | 60.00 | 0.01 | 49 | 20 | 78 | 20 | -1 | 1700 |
| CBRC002 | 60.00 | 64.00 | 0.01 | 27 | 25 | 103 | 27 | -1 | 1400 |
| CBRC002 | 64.00 | 68.00 | 0.01 | 38 | 17 | 85 | 33 | -1 | 2500 |
| CBRC002 | 68.00 | 72.00 | -0.01 | 33 | 19 | 89 | 13 | -1 | 2500 |
| CBRC002 | 72.00 | 76.00 | 0.01 | 36 | 24 | 102 | -5 | -1 | 2600 |
| CBRC002 | 76.00 | 80.00 | 0.01 | 45 | 22 | 105 | 13 | -1 | 1500 |
| CBRC002 | 80.00 | 84.00 | 0.01 | 57 | 23 | 96 | 17 | -1 | 2100 |
| CBRC002 | 84.00 | 88.00 | -0.01 | 19 | 25 | 79 | 16 | -1 | 1400 |
| CBRC002 | 88.00 | 92.00 | -0.01 | 43 | 35 | 115 | 5 | -1 | 5100 |
| CBRC002 | 92.00 | 96.00 | 0.10 | 41 | 24 | 114 | 5 | -1 | 4500 |

INVESTOR UPDATE

| HOLE_ID | DEPTH_FROM | DEPTH_TO | Au_ppm | Cu_ppm | Pb_ppm | Zn_ppm | As_ppm | Ag_ppm | S_ppm |
|---------|------------|----------|--------|--------|--------|--------|--------|--------|-------|
| CBRC002 | 96.00 | 100.00 | -0.01 | 32 | 21 | 110 | 9 | -1 | 5000 |
| CBRC002 | 100.00 | 104.00 | -0.01 | 29 | 23 | 116 | 6 | -1 | 5600 |
| CBRC002 | 104.00 | 108.00 | -0.01 | 25 | 19 | 100 | 9 | -1 | 4500 |
| CBRC002 | 108.00 | 112.00 | -0.01 | 27 | 22 | 101 | 10 | -1 | 4700 |
| CBRC002 | 112.00 | 116.00 | -0.01 | 43 | 29 | 150 | 11 | -1 | 7400 |
| CBRC002 | 116.00 | 120.00 | -0.01 | 35 | 34 | 113 | 17 | -1 | 4400 |
| CBRC002 | 120.00 | 124.00 | -0.01 | 39 | 26 | 142 | 12 | -1 | 6800 |
| CBRC002 | 124.00 | 128.00 | -0.01 | 35 | 19 | 98 | 16 | -1 | 6800 |
| CBRC002 | 128.00 | 132.00 | 0.01 | 29 | 19 | 105 | 11 | -1 | 4600 |
| CBRC002 | 132.00 | 136.00 | -0.01 | 29 | 22 | 101 | 11 | -1 | 5400 |
| CBRC002 | 136.00 | 140.00 | -0.01 | 29 | 20 | 91 | 21 | -1 | 4900 |
| CBRC002 | 140.00 | 144.00 | 0.01 | 29 | 25 | 124 | 118 | -1 | 4500 |
| CBRC002 | 144.00 | 148.00 | 0.03 | 24 | 24 | 101 | 13 | -1 | 4100 |
| CBRC002 | 148.00 | 150.00 | -0.01 | 17 | 27 | 69 | 12 | -1 | 3100 |
| CBRC003 | 0.00 | 4.00 | -0.01 | 34 | 21 | 58 | 38 | -1 | 500 |
| CBRC003 | 4.00 | 8.00 | -0.01 | 51 | 28 | 50 | 55 | -1 | 100 |
| CBRC003 | 8.00 | 12.00 | 0.01 | 42 | 26 | 100 | 144 | -1 | 200 |
| CBRC003 | 12.00 | 16.00 | -0.01 | 41 | 29 | 94 | 86 | -1 | 200 |
| CBRC003 | 16.00 | 20.00 | -0.01 | 51 | 29 | 129 | 56 | -1 | 100 |
| CBRC003 | 20.00 | 24.00 | 0.01 | 49 | 32 | 128 | 103 | -1 | 100 |
| CBRC003 | 24.00 | 28.00 | 0.03 | 38 | 19 | 82 | 251 | -1 | 200 |
| CBRC003 | 28.00 | 32.00 | -0.01 | 22 | 20 | 91 | 34 | -1 | 100 |
| CBRC003 | 32.00 | 36.00 | -0.01 | 16 | 14 | 71 | 24 | -1 | 100 |
| CBRC003 | 36.00 | 40.00 | 0.01 | 45 | 34 | 131 | 28 | -1 | 100 |
| CBRC003 | 40.00 | 44.00 | -0.01 | 42 | 18 | 112 | 12 | -1 | 100 |
| CBRC003 | 44.00 | 48.00 | 0.02 | 46 | 26 | 143 | 17 | -1 | 100 |
| CBRC003 | 48.00 | 52.00 | 0.06 | 35 | 21 | 125 | 305 | -1 | 200 |
| CBRC003 | 52.00 | 56.00 | -0.01 | 23 | 19 | 82 | 21 | -1 | 300 |
| CBRC003 | 56.00 | 60.00 | 0.01 | 36 | 20 | 95 | 16 | -1 | 4900 |
| CBRC003 | 60.00 | 64.00 | -0.01 | 39 | 18 | 104 | 13 | -1 | 3500 |
| CBRC003 | 64.00 | 68.00 | -0.01 | 32 | 19 | 89 | 17 | -1 | 2400 |
| CBRC003 | 68.00 | 72.00 | 0.02 | 46 | 16 | 119 | 19 | -1 | 3500 |
| CBRC003 | 72.00 | 76.00 | -0.01 | 37 | 14 | 90 | 14 | -1 | 1700 |
| CBRC003 | 76.00 | 80.00 | -0.01 | 19 | 22 | 75 | 10 | -1 | 1600 |
| CBRC003 | 80.00 | 84.00 | -0.01 | 21 | 20 | 72 | 11 | -1 | 1600 |
| CBRC003 | 84.00 | 88.00 | -0.01 | 22 | 13 | 68 | 12 | -1 | 1300 |
| CBRC003 | 88.00 | 92.00 | -0.01 | 37 | 18 | 91 | 12 | -1 | 2100 |
| CBRC003 | 92.00 | 96.00 | -0.01 | 20 | 23 | 84 | 10 | -1 | 1300 |
| CBRC003 | 96.00 | 100.00 | -0.01 | 27 | 17 | 91 | 11 | -1 | 3100 |
| CBRC003 | 100.00 | 104.00 | 0.07 | 46 | 24 | 142 | 1120 | -1 | 5700 |
| CBRC003 | 104.00 | 108.00 | 0.01 | 48 | 25 | 132 | 43 | -1 | 4400 |

INVESTOR UPDATE

| HOLE_ID | DEPTH_FROM | DEPTH_TO | Au_ppm | Cu_ppm | Pb_ppm | Zn_ppm | As_ppm | Ag_ppm | S_ppm |
|---------|------------|----------|--------|--------|--------|--------|--------|--------|-------|
| CBRC003 | 108.00 | 112.00 | -0.01 | 18 | 18 | 81 | 17 | -1 | 2300 |
| CBRC003 | 112.00 | 116.00 | -0.01 | 24 | 23 | 92 | 10 | -1 | 3800 |
| CBRC003 | 116.00 | 120.00 | -0.01 | 35 | 29 | 110 | 15 | -1 | 4200 |
| CBRC003 | 120.00 | 124.00 | -0.01 | 58 | 31 | 137 | 10 | -1 | 8700 |
| CBRC003 | 124.00 | 128.00 | -0.01 | 41 | 28 | 138 | 13 | -1 | 5800 |
| CBRC003 | 128.00 | 132.00 | -0.01 | 47 | 30 | 129 | 7 | -1 | 6900 |
| CBRC003 | 132.00 | 136.00 | -0.01 | 40 | 29 | 126 | 9 | -1 | 4700 |
| CBRC003 | 136.00 | 140.00 | -0.01 | 20 | 20 | 87 | 9 | -1 | 2500 |
| CBRC003 | 140.00 | 144.00 | -0.01 | 36 | 25 | 115 | 12 | -1 | 3600 |
| CBRC003 | 144.00 | 148.00 | -0.01 | 43 | 25 | 117 | 9 | -1 | 4400 |
| CBRC003 | 148.00 | 152.00 | -0.01 | 33 | 26 | 115 | 15 | -1 | 4200 |
| CBRC003 | 152.00 | 153.00 | 0.04 | 35 | 22 | 86 | 21 | -1 | 6100 |
| CBRC003 | 153.00 | 154.00 | -0.01 | 27 | 20 | 101 | 19 | -1 | 4100 |
| CBRC003 | 154.00 | 155.00 | -0.01 | 27 | 24 | 104 | 16 | -1 | 4800 |
| CBRC003 | 155.00 | 156.00 | -0.01 | 27 | 20 | 89 | 15 | -1 | 4200 |
| CBRC003 | 156.00 | 157.00 | -0.01 | 26 | 22 | 106 | 11 | -1 | 5000 |
| CBRC003 | 157.00 | 158.00 | -0.01 | 28 | 18 | 101 | 11 | -1 | 5600 |
| CBRC003 | 158.00 | 159.00 | -0.01 | 26 | 21 | 105 | 22 | -1 | 3300 |
| CBRC003 | 159.00 | 160.00 | -0.01 | 33 | 22 | 104 | 17 | -1 | 4300 |
| CBRC003 | 160.00 | 161.00 | -0.01 | 26 | 22 | 112 | 9 | -1 | 6000 |
| CBRC003 | 161.00 | 162.00 | -0.01 | 31 | 23 | 115 | 6 | -1 | 8300 |
| CBRC003 | 162.00 | 163.00 | -0.01 | 34 | 27 | 113 | 20 | -1 | 5300 |
| CBRC003 | 163.00 | 164.00 | -0.01 | 28 | 18 | 87 | 7 | -1 | 2900 |
| CBRC003 | 164.00 | 165.00 | -0.01 | 26 | 17 | 81 | 9 | -1 | 3600 |
| CBRC003 | 165.00 | 166.00 | -0.01 | 24 | 23 | 80 | 6 | -1 | 3200 |
| CBRC003 | 166.00 | 167.00 | -0.01 | 33 | 19 | 98 | 11 | -1 | 4200 |
| CBRC003 | 167.00 | 168.00 | -0.01 | 23 | 16 | 81 | 7 | -1 | 3100 |
| CBRC003 | 168.00 | 169.00 | -0.01 | 30 | 20 | 97 | 14 | -1 | 3500 |
| CBRC003 | 169.00 | 170.00 | -0.01 | 35 | 17 | 96 | 11 | -1 | 3300 |
| CBRC003 | 170.00 | 171.00 | -0.01 | 38 | 17 | 99 | 12 | -1 | 3200 |
| CBRC003 | 171.00 | 172.00 | -0.01 | 33 | 18 | 83 | 10 | -1 | 3700 |
| CBRC003 | 172.00 | 173.00 | -0.01 | 50 | 35 | 112 | 7 | -1 | 1700 |
| CBRC003 | 173.00 | 174.00 | -0.01 | 50 | 25 | 96 | 12 | -1 | 1900 |
| CBRC004 | 0.00 | 4.00 | 0.01 | 39 | 24 | 111 | 20 | -1 | 200 |
| CBRC004 | 4.00 | 8.00 | -0.01 | 32 | 19 | 103 | 13 | -1 | 400 |
| CBRC004 | 8.00 | 12.00 | -0.01 | 40 | 26 | 107 | 13 | -1 | 700 |
| CBRC004 | 12.00 | 16.00 | -0.01 | 20 | 24 | 78 | 13 | -1 | 300 |
| CBRC004 | 16.00 | 20.00 | -0.01 | 45 | 29 | 107 | 24 | -1 | 300 |
| CBRC004 | 20.00 | 24.00 | -0.01 | 42 | 29 | 111 | 28 | -1 | 200 |
| CBRC004 | 24.00 | 28.00 | -0.01 | 32 | 22 | 85 | 12 | -1 | 100 |
| CBRC004 | 28.00 | 32.00 | -0.01 | 25 | 20 | 114 | 40 | -1 | 100 |

INVESTOR UPDATE

| HOLE_ID | DEPTH_FROM | DEPTH_TO | Au_ppm | Cu_ppm | Pb_ppm | Zn_ppm | As_ppm | Ag_ppm | S_ppm |
|---------|------------|----------|--------|--------|--------|--------|--------|--------|-------|
| CBRC004 | 32.00 | 36.00 | -0.01 | 17 | 17 | 83 | 23 | -1 | 100 |
| CBRC004 | 36.00 | 40.00 | -0.01 | 23 | 25 | 94 | 14 | -1 | 100 |
| CBRC004 | 40.00 | 44.00 | 0.03 | 37 | 28 | 122 | 12 | -1 | 100 |
| CBRC004 | 44.00 | 48.00 | -0.01 | 30 | 30 | 126 | 17 | -1 | 100 |
| CBRC004 | 48.00 | 52.00 | -0.01 | 31 | 27 | 119 | 13 | -1 | 700 |
| CBRC004 | 52.00 | 56.00 | -0.01 | 36 | 18 | 122 | 9 | -1 | 4800 |
| CBRC004 | 56.00 | 60.00 | -0.01 | 30 | 25 | 112 | 10 | -1 | 4700 |
| CBRC004 | 60.00 | 64.00 | -0.01 | 20 | 26 | 105 | 10 | -1 | 4000 |
| CBRC004 | 64.00 | 68.00 | -0.01 | 38 | 26 | 145 | 16 | -1 | 5800 |
| CBRC004 | 68.00 | 72.00 | -0.01 | 29 | 24 | 99 | 24 | -1 | 10400 |
| CBRC004 | 72.00 | 76.00 | -0.01 | 44 | 30 | 141 | 12 | -1 | 7600 |
| CBRC004 | 76.00 | 80.00 | -0.01 | 24 | 29 | 87 | -5 | -1 | 5200 |
| CBRC004 | 80.00 | 84.00 | 0.01 | 26 | 33 | 95 | 5 | -1 | 5000 |
| CBRC004 | 84.00 | 88.00 | -0.01 | 25 | 23 | 96 | 8 | -1 | 4300 |
| CBRC004 | 88.00 | 92.00 | -0.01 | 24 | 23 | 99 | 5 | -1 | 4300 |
| CBRC004 | 92.00 | 96.00 | -0.01 | 26 | 27 | 99 | 48 | -1 | 4500 |
| CBRC004 | 96.00 | 100.00 | -0.01 | 31 | 26 | 117 | 13 | -1 | 4500 |
| CBRC004 | 100.00 | 101.00 | -0.01 | 37 | 32 | 133 | 14 | -1 | 6000 |
| CBRC004 | 101.00 | 102.00 | -0.01 | 42 | 38 | 163 | 6 | -1 | 6700 |
| CBRC004 | 102.00 | 103.00 | -0.01 | 41 | 27 | 173 | -5 | -1 | 7300 |
| CBRC004 | 103.00 | 104.00 | -0.01 | 46 | 52 | 162 | 18 | -1 | 7400 |
| CBRC004 | 104.00 | 105.00 | -0.01 | 47 | 35 | 155 | 8 | -1 | 5500 |
| CBRC004 | 105.00 | 106.00 | -0.01 | 45 | 38 | 162 | 11 | -1 | 6400 |
| CBRC004 | 106.00 | 107.00 | -0.01 | 41 | 24 | 141 | 10 | -1 | 5700 |
| CBRC004 | 107.00 | 108.00 | -0.01 | 31 | 29 | 125 | 7 | -1 | 4900 |
| CBRC004 | 108.00 | 109.00 | -0.01 | 31 | 27 | 123 | 8 | -1 | 4700 |
| CBRC004 | 109.00 | 110.00 | -0.01 | 40 | 25 | 129 | 172 | -1 | 5100 |
| CBRC004 | 110.00 | 111.00 | 0.01 | 37 | 24 | 104 | 108 | -1 | 4900 |
| CBRC004 | 111.00 | 112.00 | -0.01 | 23 | 17 | 80 | 23 | -1 | 3900 |
| CBRC004 | 112.00 | 116.00 | -0.01 | 27 | 24 | 108 | 26 | -1 | 4400 |
| CBRC004 | 116.00 | 120.00 | -0.01 | 30 | 26 | 118 | 69 | -1 | 4100 |
| CBRC004 | 120.00 | 124.00 | 0.01 | 31 | 27 | 107 | 11 | -1 | 3200 |
| CBRC004 | 124.00 | 128.00 | -0.01 | 34 | 24 | 119 | 7 | -1 | 5900 |
| CBRC004 | 128.00 | 132.00 | -0.01 | 33 | 23 | 99 | 9 | -1 | 4100 |
| CBRC004 | 132.00 | 136.00 | -0.01 | 37 | 24 | 109 | 12 | -1 | 3900 |
| CBRC004 | 136.00 | 140.00 | -0.01 | 35 | 21 | 90 | 5 | -1 | 2100 |
| CBRC004 | 140.00 | 144.00 | -0.01 | 54 | 22 | 88 | 22 | -1 | 1500 |
| CBRC004 | 144.00 | 145.00 | -0.01 | 30 | 23 | 96 | 21 | -1 | 3800 |
| CBRC004 | 145.00 | 146.00 | 0.01 | 31 | 21 | 98 | 33 | -1 | 4300 |
| CBRC004 | 146.00 | 147.00 | -0.01 | 28 | 29 | 113 | 10 | -1 | 4300 |
| CBRC004 | 147.00 | 148.00 | -0.01 | 30 | 25 | 121 | 14 | -1 | 4100 |

INVESTOR UPDATE

| HOLE_ID | DEPTH_FROM | DEPTH_TO | Au_ppm | Cu_ppm | Pb_ppm | Zn_ppm | As_ppm | Ag_ppm | S_ppm |
|---------|------------|----------|--------|--------|--------|--------|--------|--------|-------|
| CBRC004 | 148.00 | 149.00 | 0.02 | 46 | 23 | 129 | 271 | -1 | 6300 |
| CBRC004 | 149.00 | 150.00 | -0.01 | 45 | 25 | 159 | 22 | -1 | 7100 |
| CBRC004 | 150.00 | 151.00 | 0.10 | 45 | 39 | 165 | 846 | -1 | 7400 |
| CBRC004 | 151.00 | 152.00 | 0.01 | 44 | 29 | 163 | 39 | -1 | 6300 |
| CBRC004 | 152.00 | 153.00 | 0.02 | 55 | 26 | 159 | 28 | -1 | 7300 |
| CBRC004 | 153.00 | 154.00 | 0.01 | 30 | 25 | 135 | 19 | -1 | 4900 |
| CBRC004 | 154.00 | 155.00 | 0.01 | 30 | 27 | 119 | 24 | -1 | 4400 |
| CBRC004 | 155.00 | 156.00 | 0.01 | 25 | 22 | 95 | 28 | -1 | 3200 |
| CBRC004 | 156.00 | 157.00 | 0.01 | 29 | 33 | 126 | 8 | -1 | 5200 |
| CBRC004 | 157.00 | 158.00 | 0.02 | 33 | 25 | 129 | 11 | -1 | 5200 |
| CBRC004 | 158.00 | 159.00 | 0.02 | 32 | 25 | 117 | 13 | -1 | 3800 |
| CBRC004 | 159.00 | 160.00 | 0.01 | 35 | 27 | 112 | 7 | -1 | 2800 |
| CBRC004 | 160.00 | 161.00 | 0.01 | 41 | 31 | 125 | 8 | -1 | 5300 |
| CBRC004 | 161.00 | 162.00 | 0.01 | 35 | 32 | 119 | 12 | -1 | 6300 |
| CBRC004 | 162.00 | 163.00 | 0.02 | 32 | 26 | 107 | 8 | -1 | 4700 |
| CBRC004 | 163.00 | 164.00 | 0.01 | 27 | 21 | 95 | 8 | -1 | 3600 |
| CBRC004 | 164.00 | 165.00 | 0.01 | 32 | 28 | 112 | 24 | -1 | 4400 |
| CBRC004 | 165.00 | 166.00 | 0.02 | 31 | 20 | 103 | 144 | -1 | 6200 |
| CBRC004 | 166.00 | 167.00 | 0.01 | 35 | 28 | 121 | 15 | -1 | 4200 |
| CBRC004 | 167.00 | 168.00 | 0.02 | 29 | 12 | 93 | 57 | -1 | 5400 |
| CBRC004 | 168.00 | 169.00 | 0.01 | 31 | 26 | 116 | 19 | -1 | 2800 |
| CBRC004 | 169.00 | 170.00 | 0.01 | 39 | 24 | 130 | 19 | -1 | 3300 |
| CBRC004 | 170.00 | 171.00 | 0.01 | 24 | 24 | 98 | 21 | -1 | 3100 |
| CBRC004 | 171.00 | 172.00 | 0.01 | 28 | 25 | 121 | 7 | -1 | 4800 |
| CBRC004 | 172.00 | 173.00 | 0.01 | 48 | 41 | 161 | 8 | -1 | 7700 |
| CBRC004 | 173.00 | 174.00 | 0.01 | 43 | 26 | 155 | 10 | -1 | 6000 |
| CBRC004 | 174.00 | 175.00 | 0.02 | 28 | 30 | 119 | 91 | -1 | 5500 |
| CBRC004 | 175.00 | 176.00 | 0.02 | 40 | 24 | 119 | 30 | -1 | 4300 |
| CBRC004 | 176.00 | 177.00 | 0.02 | 29 | 25 | 117 | 12 | -1 | 5000 |
| CBRC004 | 177.00 | 178.00 | -0.01 | 24 | 24 | 110 | 13 | -1 | 4500 |
| CBRC004 | 178.00 | 179.00 | 0.02 | 31 | 22 | 119 | 10 | -1 | 4400 |
| CBRC004 | 179.00 | 180.00 | -0.01 | 36 | 30 | 140 | 7 | -1 | 4600 |
| CBRC005 | 0.00 | 4.00 | -0.01 | 20 | 16 | 50 | 15 | -1 | 200 |
| CBRC005 | 4.00 | 8.00 | 0.01 | 18 | 19 | 59 | 28 | -1 | 200 |
| CBRC005 | 8.00 | 12.00 | -0.01 | 29 | 26 | 145 | 70 | -1 | 200 |
| CBRC005 | 12.00 | 16.00 | -0.01 | 20 | 20 | 75 | 50 | -1 | 100 |
| CBRC005 | 16.00 | 20.00 | -0.01 | 35 | 24 | 111 | 57 | -1 | 100 |
| CBRC005 | 20.00 | 24.00 | 0.01 | 32 | 25 | 106 | 35 | -1 | 100 |
| CBRC005 | 24.00 | 28.00 | -0.01 | 32 | 31 | 119 | 40 | -1 | 100 |
| CBRC005 | 28.00 | 32.00 | -0.01 | 24 | 25 | 96 | 40 | -1 | -100 |
| CBRC005 | 32.00 | 36.00 | -0.01 | 30 | 27 | 105 | 77 | -1 | -100 |

INVESTOR UPDATE

| HOLE_ID | DEPTH_FROM | DEPTH_TO | Au_ppm | Cu_ppm | Pb_ppm | Zn_ppm | As_ppm | Ag_ppm | S_ppm |
|---------|------------|----------|--------|--------|--------|--------|--------|--------|-------|
| CBRC005 | 36.00 | 40.00 | 0.01 | 35 | 24 | 102 | 26 | -1 | -100 |
| CBRC005 | 40.00 | 44.00 | -0.01 | 19 | 24 | 70 | 19 | -1 | -100 |
| CBRC005 | 44.00 | 48.00 | -0.01 | 13 | 19 | 57 | 13 | -1 | -100 |
| CBRC005 | 48.00 | 52.00 | -0.01 | 31 | 28 | 103 | 35 | -1 | 100 |
| CBRC005 | 52.00 | 56.00 | 0.01 | 53 | 24 | 101 | 41 | -1 | 500 |
| CBRC005 | 56.00 | 60.00 | 0.01 | 44 | 32 | 110 | 75 | -1 | 1700 |
| CBRC005 | 60.00 | 64.00 | 0.01 | 34 | 94 | 180 | 90 | -1 | 1100 |
| CBRC005 | 64.00 | 68.00 | 0.01 | 16 | 26 | 69 | 33 | -1 | 1000 |
| CBRC005 | 68.00 | 72.00 | 0.01 | 13 | 16 | 76 | 27 | -1 | 600 |
| CBRC005 | 72.00 | 76.00 | -0.01 | 13 | 19 | 50 | 13 | -1 | 300 |
| CBRC005 | 76.00 | 80.00 | -0.01 | 28 | 26 | 102 | 16 | -1 | 1000 |
| CBRC005 | 80.00 | 84.00 | -0.01 | 29 | 27 | 99 | 12 | -1 | 1900 |
| CBRC005 | 84.00 | 88.00 | 0.01 | 55 | 31 | 133 | 15 | -1 | 4500 |
| CBRC005 | 88.00 | 92.00 | 0.01 | 43 | 21 | 89 | 25 | -1 | 1800 |
| CBRC005 | 92.00 | 96.00 | -0.01 | 27 | 28 | 107 | 14 | -1 | 3200 |
| CBRC005 | 96.00 | 100.00 | 0.01 | 49 | 29 | 114 | 13 | -1 | 4300 |
| CBRC005 | 100.00 | 104.00 | -0.01 | 11 | 16 | 50 | 13 | -1 | 500 |
| CBRC005 | 104.00 | 108.00 | -0.01 | 32 | 24 | 102 | 7 | -1 | 3100 |
| CBRC005 | 108.00 | 112.00 | 0.02 | 33 | 28 | 113 | 7 | -1 | 5100 |
| CBRC005 | 112.00 | 116.00 | 0.01 | 36 | 28 | 131 | 6 | -1 | 8500 |
| CBRC005 | 116.00 | 120.00 | -0.01 | 50 | 29 | 136 | 8 | -1 | 4700 |
| CBRC005 | 120.00 | 124.00 | -0.01 | 54 | 33 | 174 | 9 | -1 | 8100 |
| CBRC005 | 124.00 | 128.00 | -0.01 | 43 | 31 | 171 | 8 | -1 | 4400 |
| CBRC005 | 128.00 | 132.00 | 0.01 | 43 | 46 | 131 | 12 | -1 | 5400 |
| CBRC005 | 132.00 | 136.00 | 0.01 | 23 | 24 | 74 | 10 | -1 | 1400 |
| CBRC005 | 136.00 | 140.00 | 0.02 | 40 | 21 | 89 | 8 | -1 | 1800 |
| CBRC005 | 140.00 | 144.00 | -0.01 | 33 | 23 | 100 | 7 | -1 | 3400 |
| CBRC005 | 144.00 | 148.00 | 0.02 | 34 | 28 | 117 | 6 | -1 | 6200 |
| CBRC005 | 148.00 | 150.00 | 0.01 | 26 | 27 | 100 | 6 | -1 | 3100 |
| CBRC006 | 0.00 | 4.00 | 0.01 | 18 | 16 | 60 | 16 | -1 | 200 |
| CBRC006 | 4.00 | 8.00 | -0.01 | 36 | 31 | 111 | 25 | -1 | 100 |
| CBRC006 | 8.00 | 9.00 | 0.01 | 30 | 24 | 102 | 17 | -1 | 100 |
| CBRC006 | 9.00 | 10.00 | -0.01 | 25 | 26 | 107 | 22 | -1 | -100 |
| CBRC006 | 10.00 | 11.00 | -0.01 | 20 | 23 | 79 | 27 | -1 | -100 |
| CBRC006 | 11.00 | 12.00 | 0.01 | 34 | 23 | 115 | 38 | -1 | -100 |
| CBRC006 | 12.00 | 13.00 | -0.01 | 23 | 20 | 76 | 37 | -1 | -100 |
| CBRC006 | 13.00 | 14.00 | -0.01 | 34 | 23 | 106 | 60 | -1 | 100 |
| CBRC006 | 14.00 | 15.00 | -0.01 | 24 | 19 | 107 | 51 | -1 | -100 |
| CBRC006 | 15.00 | 16.00 | -0.01 | 37 | 26 | 124 | 44 | -1 | -100 |
| CBRC006 | 16.00 | 17.00 | -0.01 | 19 | 25 | 75 | 50 | -1 | -100 |
| CBRC006 | 17.00 | 18.00 | -0.01 | 24 | 26 | 75 | 39 | -1 | -100 |

INVESTOR UPDATE

| HOLE_ID | DEPTH_FROM | DEPTH_TO | Au_ppm | Cu_ppm | Pb_ppm | Zn_ppm | As_ppm | Ag_ppm | S_ppm |
|---------|------------|----------|--------|--------|--------|--------|--------|--------|-------|
| CBRC006 | 18.00 | 19.00 | -0.01 | 19 | 25 | 72 | 18 | -1 | -100 |
| CBRC006 | 19.00 | 20.00 | -0.01 | 23 | 24 | 69 | 19 | -1 | -100 |
| CBRC006 | 20.00 | 21.00 | -0.01 | 33 | 19 | 111 | 23 | -1 | -100 |
| CBRC006 | 21.00 | 22.00 | -0.01 | 36 | 20 | 114 | 31 | -1 | -100 |
| CBRC006 | 22.00 | 23.00 | -0.01 | 36 | 17 | 110 | 32 | -1 | -100 |
| CBRC006 | 23.00 | 24.00 | -0.01 | 28 | 19 | 100 | 38 | -1 | -100 |
| CBRC006 | 24.00 | 25.00 | -0.01 | 28 | 23 | 104 | 52 | -1 | -100 |
| CBRC006 | 25.00 | 26.00 | -0.01 | 24 | 41 | 107 | 60 | -1 | -100 |
| CBRC006 | 26.00 | 27.00 | 0.01 | 31 | 31 | 101 | 121 | -1 | 200 |
| CBRC006 | 27.00 | 28.00 | 0.01 | 31 | 22 | 71 | 355 | -1 | -100 |
| CBRC006 | 28.00 | 29.00 | 0.01 | 34 | 15 | 78 | 236 | -1 | -100 |
| CBRC006 | 29.00 | 30.00 | -0.01 | 22 | 26 | 80 | 122 | -1 | -100 |
| CBRC006 | 30.00 | 31.00 | -0.01 | 33 | 24 | 90 | 102 | -1 | 100 |
| CBRC006 | 31.00 | 32.00 | -0.01 | 29 | 34 | 100 | 90 | -1 | -100 |
| CBRC006 | 32.00 | 33.00 | -0.01 | 24 | 30 | 78 | 59 | -1 | -100 |
| CBRC006 | 33.00 | 34.00 | -0.01 | 9 | 18 | 38 | 36 | -1 | -100 |
| CBRC006 | 34.00 | 35.00 | -0.01 | 37 | 41 | 106 | 57 | -1 | -100 |
| CBRC006 | 35.00 | 36.00 | -0.01 | 29 | 32 | 94 | 42 | -1 | -100 |
| CBRC006 | 36.00 | 37.00 | -0.01 | 20 | 30 | 67 | 38 | -1 | -100 |
| CBRC006 | 37.00 | 38.00 | -0.01 | 34 | 26 | 113 | 48 | -1 | -100 |
| CBRC006 | 38.00 | 39.00 | -0.01 | 9 | 16 | 36 | 16 | -1 | -100 |
| CBRC006 | 39.00 | 40.00 | -0.01 | 20 | 19 | 43 | 39 | -1 | 100 |
| CBRC006 | 40.00 | 41.00 | -0.01 | 9 | 19 | 34 | 24 | -1 | -100 |
| CBRC006 | 41.00 | 42.00 | -0.01 | 29 | 24 | 76 | 51 | -1 | 100 |
| CBRC006 | 42.00 | 43.00 | -0.01 | 26 | 13 | 73 | 46 | -1 | 100 |
| CBRC006 | 43.00 | 44.00 | -0.01 | 15 | 16 | 69 | 31 | -1 | -100 |
| CBRC006 | 44.00 | 45.00 | -0.01 | 15 | 20 | 64 | 26 | -1 | -100 |
| CBRC006 | 45.00 | 46.00 | -0.01 | 9 | 15 | 53 | 23 | -1 | -100 |
| CBRC006 | 46.00 | 47.00 | -0.01 | 11 | 17 | 47 | 23 | -1 | -100 |
| CBRC006 | 47.00 | 48.00 | -0.01 | 29 | 10 | 70 | 57 | -1 | -100 |
| CBRC006 | 48.00 | 49.00 | -0.01 | 25 | 16 | 86 | 92 | -1 | 100 |
| CBRC006 | 49.00 | 50.00 | -0.01 | 30 | 28 | 82 | 272 | -1 | 100 |
| CBRC006 | 50.00 | 51.00 | -0.01 | 39 | 26 | 99 | 33 | -1 | 100 |
| CBRC006 | 51.00 | 52.00 | 0.15 | 38 | 27 | 87 | 20 | -1 | 100 |
| CBRC006 | 52.00 | 53.00 | -0.01 | 28 | 21 | 83 | 30 | -1 | 100 |
| CBRC006 | 53.00 | 54.00 | 0.01 | 34 | 17 | 83 | 26 | -1 | 400 |
| CBRC006 | 54.00 | 55.00 | 0.01 | 31 | 19 | 79 | 19 | -1 | 600 |
| CBRC006 | 55.00 | 56.00 | 0.01 | 34 | 20 | 91 | 16 | -1 | 800 |
| CBRC006 | 56.00 | 57.00 | 0.01 | 46 | 20 | 79 | 16 | -1 | 300 |
| CBRC006 | 57.00 | 58.00 | -0.01 | 31 | 18 | 79 | 18 | -1 | 1600 |
| CBRC006 | 58.00 | 59.00 | -0.01 | 36 | 21 | 98 | 8 | -1 | 3000 |

INVESTOR UPDATE

| HOLE_ID | DEPTH_FROM | DEPTH_TO | Au_ppm | Cu_ppm | Pb_ppm | Zn_ppm | As_ppm | Ag_ppm | S_ppm |
|---------|------------|----------|--------|--------|--------|--------|--------|--------|-------|
| CBRC006 | 59.00 | 60.00 | 0.01 | 33 | 20 | 97 | 6 | -1 | 4200 |
| CBRC006 | 60.00 | 61.00 | 0.01 | 26 | 23 | 76 | 10 | -1 | 3100 |
| CBRC006 | 61.00 | 62.00 | 0.01 | 29 | 19 | 102 | 9 | -1 | 4400 |
| CBRC006 | 62.00 | 63.00 | -0.01 | 35 | 19 | 108 | -5 | -1 | 5700 |
| CBRC006 | 63.00 | 64.00 | -0.01 | 30 | 21 | 80 | 6 | -1 | 1700 |
| CBRC006 | 64.00 | 65.00 | -0.01 | 34 | 20 | 84 | 5 | -1 | 3600 |
| CBRC006 | 65.00 | 66.00 | -0.01 | 29 | 21 | 88 | 5 | -1 | 3200 |
| CBRC006 | 66.00 | 67.00 | -0.01 | 33 | 23 | 90 | 8 | -1 | 3200 |
| CBRC006 | 67.00 | 68.00 | -0.01 | 33 | 21 | 92 | -5 | -1 | 3700 |
| CBRC006 | 68.00 | 72.00 | -0.01 | 37 | 21 | 88 | 5 | -1 | 2200 |
| CBRC006 | 72.00 | 76.00 | 0.01 | 40 | 19 | 100 | 9 | -1 | 2700 |
| CBRC006 | 76.00 | 80.00 | 0.01 | 34 | 19 | 76 | 11 | -1 | 2600 |
| CBRC006 | 80.00 | 84.00 | -0.01 | 31 | 22 | 82 | 14 | -1 | 1600 |
| CBRC006 | 84.00 | 88.00 | 0.02 | 39 | 29 | 108 | 6 | -1 | 5000 |
| CBRC006 | 88.00 | 92.00 | 0.01 | 40 | 23 | 94 | 7 | -1 | 2100 |
| CBRC006 | 92.00 | 96.00 | -0.01 | 43 | 32 | 141 | 22 | -1 | 2500 |
| CBRC006 | 96.00 | 100.00 | 0.01 | 35 | 29 | 100 | 30 | -1 | 3300 |
| CBRC006 | 100.00 | 104.00 | -0.01 | 35 | 39 | 98 | 20 | -1 | 4100 |
| CBRC006 | 104.00 | 108.00 | -0.01 | 32 | 27 | 83 | 24 | -1 | 2300 |
| CBRC006 | 108.00 | 112.00 | -0.01 | 47 | 30 | 129 | 11 | -1 | 5700 |
| CBRC006 | 112.00 | 116.00 | 0.01 | 46 | 86 | 187 | 11 | -1 | 5600 |
| CBRC006 | 116.00 | 120.00 | -0.01 | 42 | 28 | 135 | 10 | -1 | 4400 |
| CBRC006 | 120.00 | 124.00 | -0.01 | 35 | 30 | 130 | 7 | -1 | 4900 |
| CBRC006 | 124.00 | 128.00 | 0.01 | 42 | 26 | 106 | 17 | -1 | 3000 |
| CBRC006 | 128.00 | 132.00 | 0.03 | 45 | 31 | 145 | 16 | -1 | 8000 |
| CBRC006 | 132.00 | 136.00 | 0.01 | 43 | 89 | 215 | 30 | -1 | 5800 |
| CBRC006 | 136.00 | 140.00 | -0.01 | 44 | 34 | 127 | 26 | -1 | 4700 |
| CBRC006 | 140.00 | 144.00 | -0.01 | 23 | 19 | 78 | 27 | -1 | 2100 |
| CBRC006 | 144.00 | 148.00 | 0.01 | 31 | 90 | 381 | 49 | -1 | 3600 |
| CBRC006 | 148.00 | 152.00 | -0.01 | 35 | 29 | 115 | 47 | -1 | 3300 |
| CBRC006 | 152.00 | 156.00 | 0.01 | 41 | 30 | 118 | 50 | -1 | 4300 |
| CBRC006 | 156.00 | 160.00 | -0.01 | 21 | 26 | 98 | 24 | -1 | 2700 |
| CBRC007 | 0.00 | 1.00 | -0.01 | 14 | 14 | 39 | 10 | -1 | 200 |
| CBRC007 | 1.00 | 2.00 | 0.01 | 18 | 17 | 47 | 11 | -1 | 200 |
| CBRC007 | 2.00 | 3.00 | -0.01 | 16 | 19 | 41 | 14 | -1 | 200 |
| CBRC007 | 3.00 | 4.00 | -0.01 | 17 | 22 | 77 | 25 | -1 | 200 |
| CBRC007 | 4.00 | 5.00 | -0.01 | 19 | 26 | 108 | 40 | -1 | 100 |
| CBRC007 | 5.00 | 6.00 | -0.01 | 10 | 18 | 71 | 23 | -1 | 100 |
| CBRC007 | 6.00 | 7.00 | -0.01 | 13 | 21 | 86 | 11 | -1 | -100 |
| CBRC007 | 7.00 | 8.00 | -0.01 | 6 | 12 | 43 | -5 | -1 | -100 |
| CBRC007 | 8.00 | 9.00 | -0.01 | 7 | 13 | 45 | 8 | -1 | -100 |

INVESTOR UPDATE

| HOLE_ID | DEPTH_FROM | DEPTH_TO | Au_ppm | Cu_ppm | Pb_ppm | Zn_ppm | As_ppm | Ag_ppm | S_ppm |
|---------|------------|----------|--------|--------|--------|--------|--------|--------|-------|
| CBRC007 | 9.00 | 10.00 | -0.01 | 5 | 9 | 31 | 5 | -1 | 100 |
| CBRC007 | 10.00 | 11.00 | -0.01 | 5 | 13 | 32 | 10 | -1 | -100 |
| CBRC007 | 11.00 | 12.00 | -0.01 | 7 | 11 | 29 | 13 | -1 | 100 |
| CBRC007 | 12.00 | 13.00 | -0.01 | 18 | 30 | 54 | 27 | -1 | 100 |
| CBRC007 | 13.00 | 14.00 | -0.01 | 10 | 22 | 47 | 12 | -1 | 100 |
| CBRC007 | 14.00 | 15.00 | -0.01 | 13 | 14 | 67 | 14 | -1 | 100 |
| CBRC007 | 15.00 | 16.00 | -0.01 | 25 | 32 | 69 | 19 | -1 | 200 |
| CBRC007 | 16.00 | 17.00 | -0.01 | 30 | 24 | 108 | 11 | -1 | 100 |
| CBRC007 | 17.00 | 18.00 | -0.01 | 29 | 29 | 107 | 16 | -1 | 100 |
| CBRC007 | 18.00 | 19.00 | -0.01 | 37 | 30 | 120 | 23 | -1 | 100 |
| CBRC007 | 19.00 | 20.00 | -0.01 | 34 | 28 | 107 | 28 | -1 | 100 |
| CBRC007 | 20.00 | 21.00 | 0.01 | 24 | 30 | 93 | 63 | -1 | 100 |
| CBRC007 | 21.00 | 22.00 | 0.02 | 25 | 21 | 48 | 159 | -1 | 200 |
| CBRC007 | 22.00 | 23.00 | 0.01 | 27 | 31 | 99 | 98 | -1 | 100 |
| CBRC007 | 23.00 | 24.00 | -0.01 | 20 | 25 | 85 | 39 | -1 | 100 |
| CBRC007 | 24.00 | 25.00 | -0.01 | 17 | 18 | 84 | 108 | -1 | -100 |
| CBRC007 | 25.00 | 26.00 | -0.01 | 27 | 31 | 95 | 59 | -1 | 100 |
| CBRC007 | 26.00 | 27.00 | -0.01 | 28 | 25 | 85 | 32 | -1 | 100 |
| CBRC007 | 27.00 | 28.00 | -0.01 | 29 | 31 | 96 | 34 | -1 | 100 |
| CBRC007 | 28.00 | 29.00 | -0.01 | 17 | 25 | 81 | 12 | -1 | -100 |
| CBRC007 | 29.00 | 30.00 | -0.01 | 15 | 26 | 58 | 15 | -1 | 100 |
| CBRC007 | 30.00 | 31.00 | -0.01 | 18 | 20 | 76 | 11 | -1 | -100 |
| CBRC007 | 31.00 | 32.00 | -0.01 | 26 | 23 | 99 | 19 | -1 | 100 |
| CBRC007 | 32.00 | 33.00 | -0.01 | 36 | 27 | 125 | 25 | -1 | -100 |
| CBRC007 | 33.00 | 34.00 | -0.01 | 35 | 25 | 103 | 19 | -1 | 100 |
| CBRC007 | 34.00 | 35.00 | -0.01 | 38 | 27 | 111 | 22 | -1 | -100 |
| CBRC007 | 35.00 | 36.00 | -0.01 | 37 | 32 | 104 | 25 | -1 | 100 |
| CBRC007 | 36.00 | 37.00 | -0.01 | 32 | 34 | 114 | 25 | -1 | 100 |
| CBRC007 | 37.00 | 38.00 | -0.01 | 42 | 30 | 93 | 18 | -1 | 200 |
| CBRC007 | 38.00 | 39.00 | -0.01 | 34 | 27 | 77 | 16 | -1 | 200 |
| CBRC007 | 39.00 | 40.00 | -0.01 | 34 | 19 | 86 | 16 | -1 | 200 |
| CBRC007 | 40.00 | 41.00 | -0.01 | 31 | 19 | 81 | 11 | -1 | 100 |
| CBRC007 | 41.00 | 42.00 | -0.01 | 37 | 19 | 98 | 9 | -1 | 100 |
| CBRC007 | 42.00 | 43.00 | -0.01 | 41 | 21 | 104 | 9 | -1 | -100 |
| CBRC007 | 43.00 | 44.00 | -0.01 | 36 | 22 | 102 | 10 | -1 | -100 |
| CBRC007 | 44.00 | 45.00 | -0.01 | 34 | 23 | 88 | 11 | -1 | -100 |
| CBRC007 | 45.00 | 46.00 | -0.01 | 44 | 18 | 81 | -5 | -1 | -100 |
| CBRC007 | 46.00 | 47.00 | -0.01 | 40 | 17 | 87 | 6 | -1 | -100 |
| CBRC007 | 47.00 | 48.00 | -0.01 | 39 | 19 | 84 | -5 | -1 | -100 |
| CBRC007 | 48.00 | 49.00 | -0.01 | 34 | 19 | 84 | -5 | -1 | -100 |
| CBRC007 | 49.00 | 50.00 | -0.01 | 39 | 19 | 85 | -5 | -1 | -100 |

INVESTOR UPDATE

| HOLE_ID | DEPTH_FROM | DEPTH_TO | Au_ppm | Cu_ppm | Pb_ppm | Zn_ppm | As_ppm | Ag_ppm | S_ppm |
|---------|------------|----------|--------|--------|--------|--------|--------|--------|-------|
| CBRC007 | 50.00 | 51.00 | -0.01 | 45 | 20 | 94 | -5 | -1 | -100 |
| CBRC007 | 51.00 | 52.00 | -0.01 | 36 | 21 | 92 | 5 | -1 | -100 |
| CBRC007 | 52.00 | 53.00 | -0.01 | 47 | 22 | 93 | 5 | -1 | 100 |
| CBRC007 | 53.00 | 54.00 | -0.01 | 50 | 27 | 81 | 8 | -1 | 100 |
| CBRC007 | 54.00 | 55.00 | 0.02 | 44 | 26 | 111 | 14 | -1 | 800 |
| CBRC007 | 55.00 | 56.00 | -0.01 | 47 | 29 | 100 | 12 | -1 | 100 |
| CBRC007 | 56.00 | 57.00 | -0.01 | 41 | 20 | 72 | 8 | -1 | 200 |
| CBRC007 | 57.00 | 58.00 | 0.01 | 39 | 20 | 87 | 8 | -1 | 300 |
| CBRC007 | 58.00 | 59.00 | 0.01 | 28 | 21 | 89 | 7 | -1 | 500 |
| CBRC007 | 59.00 | 60.00 | -0.01 | 24 | 20 | 65 | 9 | -1 | 200 |
| CBRC007 | 60.00 | 61.00 | -0.01 | 30 | 18 | 64 | 10 | -1 | 1200 |
| CBRC007 | 61.00 | 62.00 | -0.01 | 32 | 24 | 97 | 9 | -1 | 2600 |
| CBRC007 | 62.00 | 63.00 | -0.01 | 12 | 24 | 58 | 8 | -1 | 700 |
| CBRC007 | 63.00 | 64.00 | -0.01 | 29 | 33 | 115 | 13 | -1 | 2500 |
| CBRC007 | 64.00 | 65.00 | -0.01 | 30 | 33 | 104 | -5 | -1 | 4000 |
| CBRC007 | 65.00 | 66.00 | -0.01 | 34 | 29 | 114 | 5 | -1 | 4400 |
| CBRC007 | 66.00 | 67.00 | -0.01 | 27 | 20 | 92 | -5 | -1 | 3000 |
| CBRC007 | 67.00 | 68.00 | 0.01 | 51 | 23 | 111 | 6 | -1 | 4000 |
| CBRC007 | 68.00 | 69.00 | -0.01 | 35 | 22 | 77 | -5 | -1 | 3000 |
| CBRC007 | 69.00 | 70.00 | 0.01 | 25 | 21 | 83 | -5 | -1 | 2900 |
| CBRC007 | 70.00 | 71.00 | -0.01 | 33 | 22 | 79 | 5 | -1 | 2300 |
| CBRC007 | 71.00 | 72.00 | -0.01 | 40 | 23 | 98 | 9 | -1 | 2300 |
| CBRC007 | 72.00 | 73.00 | -0.01 | 28 | 28 | 80 | 9 | -1 | 1900 |
| CBRC007 | 73.00 | 74.00 | -0.01 | 41 | 23 | 89 | 11 | -1 | 1800 |
| CBRC007 | 74.00 | 75.00 | 0.02 | 22 | 17 | 49 | 9 | -1 | 3300 |
| CBRC007 | 75.00 | 76.00 | 0.01 | 32 | 19 | 75 | 13 | -1 | 3800 |
| CBRC007 | 76.00 | 77.00 | 0.01 | 28 | 21 | 75 | 6 | -1 | 3300 |
| CBRC007 | 77.00 | 78.00 | 0.01 | 32 | 20 | 88 | 7 | -1 | 2800 |
| CBRC007 | 78.00 | 79.00 | 0.01 | 45 | 22 | 107 | 11 | -1 | 2900 |
| CBRC007 | 79.00 | 80.00 | 0.01 | 44 | 28 | 109 | 13 | -1 | 5200 |
| CBRC007 | 80.00 | 84.00 | 0.01 | 36 | 24 | 106 | 9 | -1 | 5200 |
| CBRC007 | 84.00 | 88.00 | 0.01 | 41 | 31 | 130 | -5 | -1 | 5100 |
| CBRC007 | 88.00 | 92.00 | -0.01 | 36 | 27 | 121 | 10 | -1 | 3500 |
| CBRC007 | 92.00 | 96.00 | 0.01 | 49 | 36 | 194 | -5 | -1 | 8800 |
| CBRC007 | 96.00 | 100.00 | -0.01 | 44 | 29 | 132 | 9 | -1 | 5100 |
| CBRC007 | 100.00 | 104.00 | -0.01 | 15 | 18 | 61 | 10 | -1 | 1000 |
| CBRC007 | 104.00 | 108.00 | -0.01 | 15 | 18 | 65 | 12 | -1 | 1800 |
| CBRC007 | 108.00 | 112.00 | -0.01 | 45 | 35 | 174 | 14 | -1 | 7000 |
| CBRC007 | 112.00 | 113.00 | -0.01 | 27 | 30 | 114 | 9 | -1 | 5900 |
| CBRC007 | 113.00 | 114.00 | -0.01 | 28 | 27 | 111 | 9 | -1 | 4800 |
| CBRC007 | 114.00 | 115.00 | -0.01 | 25 | 34 | 90 | 7 | -1 | 4300 |

INVESTOR UPDATE

| HOLE_ID | DEPTH_FROM | DEPTH_TO | Au_ppm | Cu_ppm | Pb_ppm | Zn_ppm | As_ppm | Ag_ppm | S_ppm |
|---------|------------|----------|--------|--------|--------|--------|--------|--------|-------|
| CBRC007 | 115.00 | 116.00 | -0.01 | 26 | 41 | 97 | 7 | -1 | 5600 |
| CBRC007 | 116.00 | 117.00 | -0.01 | 14 | 16 | 51 | 6 | -1 | 1100 |
| CBRC007 | 117.00 | 118.00 | -0.01 | 10 | 16 | 43 | 9 | -1 | 800 |
| CBRC007 | 118.00 | 119.00 | 0.01 | 14 | 18 | 47 | 10 | -1 | 900 |
| CBRC007 | 119.00 | 120.00 | -0.01 | 27 | 29 | 92 | 15 | -1 | 3000 |
| CBRC007 | 120.00 | 124.00 | -0.01 | 11 | 16 | 46 | 12 | -1 | 1100 |
| CBRC007 | 124.00 | 128.00 | -0.01 | 21 | 22 | 70 | 11 | -1 | 2200 |
| CBRC007 | 128.00 | 132.00 | 0.01 | 14 | 19 | 56 | 9 | -1 | 800 |
| CBRC007 | 132.00 | 136.00 | -0.01 | 32 | 29 | 110 | 15 | -1 | 3500 |
| CBRC007 | 136.00 | 140.00 | 0.01 | 10 | 13 | 38 | 150 | -1 | 1000 |
| CBRC007 | 140.00 | 144.00 | 0.01 | 33 | 27 | 109 | 32 | -1 | 4200 |
| CBRC008 | 0.00 | 4.00 | -0.01 | 12 | 18 | 53 | 19 | -1 | 400 |
| CBRC008 | 4.00 | 8.00 | -0.01 | 10 | 18 | 60 | 15 | -1 | 100 |
| CBRC008 | 8.00 | 9.00 | -0.01 | 8 | 18 | 44 | 7 | -1 | 100 |
| CBRC008 | 9.00 | 10.00 | -0.01 | 14 | 24 | 61 | 10 | -1 | 100 |
| CBRC008 | 10.00 | 11.00 | 0.01 | 25 | 26 | 121 | 15 | -1 | 100 |
| CBRC008 | 11.00 | 12.00 | 0.01 | 20 | 22 | 89 | 19 | -1 | 100 |
| CBRC008 | 12.00 | 16.00 | -0.01 | 6 | 9 | 38 | 10 | -1 | 100 |
| CBRC008 | 16.00 | 20.00 | -0.01 | 5 | 11 | 30 | 7 | -1 | 100 |
| CBRC008 | 20.00 | 21.00 | -0.01 | 5 | 17 | 32 | 7 | -1 | 100 |
| CBRC008 | 21.00 | 22.00 | -0.01 | 4 | 13 | 21 | -5 | -1 | 100 |
| CBRC008 | 22.00 | 23.00 | -0.01 | 5 | 13 | 32 | 7 | -1 | 100 |
| CBRC008 | 23.00 | 24.00 | 0.01 | 14 | 19 | 75 | 14 | -1 | 100 |
| CBRC008 | 24.00 | 28.00 | -0.01 | 5 | 17 | 35 | 9 | -1 | 100 |
| CBRC008 | 28.00 | 32.00 | -0.01 | 4 | 16 | 47 | 12 | -1 | 100 |
| CBRC008 | 32.00 | 36.00 | -0.01 | 4 | 13 | 33 | 9 | -1 | 100 |
| CBRC008 | 36.00 | 37.00 | -0.01 | 5 | 10 | 60 | 15 | -1 | 100 |
| CBRC008 | 37.00 | 38.00 | -0.01 | 7 | 12 | 31 | 9 | -1 | 100 |
| CBRC008 | 38.00 | 39.00 | 0.01 | 9 | 18 | 49 | 17 | -1 | -100 |
| CBRC008 | 39.00 | 40.00 | -0.01 | 21 | 29 | 83 | 32 | -1 | -100 |
| CBRC008 | 40.00 | 44.00 | -0.01 | 20 | 21 | 82 | 13 | -1 | -100 |
| CBRC008 | 44.00 | 48.00 | -0.01 | 10 | 18 | 50 | 20 | -1 | -100 |
| CBRC008 | 48.00 | 52.00 | -0.01 | 11 | 16 | 46 | 146 | -1 | -100 |
| CBRC008 | 52.00 | 56.00 | -0.01 | 10 | 20 | 81 | 63 | -1 | 100 |
| CBRC008 | 56.00 | 60.00 | -0.01 | 20 | 22 | 81 | 64 | -1 | 100 |
| CBRC008 | 60.00 | 64.00 | -0.01 | 11 | 19 | 57 | 27 | -1 | 100 |
| CBRC008 | 64.00 | 68.00 | -0.01 | 22 | 24 | 80 | 29 | -1 | 100 |
| CBRC008 | 68.00 | 72.00 | -0.01 | 17 | 26 | 61 | 27 | -1 | 300 |
| CBRC008 | 72.00 | 76.00 | -0.01 | 11 | 15 | 52 | 24 | -1 | 600 |
| CBRC008 | 76.00 | 80.00 | -0.01 | 15 | 22 | 65 | 14 | -1 | 600 |
| CBRC008 | 80.00 | 84.00 | 0.04 | 14 | 15 | 62 | 19 | -1 | 1300 |

INVESTOR UPDATE

| HOLE_ID | DEPTH_FROM | DEPTH_TO | Au_ppm | Cu_ppm | Pb_ppm | Zn_ppm | As_ppm | Ag_ppm | S_ppm |
|---------|------------|----------|--------|--------|--------|--------|--------|--------|-------|
| CBRC008 | 84.00 | 88.00 | 0.01 | 13 | 20 | 63 | 14 | -1 | 900 |
| CBRC008 | 88.00 | 92.00 | -0.01 | 8 | 17 | 53 | 6 | -1 | 300 |
| CBRC008 | 92.00 | 96.00 | -0.01 | 12 | 23 | 62 | 9 | -1 | 500 |
| CBRC008 | 96.00 | 100.00 | -0.01 | 26 | 19 | 94 | 24 | -1 | 2600 |
| CBRC008 | 100.00 | 101.00 | -0.01 | 32 | 23 | 89 | 33 | -1 | 2500 |
| CBRC008 | 101.00 | 102.00 | -0.01 | 35 | 22 | 117 | 42 | -1 | 3600 |
| CBRC008 | 102.00 | 103.00 | -0.01 | 28 | 21 | 101 | 24 | -1 | 2200 |
| CBRC008 | 103.00 | 104.00 | -0.01 | 34 | 22 | 140 | 15 | -1 | 5900 |
| CBRC008 | 104.00 | 105.00 | 0.01 | 34 | 13 | 102 | 16 | -1 | 7500 |
| CBRC008 | 105.00 | 106.00 | -0.01 | 37 | 17 | 114 | 9 | -1 | 7600 |
| CBRC008 | 106.00 | 107.00 | -0.01 | 31 | 18 | 107 | 9 | -1 | 5800 |
| CBRC008 | 107.00 | 108.00 | -0.01 | 25 | 16 | 91 | 8 | -1 | 5800 |
| CBRC008 | 108.00 | 109.00 | -0.01 | 36 | 23 | 134 | 8 | -1 | 6800 |
| CBRC008 | 109.00 | 110.00 | -0.01 | 34 | 23 | 124 | 9 | -1 | 6700 |
| CBRC008 | 110.00 | 114.00 | -0.01 | 38 | 25 | 124 | 6 | -1 | 5500 |
| CBRC008 | 118.00 | 118.00 | -0.01 | 35 | 21 | 120 | 10 | -1 | 4100 |
| CBRC008 | 122.00 | 122.00 | -0.01 | 28 | 24 | 106 | 8 | -1 | 4900 |
| CBRC008 | 126.00 | 126.00 | -0.01 | 36 | 34 | 123 | 15 | -1 | 4300 |
| CBRC008 | 130.00 | 130.00 | 0.01 | 32 | 28 | 117 | 12 | -1 | 3800 |
| CBRC008 | 130.00 | 131.00 | -0.01 | 31 | 22 | 115 | 15 | -1 | 4700 |
| CBRC008 | 131.00 | 132.00 | -0.01 | 36 | 39 | 131 | 14 | -1 | 4500 |
| CBRC008 | 132.00 | 133.00 | -0.01 | 29 | 25 | 114 | 10 | -1 | 4500 |
| CBRC008 | 133.00 | 134.00 | -0.01 | 28 | 22 | 122 | 12 | -1 | 4500 |
| CBRC008 | 134.00 | 135.00 | 0.01 | 34 | 29 | 125 | 12 | -1 | 5400 |
| CBRC008 | 135.00 | 136.00 | -0.01 | 25 | 24 | 97 | 13 | -1 | 3900 |
| CBRC008 | 136.00 | 137.00 | -0.01 | 33 | 19 | 106 | 13 | -1 | 4200 |
| CBRC008 | 137.00 | 138.00 | 0.01 | 33 | 21 | 104 | 13 | -1 | 3600 |
| CBRC008 | 138.00 | 142.00 | -0.01 | 25 | 17 | 92 | 6 | -1 | 3400 |
| CBRC008 | 142.00 | 143.00 | 0.01 | 38 | 19 | 111 | 10 | -1 | 5400 |
| CBRC008 | 143.00 | 144.00 | 0.01 | 50 | 26 | 107 | 15 | -1 | 2900 |
| CBRC008 | 144.00 | 145.00 | 0.01 | 57 | 24 | 94 | 28 | -1 | 4800 |
| CBRC008 | 145.00 | 146.00 | 0.01 | 44 | 17 | 90 | 14 | -1 | 2000 |
| CBRC008 | 146.00 | 150.00 | -0.01 | 38 | 25 | 100 | 15 | -1 | 2200 |
| CBRC009 | 0.00 | 4.00 | -0.01 | 29 | 22 | 115 | 9 | -1 | 500 |
| CBRC009 | 4.00 | 8.00 | -0.01 | 44 | 21 | 140 | 15 | -1 | 500 |
| CBRC009 | 8.00 | 12.00 | -0.01 | 16 | 21 | 94 | 10 | -1 | 400 |
| CBRC009 | 12.00 | 16.00 | -0.01 | 19 | 27 | 84 | 12 | -1 | 100 |
| CBRC009 | 16.00 | 20.00 | -0.01 | 26 | 23 | 132 | 22 | -1 | 200 |
| CBRC009 | 20.00 | 24.00 | 0.01 | 57 | 22 | 120 | 21 | -1 | 200 |
| CBRC009 | 24.00 | 28.00 | -0.01 | 34 | 21 | 89 | 11 | -1 | 200 |
| CBRC009 | 28.00 | 29.00 | -0.01 | 39 | 23 | 96 | 21 | -1 | 300 |

INVESTOR UPDATE

| HOLE_ID | DEPTH_FROM | DEPTH_TO | Au_ppm | Cu_ppm | Pb_ppm | Zn_ppm | As_ppm | Ag_ppm | S_ppm |
|---------|------------|----------|--------|--------|--------|--------|--------|--------|-------|
| CBRC009 | 29.00 | 30.00 | -0.01 | 32 | 27 | 121 | 20 | -1 | 100 |
| CBRC009 | 30.00 | 31.00 | -0.01 | 43 | 33 | 94 | 12 | -1 | 100 |
| CBRC009 | 31.00 | 32.00 | 0.01 | 44 | 21 | 90 | 16 | -1 | 100 |
| CBRC009 | 32.00 | 33.00 | 0.01 | 26 | 27 | 134 | 59 | -1 | 200 |
| CBRC009 | 33.00 | 34.00 | -0.01 | 32 | 22 | 120 | 30 | -1 | 200 |
| CBRC009 | 34.00 | 35.00 | -0.01 | 28 | 24 | 102 | 19 | -1 | 100 |
| CBRC009 | 35.00 | 36.00 | 0.01 | 51 | 32 | 173 | 37 | -1 | 100 |
| CBRC009 | 36.00 | 40.00 | -0.01 | 31 | 21 | 136 | 14 | -1 | 100 |
| CBRC009 | 40.00 | 44.00 | -0.01 | 34 | 26 | 112 | 39 | -1 | 100 |
| CBRC009 | 44.00 | 48.00 | 0.01 | 27 | 24 | 109 | 18 | -1 | 300 |
| CBRC009 | 48.00 | 49.00 | -0.01 | 29 | 28 | 126 | 7 | -1 | 5400 |
| CBRC009 | 49.00 | 50.00 | -0.01 | 37 | 25 | 156 | 9 | -1 | 7000 |
| CBRC009 | 50.00 | 51.00 | 0.01 | 39 | 30 | 166 | 7 | -1 | 8200 |
| CBRC009 | 51.00 | 52.00 | 0.01 | 50 | 26 | 134 | 11 | -1 | 8300 |
| CBRC009 | 52.00 | 53.00 | -0.01 | 31 | 17 | 124 | 10 | -1 | 5200 |
| CBRC009 | 53.00 | 54.00 | 0.01 | 36 | 30 | 118 | 15 | -1 | 5800 |
| CBRC009 | 54.00 | 55.00 | -0.01 | 23 | 20 | 161 | 14 | -1 | 4400 |
| CBRC009 | 55.00 | 56.00 | 0.01 | 19 | 18 | 89 | 11 | -1 | 4000 |
| CBRC009 | 56.00 | 57.00 | 0.02 | 29 | 29 | 104 | 8 | -1 | 6500 |
| CBRC009 | 57.00 | 58.00 | 0.01 | 46 | 25 | 124 | 16 | -1 | 4200 |
| CBRC009 | 58.00 | 59.00 | 0.01 | 49 | 28 | 153 | 14 | -1 | 6400 |
| CBRC009 | 59.00 | 60.00 | -0.01 | 30 | 28 | 112 | 11 | -1 | 2900 |
| CBRC009 | 60.00 | 64.00 | 0.01 | 38 | 27 | 119 | 12 | -1 | 4500 |
| CBRC009 | 64.00 | 68.00 | 0.01 | 32 | 21 | 112 | 35 | -1 | 4100 |
| CBRC009 | 68.00 | 69.00 | 0.02 | 28 | 17 | 98 | 23 | -1 | 3600 |
| CBRC009 | 69.00 | 70.00 | 0.02 | 25 | 55 | 115 | 19 | -1 | 3900 |
| CBRC009 | 70.00 | 71.00 | -0.01 | 30 | 24 | 103 | 11 | -1 | 6400 |
| CBRC009 | 71.00 | 72.00 | -0.01 | 30 | 24 | 102 | 15 | -1 | 5200 |
| CBRC009 | 72.00 | 73.00 | -0.01 | 35 | 21 | 157 | 17 | -1 | 6000 |
| CBRC009 | 73.00 | 74.00 | 0.01 | 36 | 23 | 129 | 15 | -1 | 6300 |
| CBRC009 | 74.00 | 75.00 | -0.01 | 39 | 31 | 135 | 16 | -1 | 7600 |
| CBRC009 | 75.00 | 76.00 | -0.01 | 34 | 26 | 128 | 22 | -1 | 5200 |
| CBRC009 | 76.00 | 77.00 | -0.01 | 24 | 26 | 98 | 22 | -1 | 3800 |
| CBRC009 | 77.00 | 78.00 | -0.01 | 39 | 36 | 132 | 86 | -1 | 7700 |
| CBRC009 | 78.00 | 82.00 | 0.10 | 26 | 25 | 120 | 507 | -1 | 5100 |
| CBRC009 | 82.00 | 86.00 | -0.01 | 31 | 30 | 129 | 23 | -1 | 4800 |
| CBRC009 | 86.00 | 90.00 | 0.01 | 30 | 25 | 120 | 18 | -1 | 4600 |
| CBRC009 | 90.00 | 94.00 | 0.01 | 36 | 23 | 113 | 19 | -1 | 4100 |
| CBRC009 | 94.00 | 98.00 | 0.01 | 28 | 21 | 124 | 18 | -1 | 7000 |
| CBRC009 | 98.00 | 102.00 | 0.01 | 28 | 17 | 111 | 78 | -1 | 2500 |
| CBRC009 | 102.00 | 106.00 | 0.01 | 29 | 24 | 108 | 30 | -1 | 3400 |

INVESTOR UPDATE

| HOLE_ID | DEPTH_FROM | DEPTH_TO | Au_ppm | Cu_ppm | Pb_ppm | Zn_ppm | As_ppm | Ag_ppm | S_ppm |
|---------|------------|----------|--------|--------|--------|--------|--------|--------|-------|
| CBRC009 | 106.00 | 110.00 | 0.08 | 34 | 34 | 120 | 44 | -1 | 3800 |
| CBRC009 | 110.00 | 114.00 | 0.01 | 48 | 31 | 128 | 37 | -1 | 4900 |
| CBRC009 | 114.00 | 118.00 | 0.01 | 24 | 26 | 116 | 30 | -1 | 3000 |
| CBRC009 | 118.00 | 122.00 | -0.01 | 12 | 16 | 60 | 14 | -1 | 1100 |
| CBRC009 | 122.00 | 123.00 | -0.01 | 14 | 25 | 53 | 9 | -1 | 900 |
| CBRC009 | 123.00 | 124.00 | 0.01 | 27 | 21 | 89 | 21 | -1 | 1300 |
| CBRC009 | 124.00 | 125.00 | -0.01 | 33 | 25 | 119 | 21 | -1 | 2400 |
| CBRC009 | 125.00 | 126.00 | 0.01 | 36 | 37 | 153 | 8 | -1 | 8300 |
| CBRC009 | 126.00 | 127.00 | -0.01 | 36 | 27 | 118 | 9 | -1 | 3000 |
| CBRC009 | 127.00 | 128.00 | -0.01 | 25 | 23 | 106 | 17 | -1 | 2800 |
| CBRC009 | 128.00 | 129.00 | -0.01 | 33 | 28 | 120 | 13 | -1 | 5100 |
| CBRC009 | 129.00 | 130.00 | -0.01 | 41 | 31 | 209 | 16 | -1 | 6500 |
| CBRC009 | 130.00 | 131.00 | 0.01 | 37 | 30 | 141 | 14 | -1 | 5400 |
| CBRC009 | 131.00 | 132.00 | 0.01 | 29 | 27 | 97 | 18 | -1 | 3400 |
| CBRC009 | 132.00 | 133.00 | -0.01 | 31 | 36 | 169 | 16 | -1 | 2700 |
| CBRC009 | 133.00 | 134.00 | -0.01 | 24 | 18 | 80 | 19 | -1 | 1600 |
| CBRC009 | 134.00 | 135.00 | -0.01 | 11 | 13 | 52 | 12 | -1 | 500 |
| CBRC009 | 135.00 | 136.00 | -0.01 | 41 | 27 | 96 | 16 | -1 | 2900 |
| CBRC009 | 136.00 | 137.00 | -0.01 | 32 | 24 | 98 | 11 | -1 | 3000 |
| CBRC009 | 137.00 | 138.00 | 0.01 | 32 | 22 | 86 | 179 | -1 | 2200 |
| CBRC009 | 138.00 | 142.00 | 0.01 | 15 | 22 | 73 | 178 | -1 | 1000 |
| CBRC009 | 142.00 | 146.00 | 0.01 | 30 | 20 | 72 | 60 | -1 | 1200 |
| CBRC009 | 146.00 | 150.00 | -0.01 | 14 | 18 | 57 | 18 | -1 | 600 |
| CBRC010 | 0.00 | 1.00 | -0.01 | 18 | 16 | 65 | 12 | -1 | 300 |
| CBRC010 | 1.00 | 2.00 | -0.01 | 19 | 24 | 74 | -5 | -1 | 200 |
| CBRC010 | 2.00 | 3.00 | -0.01 | 19 | 26 | 65 | -5 | -1 | 100 |
| CBRC010 | 3.00 | 4.00 | -0.01 | 32 | 31 | 79 | -5 | -1 | 100 |
| CBRC010 | 4.00 | 5.00 | -0.01 | 19 | 22 | 69 | 5 | -1 | 100 |
| CBRC010 | 5.00 | 6.00 | -0.01 | 12 | 25 | 50 | 5 | -1 | 100 |
| CBRC010 | 6.00 | 7.00 | -0.01 | 7 | 11 | 29 | -5 | -1 | 100 |
| CBRC010 | 7.00 | 8.00 | -0.01 | 9 | 17 | 40 | 5 | -1 | -100 |
| CBRC010 | 8.00 | 9.00 | -0.01 | 9 | 18 | 43 | -5 | -1 | -100 |
| CBRC010 | 9.00 | 10.00 | -0.01 | 8 | 14 | 21 | -5 | -1 | -100 |
| CBRC010 | 10.00 | 11.00 | -0.01 | 6 | 15 | 30 | 7 | -1 | -100 |
| CBRC010 | 11.00 | 12.00 | -0.01 | 14 | 19 | 47 | 9 | -1 | -100 |
| CBRC010 | 12.00 | 13.00 | -0.01 | 23 | 27 | 75 | 9 | -1 | 100 |
| CBRC010 | 13.00 | 14.00 | -0.01 | 7 | 12 | 34 | 6 | -1 | -100 |
| CBRC010 | 14.00 | 15.00 | -0.01 | 34 | 22 | 73 | 9 | -1 | -100 |
| CBRC010 | 15.00 | 19.00 | 0.01 | 41 | 25 | 109 | 6 | -1 | -100 |
| CBRC010 | 19.00 | 20.00 | 0.01 | 36 | 28 | 127 | 6 | -1 | -100 |
| CBRC010 | 20.00 | 21.00 | -0.01 | 33 | 26 | 104 | 11 | -1 | 100 |

INVESTOR UPDATE

| HOLE_ID | DEPTH_FROM | DEPTH_TO | Au_ppm | Cu_ppm | Pb_ppm | Zn_ppm | As_ppm | Ag_ppm | S_ppm |
|---------|------------|----------|--------|--------|--------|--------|--------|--------|-------|
| CBRC010 | 21.00 | 22.00 | -0.01 | 31 | 32 | 103 | 6 | -1 | -100 |
| CBRC010 | 22.00 | 23.00 | 0.01 | 23 | 22 | 94 | 8 | -1 | -100 |
| CBRC010 | 23.00 | 24.00 | -0.01 | 21 | 20 | 75 | -5 | -1 | -100 |
| CBRC010 | 24.00 | 25.00 | -0.01 | 20 | 19 | 89 | -5 | -1 | -100 |
| CBRC010 | 25.00 | 26.00 | -0.01 | 17 | 24 | 70 | -5 | -1 | -100 |
| CBRC010 | 26.00 | 27.00 | -0.01 | 16 | 20 | 81 | -5 | -1 | -100 |
| CBRC010 | 27.00 | 28.00 | -0.01 | 28 | 28 | 101 | 5 | -1 | -100 |
| CBRC010 | 28.00 | 29.00 | -0.01 | 13 | 22 | 63 | -5 | -1 | -100 |
| CBRC010 | 29.00 | 30.00 | -0.01 | 25 | 25 | 90 | -5 | -1 | -100 |
| CBRC010 | 30.00 | 31.00 | -0.01 | 37 | 36 | 115 | -5 | -1 | 100 |
| CBRC010 | 31.00 | 32.00 | -0.01 | 37 | 45 | 112 | 5 | -1 | 100 |
| CBRC010 | 32.00 | 33.00 | -0.01 | 23 | 23 | 89 | 7 | -1 | 100 |
| CBRC010 | 33.00 | 34.00 | -0.01 | 13 | 18 | 62 | -5 | -1 | -100 |
| CBRC010 | 34.00 | 35.00 | -0.01 | 26 | 26 | 100 | 9 | -1 | -100 |
| CBRC010 | 35.00 | 36.00 | -0.01 | 27 | 36 | 102 | 8 | -1 | 100 |
| CBRC010 | 36.00 | 37.00 | -0.01 | 25 | 24 | 91 | 9 | -1 | 100 |
| CBRC010 | 37.00 | 38.00 | -0.01 | 12 | 15 | 55 | 6 | -1 | -100 |
| CBRC010 | 38.00 | 41.00 | -0.01 | 23 | 22 | 82 | 17 | -1 | 200 |
| CBRC010 | 41.00 | 42.00 | -0.01 | 8 | 11 | 71 | 7 | -1 | 300 |
| CBRC010 | 42.00 | 46.00 | -0.01 | 31 | 30 | 112 | 17 | -1 | 100 |
| CBRC010 | 46.00 | 47.00 | -0.01 | 17 | 21 | 72 | 12 | -1 | -100 |
| CBRC010 | 47.00 | 48.00 | -0.01 | 15 | 17 | 61 | 16 | -1 | -100 |
| CBRC010 | 48.00 | 49.00 | -0.01 | 37 | 26 | 124 | 18 | -1 | 100 |
| CBRC010 | 49.00 | 50.00 | -0.01 | 13 | 16 | 49 | 10 | -1 | -100 |
| CBRC010 | 50.00 | 51.00 | 0.09 | 35 | 18 | 88 | 19 | -1 | 100 |
| CBRC010 | 51.00 | 52.00 | 0.06 | 29 | 9 | 78 | 18 | -1 | 100 |
| CBRC010 | 52.00 | 56.00 | 0.01 | 29 | 28 | 111 | 18 | -1 | 800 |
| CBRC010 | 56.00 | 60.00 | -0.01 | 45 | 24 | 64 | 13 | -1 | 300 |
| CBRC010 | 60.00 | 64.00 | -0.01 | 28 | 18 | 82 | 12 | -1 | 300 |
| CBRC010 | 64.00 | 65.00 | -0.01 | 15 | 17 | 66 | 14 | -1 | 200 |
| CBRC010 | 65.00 | 66.00 | -0.01 | 28 | 29 | 102 | 16 | -1 | 1300 |
| CBRC010 | 66.00 | 67.00 | 0.01 | 26 | 33 | 119 | 16 | -1 | 2300 |
| CBRC010 | 67.00 | 68.00 | -0.01 | 37 | 35 | 153 | 14 | -1 | 2000 |
| CBRC010 | 68.00 | 69.00 | -0.01 | 45 | 23 | 124 | 15 | -1 | 3300 |
| CBRC010 | 69.00 | 70.00 | 0.01 | 37 | 19 | 105 | 16 | -1 | 3200 |
| CBRC010 | 70.00 | 71.00 | 0.01 | 37 | 24 | 86 | 16 | -1 | 3200 |
| CBRC010 | 71.00 | 72.00 | -0.01 | 49 | 27 | 164 | 12 | -1 | 4100 |
| CBRC010 | 72.00 | 73.00 | -0.01 | 35 | 20 | 139 | 9 | -1 | 4100 |
| CBRC010 | 73.00 | 74.00 | 0.01 | 42 | 22 | 121 | 14 | -1 | 2900 |
| CBRC010 | 74.00 | 75.00 | -0.01 | 40 | 29 | 123 | 8 | -1 | 3900 |
| CBRC010 | 75.00 | 76.00 | -0.01 | 32 | 24 | 113 | 17 | -1 | 2800 |

INVESTOR UPDATE

| HOLE_ID | DEPTH_FROM | DEPTH_TO | Au_ppm | Cu_ppm | Pb_ppm | Zn_ppm | As_ppm | Ag_ppm | S_ppm |
|---------|------------|----------|--------|--------|--------|--------|--------|--------|-------|
| CBRC010 | 76.00 | 77.00 | 0.23 | 26 | 23 | 100 | 21 | -1 | 2100 |
| CBRC010 | 77.00 | 78.00 | -0.01 | 11 | 23 | 48 | 10 | -1 | 1200 |
| CBRC010 | 78.00 | 79.00 | -0.01 | 12 | 19 | 59 | 9 | -1 | 1700 |
| CBRC010 | 79.00 | 80.00 | 0.01 | 22 | 31 | 84 | 14 | -1 | 2200 |
| CBRC010 | 80.00 | 84.00 | -0.01 | 18 | 24 | 70 | 14 | -1 | 1900 |
| CBRC010 | 84.00 | 88.00 | -0.01 | 38 | 15 | 66 | 15 | -1 | 1400 |
| CBRC010 | 88.00 | 92.00 | -0.01 | 49 | 14 | 65 | 9 | -1 | 1200 |
| CBRC010 | 92.00 | 96.00 | 0.01 | 50 | 36 | 80 | 14 | -1 | 1800 |
| CBRC010 | 96.00 | 100.00 | 0.01 | 35 | 30 | 99 | 28 | -1 | 1900 |
| CBRC010 | 100.00 | 104.00 | -0.01 | 18 | 21 | 71 | 14 | -1 | 1100 |
| CBRC010 | 104.00 | 108.00 | -0.01 | 22 | 24 | 92 | 6 | -1 | 1700 |
| CBRC010 | 108.00 | 109.00 | -0.01 | 38 | 31 | 129 | -5 | -1 | 2300 |
| CBRC010 | 109.00 | 110.00 | -0.01 | 20 | 22 | 78 | 7 | -1 | 900 |
| CBRC010 | 110.00 | 111.00 | -0.01 | 14 | 17 | 48 | 10 | -1 | 600 |
| CBRC010 | 111.00 | 112.00 | -0.01 | 18 | 21 | 74 | -5 | -1 | 600 |
| CBRC010 | 112.00 | 113.00 | -0.01 | 10 | 19 | 60 | -5 | -1 | 500 |
| CBRC010 | 113.00 | 114.00 | -0.01 | 20 | 21 | 95 | -5 | -1 | 600 |
| CBRC010 | 114.00 | 115.00 | -0.01 | 16 | 20 | 76 | 5 | -1 | 600 |
| CBRC010 | 115.00 | 116.00 | -0.01 | 22 | 31 | 86 | 6 | -1 | 800 |
| CBRC010 | 116.00 | 117.00 | -0.01 | 15 | 24 | 66 | 8 | -1 | 700 |
| CBRC010 | 117.00 | 118.00 | -0.01 | 21 | 22 | 84 | 12 | -1 | 1200 |
| CBRC010 | 118.00 | 119.00 | -0.01 | 16 | 23 | 76 | 5 | -1 | 1700 |
| CBRC010 | 119.00 | 120.00 | -0.01 | 12 | 17 | 57 | 5 | -1 | 800 |
| CBRC010 | 120.00 | 124.00 | -0.01 | 20 | 22 | 83 | 5 | -1 | 1500 |
| CBRC010 | 124.00 | 128.00 | -0.01 | 28 | 25 | 92 | 7 | -1 | 1500 |
| CBRC010 | 128.00 | 132.00 | -0.01 | 18 | 19 | 70 | 10 | -1 | 900 |
| CBRC010 | 132.00 | 136.00 | -0.01 | 38 | 25 | 115 | 6 | -1 | 2000 |
| CBRC010 | 136.00 | 140.00 | -0.01 | 19 | 17 | 65 | 10 | -1 | 900 |
| CBRC010 | 140.00 | 144.00 | -0.01 | 19 | 22 | 70 | 10 | -1 | 1200 |
| CBRC010 | 144.00 | 148.00 | -0.01 | 15 | 20 | 61 | 7 | -1 | 800 |
| CBRC010 | 148.00 | 149.00 | -0.01 | 19 | 19 | 79 | 7 | -1 | 800 |
| CBRC010 | 149.00 | 150.00 | -0.01 | 27 | 24 | 103 | 10 | -1 | 2000 |
| CBRC011 | 0.00 | 4.00 | 0.01 | 30 | 35 | 115 | 22 | -1 | 100 |
| CBRC011 | 4.00 | 8.00 | 0.01 | 26 | 28 | 115 | 23 | -1 | 100 |
| CBRC011 | 8.00 | 12.00 | 0.01 | 36 | 33 | 122 | 30 | -1 | -100 |
| CBRC011 | 12.00 | 16.00 | 0.01 | 36 | 29 | 124 | 264 | -1 | -100 |
| CBRC011 | 16.00 | 20.00 | 0.01 | 9 | 19 | 53 | 895 | -1 | 100 |
| CBRC011 | 20.00 | 24.00 | 0.03 | 31 | 12 | 63 | 678 | -1 | 100 |
| CBRC011 | 24.00 | 28.00 | 0.01 | 51 | 45 | 83 | 662 | -1 | 1200 |
| CBRC011 | 28.00 | 29.00 | 0.03 | 42 | 14 | 70 | 475 | -1 | 700 |
| CBRC011 | 29.00 | 30.00 | 0.02 | 26 | 73 | 50 | 972 | -1 | 2600 |

INVESTOR UPDATE

| HOLE_ID | DEPTH_FROM | DEPTH_TO | Au_ppm | Cu_ppm | Pb_ppm | Zn_ppm | As_ppm | Ag_ppm | S_ppm |
|---------|------------|----------|--------|--------|--------|--------|--------|--------|-------|
| CBRC011 | 30.00 | 31.00 | -0.01 | 10 | 24 | 75 | 250 | -1 | 100 |
| CBRC011 | 31.00 | 32.00 | 0.01 | 23 | 24 | 99 | 56 | -1 | 100 |
| CBRC011 | 32.00 | 36.00 | -0.01 | 13 | 21 | 63 | 60 | -1 | -100 |
| CBRC011 | 36.00 | 40.00 | -0.01 | 17 | 22 | 81 | 44 | -1 | 200 |
| CBRC011 | 40.00 | 44.00 | -0.01 | 22 | 26 | 93 | 10 | -1 | 1100 |
| CBRC011 | 44.00 | 48.00 | 0.01 | 30 | 29 | 98 | 8 | -1 | 1400 |
| CBRC011 | 48.00 | 52.00 | -0.01 | 14 | 18 | 88 | 5 | -1 | 1200 |
| CBRC011 | 52.00 | 56.00 | 0.01 | 24 | 22 | 123 | 6 | -1 | 1700 |
| CBRC011 | 56.00 | 60.00 | -0.01 | 22 | 26 | 95 | 7 | -1 | 800 |
| CBRC011 | 60.00 | 64.00 | 0.01 | 20 | 29 | 105 | 102 | -1 | 1200 |
| CBRC011 | 64.00 | 65.00 | 0.01 | 28 | 21 | 101 | 56 | -1 | 3300 |
| CBRC011 | 65.00 | 66.00 | 0.01 | 24 | 23 | 75 | 18 | -1 | 2700 |
| CBRC011 | 66.00 | 67.00 | -0.01 | 25 | 18 | 86 | 16 | -1 | 2300 |
| CBRC011 | 67.00 | 68.00 | -0.01 | 44 | 14 | 93 | 7 | -1 | 2300 |
| CBRC011 | 68.00 | 69.00 | -0.01 | 42 | 42 | 161 | 5 | -1 | 4300 |
| CBRC011 | 69.00 | 70.00 | 0.01 | 40 | 24 | 129 | -5 | -1 | 3400 |
| CBRC011 | 70.00 | 71.00 | 0.01 | 50 | 24 | 153 | 9 | -1 | 3500 |
| CBRC011 | 71.00 | 72.00 | 0.01 | 27 | 18 | 117 | 19 | -1 | 4200 |
| CBRC011 | 72.00 | 76.00 | -0.01 | 17 | 24 | 96 | 11 | -1 | 1200 |
| CBRC011 | 76.00 | 80.00 | 0.01 | 19 | 19 | 90 | 11 | -1 | 1500 |
| CBRC011 | 80.00 | 84.00 | 0.01 | 25 | 24 | 110 | 9 | -1 | 2300 |
| CBRC011 | 84.00 | 88.00 | 0.01 | 16 | 18 | 86 | 9 | -1 | 1400 |
| CBRC011 | 88.00 | 92.00 | 0.01 | 24 | 19 | 107 | 16 | -1 | 2900 |
| CBRC011 | 92.00 | 96.00 | 0.01 | 27 | 30 | 109 | 19 | -1 | 2300 |
| CBRC011 | 96.00 | 97.00 | 0.01 | 39 | 28 | 202 | 18 | -1 | 4300 |
| CBRC011 | 97.00 | 98.00 | 0.01 | 31 | 28 | 198 | 16 | -1 | 4000 |
| CBRC011 | 98.00 | 99.00 | 0.01 | 38 | 26 | 200 | 25 | -1 | 2900 |
| CBRC011 | 99.00 | 100.00 | 0.01 | 34 | 20 | 144 | 79 | -1 | 2600 |
| CBRC011 | 100.00 | 101.00 | 0.01 | 39 | 23 | 161 | 14 | -1 | 4100 |
| CBRC011 | 101.00 | 102.00 | 0.01 | 27 | 19 | 138 | 26 | -1 | 2200 |
| CBRC011 | 102.00 | 103.00 | -0.01 | 6 | 12 | 121 | 6 | -1 | 500 |
| CBRC011 | 103.00 | 104.00 | 0.01 | 29 | 17 | 103 | 16 | -1 | 1100 |
| CBRC011 | 104.00 | 108.00 | -0.01 | 16 | 22 | 94 | 13 | -1 | 800 |
| CBRC011 | 108.00 | 112.00 | 0.01 | 12 | 20 | 73 | 24 | -1 | 800 |
| CBRC011 | 112.00 | 116.00 | 0.01 | 18 | 26 | 92 | 31 | -1 | 1500 |
| CBRC011 | 116.00 | 120.00 | 0.01 | 30 | 30 | 101 | 13 | -1 | 3000 |
| CBRC011 | 120.00 | 124.00 | 0.01 | 18 | 22 | 70 | 11 | -1 | 1200 |
| CBRC011 | 124.00 | 128.00 | -0.01 | 24 | 21 | 83 | 7 | -1 | 900 |
| CBRC011 | 128.00 | 132.00 | 0.01 | 20 | 19 | 67 | 8 | -1 | 800 |
| CBRC011 | 132.00 | 136.00 | -0.01 | 23 | 20 | 135 | 5 | -1 | 1600 |
| CBRC011 | 136.00 | 140.00 | -0.01 | 34 | 30 | 133 | -5 | -1 | 2900 |

INVESTOR UPDATE

| HOLE_ID | DEPTH_FROM | DEPTH_TO | Au_ppm | Cu_ppm | Pb_ppm | Zn_ppm | As_ppm | Ag_ppm | S_ppm |
|---------|------------|----------|--------|--------|--------|--------|--------|--------|-------|
| CBRC011 | 140.00 | 144.00 | -0.01 | 23 | 28 | 101 | -5 | -1 | 2200 |
| CBRC011 | 144.00 | 148.00 | -0.01 | 22 | 25 | 87 | -5 | -1 | 1100 |
| CBRC011 | 148.00 | 149.00 | 0.01 | 39 | 19 | 95 | 5 | -1 | 1700 |
| CBRC011 | 149.00 | 150.00 | -0.01 | 47 | 22 | 136 | 8 | -1 | 3100 |
| CBRC011 | 150.00 | 151.00 | -0.01 | 40 | 34 | 144 | -5 | -1 | 2000 |
| CBRC011 | 151.00 | 152.00 | -0.01 | 31 | 32 | 124 | -5 | -1 | 1000 |
| CBRC011 | 152.00 | 153.00 | -0.01 | 15 | 20 | 75 | -5 | -1 | 800 |
| CBRC011 | 153.00 | 154.00 | -0.01 | 9 | 16 | 49 | -5 | -1 | 400 |
| CBRC011 | 154.00 | 155.00 | -0.01 | 16 | 29 | 74 | -5 | -1 | 700 |
| CBRC011 | 155.00 | 156.00 | -0.01 | 17 | 21 | 70 | -5 | -1 | 1100 |
| CBRC012 | 0.00 | 4.00 | -0.01 | 24 | 18 | 107 | 16 | -1 | 200 |
| CBRC012 | 4.00 | 8.00 | -0.01 | 48 | 27 | 138 | 13 | -1 | 100 |
| CBRC012 | 8.00 | 12.00 | -0.01 | 50 | 23 | 120 | 15 | -1 | 100 |
| CBRC012 | 12.00 | 16.00 | 0.01 | 40 | 27 | 121 | 28 | -1 | 200 |
| CBRC012 | 16.00 | 20.00 | -0.01 | 34 | 24 | 120 | 15 | -1 | 200 |
| CBRC012 | 20.00 | 24.00 | -0.01 | 33 | 31 | 132 | 14 | -1 | 200 |
| CBRC012 | 24.00 | 28.00 | -0.01 | 29 | 26 | 146 | 9 | -1 | 300 |
| CBRC012 | 28.00 | 32.00 | 0.01 | 46 | 29 | 136 | 10 | -1 | 100 |
| CBRC012 | 32.00 | 36.00 | -0.01 | 42 | 24 | 101 | 11 | -1 | -100 |
| CBRC012 | 36.00 | 40.00 | 0.01 | 45 | 29 | 135 | 12 | -1 | 100 |
| CBRC012 | 40.00 | 41.00 | -0.01 | 19 | 26 | 103 | 12 | -1 | 100 |
| CBRC012 | 41.00 | 42.00 | -0.01 | 25 | 28 | 114 | 17 | -1 | -100 |
| CBRC012 | 42.00 | 43.00 | -0.01 | 27 | 26 | 130 | 18 | -1 | 100 |
| CBRC012 | 43.00 | 44.00 | -0.01 | 24 | 21 | 134 | 25 | -1 | -100 |
| CBRC012 | 44.00 | 45.00 | -0.01 | 34 | 29 | 172 | 32 | -1 | -100 |
| CBRC012 | 45.00 | 46.00 | -0.01 | 19 | 21 | 117 | 19 | -1 | -100 |
| CBRC012 | 46.00 | 47.00 | -0.01 | 19 | 21 | 178 | 24 | -1 | -100 |
| CBRC012 | 47.00 | 48.00 | -0.01 | 37 | 32 | 178 | 33 | -1 | 100 |
| CBRC012 | 48.00 | 49.00 | -0.01 | 31 | 29 | 166 | 11 | -1 | 400 |
| CBRC012 | 49.00 | 50.00 | -0.01 | 25 | 25 | 157 | 8 | -1 | 1100 |
| CBRC012 | 50.00 | 51.00 | -0.01 | 36 | 36 | 134 | 9 | -1 | 4400 |
| CBRC012 | 51.00 | 52.00 | -0.01 | 30 | 30 | 146 | 9 | -1 | 4800 |
| CBRC012 | 52.00 | 53.00 | -0.01 | 27 | 29 | 115 | 9 | -1 | 4000 |
| CBRC012 | 53.00 | 54.00 | -0.01 | 26 | 27 | 128 | 5 | -1 | 5500 |
| CBRC012 | 54.00 | 55.00 | -0.01 | 33 | 38 | 130 | 9 | -1 | 5500 |
| CBRC012 | 55.00 | 56.00 | -0.01 | 38 | 32 | 129 | 9 | -1 | 5800 |
| CBRC012 | 56.00 | 57.00 | -0.01 | 23 | 27 | 92 | -5 | -1 | 3700 |
| CBRC012 | 57.00 | 58.00 | -0.01 | 23 | 30 | 99 | -5 | -1 | 4000 |
| CBRC012 | 58.00 | 59.00 | -0.01 | 50 | 41 | 167 | -5 | -1 | 7600 |
| CBRC012 | 59.00 | 60.00 | -0.01 | 60 | 32 | 162 | 10 | -1 | 5500 |
| CBRC012 | 60.00 | 61.00 | -0.01 | 39 | 29 | 130 | 10 | -1 | 2800 |

INVESTOR UPDATE

| HOLE_ID | DEPTH_FROM | DEPTH_TO | Au_ppm | Cu_ppm | Pb_ppm | Zn_ppm | As_ppm | Ag_ppm | S_ppm |
|---------|------------|----------|--------|--------|--------|--------|--------|--------|-------|
| CBRC012 | 61.00 | 62.00 | -0.01 | 46 | 28 | 115 | 10 | -1 | 3200 |
| CBRC012 | 62.00 | 63.00 | -0.01 | 53 | 36 | 102 | 14 | -1 | 1800 |
| CBRC012 | 63.00 | 64.00 | 0.01 | 54 | 42 | 115 | 15 | -1 | 2800 |
| CBRC012 | 64.00 | 68.00 | -0.01 | 42 | 32 | 111 | 14 | -1 | 3000 |
| CBRC012 | 68.00 | 72.00 | -0.01 | 12 | 18 | 53 | 16 | -1 | 300 |
| CBRC012 | 72.00 | 76.00 | -0.01 | 10 | 17 | 53 | 10 | -1 | 500 |
| CBRC012 | 76.00 | 80.00 | -0.01 | 24 | 26 | 92 | 7 | -1 | 2000 |
| CBRC012 | 80.00 | 84.00 | -0.01 | 34 | 30 | 119 | 6 | -1 | 3700 |
| CBRC012 | 84.00 | 85.00 | -0.01 | 35 | 34 | 163 | 5 | -1 | 9500 |
| CBRC012 | 85.00 | 86.00 | 0.01 | 33 | 27 | 138 | 6 | -1 | 7600 |
| CBRC012 | 86.00 | 87.00 | -0.01 | 28 | 30 | 133 | 12 | -1 | 3900 |
| CBRC012 | 87.00 | 88.00 | -0.01 | 28 | 25 | 119 | 8 | -1 | 4100 |
| CBRC012 | 88.00 | 89.00 | 0.01 | 61 | 39 | 130 | 5 | -1 | 8700 |
| CBRC012 | 89.00 | 90.00 | -0.01 | 39 | 36 | 173 | 6 | -1 | 6500 |
| CBRC012 | 90.00 | 91.00 | -0.01 | 36 | 41 | 138 | 5 | -1 | 5900 |
| CBRC012 | 91.00 | 92.00 | 0.01 | 48 | 43 | 163 | -5 | -1 | 8400 |
| CBRC012 | 92.00 | 93.00 | 0.01 | 51 | 35 | 166 | -5 | -1 | 8600 |
| CBRC012 | 93.00 | 94.00 | 0.01 | 48 | 47 | 160 | -5 | -1 | 8800 |
| CBRC012 | 94.00 | 95.00 | 0.01 | 42 | 42 | 156 | -5 | -1 | 6700 |
| CBRC012 | 95.00 | 96.00 | 0.01 | 44 | 34 | 166 | 7 | -1 | 7500 |
| CBRC012 | 96.00 | 100.00 | -0.01 | 50 | 33 | 128 | 18 | -1 | 3900 |
| CBRC012 | 100.00 | 104.00 | 0.01 | 63 | 35 | 163 | 12 | -1 | 5100 |
| CBRC012 | 104.00 | 108.00 | 0.01 | 53 | 35 | 156 | 67 | -1 | 4800 |
| CBRC012 | 108.00 | 112.00 | -0.01 | 62 | 32 | 156 | 54 | -1 | 5300 |
| CBRC012 | 112.00 | 113.00 | 0.01 | 68 | 45 | 196 | 8 | -1 | 8700 |
| CBRC012 | 113.00 | 114.00 | -0.01 | 46 | 35 | 138 | 8 | -1 | 5700 |
| CBRC012 | 114.00 | 115.00 | 0.01 | 33 | 31 | 181 | 8 | -1 | 6400 |
| CBRC012 | 115.00 | 116.00 | 0.01 | 34 | 29 | 134 | 8 | -1 | 4400 |
| CBRC012 | 116.00 | 120.00 | -0.01 | 27 | 24 | 118 | 7 | -1 | 4100 |
| CBRC012 | 120.00 | 124.00 | -0.01 | 40 | 34 | 138 | 5 | -1 | 4100 |
| CBRC012 | 124.00 | 128.00 | 0.01 | 40 | 33 | 139 | 10 | -1 | 3600 |
| CBRC012 | 128.00 | 129.00 | -0.01 | 50 | 33 | 150 | 7 | -1 | 4600 |
| CBRC012 | 129.00 | 130.00 | -0.01 | 47 | 31 | 126 | 8 | -1 | 3000 |
| CBRC012 | 130.00 | 131.00 | -0.01 | 41 | 24 | 103 | 7 | -1 | 3500 |
| CBRC012 | 131.00 | 132.00 | -0.01 | 24 | 24 | 94 | 8 | -1 | 2300 |
| CBRC012 | 132.00 | 133.00 | -0.01 | 42 | 30 | 125 | 7 | -1 | 2700 |
| CBRC012 | 133.00 | 134.00 | 0.03 | 69 | 24 | 101 | 10 | -1 | 2000 |
| CBRC012 | 134.00 | 135.00 | -0.01 | 45 | 22 | 90 | 11 | -1 | 600 |
| CBRC012 | 135.00 | 136.00 | -0.01 | 37 | 24 | 87 | 9 | -1 | 1200 |
| CBRC012 | 136.00 | 140.00 | -0.01 | 37 | 21 | 94 | 7 | -1 | 2800 |
| CBRC012 | 140.00 | 144.00 | -0.01 | 42 | 25 | 115 | 8 | -1 | 3900 |

INVESTOR UPDATE

| HOLE_ID | DEPTH_FROM | DEPTH_TO | Au_ppm | Cu_ppm | Pb_ppm | Zn_ppm | As_ppm | Ag_ppm | S_ppm |
|---------|------------|----------|--------|--------|--------|--------|--------|--------|-------|
| CBRC012 | 144.00 | 148.00 | 0.01 | 31 | 20 | 109 | 6 | -1 | 3700 |
| CBRC012 | 148.00 | 149.00 | -0.01 | 23 | 21 | 91 | 5 | -1 | 3900 |
| CBRC012 | 149.00 | 150.00 | 0.01 | 28 | 23 | 107 | 8 | -1 | 3300 |
| CBRC012 | 150.00 | 151.00 | -0.01 | 29 | 20 | 113 | 8 | -1 | 3300 |
| CBRC012 | 151.00 | 152.00 | 0.01 | 33 | 22 | 120 | 9 | -1 | 5400 |
| CBRC012 | 152.00 | 153.00 | 0.01 | 47 | 28 | 151 | 5 | -1 | 9800 |
| CBRC012 | 153.00 | 154.00 | 0.01 | 36 | 36 | 120 | 5 | -1 | 5900 |
| CBRC012 | 154.00 | 155.00 | 0.02 | 19 | 22 | 91 | 11 | -1 | 3000 |
| CBRC012 | 155.00 | 156.00 | -0.01 | 30 | 25 | 102 | 8 | -1 | 3000 |
| CBRC012 | 156.00 | 157.00 | 0.01 | 51 | 32 | 129 | 12 | -1 | 6100 |
| CBRC012 | 157.00 | 158.00 | 0.01 | 53 | 31 | 143 | 11 | -1 | 7000 |
| CBRC012 | 158.00 | 159.00 | 0.01 | 45 | 30 | 143 | -5 | -1 | 9500 |
| CBRC012 | 159.00 | 160.00 | -0.01 | 26 | 26 | 111 | 5 | -1 | 4300 |
| CBRC012 | 160.00 | 164.00 | 0.01 | 40 | 31 | 134 | 10 | -1 | 4700 |
| CBRC012 | 164.00 | 168.00 | -0.01 | 34 | 32 | 123 | 10 | -1 | 5000 |
| CBRC012 | 168.00 | 172.00 | -0.01 | 26 | 29 | 101 | 7 | -1 | 4100 |
| CBRC012 | 172.00 | 176.00 | -0.01 | 28 | 26 | 115 | 10 | -1 | 4000 |
| CBRC012 | 176.00 | 180.00 | -0.01 | 32 | 26 | 128 | 10 | -1 | 4600 |
| CBRC012 | 180.00 | 181.00 | -0.01 | 34 | 30 | 145 | 18 | -1 | 4700 |
| CBRC012 | 181.00 | 182.00 | -0.01 | 36 | 58 | 201 | 20 | -1 | 4700 |
| CBRC012 | 182.00 | 183.00 | 0.01 | 36 | 50 | 340 | 19 | -1 | 5200 |
| CBRC012 | 183.00 | 184.00 | -0.01 | 44 | 37 | 188 | 16 | -1 | 5800 |
| CBRC012 | 184.00 | 188.00 | -0.01 | 45 | 26 | 144 | 18 | -1 | 4300 |
| CBRC012 | 188.00 | 192.00 | -0.01 | 46 | 24 | 107 | 25 | -1 | 1500 |
| CBRC012 | 192.00 | 196.00 | -0.01 | 35 | 22 | 111 | 15 | -1 | 3700 |
| CBRC012 | 196.00 | 200.00 | -0.01 | 36 | 25 | 124 | 11 | -1 | 4700 |
| CBRC012 | 200.00 | 204.00 | -0.01 | 29 | 27 | 118 | 6 | -1 | 5300 |
| CBRC012 | 204.00 | 208.00 | -0.01 | 40 | 60 | 145 | 7 | -1 | 4400 |
| CBRC012 | 208.00 | 209.00 | -0.01 | 26 | 27 | 109 | 6 | -1 | 3700 |
| CBRC012 | 209.00 | 210.00 | -0.01 | 33 | 28 | 130 | 10 | -1 | 4200 |
| CBRC012 | 210.00 | 211.00 | -0.01 | 37 | 40 | 144 | 5 | -1 | 6000 |
| CBRC012 | 211.00 | 212.00 | 0.01 | 40 | 27 | 165 | 8 | -1 | 6200 |
| CBRC012 | 212.00 | 213.00 | -0.01 | 35 | 28 | 142 | 5 | -1 | 5400 |
| CBRC012 | 213.00 | 214.00 | -0.01 | 30 | 26 | 126 | 11 | -1 | 3500 |
| CBRC012 | 214.00 | 215.00 | -0.01 | 34 | 31 | 135 | 8 | -1 | 3700 |
| CBRC012 | 215.00 | 216.00 | -0.01 | 23 | 25 | 98 | 10 | -1 | 3100 |
| CBRC012 | 216.00 | 217.00 | -0.01 | 29 | 24 | 134 | 11 | -1 | 3900 |
| CBRC012 | 217.00 | 218.00 | 0.01 | 36 | 25 | 149 | 7 | -1 | 5600 |
| CBRC012 | 218.00 | 219.00 | 0.01 | 43 | 38 | 146 | 10 | -1 | 7200 |
| CBRC012 | 219.00 | 220.00 | | | | | | | |
| CBRC012 | 220.00 | 221.00 | -0.01 | 34 | 20 | 129 | 7 | -1 | 6300 |

INVESTOR UPDATE

| HOLE_ID | DEPTH_FROM | DEPTH_TO | Au_ppm | Cu_ppm | Pb_ppm | Zn_ppm | As_ppm | Ag_ppm | S_ppm |
|---------|------------|----------|--------|--------|--------|--------|--------|--------|-------|
| CBRC012 | 221.00 | 222.00 | -0.01 | 39 | 31 | 140 | -5 | -1 | 7100 |
| CBRC012 | 222.00 | 226.00 | 0.01 | 35 | 24 | 125 | 6 | -1 | 4100 |
| CBRC012 | 226.00 | 230.00 | -0.01 | 31 | 22 | 138 | 6 | -1 | 4900 |
| CBRC012 | 230.00 | 234.00 | -0.01 | 30 | 20 | 138 | 12 | -1 | 5500 |
| CBRC012 | 234.00 | 238.00 | 0.01 | 39 | 33 | 169 | 10 | -1 | 7000 |
| CBRC012 | 238.00 | 240.00 | -0.01 | 36 | 29 | 151 | 10 | -1 | 6600 |
| CBRC013 | 0.00 | 4.00 | 0.01 | 7 | 23 | 99 | 36 | -1 | 200 |
| CBRC013 | 4.00 | 8.00 | 0.01 | 15 | 38 | 173 | 31 | -1 | 200 |
| CBRC013 | 8.00 | 12.00 | 0.01 | 7 | 19 | 59 | 67 | -1 | 100 |
| CBRC013 | 12.00 | 13.00 | 0.01 | 4 | 11 | 84 | 32 | -1 | 100 |
| CBRC013 | 13.00 | 14.00 | 0.01 | 4 | 6 | 44 | 18 | -1 | 100 |
| CBRC013 | 14.00 | 15.00 | 0.01 | 5 | 8 | 38 | 21 | -1 | -100 |
| CBRC013 | 15.00 | 16.00 | 0.01 | 5 | 11 | 48 | 22 | -1 | 100 |
| CBRC013 | 16.00 | 17.00 | -0.01 | 7 | 15 | 51 | 16 | -1 | 100 |
| CBRC013 | 17.00 | 18.00 | -0.01 | 14 | 22 | 59 | 17 | -1 | 100 |
| CBRC013 | 18.00 | 19.00 | 0.01 | 39 | 31 | 242 | 22 | -1 | 100 |
| CBRC013 | 19.00 | 20.00 | 0.01 | 41 | 48 | 119 | 23 | -1 | 100 |
| CBRC013 | 20.00 | 24.00 | -0.01 | 16 | 21 | 84 | 24 | -1 | 100 |
| CBRC013 | 24.00 | 28.00 | -0.01 | 13 | 11 | 127 | 31 | -1 | 100 |
| CBRC013 | 28.00 | 32.00 | 0.01 | 31 | 41 | 103 | 99 | -1 | 100 |
| CBRC013 | 32.00 | 36.00 | 0.01 | 38 | 26 | 115 | 193 | -1 | -100 |
| CBRC013 | 36.00 | 40.00 | 0.01 | 33 | 29 | 125 | 108 | -1 | -100 |
| CBRC013 | 40.00 | 41.00 | 0.01 | 31 | 67 | 122 | 93 | -1 | -100 |
| CBRC013 | 41.00 | 42.00 | 0.01 | 60 | 217 | 79 | 80 | -1 | -100 |
| CBRC013 | 42.00 | 46.00 | 0.01 | 36 | 36 | 152 | 102 | -1 | -100 |
| CBRC013 | 46.00 | 50.00 | 0.01 | 17 | 22 | 92 | 40 | -1 | -100 |
| CBRC013 | 50.00 | 54.00 | 0.01 | 10 | 19 | 66 | 29 | -1 | -100 |
| CBRC013 | 54.00 | 58.00 | 0.01 | 9 | 20 | 73 | 62 | -1 | -100 |
| CBRC013 | 58.00 | 62.00 | -0.01 | 14 | 35 | 79 | 29 | -1 | -100 |
| CBRC013 | 62.00 | 66.00 | -0.01 | 15 | 21 | 72 | 14 | -1 | -100 |
| CBRC013 | 66.00 | 70.00 | -0.01 | 23 | 24 | 89 | 19 | -1 | 1000 |
| CBRC013 | 70.00 | 71.00 | 0.01 | 36 | 35 | 117 | 34 | -1 | 2000 |
| CBRC013 | 71.00 | 72.00 | 0.01 | 34 | 29 | 131 | 44 | -1 | 2900 |
| CBRC013 | 72.00 | 73.00 | -0.01 | 12 | 16 | 77 | 12 | -1 | 800 |
| CBRC013 | 73.00 | 74.00 | 0.01 | 23 | 21 | 81 | 28 | -1 | 1800 |
| CBRC013 | 74.00 | 75.00 | 0.02 | 9 | 25 | 67 | 22 | -1 | 2300 |
| CBRC013 | 75.00 | 76.00 | 0.02 | 4 | 17 | 36 | 16 | -1 | 2400 |
| CBRC013 | 76.00 | 80.00 | 0.03 | 28 | 28 | 101 | 35 | -1 | 3300 |
| CBRC013 | 80.00 | 84.00 | -0.01 | 38 | 24 | 125 | 31 | -1 | 1200 |
| CBRC013 | 84.00 | 88.00 | -0.01 | 37 | 36 | 145 | 38 | -1 | 1400 |
| CBRC013 | 88.00 | 92.00 | -0.01 | 31 | 39 | 119 | 32 | -1 | 1700 |

INVESTOR UPDATE

| HOLE_ID | DEPTH_FROM | DEPTH_TO | Au_ppm | Cu_ppm | Pb_ppm | Zn_ppm | As_ppm | Ag_ppm | S_ppm |
|---------|------------|----------|--------|--------|--------|--------|--------|--------|-------|
| CBRC013 | 92.00 | 96.00 | 0.01 | 24 | 25 | 98 | 23 | -1 | 3200 |
| CBRC013 | 96.00 | 100.00 | 0.01 | 27 | 27 | 96 | 18 | -1 | 1500 |
| CBRC013 | 100.00 | 101.00 | 0.01 | 40 | 41 | 122 | 23 | -1 | 2000 |
| CBRC013 | 101.00 | 102.00 | 0.01 | 47 | 42 | 131 | 72 | -1 | 1700 |
| CBRC013 | 102.00 | 103.00 | -0.01 | 28 | 35 | 174 | 42 | -1 | 1500 |
| CBRC013 | 103.00 | 104.00 | -0.01 | 10 | 60 | 75 | 17 | -1 | 800 |
| CBRC013 | 104.00 | 108.00 | -0.01 | 13 | 26 | 76 | 16 | -1 | 700 |
| CBRC013 | 108.00 | 112.00 | 0.01 | 8 | 13 | 59 | 10 | -1 | 800 |
| CBRC013 | 112.00 | 116.00 | -0.01 | 3 | 6 | 32 | 6 | -1 | 400 |
| CBRC013 | 116.00 | 120.00 | 0.01 | 13 | 25 | 62 | 16 | -1 | 800 |
| CBRC013 | 120.00 | 124.00 | -0.01 | 8 | 17 | 53 | 9 | -1 | 500 |
| CBRC013 | 124.00 | 128.00 | 0.01 | 21 | 22 | 103 | 40 | -1 | 2700 |
| CBRC013 | 128.00 | 132.00 | 0.02 | 17 | 23 | 78 | 44 | -1 | 4100 |
| CBRC013 | 132.00 | 136.00 | 0.01 | 27 | 27 | 95 | 33 | -1 | 2200 |
| CBRC013 | 136.00 | 137.00 | -0.01 | 19 | 15 | 89 | 23 | -1 | 1400 |
| CBRC013 | 137.00 | 138.00 | 0.02 | 38 | 40 | 130 | 44 | -1 | 2800 |
| CBRC013 | 138.00 | 142.00 | 0.01 | 34 | 30 | 123 | 26 | -1 | 1600 |
| CBRC013 | 142.00 | 146.00 | 0.02 | 14 | 15 | 50 | 21 | -1 | 1300 |
| CBRC013 | 146.00 | 150.00 | 0.01 | 7 | 13 | 39 | 13 | -1 | 800 |
| CBRC014 | 0.00 | 1.00 | 0.01 | 10 | 14 | 95 | 54 | -1 | 100 |
| CBRC014 | 1.00 | 2.00 | 0.01 | 11 | 13 | 92 | 146 | -1 | 300 |
| CBRC014 | 2.00 | 3.00 | 0.02 | 20 | 10 | 80 | 239 | -1 | 200 |
| CBRC014 | 3.00 | 4.00 | 0.02 | 23 | 19 | 80 | 294 | -1 | 100 |
| CBRC014 | 4.00 | 5.00 | 0.02 | 17 | 27 | 67 | 256 | -1 | -100 |
| CBRC014 | 5.00 | 6.00 | 0.02 | 10 | 22 | 50 | 195 | -1 | 100 |
| CBRC014 | 6.00 | 10.00 | 0.01 | 11 | 14 | 81 | 204 | -1 | 100 |
| CBRC014 | 10.00 | 14.00 | 0.01 | 12 | 17 | 88 | 194 | -1 | 100 |
| CBRC014 | 14.00 | 18.00 | 0.01 | 18 | 22 | 78 | 137 | -1 | 100 |
| CBRC014 | 18.00 | 22.00 | 0.01 | 19 | 20 | 108 | 152 | -1 | 100 |
| CBRC014 | 22.00 | 23.00 | 0.02 | 52 | 30 | 109 | 242 | -1 | 100 |
| CBRC014 | 23.00 | 24.00 | 0.02 | 48 | 59 | 118 | 351 | -1 | 100 |
| CBRC014 | 24.00 | 25.00 | 0.01 | 49 | 34 | 232 | 326 | -1 | 100 |
| CBRC014 | 25.00 | 26.00 | 0.01 | 49 | 35 | 121 | 343 | -1 | 100 |
| CBRC014 | 26.00 | 27.00 | -0.01 | 42 | 35 | 123 | 430 | -1 | 100 |
| CBRC014 | 27.00 | 28.00 | 0.01 | 27 | 36 | 99 | 272 | -1 | 100 |
| CBRC014 | 28.00 | 32.00 | 0.01 | 13 | 21 | 88 | 151 | -1 | -100 |
| CBRC014 | 32.00 | 33.00 | 0.01 | 11 | 27 | 70 | 129 | -1 | -100 |
| CBRC014 | 33.00 | 34.00 | 0.01 | 13 | 25 | 82 | 148 | -1 | -100 |
| CBRC014 | 34.00 | 35.00 | 0.02 | 20 | 21 | 76 | 137 | -1 | 100 |
| CBRC014 | 35.00 | 36.00 | 0.02 | 33 | 22 | 112 | 94 | -1 | -100 |
| CBRC014 | 36.00 | 40.00 | 0.03 | 38 | 29 | 206 | 87 | -1 | 100 |

INVESTOR UPDATE

| HOLE_ID | DEPTH_FROM | DEPTH_TO | Au_ppm | Cu_ppm | Pb_ppm | Zn_ppm | As_ppm | Ag_ppm | S_ppm |
|---------|------------|----------|--------|--------|--------|--------|--------|--------|-------|
| CBRC014 | 40.00 | 44.00 | 0.03 | 27 | 32 | 95 | 123 | -1 | -100 |
| CBRC014 | 44.00 | 48.00 | 0.01 | 18 | 25 | 89 | 103 | -1 | -100 |
| CBRC014 | 48.00 | 52.00 | 0.01 | 31 | 29 | 122 | 123 | -1 | -100 |
| CBRC014 | 52.00 | 56.00 | 0.03 | 37 | 32 | 121 | 74 | -1 | -100 |
| CBRC014 | 56.00 | 60.00 | 0.01 | 31 | 28 | 104 | 85 | -1 | -100 |
| CBRC014 | 60.00 | 64.00 | 0.01 | 30 | 26 | 109 | 114 | -1 | -100 |
| CBRC014 | 64.00 | 68.00 | 0.01 | 20 | 31 | 102 | 70 | -1 | -100 |
| CBRC014 | 68.00 | 69.00 | 0.01 | 53 | 29 | 93 | 63 | -1 | 2300 |
| CBRC014 | 69.00 | 70.00 | 0.01 | 37 | 34 | 107 | 103 | -1 | 1500 |
| CBRC014 | 70.00 | 71.00 | 0.01 | 38 | 18 | 131 | 140 | -1 | 500 |
| CBRC014 | 71.00 | 72.00 | 0.01 | 40 | 23 | 132 | 53 | -1 | 2300 |
| CBRC014 | 72.00 | 76.00 | 0.01 | 27 | 28 | 96 | 31 | -1 | 1500 |
| CBRC014 | 76.00 | 80.00 | 0.01 | 25 | 26 | 100 | 54 | -1 | 2300 |
| CBRC014 | 80.00 | 84.00 | 0.01 | 27 | 25 | 93 | 59 | -1 | 2500 |
| CBRC014 | 84.00 | 88.00 | 0.02 | 28 | 18 | 119 | 63 | -1 | 2800 |
| CBRC014 | 88.00 | 89.00 | 0.07 | 28 | 106 | 129 | 156 | -1 | 8400 |
| CBRC014 | 89.00 | 90.00 | 0.25 | 30 | 36 | 83 | 260 | -1 | 18200 |
| CBRC014 | 90.00 | 91.00 | 0.17 | 27 | 346 | 95 | 636 | -1 | 14100 |
| CBRC014 | 91.00 | 92.00 | 0.22 | 9 | 61 | 64 | 993 | -1 | 3200 |
| CBRC014 | 92.00 | 96.00 | 0.11 | 12 | 15 | 71 | 825 | -1 | 4100 |
| CBRC014 | 96.00 | 100.00 | 0.22 | 19 | 15 | 79 | 2630 | -1 | 5100 |
| CBRC014 | 100.00 | 101.00 | 0.01 | 27 | 29 | 97 | 107 | -1 | 1800 |
| CBRC014 | 101.00 | 102.00 | 0.01 | 16 | 6 | 97 | 74 | -1 | 2000 |
| CBRC014 | 102.00 | 103.00 | 0.02 | 24 | 24 | 109 | 119 | -1 | 1500 |
| CBRC014 | 103.00 | 104.00 | 0.01 | 37 | 25 | 113 | 68 | -1 | 1300 |
| CBRC014 | 104.00 | 108.00 | 0.01 | 21 | 18 | 90 | 36 | -1 | 1600 |
| CBRC014 | 108.00 | 112.00 | 0.01 | 8 | 19 | 55 | 32 | -1 | 1300 |
| CBRC014 | 112.00 | 116.00 | 0.01 | 10 | 20 | 77 | 27 | -1 | 1000 |
| CBRC014 | 116.00 | 120.00 | 0.03 | 17 | 42 | 95 | 66 | -1 | 2300 |
| CBRC014 | 120.00 | 124.00 | 0.05 | 36 | 19 | 118 | 373 | -1 | 5000 |
| CBRC014 | 124.00 | 128.00 | 0.03 | 24 | 22 | 116 | 73 | -1 | 3000 |
| CBRC014 | 128.00 | 132.00 | 0.22 | 33 | 49 | 109 | 395 | -1 | 7300 |
| CBRC014 | 132.00 | 136.00 | 0.03 | 29 | 33 | 119 | 66 | -1 | 3400 |
| CBRC014 | 136.00 | 140.00 | 0.02 | 33 | 36 | 113 | 51 | -1 | 2800 |
| CBRC014 | 140.00 | 144.00 | 0.01 | 17 | 47 | 92 | 38 | -1 | 1100 |
| CBRC014 | 144.00 | 148.00 | 0.08 | 11 | 23 | 98 | 75 | -1 | 3500 |
| CBRC014 | 148.00 | 150.00 | 0.01 | 24 | 28 | 90 | 32 | -1 | 1400 |
| CBRC015 | 0.00 | 4.00 | 0.01 | 15 | 18 | 89 | 12 | -1 | 100 |
| CBRC015 | 4.00 | 8.00 | 0.01 | 20 | 36 | 134 | 8 | -1 | 100 |
| CBRC015 | 8.00 | 12.00 | 0.01 | 30 | 22 | 117 | 10 | -1 | 100 |
| CBRC015 | 12.00 | 16.00 | -0.01 | 26 | 14 | 108 | 7 | -1 | 100 |

INVESTOR UPDATE

| HOLE_ID | DEPTH_FROM | DEPTH_TO | Au_ppm | Cu_ppm | Pb_ppm | Zn_ppm | As_ppm | Ag_ppm | S_ppm |
|---------|------------|----------|--------|--------|--------|--------|--------|--------|-------|
| CBRC015 | 16.00 | 20.00 | 0.02 | 25 | 10 | 76 | 14 | -1 | -100 |
| CBRC015 | 20.00 | 21.00 | 0.01 | 25 | 10 | 74 | 6 | -1 | -100 |
| CBRC015 | 21.00 | 22.00 | -0.01 | 15 | 10 | 60 | 11 | -1 | 100 |
| CBRC015 | 22.00 | 23.00 | 0.01 | 19 | 13 | 79 | 21 | -1 | 100 |
| CBRC015 | 23.00 | 24.00 | 0.01 | 24 | 24 | 67 | 15 | -1 | 100 |
| CBRC015 | 24.00 | 25.00 | 0.01 | 31 | 30 | 127 | 20 | -1 | 100 |
| CBRC015 | 25.00 | 26.00 | 0.01 | 33 | 37 | 151 | 23 | -1 | 100 |
| CBRC015 | 26.00 | 27.00 | -0.01 | 31 | 12 | 120 | 18 | -1 | 100 |
| CBRC015 | 27.00 | 28.00 | -0.01 | 25 | 58 | 141 | 19 | -1 | 800 |
| CBRC015 | 28.00 | 32.00 | 0.01 | 19 | 16 | 148 | 23 | -1 | 100 |
| CBRC015 | 32.00 | 36.00 | -0.01 | 25 | 18 | 104 | 16 | -1 | 200 |
| CBRC015 | 36.00 | 37.00 | -0.01 | 11 | 41 | 124 | 11 | -1 | 100 |
| CBRC015 | 37.00 | 38.00 | -0.01 | 15 | 27 | 78 | 21 | -1 | 400 |
| CBRC015 | 38.00 | 39.00 | 0.01 | 39 | 19 | 106 | 22 | -1 | 200 |
| CBRC015 | 39.00 | 40.00 | 0.03 | 29 | 18 | 64 | 12 | -1 | 100 |
| CBRC015 | 40.00 | 41.00 | 0.01 | 11 | 11 | 49 | 14 | -1 | 100 |
| CBRC015 | 41.00 | 42.00 | 0.01 | 4 | 9 | 30 | 9 | -1 | -100 |
| CBRC015 | 42.00 | 46.00 | -0.01 | 19 | 5 | 73 | 21 | -1 | 300 |
| CBRC015 | 46.00 | 50.00 | 0.01 | 33 | 7 | 87 | 24 | -1 | 1100 |
| CBRC015 | 50.00 | 54.00 | 0.04 | 15 | 9 | 43 | 18 | -1 | 300 |
| CBRC015 | 54.00 | 58.00 | -0.01 | 5 | 10 | 50 | 6 | -1 | 100 |
| CBRC015 | 58.00 | 62.00 | -0.01 | 7 | 12 | 50 | 10 | -1 | 200 |
| CBRC015 | 62.00 | 66.00 | -0.01 | 6 | 13 | 42 | -5 | -1 | 200 |
| CBRC015 | 66.00 | 70.00 | -0.01 | 30 | 13 | 88 | 9 | -1 | 2400 |
| CBRC015 | 70.00 | 74.00 | -0.01 | 25 | 30 | 110 | 10 | -1 | 1600 |
| CBRC015 | 74.00 | 78.00 | -0.01 | 14 | 15 | 50 | 13 | -1 | 600 |
| CBRC015 | 78.00 | 82.00 | 0.01 | 40 | 9 | 114 | 22 | -1 | 1900 |
| CBRC015 | 82.00 | 86.00 | -0.01 | 29 | 7 | 76 | 22 | -1 | 1000 |
| CBRC015 | 86.00 | 90.00 | 0.01 | 33 | 17 | 79 | 23 | -1 | 2000 |
| CBRC015 | 90.00 | 94.00 | -0.01 | 23 | 23 | 102 | 13 | -1 | 1100 |
| CBRC015 | 94.00 | 95.00 | 0.02 | 16 | 59 | 91 | 7 | -1 | 1000 |
| CBRC015 | 95.00 | 96.00 | 0.01 | 60 | 99 | 120 | 12 | -1 | 3300 |
| CBRC015 | 96.00 | 97.00 | -0.01 | 25 | 16 | 105 | 11 | -1 | 1000 |
| CBRC015 | 97.00 | 98.00 | -0.01 | 32 | 44 | 128 | 17 | -1 | 1600 |
| CBRC015 | 98.00 | 99.00 | -0.01 | 27 | 25 | 126 | 16 | -1 | 1400 |
| CBRC015 | 99.00 | 100.00 | 0.01 | 41 | 9 | 127 | 12 | -1 | 2300 |
| CBRC015 | 100.00 | 101.00 | 0.01 | 43 | 11 | 121 | 11 | -1 | 2500 |
| CBRC015 | 101.00 | 102.00 | 0.01 | 63 | 202 | 148 | 6 | 1 | 3000 |
| CBRC015 | 102.00 | 106.00 | 0.01 | 50 | 20 | 157 | 11 | -1 | 3100 |
| CBRC015 | 106.00 | 110.00 | 0.03 | 71 | 139 | 90 | 11 | -1 | 5800 |
| CBRC015 | 110.00 | 114.00 | -0.01 | 14 | 41 | 47 | -5 | -1 | 1600 |

INVESTOR UPDATE

| HOLE_ID | DEPTH_FROM | DEPTH_TO | Au_ppm | Cu_ppm | Pb_ppm | Zn_ppm | As_ppm | Ag_ppm | S_ppm |
|---------|------------|----------|--------|--------|--------|--------|--------|--------|-------|
| CBRC015 | 114.00 | 118.00 | -0.01 | 8 | 23 | 53 | -5 | -1 | 1000 |
| CBRC015 | 118.00 | 122.00 | -0.01 | 23 | 13 | 84 | 7 | -1 | 1900 |
| CBRC015 | 122.00 | 126.00 | -0.01 | 33 | 9 | 106 | 13 | -1 | 2500 |
| CBRC015 | 126.00 | 130.00 | -0.01 | 9 | 16 | 60 | -5 | -1 | 600 |
| CBRC015 | 130.00 | 134.00 | -0.01 | 12 | 43 | 75 | 26 | -1 | 2300 |
| CBRC015 | 134.00 | 138.00 | 0.01 | 31 | 65 | 118 | 20 | -1 | 2600 |
| CBRC015 | 138.00 | 142.00 | -0.01 | 34 | 16 | 137 | 21 | -1 | 2100 |
| CBRC015 | 142.00 | 146.00 | -0.01 | 37 | 17 | 122 | 19 | -1 | 3000 |
| CBRC015 | 146.00 | 150.00 | 0.01 | 50 | 12 | 120 | 17 | -1 | 3000 |
| CBRC016 | 0.00 | 4.00 | 0.01 | 40 | 43 | 164 | -5 | -1 | 200 |
| CBRC016 | 4.00 | 8.00 | 0.01 | 30 | 39 | 136 | -5 | -1 | -100 |
| CBRC016 | 8.00 | 12.00 | 0.01 | 36 | 52 | 135 | 5 | -1 | -100 |
| CBRC016 | 12.00 | 16.00 | -0.01 | 6 | 12 | 41 | -5 | -1 | -100 |
| CBRC016 | 16.00 | 20.00 | 0.01 | 5 | 21 | 44 | 7 | -1 | -100 |
| CBRC016 | 20.00 | 21.00 | 0.01 | 5 | 10 | 24 | -5 | -1 | -100 |
| CBRC016 | 21.00 | 22.00 | -0.01 | 7 | 16 | 34 | -5 | -1 | -100 |
| CBRC016 | 22.00 | 23.00 | -0.01 | 9 | 13 | 44 | 6 | -1 | -100 |
| CBRC016 | 23.00 | 24.00 | 0.01 | 15 | 19 | 57 | 9 | -1 | -100 |
| CBRC016 | 24.00 | 25.00 | 0.01 | 11 | 17 | 68 | 7 | -1 | -100 |
| CBRC016 | 25.00 | 26.00 | 0.01 | 7 | 13 | 45 | 7 | -1 | -100 |
| CBRC016 | 26.00 | 27.00 | -0.01 | 7 | 9 | 44 | 8 | -1 | -100 |
| CBRC016 | 27.00 | 28.00 | -0.01 | 8 | 13 | 38 | -5 | -1 | -100 |
| CBRC016 | 28.00 | 32.00 | -0.01 | 19 | 43 | 89 | 12 | -1 | 100 |
| CBRC016 | 32.00 | 36.00 | -0.01 | 5 | 15 | 45 | -5 | -1 | -100 |
| CBRC016 | 36.00 | 40.00 | -0.01 | 6 | 14 | 59 | 6 | -1 | 100 |
| CBRC016 | 40.00 | 44.00 | -0.01 | 5 | 16 | 66 | 5 | -1 | 200 |
| CBRC016 | 44.00 | 48.00 | -0.01 | 4 | 13 | 38 | 5 | -1 | 100 |
| CBRC016 | 48.00 | 49.00 | -0.01 | 11 | 13 | 88 | 8 | -1 | 400 |
| CBRC016 | 49.00 | 50.00 | -0.01 | 5 | 34 | 56 | 7 | -1 | 100 |
| CBRC016 | 50.00 | 51.00 | -0.01 | 13 | 41 | 56 | 5 | -1 | 300 |
| CBRC016 | 51.00 | 52.00 | -0.01 | 20 | 15 | 93 | 12 | -1 | 500 |
| CBRC016 | 52.00 | 56.00 | -0.01 | 8 | 20 | 72 | 7 | -1 | 300 |
| CBRC016 | 56.00 | 60.00 | -0.01 | 23 | 14 | 78 | 6 | -1 | 1100 |
| CBRC016 | 60.00 | 61.00 | -0.01 | 16 | 11 | 160 | 9 | -1 | 400 |
| CBRC016 | 61.00 | 62.00 | -0.01 | 18 | 5 | 86 | 10 | -1 | 1100 |
| CBRC016 | 62.00 | 63.00 | -0.01 | 32 | 406 | 394 | 7 | -1 | 4700 |
| CBRC016 | 63.00 | 64.00 | -0.01 | 26 | 29 | 123 | 10 | -1 | 2400 |
| CBRC016 | 64.00 | 65.00 | -0.01 | 19 | 20 | 111 | 10 | -1 | 1200 |
| CBRC016 | 65.00 | 66.00 | -0.01 | 27 | 10 | 133 | 8 | -1 | 1600 |
| CBRC016 | 66.00 | 70.00 | -0.01 | 14 | 17 | 70 | 5 | -1 | 800 |
| CBRC016 | 70.00 | 74.00 | -0.01 | 19 | 28 | 77 | -5 | -1 | 2000 |

INVESTOR UPDATE

| HOLE_ID | DEPTH_FROM | DEPTH_TO | Au_ppm | Cu_ppm | Pb_ppm | Zn_ppm | As_ppm | Ag_ppm | S_ppm |
|---------|------------|----------|--------|--------|--------|--------|--------|--------|-------|
| CBRC016 | 74.00 | 78.00 | -0.01 | 14 | 17 | 74 | 6 | -1 | 600 |
| CBRC016 | 78.00 | 82.00 | -0.01 | 22 | 11 | 93 | 7 | -1 | 600 |
| CBRC016 | 82.00 | 86.00 | -0.01 | 31 | 21 | 165 | -5 | -1 | 1100 |
| CBRC016 | 86.00 | 90.00 | -0.01 | 30 | 32 | 111 | 6 | -1 | 800 |
| CBRC016 | 90.00 | 94.00 | -0.01 | 17 | 48 | 88 | 8 | -1 | 300 |
| CBRC016 | 94.00 | 98.00 | 0.01 | 24 | 14 | 93 | 17 | -1 | 600 |
| CBRC016 | 98.00 | 99.00 | -0.01 | 8 | 13 | 48 | 8 | -1 | 200 |
| CBRC016 | 99.00 | 100.00 | -0.01 | 16 | 10 | 61 | 15 | -1 | 500 |
| CBRC016 | 100.00 | 101.00 | -0.01 | 35 | 29 | 81 | 18 | -1 | 2900 |
| CBRC016 | 101.00 | 102.00 | -0.01 | 24 | 11 | 62 | 14 | -1 | 600 |
| CBRC016 | 102.00 | 103.00 | -0.01 | 94 | 9 | 88 | 13 | -1 | 1200 |
| CBRC016 | 103.00 | 104.00 | -0.01 | 78 | 11 | 77 | 16 | -1 | 1100 |
| CBRC016 | 104.00 | 105.00 | 0.01 | 23 | 21 | 64 | 17 | -1 | 800 |
| CBRC016 | 105.00 | 106.00 | -0.01 | 23 | 19 | 77 | 18 | -1 | 500 |
| CBRC016 | 106.00 | 110.00 | -0.01 | 17 | 18 | 76 | 13 | -1 | 500 |
| CBRC016 | 110.00 | 114.00 | -0.01 | 19 | 19 | 71 | 9 | -1 | 1200 |
| CBRC016 | 114.00 | 118.00 | -0.01 | 11 | 36 | 57 | 6 | -1 | 300 |
| CBRC016 | 118.00 | 122.00 | 0.01 | 10 | 72 | 91 | 11 | -1 | 400 |
| CBRC016 | 122.00 | 126.00 | -0.01 | 14 | 15 | 61 | 7 | -1 | 600 |
| CBRC016 | 126.00 | 127.00 | -0.01 | 9 | 31 | 87 | -5 | -1 | 600 |
| CBRC016 | 127.00 | 128.00 | -0.01 | 6 | 18 | 36 | -5 | -1 | 600 |
| CBRC016 | 128.00 | 129.00 | -0.01 | 10 | 32 | 56 | 7 | -1 | 1200 |
| CBRC016 | 129.00 | 130.00 | 0.01 | 6 | 14 | 44 | 8 | -1 | 400 |
| CBRC016 | 130.00 | 134.00 | -0.01 | 9 | 12 | 64 | 13 | -1 | 400 |
| CBRC016 | 134.00 | 138.00 | -0.01 | 19 | 16 | 78 | 15 | -1 | 500 |
| CBRC016 | 138.00 | 142.00 | -0.01 | 5 | 18 | 47 | 5 | -1 | 200 |
| CBRC016 | 142.00 | 146.00 | -0.01 | 13 | 11 | 61 | 10 | -1 | 600 |
| CBRC016 | 146.00 | 150.00 | -0.01 | 9 | 14 | 54 | 6 | -1 | 300 |
| CBRC017 | 0.00 | 4.00 | -0.01 | 9 | 20 | 81 | 9 | -1 | -100 |
| CBRC017 | 4.00 | 8.00 | -0.01 | 9 | 19 | 51 | 10 | -1 | -100 |
| CBRC017 | 8.00 | 12.00 | -0.01 | 9 | 19 | 55 | 13 | -1 | -100 |
| CBRC017 | 12.00 | 16.00 | -0.01 | 7 | 13 | 47 | 7 | -1 | -100 |
| CBRC017 | 16.00 | 17.00 | -0.01 | 4 | 16 | 29 | 5 | -1 | -100 |
| CBRC017 | 17.00 | 18.00 | -0.01 | 6 | 21 | 33 | 5 | -1 | -100 |
| CBRC017 | 18.00 | 19.00 | -0.01 | 6 | 15 | 107 | -5 | -1 | -100 |
| CBRC017 | 19.00 | 20.00 | -0.01 | 5 | 10 | 35 | -5 | -1 | -100 |
| CBRC017 | 20.00 | 21.00 | -0.01 | 6 | 12 | 26 | -5 | -1 | -100 |
| CBRC017 | 21.00 | 22.00 | 0.01 | 6 | 14 | 28 | -5 | -1 | -100 |
| CBRC017 | 22.00 | 23.00 | 0.01 | 32 | 14 | 108 | 8 | -1 | -100 |
| CBRC017 | 23.00 | 24.00 | 0.01 | 29 | 27 | 95 | 8 | -1 | -100 |
| CBRC017 | 24.00 | 28.00 | -0.01 | 21 | 20 | 77 | 7 | -1 | -100 |

INVESTOR UPDATE

| HOLE_ID | DEPTH_FROM | DEPTH_TO | Au_ppm | Cu_ppm | Pb_ppm | Zn_ppm | As_ppm | Ag_ppm | S_ppm |
|---------|------------|----------|--------|--------|--------|--------|--------|--------|-------|
| CBRC017 | 28.00 | 32.00 | 0.01 | 28 | 32 | 136 | 6 | -1 | -100 |
| CBRC017 | 32.00 | 36.00 | -0.01 | 33 | 32 | 122 | 23 | -1 | -100 |
| CBRC017 | 36.00 | 37.00 | -0.01 | 11 | 23 | 113 | 10 | -1 | -100 |
| CBRC017 | 37.00 | 38.00 | 0.01 | 10 | 23 | 95 | 10 | -1 | -100 |
| CBRC017 | 38.00 | 39.00 | 0.01 | 43 | 37 | 135 | 9 | -1 | 100 |
| CBRC017 | 39.00 | 40.00 | 0.01 | 27 | 21 | 101 | 5 | -1 | 100 |
| CBRC017 | 40.00 | 41.00 | -0.01 | 41 | 37 | 119 | -5 | -1 | 400 |
| CBRC017 | 41.00 | 42.00 | -0.01 | 34 | 32 | 109 | -5 | -1 | 2200 |
| CBRC017 | 42.00 | 43.00 | -0.01 | 23 | 21 | 99 | -5 | -1 | 1100 |
| CBRC017 | 43.00 | 44.00 | -0.01 | 23 | 25 | 91 | 5 | -1 | 900 |
| CBRC017 | 44.00 | 45.00 | -0.01 | 44 | 22 | 117 | -5 | -1 | 3200 |
| CBRC017 | 45.00 | 46.00 | -0.01 | 15 | 16 | 68 | -5 | -1 | 900 |
| CBRC017 | 46.00 | 47.00 | -0.01 | 23 | 23 | 93 | -5 | -1 | 1700 |
| CBRC017 | 47.00 | 48.00 | -0.01 | 34 | 34 | 121 | -5 | -1 | 2300 |
| CBRC017 | 48.00 | 49.00 | -0.01 | 38 | 31 | 140 | -5 | -1 | 4000 |
| CBRC017 | 49.00 | 50.00 | -0.01 | 36 | 32 | 119 | -5 | -1 | 3100 |
| CBRC017 | 50.00 | 51.00 | -0.01 | 39 | 40 | 125 | -5 | -1 | 3100 |
| CBRC017 | 51.00 | 52.00 | 0.01 | 42 | 47 | 124 | -5 | -1 | 4000 |
| CBRC017 | 52.00 | 56.00 | -0.01 | 34 | 29 | 100 | -5 | -1 | 2300 |
| CBRC017 | 56.00 | 60.00 | 0.04 | 26 | 25 | 95 | 13 | -1 | 3900 |
| CBRC017 | 60.00 | 64.00 | -0.01 | 30 | 28 | 116 | 9 | -1 | 2200 |
| CBRC017 | 64.00 | 68.00 | -0.01 | 39 | 37 | 127 | -5 | -1 | 2700 |
| CBRC017 | 68.00 | 72.00 | -0.01 | 36 | 33 | 116 | 6 | -1 | 3300 |
| CBRC017 | 72.00 | 76.00 | -0.01 | 27 | 42 | 94 | 7 | -1 | 1500 |
| CBRC017 | 76.00 | 80.00 | -0.01 | 14 | 26 | 75 | 7 | -1 | 400 |
| CBRC017 | 80.00 | 81.00 | -0.01 | 8 | 21 | 67 | 8 | -1 | 100 |
| CBRC017 | 81.00 | 82.00 | -0.01 | 40 | 21 | 104 | 20 | -1 | 3800 |
| CBRC017 | 82.00 | 83.00 | 0.03 | 29 | 29 | 66 | 10 | -1 | 3100 |
| CBRC017 | 83.00 | 84.00 | 0.18 | 13 | 8 | 35 | 8 | -1 | 1000 |
| CBRC017 | 84.00 | 88.00 | -0.01 | 11 | 13 | 61 | 8 | -1 | 1000 |
| CBRC017 | 88.00 | 92.00 | -0.01 | 36 | 35 | 117 | 6 | -1 | 1900 |
| CBRC017 | 92.00 | 93.00 | -0.01 | 37 | 29 | 134 | 6 | -1 | 1500 |
| CBRC017 | 93.00 | 94.00 | -0.01 | 6 | 12 | 60 | -5 | -1 | 300 |
| CBRC017 | 94.00 | 95.00 | -0.01 | 12 | 22 | 41 | -5 | -1 | 800 |
| CBRC017 | 95.00 | 96.00 | -0.01 | 27 | 44 | 93 | 6 | -1 | 900 |
| CBRC017 | 96.00 | 97.00 | -0.01 | 31 | 29 | 106 | 9 | -1 | 2900 |
| CBRC017 | 97.00 | 98.00 | -0.01 | 42 | 17 | 115 | 10 | -1 | 2100 |
| CBRC017 | 98.00 | 99.00 | 0.01 | 35 | 24 | 102 | 9 | -1 | 1400 |
| CBRC017 | 99.00 | 100.00 | -0.01 | 29 | 24 | 102 | 9 | -1 | 1700 |
| CBRC017 | 100.00 | 101.00 | -0.01 | 16 | 17 | 85 | 9 | -1 | 900 |
| CBRC017 | 101.00 | 102.00 | -0.01 | 36 | 27 | 102 | 8 | -1 | 3200 |

INVESTOR UPDATE

| HOLE_ID | DEPTH_FROM | DEPTH_TO | Au_ppm | Cu_ppm | Pb_ppm | Zn_ppm | As_ppm | Ag_ppm | S_ppm |
|---------|------------|----------|--------|--------|--------|--------|--------|--------|-------|
| CBRC017 | 102.00 | 103.00 | -0.01 | 20 | 28 | 85 | 6 | -1 | 1100 |
| CBRC017 | 103.00 | 104.00 | -0.01 | 28 | 24 | 89 | 6 | -1 | 900 |
| CBRC017 | 104.00 | 105.00 | -0.01 | 41 | 31 | 114 | 7 | -1 | 1100 |
| CBRC017 | 105.00 | 106.00 | -0.01 | 43 | 32 | 108 | 6 | -1 | 1300 |
| CBRC017 | 106.00 | 107.00 | -0.01 | 29 | 24 | 112 | 6 | -1 | 1300 |
| CBRC017 | 107.00 | 108.00 | -0.01 | 26 | 29 | 97 | 5 | -1 | 2400 |
| CBRC017 | 108.00 | 112.00 | -0.01 | 25 | 35 | 111 | 5 | -1 | 2300 |
| CBRC017 | 112.00 | 116.00 | -0.01 | 29 | 24 | 105 | 8 | -1 | 2600 |
| CBRC017 | 116.00 | 120.00 | 0.01 | 22 | 27 | 85 | 30 | -1 | 1900 |
| CBRC017 | 120.00 | 124.00 | -0.01 | 31 | 25 | 128 | 188 | -1 | 1600 |
| CBRC017 | 124.00 | 128.00 | -0.01 | 20 | 33 | 97 | 45 | -1 | 700 |
| CBRC017 | 128.00 | 132.00 | -0.01 | 25 | 28 | 101 | 190 | -1 | 1500 |
| CBRC017 | 132.00 | 136.00 | -0.01 | 38 | 25 | 116 | 235 | -1 | 3100 |
| CBRC017 | 136.00 | 138.00 | 0.01 | 53 | 17 | 56 | 28 | -1 | 900 |

The Board of Directors of Coolabah Metals Limited authorised the release of this announcement.

Further information:

Cameron Provost
 Managing Director
 cameron@coolabahmetals.com.au
 0412 348 064



ASX RELEASE

19 May 2023

COOLABAH METALS LIMITED

ACN 652 352 228

Level 8, London House,
216 St Georges Terrace
PERTH WA 6000
Telephone: +61 (08) 9481 0389
www.coolabahmetals.com.au

CONTACT

Cameron Provost
Managing Director
cameron@coolabahmetals.com.au

DIRECTORS

Cameron Provost
Steve Woodham
David Ward

TICKER


ASX:CBH

SHARES ON OFFER

61,550,001

About Coolabah Metals Limited

Coolabah Metals Limited (ASX:CBH) is an ASX-listed minerals explorer with a focus on copper, gold and base metal assets throughout Australia. Coolabah Metals are also active in exploring for critical minerals and the two lithium projects located in Canada, position Coolabah as a player in the fast-growing lithium exploration market. CBH aims to build shareholder wealth through the discovery and development of mineral deposits across various Australian and Canadian projects, being the Coolabah Project, the Nymagee Project, the Gunpowder Creek Project, the Cannington Project, the Hampden Project and the McCoy Lake Project.



Coolabah Project

The Coolabah Project area comprised of 1,177km², lies adjacent to the Girilambone copper deposits including Avoca Tank, Tritton and the newly discovered Constellation Deposit. The Coolabah Project is highly prospective given that geology structures / regional settings are similar to known deposits.

Nymagee Project

The Nymagee Project area totals 533.3km² and is located amongst significant discoveries at Federation, Hera and Nymagee and is highly attractive for Cobar Style Deposits. The Nymagee Project lies on a major north-easterly structure prospective for gold, copper, lead and zinc mineralisation.

Gunpowder Creek Project

The Gunpowder Creek Project is located within the world class Mt Isa block, only 40km northwest of Mt Isa and is home to numerous historic workings over 5km and highlights high-grade rockchips up to 32g/t gold. The Gunpowder Creek Project is prospective for vein/fault hosted high grade gold and Mt Isa Copper-Lead-Zinc type mineralisation.

Cannington Project

The Cannington Project is located 130km SSE of Cloncurry comprised of two exploration licences that covers a total area of 113.4km². The main prospect within the Project is Brumby, being a copper-gold project spatially related to a strong magnetic high and interpreted to be an Iron Oxide Copper Gold (IOCG) style target.



ASX RELEASE

19 May 2023

COOLABAH METALS LIMITED

ACN 652 352 228

Level 8, London House,
216 St Georges Terrace
PERTH WA 6000
Telephone: +61 (08) 9481 0389
www.coolabahmetals.com.au

CONTACT

Cameron Provost
Managing Director
cameron@coolabahmetals.com.au

DIRECTORS


Cameron Provost
Steve Woodham
David Ward

TICKER

ASX:CBH


SHARES ON OFFER

61,550,001



Hampden Project

The Hampden Project area totalling 113km² is located near Patriot Battery Metals Corvette Project, which is a potential world class spodumene deposit. The Hampden Project is located within the James Bay Region of Quebec, Canada and is known for containing significant resources of lithium and is a prime investment opportunity for lithium exploration and production hosting several known spodumene bearing pegmatite projects.



McCoy Lake Project

The McCoy Lake Project is located in the Red Lake Region of north-western Ontario, Canada, covering a vast area of 70km². The project area is situated approximately 75km east of the Frontier Lithium PAK and Spark deposits and targets an underexplored greenstone assemblage, situated near fertile granite systems. The project is located remotely in north-western Ontario, however year-round access is available through float or ski-equipped aircraft from Red Lake, Ontario, which is approximately 180km away.

ASX RELEASE

19 May 2023

COOLABAH METALS LIMITED

ACN 652 352 228

Level 8, London House,
216 St Georges Terrace
PERTH WA 6000

Telephone: +61 (08) 9481 0389

www.coolabahmetals.com.au

CONTACT

Cameron Provost
Managing Director
cameron@coolabahmetals.com.au

DIRECTORS

Cameron Provost
Steve Woodham
David Ward

TICKER

ASX:CBH

SHARES ON OFFER

61,550,001

Competent Persons Statement

The information in this document that relates to exploration targets, exploration results, mineral resources or ore reserves is based on information compiled by David Ward BSc, a Competent Person who is a Member of the Australasian Institute of Mining and Metallurgy (AUSIMM), (Member 228604). David Ward is a Director and shareholder of Coolabah Metals Ltd. David Ward has over 25 years of experience in metallic minerals mining, exploration and development and has sufficient experience that is relevant to the style of mineralisation and type of deposit under consideration and to the activity being undertaken to qualify as a 'Competent Person' as defined under the 2012 Edition of the 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves'. Mr Ward consents to the inclusion in this report of the matters based on his information in the form and context in which it appears.

Forward-Looking Statement

This document may include forward-looking statements. Forward-looking statements are only predictions and are subject to risks, uncertainties and assumptions which are outside the control of the Company. Actual values, results or events may be materially different to those expressed or implied in this document. Given these uncertainties, recipients are cautioned not to place reliance on forward looking statements. No representation is made that, in relation to the tenements the subject of this presentation, the Company has now or will at any time the future develop resources or reserves within the meaning of the Australasian Code for Reporting Exploration Results, Mineral Resources and Ore Reserves.

Any forward-looking statements in this presentation speak only at the date of issue of this document. Subject to any continuing obligations under applicable law, the Company does not undertake any obligation to update or revise any information or any of the forward-looking statements in this document or any changes in events, conditions, or circumstances on which any such forward looking statement is based.

JORC Code, 2012 Edition – Table 1 report template

Section 1 Sampling Techniques and Data

(Criteria in this section apply to all succeeding sections.)



| Criteria | JORC Code explanation | Commentary |
|-----------------------|---|--|
| Sampling techniques | <ul style="list-style-type: none"> • Nature and quality of sampling (eg cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling. • Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used. • Aspects of the determination of mineralisation that are Material to the Public Report. • In cases where 'industry standard' work has been done this would be relatively simple (eg 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information. | <ul style="list-style-type: none"> • Reverse circulation drilling was used to obtain 1 m cone split samples from which 3 kg was pulverised to produce a 30 g charge for gold fire assay and 4 acid digest Inductively Coupled Plasma (ICP) AES multielement analysis for 33 elements at ALS Orange. • Drill chips were logged by a trained geologist and intervals with no visual quartz veining with sulphides were 4m composited using a spear, intervals logged with quartz veining and sulphides were submitted for analysis as the 1m cone split. • Certified reference material (CRM) were inserted every 30 samples. • Duplicate samples were collected every 16 samples. • Representative RC drill chips for each 1 meter were collected and placed in plastic chip trays which are stored at the Coolabah office for future reference. |
| Drilling techniques | <ul style="list-style-type: none"> • Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc). | <ul style="list-style-type: none"> • The drill program was completed on the 22nd February 2023 and used reverse circulation (RC) methods. • RC drilling was completed using a 150mm face-sampling hammer. • Drill rig was accompanied by an air truck with booster. |
| Drill sample recovery | <ul style="list-style-type: none"> • Method of recording and assessing core and chip sample recoveries and results assessed. • Measures taken to maximise sample recovery and ensure representative nature of the samples. • Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material. | <ul style="list-style-type: none"> • The RC drilling was collected in 1 meter plastic sample bags, sample recovery was estimated from visual inspection, for the holes reported the sample recovery was considered acceptable. • Foam injection was used to suppress water inflow as required. • Zones of wet sample and poor recovery were minimal and logged at the time of RC drilling. • Drillers spent adequate time using compressed air to clear water out of hole when additional rods were added to increase hole depth. • There is no known bias or relationship between sample recovery and grade. |

| Criteria | JORC Code explanation | Commentary |
|--|--|--|
| Logging | <ul style="list-style-type: none"> • Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies. • Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography. • The total length and percentage of the relevant intersections logged. | <ul style="list-style-type: none"> • Systematic geological logging was undertaken onsite at the time of RC drilling. Data includes: • Collar information including hole depth, coordinates, survey method, survey type, survey date, tenement number, tenement name, prospect name, hole status, date commenced drilling, date completed drilling, pre-collar depth, water depth, bottom of complete oxidation, top of fresh rock. • Nature and extent of weathering. • Nature and extent of lithologies. • Interpretation of relationship between lithologies. • Nature and extent of veining. • Amount and mode of occurrences of minerals. • Magnetic susceptibility measurements for every 1m sample collected by cone splitter. • Both qualitative and quantitative data was collected. • RC chips were retained in chip trays and stored in the CBH office. • Chip trays were photographed. |
| Sub-sampling techniques and sample preparation | <ul style="list-style-type: none"> • If core, whether cut or sawn and whether quarter, half or all core taken. • If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry. • For all sample types, the nature, quality and appropriateness of the sample preparation technique. • Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples. • Measures taken to ensure that the sampling is representative of the in situ material collected, including for instance results for field duplicate/second-half sampling. • Whether sample sizes are appropriate to the grain size of the material being sampled. | <ul style="list-style-type: none"> • Sampling details including, 1m and 4m composite sampling and duplicate spear sampling. • RC samples were collected using a Metzke rotating cone splitter. • Majority of samples collected were dry and if samples were wet due to ground water, condition of sample was noted in sampling data. • RC samples were dried, crushed, and pulverised 500 g split to better than 85% passing 75 microns. • Certified Reference Material (CRM) were inserted every 30 samples to assess the accuracy and reproducibility of the drill chip results. The results of the standards were considered to agree with certified values and validates the laboratory's measurement procedures. • RC drilling field duplicates were taken every 16 samples. The samples were dried, crushed, and pulverised 500 g split to better than 85% passing 75 microns. • Field duplicates were sampled using a spear sampling method. The results of the duplicates were within acceptable tolerance from original cone spilt sample intervals. |
| Quality of assay data and | <ul style="list-style-type: none"> • The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total. | <ul style="list-style-type: none"> • Gold (Au) was determined by 30g fire assay (method Au-AA25) with a detection limit of 0.01ppm. • 33 elements by HF-HNO3-HClO4 acid digestion, HCl leach and ICP- |

| Criteria | JORC Code explanation | Commentary |
|--|--|--|
| <i>laboratory tests</i> | <ul style="list-style-type: none"> • <i>For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc.</i> • <i>Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (ie lack of bias) and precision have been established.</i> | <p>AES. Quantitatively dissolves nearly all elements for the majority of geological materials.</p> <ul style="list-style-type: none"> • No geophysical tools were used in the determination of assay results. • Magnetic susceptibility was recorded using an KT-10 Magnetic Susceptibility handheld instrument. • 3D magnetic inversion model was determined by external geophysical consultants using the airborne data from the 1996 Rookery survey flown for Delta Gold. • Forward/profile models were taken from the regional airborne magnetic data modelled using 2.5D profile modelling to compare with drilling magnetic susceptibility results, and the 3D magnetic inversion model. • Certified Reference Material (CRM) were inserted every 30 (30.575) samples to assess the accuracy and reproducibility of the drill chip results. The results of the standards were considered to agree with certified values and validates the laboratory's measurement procedures. • Standards were purchased from a Certified Reference Material manufacture company OREAS. Standards were purchased in foil lined packets of 60 grams. Different reference materials were used to cover high grade, medium grade, low grade, and trace ranges of elements, with a primary focus on gold. |
| <i>Verification of sampling and assaying</i> | <ul style="list-style-type: none"> • <i>The verification of significant intersections by either independent or alternative company personnel.</i> • <i>The use of twinned holes.</i> • <i>Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols.</i> • <i>Discuss any adjustment to assay data.</i> | <ul style="list-style-type: none"> • Drill data is compiled and collated and reviewed by senior staff. • This was a maiden drilling campaign, and no known previously drilled holes were twinned during this drilling campaign. • Drill hole data including meta data, survey data, lithological data, veining data, mineral data, magnetic susceptibility data and sampling data were collected during the RC drilling program and recorded in a ODBC Database. |
| <i>Location of data points</i> | <ul style="list-style-type: none"> • <i>Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.</i> • <i>Specification of the grid system used.</i> • <i>Quality and adequacy of topographic control.</i> | <ul style="list-style-type: none"> • Drill collars were obtained using a handheld GPS in Map Grid Australia Zone 55, Geodetic Datum of Australia 1994. • Topography was determined via drone photogrammetry processed by Drone Deploy. |
| <i>Data spacing and distribution</i> | <ul style="list-style-type: none"> • <i>Data spacing for reporting of Exploration Results.</i> • <i>Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and</i> | <ul style="list-style-type: none"> • Drillhole collar spacing is variable and range from 70m to 112m in distance. • The minimum distance between two drillhole collars is 18m and both drillholes were drilled in opposing orientations targeting potential |

| Criteria | JORC Code explanation | Commentary |
|---|--|--|
| | <p><i>classifications applied.</i></p> <ul style="list-style-type: none"> • <i>Whether sample compositing has been applied.</i> | <p>depth variations in the magnetic anomaly.</p> <ul style="list-style-type: none"> • Not applicable as no resource estimate is established due to first pass RC drilling at EL8638. • Composite sampling was applied for intervals where drill chips lacked significant mineralisation and 1m intervals were combined into 4m composite samples. |
| Orientation of data in relation to geological structure | <ul style="list-style-type: none"> • <i>Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type.</i> • <i>If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.</i> | <ul style="list-style-type: none"> • Drilling was orientated to intercept a 2.3km long and 500m wide magnetic high anomaly which is similarly oriented to a spatially related soil arsenic anomaly. • Drillholes were oriented perpendicular to the orientation of the modelled magnetic anomaly. Fences of holes were drilled both north-east and south-west. There is no known bias related to the drilling orientation. |
| Sample security | <ul style="list-style-type: none"> • <i>The measures taken to ensure sample security.</i> | <ul style="list-style-type: none"> • Drill chip sample bags were collected within larger polyweave sample bags and were regularly transported from site to ALS Orange NSW during the drilling program by a Coolabah Metals Limited representative. • The sample chain of custody has only been managed by employees of Coolabah Metals Limited. |
| Audits or reviews | <ul style="list-style-type: none"> • <i>The results of any audits or reviews of sampling techniques and data.</i> | <ul style="list-style-type: none"> • Data and sampling techniques have not been reviewed or audited by a third party. |

Section 2 Reporting of Exploration Results

(Criteria listed in the preceding section also apply to this section.)

| Criteria | JORC Code explanation | Commentary |
|---|--|---|
| Mineral tenement and land tenure status | <ul style="list-style-type: none"> • <i>Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings.</i> • <i>The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area.</i> | <ul style="list-style-type: none"> • Exploration Licence 8638 forms a project with EL8657 and EL8785 (The Nymagee Project) which are owned 100% by Coolabah Metals Limited. The project is situated approximately 85km southeast of Cobar and 10km north of the township of Nymagee. • Access into the tenement is south of Cobar via the Kidman Highway, then east towards Nymagee via Priory Tank Road. Several sealed and unsealed roads access the interior of the licence. |

| Criteria | JORC Code explanation | Commentary |
|--|--|---|
| <i>Exploration done by other parties</i> | <ul style="list-style-type: none"> <i>Acknowledgment and appraisal of exploration by other parties.</i> | <ul style="list-style-type: none"> A soil sampling program was completed by Haverford Holdings Pty Ltd a subsidiary of Talisman Mining on a nominal 300 x 100m grid with 200g of -177um samples collected. A total of 1,126 soil samples were collected and analysed for base metals using a portable XRF on site, before being sent to ALS Global for Au and Ag analysis. The Talisman soil sampling program defined a broad arsenic anomaly coincident with the modelled magnetic anomaly. |
| <i>Geology</i> | <ul style="list-style-type: none"> <i>Deposit type, geological setting and style of mineralisation.</i> | <ul style="list-style-type: none"> The Barrow licence area lies within the southern portion of the Cobar Basin, an inverted Late Silurian-Early Devonian basin within the Central Sub-Province of the Lachlan Orogen. The Basin developed as four, deep-water troughs with two volcanogenic troughs to the south (Rast Trough) and west (Mount Hope Trough) surrounded by shallow-water flanking shelves. Syn-rift I-type plutons intrude along the southeast margin of the basin and eastern shelf sequences. The Cobar Basin was inverted and deformed (405-380 Ma) with associated reactivation of major, orogen-parallel basin/trough margin faults or near-margin faults. |
| <i>Drill hole Information</i> | <ul style="list-style-type: none"> <i>A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes:</i> <ul style="list-style-type: none"> <i>easting and northing of the drill hole collar</i> <i>elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar</i> <i>dip and azimuth of the hole</i> <i>down hole length and interception depth</i> <i>hole length.</i> <i>If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case.</i> | <ul style="list-style-type: none"> Drillhole collar locations, orientation and depths and assays are represented in the body of the announcement. |
| <i>Data aggregation methods</i> | <ul style="list-style-type: none"> <i>In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (eg cutting of high grades) and cut-off grades are usually Material and should be stated.</i> <i>Where aggregate intercepts incorporate short lengths of high grade results and longer lengths of low grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail.</i> | <ul style="list-style-type: none"> All results received are reported. |

| Criteria | JORC Code explanation | Commentary |
|--|---|---|
| | <ul style="list-style-type: none"> The assumptions used for any reporting of metal equivalent values should be clearly stated. | |
| Relationship between mineralisation widths and intercept lengths | <ul style="list-style-type: none"> These relationships are particularly important in the reporting of Exploration Results. If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported. If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (eg 'down hole length, true width not known'). | <ul style="list-style-type: none"> Geometry and true width of the mineralisation is not known. Mineralisation is represented by logged sulphides, assays and magnetic susceptibility. |
| Diagrams | <ul style="list-style-type: none"> Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported. These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views. | <ul style="list-style-type: none"> See planned view and long and cross sections of drilling in the body of announcement. |
| Balanced reporting | <ul style="list-style-type: none"> Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results. | <ul style="list-style-type: none"> All assay results appear in the body of announcement. |
| Other substantive exploration data | <ul style="list-style-type: none"> Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances. | <ul style="list-style-type: none"> All material results are shown in the body of the announcement. |
| Further work | <ul style="list-style-type: none"> The nature and scale of planned further work (eg tests for lateral extensions or depth extensions or large-scale step-out drilling). Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive. | <ul style="list-style-type: none"> Follow-up drilling is required to test the forward modelled magnetic profiles, prioritization of follow up drilling at the Bradbury's Prospect will be evaluated and ranked against other Coolabah Metals projects prior to committing. |