



Rasp Mine
Monthly Environmental Monitoring Report
June 2022



INTRODUCTION


Broken Hill Operations Pty Ltd (BHOP) [a wholly owned subsidiary of CBH Resources Limited (CBH)] owns and operates the Rasp Mine (the Mine), which is located centrally within the City of Broken Hill on Consolidated Mine Lease 7 (CML7).

Mining has been undertaken within CML7 since 1885. The existing operations at the Rasp Mine include underground mining operations, a processing plant producing zinc and lead concentrates and a rail siding for concentrate dispatch. These operations are undertaken in accordance with Project Approval 07_0018 granted 31 January 2011, under Part3A of the Environmental Planning and Assessment Act 1979 (EP&A Act).

As the holder of an Environmental Protection Licence, 12559, BHOP is required, under Section 66(6) of the NSW *Protection of the Environment Operations Act 1997*, to publish pollution monitoring data. In addition BHOP is required to publish data in accordance with its Project Approval 07_0018 Schedule 4 Condition 9. These documents can be found on the Rasp Mine web site.

TABLE OF CONTENTS

1	AIR QUALITY	3
1.1	HIGH VOLUME AIR SAMPLERS	3
1.2	TAPERED ELEMENT OSCILLATING MICROBALANCE SAMPLING (TEOM).....	9
1.3	DUST DEPOSITION SAMPLING	12
1.4	VENTILATION OUTLETS AND BAG HOUSE MONITORING	14
2	NOISE	14
2.1	BLASTING (VIBRATION AND OVERPRESSURE)	14
2.2	NOISE	16
3	WATER	16
3.1	GROUNDWATER.....	16
3.2	SURFACE WATER SAMPLE RECORD	18
4	WEATHER DATA	19
5	DATA LOG	21
6	CORRECTION LOG	21



1 Air Quality

The following criteria as listed in the Project Approval (DA 07_0018 MOD6 March 2022) and specified in EPL 12559 apply to air quality monitoring:

Long Term Criteria for Particulate Matter

Pollutant	Averaging Period	Criterion
Total solid particles (TSP)	Annual	90 µg/m ³
Particulate matter < 10 µm (PM ₁₀)	Annual	25 µg/m ³

Short Term Criterion for Particulate Matter

Pollutant	Averaging Period	Criterion
Particulate matter < 10 µm (PM ₁₀)	24 hour	50 µg/m ³

Long Term Criteria for Deposited Dust



Pollutant	Averaging Period	Maximum Project Contribution	Maximum Total Deposited Dust Level
Deposited dust	Annual	2 g/m ² /month	4 g/m ² /month

1.1 High Volume Air Samplers

There are four high volume air samplers used to measure ambient air quality at the Rasp Mine – HVAS (EPL10) and HVAS1 (EPL11) are located at the Silver Tank, central and to the south of the mine lease, and HVAS2 (EPL12) and HVAS3 (EPL57) are located adjacent to and north of Blackwood Pit. A map indicating these locations can be found on the Rasp Mine web site. HVAS and HVAS3 sample for total suspended particulates (TSP) and lead dust, and HVAS1 and HVAS2 sample for particulate matter less than 10 microns (PM₁₀) and lead dust.

HVAS (EPL10) - Silver Tank (On Site) Results for June 2022


DATE	TSP (µg/m ³)	Lead (µg/m ³)
02-June-22	19.60	0.07
08-June-22	17.80	0.11
14-June-22	15.50	0.08
20-June-22	41.60	0.25
26-June-22	30.80	0.14



HVAS (EPL10) is located on the southern boundary of Rasp Mine and while limit criteria do not apply at this point, they do apply at the closest residential location.

TSP dust results at HVAS for the month of June were consistent with results seen in previous months. The highest TSP levels for June were 41.60 µg/m³ on 20 June when winds were predominantly from the NW, suggesting there was contribution from the haul road or other site activities. Water carts apply water to site roads daily and dust suppressant is applied to free areas and unsealed roads. The annual rolling average for TSP at this location is 35.91 µg/m³ at the end of June, lower than the average at the beginning of July 2021 which was 43.01 µg/m³.

The annual rolling average for TSP is determined using data with extreme dust events included.






TSP Lead dust results at HVAS for the month of June were consistent with results seen in previous months. The highest TSP Lead level for June was 0.25 $\mu\text{g}/\text{m}^3$ on 20 June when winds were predominately from the NW suggesting there may have been contribution from site activities. The rolling annual average for TSP Lead in June 2022 was 0.18 $\mu\text{g}/\text{m}^3$ which is lower than the rolling annual average of 0.22 $\mu\text{g}/\text{m}^3$ for TSP Lead in July 2021.


HVAS1 (EPL11) - Silver Tank (On Site) Results for June 2022

DATE	PM ₁₀ ($\mu\text{g}/\text{m}^3$)	PM ₁₀ Lead ($\mu\text{g}/\text{m}^3$)
02-June-22	5.80	0.01
08-June-22	0.80	0.01
13-June-22	3.40	0.01
20-June-22	4.80	0.02
26-June-22	4.00	0.02

HVAS1 (EPL11) is located on the southern boundary of Rasp Mine and while limit criteria do not apply at this point, they do apply at the closest residential location.



PM₁₀ dust results at HVAS1 for month of June were consistent with previous months. The highest PM₁₀ dust levels for June was 5.80 $\mu\text{g}/\text{m}^3$ on 2 June when winds were predominantly from the NE and there was likely contribution from site activities. Water carts apply water to site roads daily and dust suppressant is applied to free areas and unsealed roads. The annual rolling average for PM₁₀ dust at this location is 10.5 $\mu\text{g}/\text{m}^3$ at the end of June 2022, lower than the annual rolling average at the beginning of July 2021 which was 26.0 $\mu\text{g}/\text{m}^3$. External and extreme dust events are recorded in measurements.



PM₁₀ Lead dust results at HVAS1 were low in the month of June compared to previous months. The highest Lead PM₁₀ results for June were 0.02 µg/m³ on 20 and 26 June. The rolling annual average for PM₁₀ Lead in June was 0.04 µg/m³, down from 0.10 µg/m³ in July 2021.



HVAS 2 (EPL12) - Blackwood Pit (On Site) Results for June 2022

DATE	PM ₁₀ (µg/m ³)	PM ₁₀ Lead (µg/m ³)
02-June-22	3.00	0.01
08-June-22	0.40	0.01
14-June-22	2.00	0.05
20-June-22	4.60	0.01
26-June-22	3.00	0.10


HVAS2 (EPL12) is located on the northern boundary of Rasp Mine and while limit criteria do not apply at this point, they do apply at the closest residential location.

PM₁₀ levels at HVAS2 were low in June. The highest recorded PM₁₀ dust reading for June was 4.60 µg/m³ on the 20 June. The annual rolling average for PM₁₀ dust at this location is 11.09 µg/m³ at the end of June 2022, down from 18.99 µg/m³ in July 2021.

The annual rolling average for PM₁₀ dust is determined using data with extreme dust events included.



There were low PM₁₀ lead levels in June despite there being little change in wind activity in the area. The rolling annual average for PM₁₀ Lead in June 2022 was 0.09 µg/m³ down from 0.14 µg/m³ in July 2021.



HVAS 3 (EPL57) - Blackwood Pit (On Site) Results for June 2022


DATE	TSP (µg/m ³)	Lead (µg/m ³)
02-June-22	8.70	0.04
08-June-22	10.60	0.06
14-June-22	9.50	0.33
20-June-22	12.10	0.05
26-June-22	14.30	0.43

HVAS3 (EPL57) was included in EPL 12559 on 14 March 2019 to provide for monitoring of TSP Dust on the northern boundary of the site at Blackwoods Pit TSF2.




TSP levels at HVAS3 were highest on 26 June with results of $14.30 \mu\text{g}/\text{m}^3$. Wind on this day was predominately from the South and SSW suggesting potential lift off from TSF2. The annual rolling average for TSP dust at this location is $32.08 \mu\text{g}/\text{m}^3$ at the end of June 2022, down from of $38.05 \mu\text{g}/\text{m}^3$ in July 2021. A sprinkler system is currently being installed on the TSF.

The annual rolling average for TSP is determined using data with extreme dust events included.



TSP Lead levels were higher in June than previous months, with the highest results of $0.43 \mu\text{g}/\text{m}^3$ being recorded on 26 June when winds were predominantly from the SSW. The rolling annual average for TSP Lead in June was $0.34 \mu\text{g}/\text{m}^3$, up from $0.31 \mu\text{g}/\text{m}^3$ in July 2021. A sprinkler system is currently being installed on the TSF.





1.2 Tapered Element Oscillating Microbalance Sampling (TEOM)

There are two Tapered Element Oscillating Microbalance (TEOM) sampling units used to measure ambient air quality at the Rasp Mine – TEOM1 (EPL13) is located off-site within the perimeter fence of Essential Water south of the mine lease, and TEOM2 (EPL14) is located on-site adjacent to Blackwood Pit to the north of the mine lease. A map indicating these locations can be found on the Rasp Mine web site. TEOM1 and TEOM2 are designed to operate continuously and sample for particulate matter less than 10 microns (PM₁₀) in size.

TEOM2 was temporarily decommissioned in 19 June 2019 due to Embankment 2 TSF2 construction works. The decommissioning is in accordance with dust management strategies agreed with the EPA which includes the operation of a real-time PM10 monitor north of the construction works. Both Project Approval and Environment Protection Licence criteria exclude dust storms and other extraordinary events.

Project Approval 07_0018 criteria apply at TEOM1 and TEOM2, with two criteria listed for PM10, a 24 hour average criteria of 50 ug/m³ and an annual average criteria of 25 ug/m³.

TEOM data is validated by third party consultants using Australian Standards and internal procedures, and is used to populate the table of TEOM monthly data provided below.



TEOM1 (EPL13) (Off Site) and TEOM2 (EPL14) (On Site) Validated Results for June 2022


Particulate Matter <10 Microns 24Hr Average				
Date	TEOM 1 ($\mu\text{g}/\text{m}^3$)	Compliant with 50 $\mu\text{g}/\text{m}^3$ 24hr average?	TEOM 2 ($\mu\text{g}/\text{m}^3$)	Compliant with 50 $\mu\text{g}/\text{m}^3$ 24hr average?
1-Jun-22	11.5	Y	11.0	Y
2-Jun-22	25.1	Y	5.4	Y
3-Jun-22	8.0	Y	4.9	Y
4-Jun-22	5.2	Y	3.1	Y
5-Jun-22	10.9	Y	8.7	Y
6-Jun-22	10.0	Y	6.9	Y
7-Jun-22	7.3	Y	4.3	Y
8-Jun-22	5.5	Y	3.8	Y
9-Jun-22	6.8	Y	3.3	Y
10-Jun-22	6.7	Y	4.6	Y
11-Jun-22	5.8	Y	4.0	Y
12-Jun-22	6.3	Y	5.1	Y
13-Jun-22	7.6	Y	4.4	Y
14-Jun-22	8.0	Y	3.3	Y
15-Jun-22	8.9	Y	6.6	Y
16-Jun-22	6.5	Y	4.3	Y
17-Jun-22	5.1	Y	4.4	Y
18-Jun-22	4.7	Y	1.4	Y
19-Jun-22	5.4	Y	2.5	Y
20-Jun-22	7.4	Y	5.4	Y
21-Jun-22	10.0	Y	8.9	Y
22-Jun-22	10.1	Y	8.8	Y
23-Jun-22	7.2	Y	5.6	Y
24-Jun-22	8.5	Y	6.6	Y
25-Jun-22	6.9	Y	5.5	Y
26-Jun-22	7.3	Y	4.9	Y
27-Jun-22	5.2	Y	6.5	Y
28-Jun-22	7.3	Y	2.8	Y
29-Jun-22	13.4	Y	7.6	Y
30-Jun-22	9.2	Y	6.6	Y

NS – no sample collected. SC – sample collected.



PM₁₀ dust levels at both TEOM units were low in the month of June, with neither site recording a daily average over the limit of 50 $\mu\text{g}/\text{m}^3$. Calibration was performed on TEMO1 on 11 and 12 April 2022 and on TEOM2 12 and 13 April 2022.

The rolling annual average for PM10 at TEOM1 with external dust events removed for the period is 12.94 $\mu\text{g}/\text{m}^3$, down from 13.15 $\mu\text{g}/\text{m}^3$ in July 2021.

The rolling annual average for PM10 at TEOM2 with external dust events removed for the period is 13.23 $\mu\text{g}/\text{m}^3$, up from 12.29 $\mu\text{g}/\text{m}^3$ in July 2021.



The PM₁₀ 24-hour rolling annual average for both TEOM sites remain below the annual average criteria of 25 µg/m³.






1.3 Dust Deposition Sampling

There are seven dust deposition gauges to measure ambient air quality at the Rasp Mine – D1 to D7. D1 and D6 are located off-site, D1 near the St Johns training facility north of the Rasp Mine and D6 in Casuarina Avenue south of the Rasp Mine. D2 to D5 and D7 are located on the mine lease in various locations. A map indicating these locations can be found on the Rasp Mine web site. Dust samples are collected monthly and analysed for total deposited dust and deposited lead dust.

Dust Deposition Gauges D1 (EPL3) to D7 (EPL9) – Results for June 2022

Total Deposited Dust (g/m ² /Month)							
Sample Period	D1 (off site)	D2 (off site)	D3 (on site)	D4 (off site)	D5 (on site)	D6 (off site)	D7 (on site)
June 2022	0.2	0.5	0.6	1.0	1.0	<0.1	0.3
Background (2010)	4.0	3.1	4.3	5.7	- ¹	5.8	- ¹

Note: “1” = background not available, N/A = not applicable as dust deposition unit is located on site, NS = No sample



The dust levels recorded in Dust Gauges in June 2022 were lower than previous months. The highest dust levels were recorded in the D4 Junction Mine and D5 Silver Tank gauge. The predominant wind direction for June was from the NW as shown in the Wind Rose in Section 4, suggesting that the cause of dust was originating from both on-site and off-site sources.

June measurements in Dust Deposition Gauges met the criteria of monthly deposited dust of 4 g/m² /month.




Total Deposited Lead (g/m ² /Month)							
Sample Period	D1 (off Site)	D2 (on site)	D3 (on site)	D4 (on site)	D5 (on site)	D6 (off Site)	D7 (on site)
June 2022	0.00594	<0.000141	0.0281	0.24	0.00801	<0.000141	0.0126
Background (2010)	0.0034	0.005	0.005	0.006	⁻¹	0.004	⁻¹

Note: ⁻¹= background not available, NS = No sample

There are no guidelines for deposited lead dust. Lead results in June 2022 were highest in the D4 Junction Mine gauge. The prominent wind direction for the month of June was from the NW, suggesting that the source of the lead is located off-site, there were also strong winds from the SW and South so there may have been contribution from site activities. Lead levels in the D3 Thompsons Shaft gauge were elevated in June. As the D3 gauge is adjacent to the rail loadout and while the predominant wind direction was from the NW in June, there may have been contribution from rail loadout activities due to strong winds from the SW and South. The haul road and concrete loadout area is regularly swept and watered. A water cart will also attend to the haul road between the concentrate loading shed at the Mill and the rail loadout area when concentrate containers are being transported on site.

Dust suppressant is applied to unsealed areas of the site and roads are frequently watered using water carts in an attempt to control dust emissions. The waste dump adjacent to the rail loadout is treated with dust suppressant to capture any loose dust accumulating on the lower batters and on the upper surface.





1.4 Ventilation Outlets and Bag House Monitoring

There are two locations to measure pollutants from exhausts or stacks; these include the Primary Ventilation Shaft, measuring pollutants from underground firings, and the Baghouse Stack at the crusher measuring dust. Each are located on site; the Primary Ventilation Shaft is located centrally and to the north of the mine lease and the Primary Crusher Baghouse Stack is located within the area of the processing plant to the east of the lease. Shaft 6 (EPL56) was removed as a monitoring location with the variation of EPL12559 in March 2019 as it became an intake rather than an exhaust in April 2018. A map indicating these locations can be found on the Rasp Mine web site. Samples are collected quarterly and analysed for a number of parameters listed in below. Reference to the item required in the Rasp Mine Environment Protection Licence (EPL) is provided below. Emissions monitoring is conducted quarterly.

The following criteria apply:

Primary Ventilation Shaft (EPL1)

	Unit	Criteria
Nitrogen Oxides	mg/m ³	350
Volatile Organic Compounds	mg/m ³	40

Primary Ventilation Shaft (EPL1) and Crusher Baghouse (EPL2)

	Unit	Criteria
Total Suspended particles (TSP)	mg/m ³	20
Type 1 and Type 2 ¹	mg/m ³	1

Note 1: "Type 1 substance" means the elements antimony, arsenic, cadmium, lead or mercury or any compound containing one or more of those elements.

"Type 2 substance" means the elements beryllium, chromium, cobalt, manganese, nickel, selenium, tin or vanadium or any compound containing one or more of those elements.

Primary Vent Shaft (EPL1) and Crusher Baghouse (EPL2) Results for June 2022

Monitoring was conducted at the Primary Vent Shaft (EPL1) and the Crusher Baghouse (EPL2) on 24 May 2022. The monitoring results for the Primary Vent Shaft and the Crusher Baghouse from this monitoring event were below the licence criteria.

2 Noise

2.1 Blasting (Vibration and Overpressure)

There are five compliance vibration monitors at various locations measuring for vibration and overpressure from blast firings. These include V1 to V5 which are located on-site and off-site. A map indicating these locations can be found on the Rasp Mine web site. In addition, there are a number of roving monitors which may be used to monitor vibration and overpressure at particular locations as required. Monitors operate continuously and are automatically triggered to record when a blast occurs. The following conditions apply as listed in the PA 07_0018 and EPL 12559:



Blasting Criteria (Western Mineralisation and Main Lodes excluding Block 7)

Location	Airblast Overpressure (dB(Lin Peak))	Ground Vibration (mm/s)	Allowable Exceedance (for production and development blasts)
Residence on privately owned land (7am-7pm)	115	5	5% of the total number of blasts over a 12-month period ¹
(7am-7pm)	120	10	0%
(7pm-10pm)	105	-	-
(10pm-7am)	95	-	-
Public Infrastructure	-	100	0%

Note 1: Does not apply until completion of Pollution Reduction Program on the EPL at the end of 2018. Applies to EPL criteria in the period for the Annual Return 3 Nov to 2 Nov the following year and to DPE criteria in the reporting period 1 Jul to 30 Jun each year.

Blasting Criteria (Block 7)

Location	Airblast Overpressure (dB(Lin Peak))	Ground Vibration (mm/s)	Allowable Exceedance (for production and development blasts)
Residence on privately owned land (7am-7pm)	115	3 (interim)	5% of the total number of blasts over a 12-month period ¹
(7am-7pm)	120	10	0%
(7pm-10pm)	105	-	-
(10pm-7am)	95	-	-
Broken Hill Bowling Club, Italo (Bocce) Club, Heritage Items within CML7	-	50	0%
Perilya Southern Operations	-	100	0%
Public Infrastructure	-	100	0%

Note 1: Applies to EPL criteria in the period for the Annual Return 3 Nov to 2 Nov the following year and to DPE criteria in the reporting period 1 Jul to 30 Jun each year.

In addition the following conditions also apply:

- Production blasts may occur between 6.45 am and 7.15 pm on any day
- 1 production blast per day, with 6 per week averaged over a calendar year
- 6 development blasts per day, with 42 per week averaged over a calendar year

Blasting Data Summary Results for June 2022

Total Blasts:

- 0 production blasts occurred before 6.45 am or after 7.15 pm
- The number of Production blasts averaged 2.44 per week over the previous calendar year
- The number of Development blasts averaged 24.85 per week over the previous calendar year

Western Mineralisation and Main Lodes (excluding Block 7):

- 0 Blast recorded >5 mm/s
- 0 Blasts recorded >10 mm/s
- 0 development blasts recorded an over pressure level over 95 dBL (10pm to 7am)
- 0 development blasts recorded an over pressure level over 105 dBL (7pm to 10pm)



- 0 Blasts recorded an over pressure level over 115dBL (7am to 7pm)
- 0 Blasts recorded an over pressure level over or 120 dBL at any time
- Percentage of development blasts over 5 mm/sec for the annual period = 0%
- Percentage of production blasts over 5 mm/sec for the annual period = 0.9%

Block 7:

- 0 Blasts recorded >3 mm/s
- 0 Blasts recorded >10 mm/s
- 0 Blasts recorded >50 mm/s at V6
- 0 development blasts recorded an over pressure level over 95 dBL (10pm to 7am)
- 0 development blasts recorded an over pressure level over 105 dBL (7pm to 10pm)
- 0 Blasts recorded an over pressure level over 115 dBL (7am to 7pm)
- 0 Blasts recorded an over pressure level over or 120 dBL at any time
- Percentage of development blasts over 3mm/sec for the annual period = 0%
- Percentage of production blasts over 3mm/sec for the annual period = 0%

The have been no production blasts in the Western Mineralisation and Main Lodes producing vibration at monitors over 5 mm/sec for the 12-month period.

There have been no production blasts in Block 7 over the last 12 months.

There were no exceedances of overpressure as a result of blasting in June 2022.

2.2 Noise

Noise monitoring is undertaken as per the NSW Noise Policy for Industry at a frequency of once per annum. Annual noise monitoring was conducted during two consecutive night-time periods from 3 to 5 May 2021.

The monitoring assessment found that site LAeq, 15min noise contributions satisfied the relevant limits during the measurements at all assessment locations.

3 Water

3.1 Groundwater

There are eighteen sampling locations for groundwater. GW01 (EPL37) to GW16 (EPL52) are piezometers installed at various locations around the mine site and are sampled quarterly. There are also two sampling locations for water pumped from underground mining, Shaft 7 (EPL53) and Kintore Pit (EPL54), which are sampled monthly. A map indicating these locations can be found on the Rasp Mine web site. Groundwater monitoring is scheduled for completion in March, June, September and December. No limits are applied in the EPL to the results from groundwater monitoring.

Groundwater Monitoring Requirements

EPA Identification Number	Frequency	Parameters to be analysed
Shaft 7 EPL53	Monthly	alkalinity (calcium carbonate (CaCO ₃)), cadmium (Cd), calcium (Ca), chloride (Cl), electrical conductivity (EC), iron (Fe), lead Pb), magnesium (Mg), manganese (Mn), pH, sodium (Na), sulphate (SO ₄), total dissolved solids (TDS) and zinc (Zn)
Kintore Pit (U/G dewatering) EPL54	Monthly	
Piezometers EPL37 (GW01) to EPL52 (GW16)	Quarterly	



Shaft 7 (EPL53) and Kintore Pit (EPL54) Results for June 2022

Sample Point	pH	EC (µS/cm ²)	TDS (mg/l)	Alkalinity (CaCO ₃) (mg/l)	SO ₄ (mg/l)	Cl (mg/l)	Ca (mg/l)	Mg (mg/l)	Na (mg/l)	Cd (mg/l)	Pb (mg/l)	Mn (mg/l)	Zn (mg/l)	Fe (mg/l)
Shaft 7 (EPL53)	5.92	15200	17500	14	7630	910	455	395	1780	10.4	5.68	581	1420	<0.05
Kintore Pit (EPL54)	5.50	12900	14800	33	6950	1380	485	305	1390	2.94	2.80	412	1270	<0.05

Groundwater Bores (EPL37 - EPL52) Results for June 2022

Sample Point	pH	EC (µS/cm ²)	TDS (mg/l)	Alkalinity (CaCO ₃) (mg/l)	SO ₄ (mg/l)	Cl (mg/l)	Ca (mg/l)	Mg (mg/l)	Na (mg/l)	Cd (mg/l)	Pb (mg/l)	Mn (mg/l)	Zn (mg/l)	Fe (mg/l)
GW01 (EPL37)	5.13	9220	8440	5	4880	804	285	421	1480	0.159	0.121	237	200	<0.05
GW02 (EPL38)	Bore Dry													
GW03 (EPL39)	5.94	12800	12300	32	5110	2820	601	367	2250	0.624	0.581	410	365	26.4
GW04 (EPL40)	6.33	12800	10600	206	4880	2410	629	531	2390	0.121	0.144	51.8	22.4	0.38
GW05 (EPL41)	5.65	12100	1160	38	5110	2370	606	419	2240	1.50	1.66	273	250	<0.05
GW06 (EPL42)	6.04	13100	11800	61	5390	2490	597	518	2380	1.11	0.054	300	204	<0.05
GW07 (EPL43)	6.04	10900	10300	38	4850	1870	592	356	1970	2.76	0.262	259	255	<0.05
GW08 (EPL44)	5.93	11400	11400	10	5120	1960	613	342	1850	2.66	0.746	324	631	<0.05
GW09 (EPL45)	6.22	10100	8670	134	3920	1990	715	489	1580	0.791	59.3	<0.001	82.7	<0.05
GW10 (EPL46)	6.05	14300	13400	36	5820	2850	629	578	2640	4.64	0.001	200	398	<0.05
GW11 (EPL47)	6.13	4150	3420	34	2020	443	319	119	603	1.34	0.941	21.9	62.6	<0.05
GW12 (EPL48)	Bore Dry													
GW13 (EPL49)	Bore Dry													
GW14 (EPL50)	Bore Dry													
GW15 (EPL51)	Bore Dry													
GW16 (EPL52)	5.83	4650	4640	33	3300	166	525	267	400	0.652	0.002	8.14	149	<0.05



3.2 Surface Water Sample Record

There are seven sampling locations for surface water, these include surface water basins located on the mine lease to capture and retain rainfall and two locations up and down stream of an ephemeral creek located south of the mine lease boundary. A map indicating these locations can be found on the Rasp Mine web site. Based on historical data, sampling is most likely to be undertaken in October (highest rainfall month as recorded by Bureau of Meteorology) and April.

Surface Water Monitoring Requirements

Description	Frequency	Parameters to be Analysed
Federation Way Culvert EPL29/S31-1	2 x per year, six months apart	cadmium (Cd), chloride (Cl), electrical conductivity (EC), lead Pb), manganese (Mn), pH, sodium (Na), sulphate (SO ₄), total dissolved solids (TDS) and zinc (Zn)
Ryan Street Dam EPL31/S49	2 x per year, six months apart	
Adjacent Olive Grove EPL32/S1A	2 x per year, six months apart	
Adjacent Bowls Club EPL33 /S9-B2	2 x per year, six months apart	
Horwood Dam EPL34/S34	2 x per year, six months apart	
Upstream Bonanza St EPL35	2 x per year, six months apart	
Downstream Sydney Rd EPL36	2 x per year, six months apart	

Surface Water Monitoring Results for June 2022

No surface water sampling occurred in June 2022 due to lack of rainfall.




4 Weather Data

The weather station continuously monitors the following parameters as per Point 55 of the Environmental Protection Licence.

The following parameters are required to be recorded each month as listed in the EPL 12559:

Rasp Mine Weather Station (EPL55) Monitoring Requirements

Parameter	Sampling method	Units of measure	Averaging period	Frequency
Temperature at 10 metres	AM-4	degrees Celsius	15 minutes	Continuous
Wind Direction at 10 metres	AM-4	degrees in a clockwise direction from True North	15 minutes	Continuous
Wind Speed at 10 metres	AM-4	metres per second	15 minutes	Continuous
Rainfall	AM-4	millimetres	1 hour	Continuous
Sigma theta	AM-2 & AM-4	degrees	15 minutes	Continuous



The wind rose provided below indicates that the prominent wind direction for the month of June was from the NW.

No data were collected by the weather station on the 18 June and for part of 19 June 2022 because of a loss of power caused during maintenance of the station; this lack of data collection was reported to all relevant regulators.



Weather Data Summary for June 2022

Date	Temperature @ 10m (°C)		Wind Speed @ 10m (km/hr)		Predominant Wind Direction @ 10m		Rainfall (mm)
	Min	Max	Min	Max	Cardinal	Degree	Total
01-Jun-22	6.2	11.4	0.6	22.8	SSW	204	0.00
02-Jun-22	8.2	10.9	1.2	16.3	NE	43	0.00
03-Jun-22	7.7	11.5	4.1	19.9	NW	311	0.00
04-Jun-22	9.1	14.6	5.3	33.9	NW	312	0.00
05-Jun-22	6.3	16.0	5.9	43.3	NW	312	0.20
06-Jun-22	4.7	12.7	4.0	29.1	NW	310	0.00
07-Jun-22	5.2	13.3	5.9	26.4	WSW	245	0.00
08-Jun-22	7.3	10.9	4.7	23.1	SSW	205	0.00
09-Jun-22	7.5	10.1	3.5	22.3	SW	226	0.00
10-Jun-22	7.8	12.7	4.0	21.3	SW	228	0.00
11-Jun-22	7.8	11.7	4.4	23.0	SW	224	0.00
12-Jun-22	5.4	10.7	2.1	26.0	South	181	0.00
13-Jun-22	7.2	12.8	2.1	12.3	SSE	159	0.00
14-Jun-22	5.1	13.7	5.8	30.1	East	91	0.00
15-Jun-22	9.8	17.4	5.3	28.3	WNW	293	0.00
16-Jun-22	9.9	14.0	2.0	24.5	SW	225	0.00
17-Jun-22	11.1	12.4	1.9	10.1	South	182	0.00
18-Jun-22	No samples						
19-Jun-22	No samples				NE	41	
20-Jun-22	11.7	14.3	5.5	19.8	NW	314	0.00
21-Jun-22	11.1	17.9	5.2	35.1	SSW	203	0.00
22-Jun-22	9.2	14.9	2.6	22.0	West	272	0.00
23-Jun-22	9.6	17.0	1.7	15.3	NW	312	0.00
24-Jun-22	11.2	16.9	4.2	26.7	NW	312	0.00
25-Jun-22	9.3	18.2	4.3	30.3	South	180	0.00
26-Jun-22	8.3	16.4	2.2	18.4	SSW	203	0.00
27-Jun-22	7.7	14.8	0.9	17.8	SSE	155	0.00
28-Jun-22	5.1	11.4	5.5	23.2	ENE	69	0.00
29-Jun-22	4.1	12.6	1.8	14.6	NW	313	0.00
30-Jun-22	7.8	12.7	3.2	16.9	South	179	0.00

Rainfall of 0.2mm in June 2022.



5 Data Log

Sample	Result Received
Hi Volume Samples	14-07-2022
TEOM	28-07-2022
Dust Deposition	22-07-2022
Vents & Bag House	19-06-2022
Noise	14-05-2021
Water	29-06-2022
Blast vibration and overpressure	01-07-2022
Weather	07-07-2022
Date posted to web site	17-08-2022

6 Correction Log

No corrections.