THE WATERFRONT IN NAPLES REQUEST FOR REVIEW MODIFICATION APPLICATION

-	
Street Address	:
Day Phone:	Evening Phone:
MODIFICATIO	ON SPECIFICATIONS: Attach additional pages if necessary for explanation
Describe Modific	cation Requested:
Location (be spe	ecific):
Color:	Dimensions:
Material:	
Expected Date of	of Completion:
	REQUIREMENTS CHECKLIST:
•	REQUIREMENTS CHECKLIST: Request for Review (This Form)
	REQUIREMENTS CHECKLIST: Request for Review (This Form) Signed Acknowledgement
SUBMITTAL F	REQUIREMENTS CHECKLIST: Request for Review (This Form) Signed Acknowledgement One copy of plans – must show distance from adjacent unit (if applicable)
SUBMITTAL F	REQUIREMENTS CHECKLIST: Request for Review (This Form) Signed Acknowledgement One copy of plans – must show distance from adjacent unit (if applicable) Samples of product and manufacturer specifications
SUBMITTAL F	REQUIREMENTS CHECKLIST: Request for Review (This Form) Signed Acknowledgement One copy of plans – must show distance from adjacent unit (if applicable) Samples of product and manufacturer specifications Hard Surface Flooring (2 nd Floor units) Installed underlayment materials must meet minimum
SUBMITTAL F	REQUIREMENTS CHECKLIST: Request for Review (This Form) Signed Acknowledgement One copy of plans – must show distance from adjacent unit (if applicable) Samples of product and manufacturer specifications Hard Surface Flooring (2 nd Floor units) Installed underlayment materials must meet minimum Sound Transmission Class of 56 or greater*
SUBMITTAL F	REQUIREMENTS CHECKLIST: Request for Review (This Form) Signed Acknowledgement One copy of plans – must show distance from adjacent unit (if applicable) Samples of product and manufacturer specifications Hard Surface Flooring (2 nd Floor units) Installed underlayment materials must meet minimum Sound Transmission Class of 56 or greater* Suggested products; Acoust CORK CRC950 or Soundguard HD LVT or Proflex MSC 90
SUBMITTAL F	REQUIREMENTS CHECKLIST: Request for Review (This Form) Signed Acknowledgement One copy of plans – must show distance from adjacent unit (if applicable) Samples of product and manufacturer specifications Hard Surface Flooring (2 nd Floor units) Installed underlayment materials must meet minimum Sound Transmission Class of 56 or greater*
SUBMITTAL F	REQUIREMENTS CHECKLIST: Request for Review (This Form) Signed Acknowledgement One copy of plans – must show distance from adjacent unit (if applicable) Samples of product and manufacturer specifications Hard Surface Flooring (2 nd Floor units) Installed underlayment materials must meet minimum Sound Transmission Class of 56 or greater* Suggested products; Acoust CORK CRC950 or Soundguard HD LVT or Proflex MSC 90
SUBMITTAL F	REQUIREMENTS CHECKLIST: Request for Review (This Form) Signed Acknowledgement One copy of plans – must show distance from adjacent unit (if applicable) Samples of product and manufacturer specifications Hard Surface Flooring (2 nd Floor units) Installed underlayment materials must meet minimum Sound Transmission Class of 56 or greater* Suggested products; Acoust CORK CRC950 or Soundguard HD LVT or Proflex MSC 90 *Sound testing performed as to ASTM E90 and E492, test conducted on 8" concrete slab.
SUBMITTAL F	REQUIREMENTS CHECKLIST: Request for Review (This Form) Signed Acknowledgement One copy of plans – must show distance from adjacent unit (if applicable) Samples of product and manufacturer specifications Hard Surface Flooring (2 nd Floor units) Installed underlayment materials must meet minimum Sound Transmission Class of 56 or greater* Suggested products; Acoust CORK CRC950 or Soundguard HD LVT or Proflex MSC 90 *Sound testing performed as to ASTM E90 and E492, test conducted on 8" concrete slab.
SUBMITTAL F	REQUIREMENTS CHECKLIST: Request for Review (This Form) Signed Acknowledgement One copy of plans – must show distance from adjacent unit (if applicable) Samples of product and manufacturer specifications Hard Surface Flooring (2 nd Floor units) Installed underlayment materials must meet minimum Sound Transmission Class of 56 or greater* Suggested products; Acoust CORK CRC950 or Soundguard HD LVT or Proflex MSC 90 *Sound testing performed as to ASTM E90 and E492, test conducted on 8" concrete slab.

MODIFICATION REQUEST ACKNOWLEDGEMENT

Approval is hereby requested to make modifications as described on the attached Request fo Review modification application.

In requesting approval of this construction, I acknowledge full responsibility for the contractor's performance. I understand: (Please initial) That the Board approval does not constitute a representative or warranty of the quality of the work performed and that I am solely responsible for determining that the contractor's performance is satisfactory. That neither the Management Company, Association Board of Directors, Committee or employees in any way endorse contractors or vendors for work within the community. That I should obtain a copy of my contractor's license and an original certificate of insurance. That I will notify the Board of Directors of the construction schedule and project completion date. That I will comply with all State and County building code requirements, attain a license if required for my particular modification and post said license. That if I am installing any hard surface flooring, such as tile, natural stone, hardwood floor, laminate, or ceramic flooring, I will install a underlayment that has a minimum Sound Transmission Class of 56 as measured by ASTM (formerly known as American Society for Testing and Materials) in pamphlet AS 1276-1979. Possible products are Soundquard HD LVT, Proflex MSC 90, or AcoustiCork CRC950. That if I am replacing a garage door, the door will be hurricane rated. I will also consider installing a belt driven, nylon rollers, and a torsion spring in order to have a quieter operating garage door. I, the undersigned unit owner(s), accept the responsibility for any structural or water damage resulting from work done at my unit. Upon resale, the new owner(s) becomes responsible for same as stated in the restrictive covenant. Signature of Owner Signature of Owner

Date:

Date:

IMPORTANT NOTICE

REGARDING HARD SURFACE FLOORING UNDERLAYMENT

Dear Waterfront in Naples Homeowner,

The Waterfront in Naples Board of Directors has done **considerable** research on the various underlayment flooring products on the market. Due to the manner of construction of our condominiums air space between upper floor slab and lower unit ceilings necessitate products that meet a minimum **Sound Transmission Class** of 56 or greater as measured by the **ASTM** (formerly known as American Society for Testing and Materials) in pamphlet AS 1276-1979.

Various products on the market are Soundguard HD LVT, Proflex MSC 90, or AcoustiCORK CRC950. Therefore the Board of Directors requires that you install a product that meets the above requirement of minimum STC 56. In addition, once the underlayment has been installed, an inspection of material installed maybe required.

Please be advised that if a inadequate sound barrier (a product below the STC 56) is installed, you may be required to remove your installed flooring to resolve impact and foot traffic noise problems created as a result of poor sound control.

The manufactures' specifications for all underlay products must be submitted with your Modification Application.

Thank you in advance,

Sincerely,

The Board of Directors, The Waterfront in Naples