



Every book tells a story, and there is a story behind every book. This story begins in 1980, in the conference room of the Laboratory for the Structure of Matter at the Naval Research Laboratory in Washington, DC, where Peter D'Antonio was employed as a diffraction physicist. Knowing Peter's interest in music, a colleague handed him the latest issue of *Physics Today* with a cover photo of Manfred Schroeder seated in an anechoic chamber. The article suggested using number theoretic diffusers in concert halls. While Peter's interest at the time was not in concert halls, he became fascinated with the thought of using these diffusers in a renovation of Underground Sound, a private studio he originally built in 1972 with Jerry Ressler. The acoustic renovation utilized a new concept called Live End Dead End proposed by Don and Carolyn Davis of Synergetic Audio Concepts (Syn-Aud-Con) and implemented successfully by Chips Davis.

At that time, Peter was examining the three-dimensional structure of matter in various phases, using electron and x-ray diffraction techniques. Peter shared the article with John Konnert, a colleague at Naval Research Laboratory, and it became apparent that the 'reflection phase gratings' suggested by Schroeder were in effect two-dimensional sonic crystals, which scatter sound in the same way that three-dimensional crystal lattices scatter electromagnetic waves. Since the diffraction theory employed in x-ray crystallographic studies was applicable to reflection phase gratings, it was straightforward to model and design the diffusers. At this time, Peter's only link to the field of acoustics was a love of composing, recording, and performing music. Having scientific backgrounds, John, and Peter approached acoustics as they did the field of diffraction physics and began researching and publishing findings in the scientific literature. The Audio Engineering Society and Syn-Aud-Con offered a unique forum and community for discussing the research. In October 1983, at the 74th AES Convention in New York, Peter met Bob Todrank following a presentation of Peter and John's first paper on Schroeder diffusers. Bob was designing a new studio for the Oak Ridge Boys in Hendersonville, TN, and was interested in utilizing these new acoustical surfaces. The studio was a resounding success and turned out to be a harbinger of many exciting things to come.

In 1983, Peter and John measured quadratic residue and primitive root diffusers with a TEF 10 analyzer at a Syn-Aud-Con seminar in Dallas, TX, with the assistance of Don Eger of Techron. Here, Peter met Russ Berger, who was a pioneer in the use of new products in his firm's recording studios. In 1984, an intensive measurement program was carried out using Richard Heyser's time delay spectrometry implementation. Farrell Becker was very helpful in the initial evaluation of these exciting new surfaces. Not having access to an anechoic chamber, a boundary measurement technique was developed. These measurements were initially carried out at full scale in large spaces like open fields and parking lots, eventually moving indoors to a sports arena, a motion picture sound stage, and a local high school gymnasium. The measurements enabled the theories to be validated.

The Oak Ridge Boy's Acorn Sound Recorders project was celebrated with a Syn-Aud-Con control room design workshop in 1984. This project led to many others, and collaborations with a growing community of new studio designers were undertaken. Neil Grant was an early staunch proponent of the research and products. Some of his milestone designs include Peter Gabriel's Real World Studios, Box, UK; Reba McEntire's Starstruck Studios, Nashville, TN; Sony Music, New York, NY; and Cinerama Theater, Seattle, WA. In 1989, John Storyk integrated diffusive technology in many of his designs, including Whitney Houston Studio, Mendham, NJ; Electronic Arts, Vancouver, BC; and Jazz at Lincoln Center, New York, highlighting the list. Today much of the recorded music you hear is created in music facilities utilizing RPG technology. These fledgling years established relationships that continue to this day and produced many acoustical landmarks.

Interest in recording facilities naturally spread to broadcast facilities, where diffuser technology is now commonplace. Facilities include BBC, NPR, NBC, CBC, and most of the broadcast networks due to Russ Berger's innovative designs. Being musicians and audiophiles led to significant involvement in residential high-end audio listening rooms, as well as production studios.

In 1989, Peter was introduced to Jack Renner, president of Telarc Records, the company that started the classical high-end recording industry on a digital journey. Jack was recording the Baltimore Symphony Orchestra at the Meyerhoff Symphony Hall and asked if RPG Diffusor Systems, Inc., could assist him. Following initial experimentation, Telarc graciously credited RPG as Telarc's exclusive acoustical system for control room and stage use for the Berlioz *Symphonie Fantastique* in 1990. The somewhat accidental stage use and overwhelming acceptance by musicians and conductor prompted an objective and subjective investigation of stage acoustics and acoustical shells both with small ensembles and with the Baltimore Symphony Orchestra. These chamber group studies were conducted with Tom Knab at the Cleveland Institute of Music, where Peter has been adjunct professor of acoustics since 1990, at the invitation of Jack Renner. In 1989, RPG was privileged to provide a custom number theoretic surface for the rear wall of Carnegie Hall, New York. This installation, along with the new diffusive acoustical shell development, launched RPG's involvement into performing arts applications, which eventually included the Fritz Philips Muziekcentrum, Eindhoven and the Corning Glass Center, Corning, NY.

Many of the acoustical consultants involved in the design of worship spaces began to include the use of diffusers for rear wall applications and acoustical shells. While RPG has collaborated with many acousticians, the relationship with Mike Garrison is noteworthy for the sheer number and size of the successful worship spaces produced using diffusers. The crown jewel of this collaboration is the 9000-seat South East Christian Church in Louisville, KY.

In 1990, RPG funded the DISC Project in an attempt to devise a standard methodology for evaluating diffuser quality. In 1991, Peter proposed a directional diffusion coefficient and the Audio Engineering Society invited him to chair standards committee SC-04-02 to formerly develop an information document describing these procedures.

In 1993, David Quirt, associate editor of the *Journal of the Acoustical Society of America* asked Peter to referee a paper by Trevor Cox entitled 'Optimization of Profiled Diffusers'. (Trevor's research journey had started a few years earlier in 1989 when, under the direction of Raf Orłowski and Yiu Wai Lam, he completed a PhD on Schroeder diffusers

at Salford University, UK.) Trevor's paper outlined a process that combined boundary element modelling and multidimensional optimization techniques to make better diffusers. In Peter's view, this paper represented a creative milestone in diffuser development on par with Schroeder's seminal contribution. Peter and John's review of the paper consumed many months. It required the writing of boundary element codes and developing the first automated goniometer to measure these optimized surfaces. During the summer of 1994, Paul Kovitz helped to complete the measurement software. Trevor's revised paper, accompanied by a refereed paper of Peter and John's review, was published in 1995. Since this was nearly three years after Trevor submitted the paper to *Journal of the Acoustical Society of America*, this must have seemed to be the peer review from hell, especially as the referees' comments were 36 pages long.

Peter finally met Trevor in Amsterdam at an AES SC-04-02 standards committee meeting in 1994 and again in Arup Acoustics' office in London. Their strong mutual interests led to an informal collaboration. In 1995, Trevor became a research consultant to RPG. This relationship started with developing an automated program to optimize loudspeaker and listening positions in a critical listening room and blossomed to generate much of the contents of this book.

Realizing that good acoustical design results from an appropriate combination of absorptive, reflective, and diffusive surfaces, as mentioned in the Introduction, Peter (and later with Trevor) began developing absorption technologies as well, including hybrid absorptive/diffusive (absorptive/diffusive) and diffusive/absorptive (diffusing/absorbing) systems, concrete masonry units, low-frequency absorbing arena seating risers, nestable open-cell foam systems, and dedicated absorptive low-frequency membrane systems.

In 1995, Peter and Trevor became aware of the diffusion research of James Angus on amplitude gratings and modulated phase gratings. James has made significant contributions to the field of diffuser design, and Peter and Trevor both have great respect for his insight and enjoy their collaborations with him. Also, in 1995, Peter and Trevor met Eckard Mommertz and Michael Vorlander at the 15th ICA in Trondheim, Norway. It was at this meeting that Peter and Trevor learned of their work developing a procedure to measure the random incidence scattering coefficient. All have maintained close collaboration to this day, especially as members of the ISO WG 25, chaired by Jens Holger Rindel.

To further the development of the diffusion coefficient, RPG co-funded a three-year grant with the Engineering and Physical Sciences Research Council of the United Kingdom, beginning in 1996. Trevor, Yiu Wai Lam, and Peter were the investigators and Tristan Hargreaves was the doctoral student. This research was very fruitful in that it produced the first three-dimensional measurement goniometer and yielded a robust diffusion coefficient, which has since been published as AES-4id-2001.

This diffusion coefficient has since been used as a metric to develop a range of new diffusing surfaces, including optimized welled diffusers, profile diffusers, one- and two-dimensional curved diffusers, baffled diffusers, genetic binary hybrid surfaces, flat and curved binary amplitude gratings, and fractal and aperiodically modulated surfaces, in effect many of the topics included in this book. These new optimized custom curved surfaces have found application in performance spaces like Kresge Auditorium, Boston, MA, Hummingbird Center, Toronto, Canada; and Edwina Palmer Hall, Hitchin, UK, and also recording facilities like Sony Music's premier mastering room M1, in New York.

Things began falling into place and all of the relevant diffusion research was collected into a special edition of *Applied Acoustics*, entitled ‘Surface Diffusion in Room Acoustics’, guest edited by Yiu Wai Lam and published in June of 2000. Lam also organized a symposium in Liverpool that year. In September of 2001, a special structured session on scattering in room acoustics was organized by Michael Vorlander at the 17th ICA in Rome. Having played a pioneering role in making Schroeder’s theoretical suggestions a practical reality, it was personally very gratifying for Peter to be part of a session dedicated to a topic that started as an intellectual curiosity and has now turned into a diffuser industry and a field of research actively being studied by the leading acousticians of our time.

There have been many significant accomplishments over the past 20 years. We now know how to design, predict, optimize, measure, characterize, and standardize the performance of scattering surfaces. While there is still much to do, there is a general consensus in the architectural acoustics community that a solid theoretical and experimental foundation has been laid, that diffuser performance can now be quantified and standardized, and that diffusers can now be integrated into contemporary architecture, taking their rightful place along with absorbers and reflectors in the acoustical palette. The future holds many exciting possibilities.

It is a good time in the history of diffuser development to tell this story. This book has allowed Peter and Trevor to chronicle developments with sufficient scientific detail and to collect in one volume much of what is known about both diffusers and absorbers. You can contact the authors and tell them about technology and techniques that they may have inadvertently missed in the book. So, stay tuned and ‘Listen to the Music, Not the Room’.

Peter D’Antonio

Trevor Cox