

Screw Cover

SERIES - NSC-4X - Meets NEMA Type 4X **Stainless Steel & Aluminum**



Construction

(Series NSC-4X)

NEMA 4X Construction

- 16, 14, 12 or 10 gauge material per code
- (3) piece construction, formed and welded
- Removable cover, stainless screws
- Flush cover (1)" return bend* (4) sides
- Supplied with approved hardware
- Optional ground studs and panels

Finish

Stainless & Aluminum - standard 2B mill finish or # 4 grained.

Modifications

We will readily provide any details, holes, knock-outs, hubs, or cut-outs per your specifications.

Also special sizes and finishes can be provided from the factory.

Industry Standards


Enclosures conform to UL and CUL standards.

Based on standards set forth by (NEMA) National Electrical Manufacturers' Association.

Screw Cover

SERIES - NSC-4X
Meets NEMA Type 4X

H x W x D



"QTY"	"H"	"W"	"D"	SERIES
				NSC-4X



Directions for ordering:


1. Copy or scan page.
2. Fill in details: QTY, "H", "W" & "D"
3. Fax or email filled out sheet to 781-767-7519 or info@newcommetal.com

**NEW
COM METAL PRODUCTS CORP.**

www.newcommetal.com

JIC Style Hinge Cover

SERIES – NJ4H / NJ4XH - Meets NEMA Type 4 & 4X
Steel, Stainless Steel or Aluminum



Construction

(Series NJ4H, NJ4XH)

NEMA 4 Construction

- 16 or 14 gauge material per code
- (1) piece construction, formed and welded
- Flanged cover & clamps, S/S and plated hardware
- Mounting tabs
- Water resistant gasket

Finish

Steel enclosures are painted ANSI-61 Gray.
Stainless & Aluminum - standard 2B mill finish or # 4 grained.

Modifications

We will readily provide any details, holes, knock-outs, hubs, or cut-outs per your specifications.

Also special sizes and finishes can be provided from the factory.

Industry Standards


Enclosures conform to UL and CUL standards.
Based on standards set forth by (NEMA) National Electrical Manufacturers' Association.

JIC Style Hinge Cover

SERIES - NJ4H - NJ4XH

H x W x D

Meets NEMA Type 4



Directions for ordering:


1. Copy or scan page.
2. Fill in details: "QTY", "H", "W" & "D"
3. Circle PANEL "YES" / "NO"
4. Fax or email filled out sheet to 781-767-7519 or info@newcommetal.com

**NEW
COM METAL PRODUCTS CORP.**

www.newcommetal.com

Single Door Hinge Cover Streamline

SERIES – NHCSL-4 / NHCSL-4X - Meets NEMA Type 4 & 4X
Steel, Stainless Steel or Aluminum



Construction

(Series NHCSL-4, NHCSL-4X)

NEMA 4 Construction

- 16 or 14 gauge material per code
- (1) piece construction, formed and welded
- Flanged cover & clamps, S/S and plated hardware
- Mounting tabs
- Water resistant gasket
- Removable cover quarter-turn latches

Finish

Steel enclosures are painted ANSI-61Gray.
Stainless & Aluminum - standard 2B mill finish or # 4 grained.

Modifications

We will readily provide any details, holes, knock-outs, hubs, or cut-outs per your specifications.
Also special sizes and finishes can be provided from the factory.

Industry Standards

Enclosures conform to UL and CUL standards.
Based on standards set forth by (NEMA) National Electrical Manufacturers' Association.

 **NEW
COM METAL PRODUCTS CORP.**



www.newcommetal.com

Single Door Hinge Cover Streamline

SERIES – NHCSL-4 – NHCSL-4X

H x W x D

Meets NEMA Type 4 & 4X



ENC. HEIGHT "H"	MATERIAL	LOCKS
WHEN "H" IS LESS THAN 16"	16 GA.	1
WHEN "H" IS 16" OR GREATER	14 GA.	2

QTY #	BOX H	BOX W	BOX D	SERIES	PANEL
				NHCSL-4	YES
				NHCSL-4X	NO



Directions for ordering:


1. Copy or scan page.
2. Fill in details: "QTY", "H", "W" & "D"
3. Circle PANEL "YES" / "NO"
4. Fax or email filled out sheet to 781-767-7519 or info@newcommetal.com

**NEW
COM METAL PRODUCTS CORP.**

www.newcommetal.com

Single Door Hinge Cover

SERIES – NHC-4 / NHC-4X Meets NEMA Type 4 & 4X
Steel, Stainless Steel or Aluminum



Construction

(Series NHC-4, NHC-4X)

NEMA 4 Construction

- 14 gauge material per code
- (1) piece construction, formed and welded
- Flanged cover & clamps, stainless hardware
- Mounting tabs
- Water resistant gasket

Finish

Steel enclosures are painted ANSI-61 Gray.
Stainless & Aluminum - standard 2B mill finish or # 4 grained.

Modifications

We will readily provide any details, holes, knock-outs, hubs, or cut-outs per your specifications.

Also special sizes and finishes can be provided from the factory.

Industry Standards



Enclosures conform to UL and CUL standards.
Based on standards set forth by (NEMA) National Electrical Manufacturers' Association.

Single Door Hinge Cover

SERIES - NHC-4 / NHC-4X

H x W x D

Meets NEMA Type 4 & 4X



"QTY"	"H"	"W"	"D"	SERIES	PANEL
				NHC-4	YES
				NHC-4	NO
				NHC-4X	YES
				NHC-4X	NO



Directions for ordering:

1. Copy or scan page.
2. Fill in details: "QTY", "H", "W" & "D"
3. Circle PANEL "YES" / "NO"
4. Fax or email filled out sheet to 781-767-7519 or info@newcommetal.com

**NEW
COM METAL PRODUCTS CORP.**


www.newcommetal.com

Double Door Hinged Wall Mount

SERIES – N4WDD / N4XWDD

Steel, Stainless Steel or Aluminum

Meets NEMA Type 4 & 4X



Construction

(Series N4WDD, N4XWDD)

NEMA 4 Construction

- 12 or 14 gauge material per code
- (1) piece construction, formed and welded
- Flanged cover, S/S clamps with provision for padlock
- Mounting tabs
- Water resistant gasket

Finish

Steel enclosures are painted ANSI-61 Gray.
Stainless & Aluminum - standard 2B mill finish or # 4 grained.

Modifications

We will readily provide any details, holes, knock-outs, hubs, or cut-outs per your specifications.

Also special sizes and finishes can be provided from the factory.

Industry Standards



Enclosures conform to UL and CUL standards.
Based on standards set forth by (NEMA) National Electrical Manufacturers' Association.

Double Door Hinged Wall Mount

SERIES – N4WDD / N4XWDD

H x W x D

Meets NEMA Type 4 & 4X



ENC. DIMENSION	"A"
WHEN "W" IS 16" OR MORE	3"
WHEN "W" IS LESS THAN 16"	1-1/4"

"QTY"	"H"	"W"	"D"	SERIES	PANEL
				N4WDD	YES
				N4WDD	NO
				N4XWDD	YES
				N4XWDD	NO



Directions for ordering:

1. Copy or scan page.
2. Fill in details: "QTY", "H", "W" & "D"
3. Circle "Series" N4WDD / N4XWDD
4. Circle PANEL "YES" / "NO"
5. Fax or email filled out sheet to 781-767-7519 or info@newcommetal.com

**NEW
COM METAL PRODUCTS CORP.**

www.newcommetal.com

Single Door Free Standing

SERIES – N4FS / N4XFS

Meets NEMA Type 4 & 4X

Steel, Stainless Steel or Aluminum



Construction

(Series N4FS, N4XFS)

NEMA 4 Construction

- ☒ 11 One Piece Construction
- ☒ Formed with solid welded seams
- ☒ Flanged Cover & Clamps, plated and SS hardware
- ☒ Lifting Eye Bolts, water resistant gasket

Finish

Steel enclosures are painted ANSI-61 Gray.
Stainless & Aluminum - standard 2B mill finish or # 4 grained.

Modifications

We will readily provide any details, holes, knock-outs, hubs, or cut-outs per your specifications.
Also special sizes and finishes can be provided from the factory.

Industry Standards

Enclosures conform to UL and CUL standards.
Based on standards set forth by (NEMA) National Electrical Manufacturers' Association.




NEW COM 
METAL PRODUCTS

Single Door Free Standing

SERIES – N4FS / N4XFS

H x W x D

Meets NEMA Type 4 & 4X



ENC. HEIGHT "H"	F	G
WHEN H=72-1/16"	38-1/32"	29-1/8"
WHEN H=90-1/16"	47-1/32"	38-1/8"

"QTY"	"H"	"W"	"D"	SERIES	CIRCLE ONE
				N4FS	PANEL
				N4XFS	PANEL
					RACK



Directions for ordering:

1. Copy or scan page.
2. Fill in details: "QTY", "H", "W" & "D"
3. Circle PANEL "Yes" or "No"
4. Email filled out sheet to info@newcommetal.com

NEW COM 
METAL PRODUCTS

Double Door Free Standing

SERIES – N4FDD / N4XFDD

Steel, Stainless Steel or Aluminum

Meets NEMA Type 4 & 4X



Construction

(Series N4FDD, N4XFDD)

NEMA 4 Construction

- 12 gauge or 0.125 aluminum material per code
- (1) piece construction, formed and welded
- Flanged cover & clamps, plated & S/S hardware
- Lifting “Eye” bolts
- Water resistant gasket

Finish

Steel enclosures are painted ANSI-61 Gray.

Stainless & Aluminum - standard 2B mill finish or # 4 grained.

Modifications

We will readily provide any details, holes, knock-outs, hubs, or cut-outs per your specifications.

Also special sizes and finishes can be provided from the factory.

Industry Standards

Enclosures conform to UL and CUL standards.

Based on standards set forth by (NEMA) National Electrical Manufacturers' Association.

 **NEW
COM METAL PRODUCTS CORP.**


www.newcommetal.com

Double Door Free Standing

SERIES - N4FDD / N4XFDD

H x W x D

Meets NEMA Type 4 & 4X



Directions for ordering:

1. Copy or scan page.
2. Fill in details: "QTY", "H", "W" & "D"
3. Circle "Panel" or "Rack"
4. Fax or email filled out sheet to 781-767-7519 or info@newcommetal.com

**NEW
COM METAL PRODUCTS CORP.**

www.newcommetal.com

Double Door Dual Access Free Standing

SERIES – N4FDDDA / N4XFDDDA Meets NEMA Type 4 & 4X
Steel, Stainless Steel or Aluminum



Construction

(Series N4FDDDA, N4XFDDDA)

NEMA 4 Construction

- 12 gauge or 0.125 aluminum material per code
- (1) piece construction, formed and welded
- Flanged cover & clamps, plated & S/S hardware
- Lifting “Eye” bolts
- Water resistant gasket

Finish

Steel enclosures are painted ANSI-61 Gray.
Stainless & Aluminum - standard 2B mill finish or # 4 grained.

Modifications

We will readily provide any details, holes, knock-outs, hubs, or cut-outs per your specifications.

Also special sizes and finishes can be provided from the factory.

Industry Standards

Enclosures conform to UL and CUL standards.
Based on standards set forth by (NEMA) National Electrical Manufacturers' Association.

 **NEW
COM METAL PRODUCTS CORP.**

www.newcommetal.com

Double Door Single Access Floor Stands

SERIES – N4DD / N4XDD
Steel, Stainless Steel or Aluminum

Meets NEMA Type 4 & 4X



Construction

(Series N4DD, N4XDD)

NEMA 4 Construction

- 12 gauge or 0.125 aluminum material per code
- (1) piece construction, formed and welded
- Flanged cover & clamps, stainless hardware
- Mounting Stands
- Lifting “Eye” bolts
- Water resistant gasket

Finish

Steel enclosures are painted ANSI-61 Gray.
Stainless & Aluminum - standard 2B mill finish or # 4 grained.

Modifications

We will readily provide any details, holes, knock-outs, hubs, or cut-outs per your specifications.

Also special sizes and finishes can be provided from the factory.

Industry Standards

Enclosures conform to UL and CUL standards.
Based on standards set forth by (NEMA) National Electrical Manufacturers' Association.

 **NEW
COM METAL PRODUCTS CORP.**



www.newcommetal.com

Double Door Single Access Floor Stands

SERIES – N4DD / N4XDD

H x W x D

Meets NEMA Type 4 & 4X



"QTY"	"H"	"W"	"D"	SERIES	CIRCLE ONE
				N4DD	PANEL
				N4DD	RACK
				N4XDD	PANEL
				N4XDD	RACK

ENC. HEIGHT "H"	F	G
WHEN H=72-1/16"	38-1/32"	29-1/8"
WHEN H=90-1/16"	47-1/32"	38-1/8"



Directions for ordering:

1. Copy or scan page.
2. Fill in details: "QTY", "H", "W" & "D"
3. Circle "N4DD" or "N4XDD"
4. Circle "Panel" or "Rack"
5. Fax or email filled out sheet to 781-767-7519 or info@newcommetal.com

**NEW
COM METAL PRODUCTS CORP.**

www.newcommetal.com