


# JIC Style Hinge Cover

---

**SERIES – NJ12H - Meets NEMA Type 12**  
**Steel, Stainless Steel or Aluminum**



## **Construction**

(Series NJ12H)

NEMA 12 Construction

- 16 or 14 gauge material per code
- (1) piece construction, formed and welded
- Flanged cover & clamps, S/S and plated hardware
- Mounting tabs
- Water resistant gasket

## **Finish**

Steel enclosures are painted ANSI-61 Gray.  
Stainless & Aluminum - standard 2B mill finish or # 4 grained.

## **Modifications**

We will readily provide any details, holes, knock-outs, hubs, or cut-outs per your specifications.  
Also special sizes and finishes can be provided from the factory.

## **Industry Standards**

Enclosures conform to UL and CUL standards.  
Based on standards set forth by (NEMA) National Electrical Manufacturers' Association.

 **NEW  
COM METAL PRODUCTS CORP.**


[www.newcommetal.com](http://www.newcommetal.com)

# JIC Style Hinge Cover

**SERIES - NJ12H**

**H x W x D**

**Meets NEMA Type 12**



## Directions for ordering:

1. Copy or scan page.
2. Fill in details: "QTY", "H", "W" & "D"
3. Circle PANEL "YES" / "NO"
4. Fax or email filled out sheet to 781-767-7519 or [info@newcommetal.com](mailto:info@newcommetal.com)

**NEW  
COM METAL PRODUCTS CORP.**

[www.newcommetal.com](http://www.newcommetal.com)

# Single Door Hinge Cover

**SERIES – NHC-12**  
**Steel**

Meets NEMA Type 12



## Construction

(Series NHC-12)

NEMA 12 Construction

- 14 gauge material per code
- (1) piece construction, formed and welded
- Flanged cover & clamps, plated hardware
- Mounting tabs
- Water resistant gasket
- Padlock Hasp and Staple

## Finish

Steel enclosures are painted ANSI-61 Gray.  
Stainless & Aluminum - standard 2B mill finish or # 4 grained.

## Modifications

We will readily provide any details, holes, knock-outs, hubs, or cut-outs per your specifications.  
Also special sizes and finishes can be provided from the factory.

## Industry Standards

Enclosures conform to UL and CUL standards.  
Based on standards set forth by (NEMA) National Electrical Manufacturers' Association.

 **NEW  
COM METAL PRODUCTS CORP.**



[www.newcommetal.com](http://www.newcommetal.com)

# Single Door Hinge Cover


**SERIES – NHC-12**

**H x W x D**

**Meets NEMA Type 12**



**SECTION Y-Y**



**SECTION X-X**

| "QTY" | "H" | "W" | "D" | SERIES | PANEL |
|-------|-----|-----|-----|--------|-------|
|       |     |     |     | NHC-12 | YES   |
|       |     |     |     |        | NO    |



## Directions for ordering:

1. Copy or scan page.
2. Fill in details: "QTY", "H", "W" & "D"
3. Circle PANEL "YES" / "NO"
4. Fax or email filled out sheet to 781-767-7519 or [info@newcommetal.com](mailto:info@newcommetal.com)

**NEW  
COM METAL PRODUCTS CORP.**

[www.newcommetal.com](http://www.newcommetal.com)

# Single Door Dual Access Free Standing

---

## **SERIES – N12FDA**

**Meets NEMA Type 12**

**Steel, Stainless Steel or Aluminum**



### **Construction**

(Series N12FDA)

NEMA 12 Construction

- 12 gauge or 0.125 aluminum material per code
- (1) piece construction, formed and welded
- Flanged cover with 3-point locking handle
- Lifting “Eye” bolts
- Water resistant gasket

### **Finish**

Steel enclosures are painted ANSI-61 Gray.

Stainless & Aluminum - standard 2B mill finish or # 4 grained.

### **Modifications**

We will readily provide any details, holes, knock-outs, hubs, or cut-outs per your specifications.

Also special sizes and finishes can be provided from the factory.

### **Industry Standards**

Enclosures conform to UL and CUL standards.

Based on standards set forth by (NEMA) National Electrical Manufacturers' Association.


 **NEW  
COM METAL PRODUCTS CORP.**

[www.newcommetal.com](http://www.newcommetal.com)

# Single Door Dual Access Free Standing

**SERIES - N12DA**  
Meets NEMA Type 12

**H x W x D**



| "QTY" | "H" | "W" | "D" | SERIES | CIRCLE ONE    |
|-------|-----|-----|-----|--------|---------------|
|       |     |     |     | N12FDA | PANEL<br>RACK |

| ENC. HEIGHT "H" | F        | G       |
|-----------------|----------|---------|
| WHEN H=72-1/16" | 38-1/32" | 29-1/8" |
| WHEN H=90-1/16" | 47-1/32" | 38-1/8" |



## Directions for ordering:

1. Copy or scan page.
2. Fill in details: "QTY", "H", "W" & "D"
3. Circle "Panel" or "Rack"
4. Fax or email filled out sheet to 781-767-7519 or [info@newcommetal.com](mailto:info@newcommetal.com)

**NEW  
COM METAL PRODUCTS CORP.**

[www.newcommetal.com](http://www.newcommetal.com)

# Double Door Single Access Free Standing

---

## **SERIES – N12FDD**

**Meets NEMA Type 12**

**Steel, Stainless Steel or Aluminum**



### **Construction**

(Series N12FDD)

NEMA 12 Construction

- 12 gauge or 0.125 aluminum material per code
- (1) piece construction, formed and welded
- Flanged cover with 3-point locking handle
- Lifting "Eye" bolts
- Water resistant gasket

### **Finish**

Steel enclosures are painted ANSI-61 Gray.

Stainless & Aluminum - standard 2B mill finish or # 4 grained.

### **Modifications**

We will readily provide any details, holes, knock-outs, hubs, or cut-outs per your specifications.

Also special sizes and finishes can be provided from the factory.

### **Industry Standards**

Enclosures conform to UL and CUL standards.

Based on standards set forth by (NEMA) National Electrical Manufacturers' Association.

 **NEW  
COM METAL PRODUCTS CORP.**


[www.newcommetal.com](http://www.newcommetal.com)

# Double Door Single Access Free Standing

**SERIES – N12FDD**

**H x W x D**

**Meets NEMA Type 12**



## Directions for ordering:

1. Copy or scan page.
2. Fill in details: "QTY", "H", "W" & "D"
3. Circle PANEL "Yes" or "No"
4. Fax or email filled out sheet to 781-767-7519 or [info@newcommetal.com](mailto:info@newcommetal.com)

**NEW  
COM METAL PRODUCTS CORP.**

[www.newcommetal.com](http://www.newcommetal.com)

# Double Door Dual Access Free Standing

---

## **SERIES – N12FDDDA**

Meets NEMA Type 12

Steel, Stainless Steel or Aluminum



### **Construction**

(Series N12FDDDA)

NEMA 12 Construction

- 12 gauge or 0.125 aluminum material per code
- (1) piece construction, formed and welded
- Flanged cover with 3-point locking handle
- Lifting “Eye” bolts
- Water resistant gasket

### **Finish**

Steel enclosures are painted ANSI-61 Gray.

Stainless & Aluminum - standard 2B mill finish or # 4 grained.

### **Modifications**

We will readily provide any details, holes, knock-outs, hubs, or cut-outs per your specifications.

Also special sizes and finishes can be provided from the factory.

### **Industry Standards**

Enclosures conform to UL and CUL standards.

Based on standards set forth by (NEMA) National Electrical Manufacturers' Association.

 **NEW  
COM METAL PRODUCTS CORP.**



[www.newcommetal.com](http://www.newcommetal.com)

# Double Door Dual Access Free Standing

**SERIES – N12FDDDA**

**H x W x D**

**Meets NEMA Type 12**



| "QTY" | "H" | "W" | "D" | SERIES   | CIRCLE ONE    |
|-------|-----|-----|-----|----------|---------------|
|       |     |     |     | N12FDDDA | PANEL<br>RACK |

| ENC. HEIGHT "H" | F        | G       |
|-----------------|----------|---------|
| WHEN H=72-1/16" | 38-1/32" | 29-1/8" |
| WHEN H=90-1/16" | 47-1/32" | 38-1/8" |



## Directions for ordering:

1. Copy or scan page.
2. Fill in details: "QTY", "H", "W" & "D"
3. Circle "Panel" or "Rack"
4. Fax or email filled out sheet to 781-767-7519 or [info@newcommetal.com](mailto:info@newcommetal.com)

**NEW  
COM METAL PRODUCTS CORP.**

[www.newcommetal.com](http://www.newcommetal.com)

# Double Door Single Access Floor Stands

---

## SERIES – N12DD

Meets NEMA Type 12

Steel, Stainless Steel or Aluminum



### Construction

(Series N12DD)

NEMA 12 Construction

- 12 gauge or 0.125 aluminum material per code
- (1) piece construction, formed and welded
- Flanged cover with 3-point locking handle
- Lifting "Eye" bolts
- Mounting Stands
- Water resistant gasket

### Finish

Steel enclosures are painted ANSI-61 Gray.

Stainless & Aluminum - standard 2B mill finish or # 4 grained.

### Modifications

We will readily provide any details, holes, knock-outs, hubs, or cut-outs per your specifications.

Also special sizes and finishes can be provided from the factory.

### Industry Standards

Enclosures conform to UL and CUL standards.

Based on standards set forth by (NEMA) National Electrical Manufacturers' Association.

 **NEW  
COM METAL PRODUCTS CORP.**


[www.newcommetal.com](http://www.newcommetal.com)

# Double Door Single Access Floor Stands

**SERIES - N12DD**

**H x W x D**

**Meets NEMA Type 12**



| "QTY" | "H" | "W" | "D" | SERIES | PANEL |
|-------|-----|-----|-----|--------|-------|
|       |     |     |     | N12DD  | YES   |
|       |     |     |     |        | NO    |

| ENC. HEIGHT "H" | F        | G       |
|-----------------|----------|---------|
| WHEN H=72-1/16" | 38-1/32" | 29-1/8" |
| WHEN H=90-1/16" | 47-1/32" | 38-1/8" |



## Directions for ordering:

1. Copy or scan page.
2. Fill in details: "QTY", "H", "W" & "D"
3. Circle PANEL "Yes" or "No"
4. Fax or email filled out sheet to 781-767-7519 or [info@newcommetal.com](mailto:info@newcommetal.com)

**NEW  
COM METAL PRODUCTS CORP.**

[www.newcommetal.com](http://www.newcommetal.com)