

**WHOLESALE
2024**

**“SELL THEM
WHAT THEY
REALLY WANT”**



www.goldeneagleaudio.com

(334) 598-2224

741 North Daleville Ave, Daleville, Alabama 36322

SUBWOOFERS



High Performance Car Subwoofer
Black Powder finish die-cast Aluminum basket
Non-pressed pulp fiber cone with foam surround
High efficiency 2x95 oz FEA optimized magnet motor
3" - 4 layers high temp voice coil
2 Ohm or 4 Ohm impedance.

- 12" - RMS 1500 Watts / Max 3000 Watts - GE12 - \$110.00 - 40 lbs each**
- 15" - RMS 1500 Watts/Max 3000Watts - GE15 - \$130.00 - 44 lbs each**
- 18" - RMS 1500 Watts / Max 3000 Watts- GE18 - \$200.00 - 56 lbs each**



Die-cast Aluminum basket
Non-pressed pulp and cone with foam surround
High efficiency 2x50 oz FEA optimized Magnet motor
2.5" - 4 layer high-temp voice coil
4 Ohm impedance.

- 10" - RMS 500 Watts/Max 1000 Watts—GEC10 - \$60.00**
- 12" - RMS 500 Watts/Max 1000 Watts - GEC12 - \$70.00**
- 15" - RMS 500 Watts/Max 1000 Watts - GEC15 - \$80.00**



Black glossy finish stamped steel basket
Non-pressed pulp cone with foam surround
High efficiency 2x50 oz FEA Optimized magnet motor
2.5" 4 layer high-temp voice coil
4 Ohm impedance.

- 10" - RMS 500 Watts/Max 1000 Watts - GEY10 - \$60.00**
- 12" - RMS 500 Watts/Max 1000 Watts - GEY12 - \$70.00**
- 15" -RMS 500 Watts/Max 1000 Watts - GEY15 - \$80.00**

Mat Black finish stamped steel basket
Non pressed pulp cone with rubber surround.
High efficiency 20 oz FEA optimized magnet motor
1.5" 4 layer high temp voice coil
4 Ohm impedance.

- 8" - RMS 250 Watts /Max 500 Watts - GES08 - \$50.00 pair**





Shallow Matte Black Finish stamped steel basket
Injection Plastic cone with rubber surround
High efficiency 40 oz FEA optimized magnet motor
2" 4 layer high temp voice coil
4 Ohm impendence.

10" - RMS 350 Watts/Max 700 Watts - GES10 - \$65.00 pair

12" - RMS 350 Watts /Max 700 Watts- GES12 - \$75.00 pair



MIDRANGE SPEAKERS



6.5" MIDRANGE
PAPER CONE WITH CLOTH EDGE
1"VOICE COIL
FREQUENCY RESPONSE:75Hz-20KHZ
SENSITIVITY:93dB
IMPEDANCE: 4 OHMS
RMS POWER: 120 WATTS
MAX POWER:350 WATTS
MAGNET: 15 Oz
Two Speaker Per Box.

6.5" Midrange-GE-MR65- \$30.00 pair

8" MIDRANGE
PAPER CONE WITH CLOTH EDGE
1.25"VOICE COIL
FREQUENCY RESPONSE:70Hz-20KHZ
SENSITIVITY:93dB
IMPEDANCE: 4 OHMS
RMS POWER:200 WATTS
MAX POWER:500 WATTS
MAGNET:22 Oz
Two Speaker Per Box.

8" Midrange - GE-MR80- \$35.00 pair

TWEETERS

5.5oz MAGNET DRIVER
VOICE COIL: 25MM KSV
FREQ: 2K-20K
IMPEDANCE: 4 OHM
MAX POWER: 180 W
SENSITIVITY: 95dB
2 Tweeters in every Box

Super Tweeters - GE - TW22 - \$15.00 pair

Model: TP-005A
Frequency Response: 2K-22KHZ
Power: 40~500W
Sensitivity: 92db
Impedance: 4Ω
Weight: 0.07KG

500 Watt Tweeters - \$1.50 pair





HORNS

Impedance: 4 Ohm 1.35" Voice Coil
 Magnet: 15 Oz(100x15)
 High Compliance Response:1.5KHz-20KHz
 SPL:98 dB@1W/1M
 Outside Diameter(HxWxD):290x112x155mm
 Inside Diameter(HxWxD):245x90x135mm
This Horn is not Water resistant

Horn - GE-HN02 - \$15.00

Amplifier Installation Wiring Kit

0 GA Amp Wiring Kit 2500 Watts

17FT, 0GA Red Frosted Power Cable
 3FT, 0GA Black Frosted Ground Cable
 24FT, 12GA Blue Frosted Speaker Cable
 17FT, 18 GA Blue Remote Cable
 17FT, Blue RCA Cable
 6FT, Split Loom Tube
 1PS, ANL Fuse Holder, 200A

GE0 - 0 ga. - \$25.00



4 GA Amp Wiring Kit 1500 Watts

5M, 4GA Red Mate Power Cable
 1M, 4GA Red Transparent Ground Cable
 5.2M, 16GA Blue Frosted Speaker Cable
 5M,Blue Remote Cable
 1.8M, Split Loom Tube
 1PS, ANL Fuse Holder, 80A

GE4 - 4 ga. - \$15.00



Call to Order

Tel: (334) 598-2224

Tel: (334) 898-1770

www.goldeneagleaudio.com
goldeneagleaudio@gmail.com