

Model	Voltage (v)	Capacity mAh	Thick mm	Width mm	Length mm
351013	3.7	15	3.5	10.5	13.5
251515	3.7	20	2.5	15.5	15.5
360816	3.85	26	3.8	8.5	16.5
231517	3.7	30	2.5	15.5	15.5
400816	3.7	32	4.2	8.5	16.5
451012	3.7	37	4.6	10.5	12.5
351218	3.7	40	3.8	12.5	18.7
361215	3.7	40	3.6	12.5	15.5
411116	3.7	40	4.1	12.0	16.5
541112	3.7	40	5.5	11.5	12.2
601111	3.7	40	6.2	11.5	11.5
501011	3.85	42	5.2	10.5	11.5
281323	3.7	45	3.0	13.5	23.5
401215	3.7	45	4.2	12.5	15.5
420920	3.7	45	4.4	9.5	20.5
431018	3.7	45	4.5	10.5	18.5
471215	3.7	45	4.9	12.5	15.5
581013	3.7	45	6.0	10.5	13.5
401020	3.7	50	4.2	10.5	20.5
501015	3.7	50	5.2	10.5	15.5
501417	3.7	50	5.2	14.5	17.5
651114	3.7	50	6.7	11.5	14.5
601313	3.7	55	6.2	13.5	13.5
350926	3.7	60	3.7	9.5	26.5
401119	3.7	60	4.2	11.5	19.5
501218	3.7	60	5.2	12.5	18.5
331223	3.7	65	3.5	12.5	23.5
561118	3.7	65	5.8	11.5	18.5
331030	3.7	70	3.5	10.5	30.5
401221	3.7	70	4.2	12.5	21.5
361226	3.7	75	3.8	12.5	26.5
400930	3.7	80	4.2	9.5	30.5
501012	3.7	80	5.2	10.5	12.5
501221	3.7	80	5.0	12.2	21.0
601218	3.7	80	6.0	12.5	18.5
501219	3.7	85	5.2	12.5	19.5
581219	3.7	85	6.0	12.5	19.5
661515	3.7	85	6.8	15.5	15.5
401523	3.7	95	4.2	15.5	23.5
541124	3.7	95	5.6	11.5	24.5
451225	3.7	100	4.5	12.8	25.5
551419	3.7	100	5.7	14.5	19.5
601220	3.7	100	6.2	12.5	20.5
511422	3.7	110	5.3	14.5	22.5
352023	3.7	115	3.6	20.5	23.5
551718	3.7	115	5.7	17.5	18.5
401135	3.7	120	4.2	11.5	35.5
401525	3.7	120	4.2	15.5	25.5
401230	3.7	130	4.2	12.5	30.5
Model	Voltage (v)	Capacity mAh	Thick mm	Width mm	Length mm

Model	Voltage (v)	Capacity mAh	Thick mm	Width mm	Length mm
401430	3.7	130	4.2	14.5	30.5
422019	3.7	135	4.4	20.5	19.5
601818	3.7	135	6.2	18.5	18.5
451230	3.7	138	4.7	12.5	30.5
371727	3.7	140	3.7	17.5	27.5
361215H	3.85	144	3.8	12.5	15.5
501232	3.7	145	5.2	12.5	32.5
591817	3.85	150	6.1	18.5	17.5
322033	3.7	160	3.5	20.5	33.5
402025	3.7	160	4.0	20.5	25.5
501428	3.7	160	5.2	14.5	28.5
412025	3.7	175	4.1	20.5	25.5
332328	3.7	180	3.4	23.5	28.5
402030	3.7	180	4.0	20.5	30.5
452132	3.7	180	4.7	21.5	32.5
551430	3.7	180	5.5	14.5	30.5
352328	3.7	190	3.7	23.5	28.5
502023	3.7	200	5.2	20.5	23.5
281928	3.85	210	3.0	19.5	28.5
501730	3.7	220	5.2	17.5	31.0
602021	3.7	220	6.2	20.5	21.5
302248	3.7	230	3.2	22.5	48.5
353024	3.85	230	3.7	30.5	24.5
452626	3.7	230	4.7	26.5	26.5
781626	3.7	235	8.0	16.5	26.5
301928	3.85	240	3.2	19.5	28.5
602025	3.7	240	6.0	20.5	26.0
322231	3.85	250	3.4	22.5	31.5
552030	3.7	250	5.7	20.5	30.5
652020	3.7	250	6.7	20.5	20.5
502023	3.85	250	5.1	20.5	24.0
382530	3.7	260	4.0	25.5	31.0
471736	3.7	260	4.9	17.5	36.5
502030	3.7	260	5.2	20.5	30.5
531537	3.7	260	5.5	15.5	37.5
203446	3.7	270	2.3	34.5	47.0
502028	3.7	270	5.2	20.5	28.5
601629	3.7	270	6.2	16.5	29.5
651340P	3.7	270	6.7	13.5	41.0
402040	3.7	280	4.0	20.5	40.5
801240	3.7	280	8.2	12.5	40.5
582029	3.7	290	6.0	20.5	29.5
422035	3.7	300	4.4	20.5	36.0
442236	3.7	300	4.6	22.5	37.0
501340	3.7	300	5.2	13.5	41.0
602030	3.7	300	6.0	20.5	30.5
701435	3.7	300	7.2	14.4	36.0
303032	3.7	310	3.2	30.8	32.5
422335	3.7	320	4.4	23.5	36.0
Model	Voltage (v)	Capacity mAh	Thick mm	Width mm	Length mm

Model	Voltage (v)	Capacity mAh	Thick mm	Width mm	Length mm
432228	3.85	320	4.5	22.5	28.5
802025	3.7	320	8.0	20.8	25.5
552027	3.85	330	5.7	20.5	27.5
652323	3.7	330	6.7	23.5	23.5
581341	3.85	340	6.0	13.5	42.0
303439	3.7	350	3.2	34.5	40.0
322933	3.85	350	3.4	29.5	33.5
422441	3.7	350	4.4	24.5	42.0
422730	3.7	350	4.4	27.5	30.5
701736	3.7	350	7.2	17.7	36.5
801437	3.7	350	8.2	14.5	37.5
101330	3.7	380	10.2	13.5	30.5
403035	3.7	380	4.2	30.5	35.5
541646	3.7	380	5.6	16.5	47.0
463030	3.7	390	4.8	30.5	30.5
502530	3.7	390	5.2	25.5	30.5
302654	3.7	400	3.2	26.5	55.0
342060	3.7	400	3.4	20.5	60.5
422534	3.7	400	4.2	25.5	34.5
423035	3.7	400	4.2	30.5	35.5
503030	3.7	400	5.0	30.5	30.5
652530	3.7	400	6.5	25.5	30.5
702030	3.7	400	7.0	20.5	30.5
502238	3.7	410	5.0	22.5	38.5
622526	3.85	410	6.2	25.5	26.5
462539	3.7	420	4.6	25.5	39.5
502339	3.7	420	5.0	23.5	39.5
822128	3.7	420	8.2	21.5	28.5
822327	3.7	420	8.2	23.5	27.5
283248	3.7	430	2.8	32.5	48.5
383038	3.7	430	3.8	30.5	38.5
552535	3.7	430	5.5	25.5	35.5
4013104	3.7	450	4.0	13.5	104.5
402060	3.7	450	4.0	20.5	60.5
423235	3.7	450	4.2	32.0	35.0
451575	3.7	450	4.5	15.5	75.5
502248	3.7	450	5.0	22.5	48.5
601265	3.7	450	6.0	12.5	65.5
661935	3.85	450	6.6	19.5	35.5
901832	3.7	450	9.0	18.5	32.5
382745	3.7	450	3.8	27.5	45.5
602535	3.7	450	6.0	25.5	35.5
582535	3.7	470	5.8	25.0	35.0
602330	3.7	480	6.0	23.5	30.5
323450	3.7	500	3.2	34.5	50.5
333448	3.7	500	3.4	34.5	48.5
503035	3.7	500	5.0	30.5	35.5
522540	3.7	500	5.2	25.5	40.5
602535	3.7	500	6.0	25.5	35.5
Model	Voltage (v)	Capacity mAh	Thick mm	Width mm	Length mm

Model	Voltage (v)	Capacity mAh	Thick mm	Width mm	Length mm
682634	3.7	500	6.8	26.5	34.5
701535P	3.7	500	7.0	15.5	35.5
702530	3.7	500	7.0	25.5	30.5
752035	3.7	500	7.5	20.5	35.5
902030	3.7	500	9.0	20.5	30.5
503040P	3.7	520	5.0	30.0	40.0
582730	3.85	520	5.8	27.5	30.5
383840	3.7	530	3.8	38.5	40.5
652530	3.7	530	6.5	25.5	30.5
185467	3.7	540	2.0	54.5	67.5
264046	3.85	550	2.8	40.5	46.5
423038	3.7	550	4.2	30.5	38.5
502934	3.7	550	5.0	29.5	34.5
503040	3.7	550	5.0	30.5	40.5
501447	3.7	560	5.0	14.5	47.5
862326	3.85	560	8.6	23.5	26.5
701566	3.7	580	7.0	15.5	66.5
185471	3.7	600	2.0	54.5	71.5
353450	3.7	600	3.6	34.5	50.5
661471	3.7	600	6.6	14.5	71.5
702044	3.7	600	7.0	20.5	44.5
741362P	3.7	620	7.4	13.0	62.0
101939	3.7	650	10.0	19.5	39.5
102035	3.7	650	10.0	20.5	35.5
102528	3.7	650	10.0	25.5	28.5
423842	3.7	650	4.2	38.5	42.5
752238	3.7	650	7.5	22.5	38.5
902040	3.7	650	9.0	20.5	40.5
982232	3.7	650	9.8	22.5	32.5
305048	3.85	700	3.2	50.5	48.5
403448	3.7	700	4.0	34.5	48.5
453445	3.7	700	4.5	34.5	45.5
503048	3.7	700	5.0	20.5	48.5
513436	3.7	700	5.1	34.5	36.5
622245	3.7	700	6.2	22.5	45.5
702535	3.7	700	7.0	25.5	35.5
782245	3.7	720	7.8	22.5	45.5
603436	3.7	750	6.0	34.0	36.0
852043	3.7	750	8.5	20.5	43.5
861633P	3.85	760	8.6	16.5	33.5
383450	3.85	800	3.8	34.5	50.5
383746	3.85	800	3.8	37.5	46.5
523150	3.7	800	5.2	31.0	50.0
603048	3.7	800	6.0	30.5	48.5
752742	3.7	800	7.5	27.5	42.5
852934	3.7	800	8.5	29.5	34.5
101843	3.7	800	10.0	18.5	43.5
902542	3.7	830	9.0	25.5	42.5
741671	3.7	840	7.4	16.5	71.5
Model	Voltage (v)	Capacity mAh	Thick mm	Width mm	Length mm

Model	Voltage (v)	Capacity mAh	Thick mm	Width mm	Length mm
751671	3.7	840	7.5	16.5	71.5
553640	3.7	850	5.5	36.5	40.5
583450P	3.7	850	5.8	34.5	50.5
603045	3.7	850	6.0	30.5	45.5
334561	3.7	900	3.5	45.5	61.5
503450	3.7	900	5.0	34.5	50.5
553248	3.7	900	5.5	32.5	48.5
583835	3.7	900	5.8	38.0	35.0
423756	3.7	920	4.2	37.5	56.5
383759	3.7	950	3.8	37.0	59.0
803040	3.7	950	8.0	30.5	40.5
Model	Voltage (v)	Capacity mAh	Thick mm	Width mm	Length mm

Please use the above information as a guide only, it is subject to change.

Dimensions are for bare cells only, without additional protection parts.

The above Lithium Ion Polymer (LiPo) prismatic cells can be supplied assembled into single cell or multi-cell packs complete with protection circuit module (PCM). Other models are available.

Please contact us for further details.

