

GAUTENG DEPARTMENT OF EDUCATION PROVINCIAL EXAMINATION JUNE 2017 GRADE 10

MATHEMATICS PAPER 2

TIME: 1 hour

MARKS: 50

5 pages + 1 diagram sheet + 1 answer sheet

MATHEMATICS	1	2
	Grade 10	
Paper 2		

GAUTENG DEPARTMENT OF EDUCATION PROVINCIAL EXAMINATION

MATHEMATICS (Paper 2)

TIME: 1 hour

MARKS: 50


INSTRUCTIONS

- Answer ALL the questions.
- Clearly show ALL calculations, diagrams, graphs etc. that you have used in determining your answers.
- 3. Answers only will not necessarily be awarded full marks.
- An approved scientific calculator (non-programmable and non-graphical) may be used, unless stated otherwise.
- 5. If necessary, answers should be rounded-off to TWO decimal places, unless stated otherwise.
- 6. Diagrams are NOT necessarily drawn to scale.
- 7. Number the answers correctly according to the numbering system used in this question paper.
- An ANSWER SHEET is attached to the end of this question paper. Fill in your name and class in the space provided. Hand this ANSWER SHEET in with your ANSWER BOOK.
- 9. It is in your interest to write legibly and to present your work neatly.
- 10. A diagram sheet is included on page 6 to assist you

MATHEMATICS	1	3
Paper 2	Grade 10	

QUESTION 1

In the diagram below point, P(4;3) is given and $0^{\circ} \le \theta \le 90^{\circ}$. Answer the following questions, without the use of a calculator.



1.1 Calculate the length of OP. (3)

1.2 Calculate the value of

1.2.1
$$\sin \theta$$
. (1)

1.2.2
$$\cos \theta$$
. (1)

1.2.3
$$\sin^2 \theta + \cos^2 \theta$$
. (2)

QUESTION 2

2.1 Use a calculator to find the values of the following, correct to THREE decimal places.

$$2.1.1 \quad 3\sin 138,7^{\circ}$$
 (1)

$$2.1.2 \quad \sec 50^{\circ}$$
 (1)

$$\frac{4 \tan^2 288,2^{\circ}.\cos 164,6^{\circ}}{\sin 199,4^{\circ}} \tag{2}$$

2.2 Determine, without the use of a calculator, the value of.

2.2.1
$$\cos 30^{\circ} + \tan 60^{\circ}$$
. (3)

$$2.2.2 \frac{\sin 45^{\circ}}{\cos 45^{\circ}} - 5 \csc 90^{\circ} + 3 \tan^{2} 30^{\circ}.$$
[12]

P.T.O.

QUESTION 3

Determine the value of θ by using a calculator if $0^{\circ} \le \theta \le 90^{\circ}$.

3.1
$$\tan \theta = 4,96$$

$$3.2 \quad 2\sin(2\theta - 10^{\circ}) = 1$$

QUESTION 4

Given:
$$f(x) = 2 \tan x$$
$$g(x) = \cos x + 1$$

- Draw both sketch graphs on the same set of axes on the ANSWER SHEET provided on the last page, for $x \in [0^\circ; 360^\circ]$. (6)
- 4.2 Use the graphs to answer the following questions.
 - 4.2.1 Write down the amplitude of g.

(1)

4.2.2 Determine the period of f.

(1)


4.2.3 Determine the range of g.

(2) [10]

QUESTION 5

5.1 Name TWO properties of a rhombus.

- (2)
- 5.2 The diagram below shows is parallelogram ABCD. $\hat{A}=x+20^{\circ}$ and $\hat{C}=2x-60^{\circ}$. Determine the value of \hat{C} .
- (2)




[4]

P.T.O.


MATHEMATICS		5
Paper 2	Grade 10	•

QUESTION 6

6.1 Prove that the opposite sides in parallelogram ABCD are equal.



6.2 In the figure below, AECF is a parallelogram and AD//BC.



Prove that:

6.2.1
$$\hat{E}_1 = \hat{F}_2$$
. (3)

TOTAL: 50