

# GAUTENG DEPARTMENT OF EDUCATION PROVINCIAL EXAMINATION JUNE 2018

**GRADE 10** 

## MATHEMATICS PAPER 2

TIME: 1 hour

MARKS: 50

5 pages and 1 answer sheet

2

### GAUTENG DEPARTMENT OF EDUCATION PROVINCIAL EXAMINATION

MATHEMATICS (Paper 2)

TIME: 1 hour

MARKS: 50


#### **INSTRUCTIONS**

- 1 Answer ALL the questions.
- 2 Clearly show ALL calculations, diagrams, graphs, etc. that you have used in determining your answers.
- 3 Answers only will not necessarily be awarded full marks.
- 4 An approved scientific calculator (non-programmable and non-graphical) may be used, unless stated otherwise.
- 5 If necessary, answers should be rounded-off to TWO decimal places, unless stated otherwise.
- 6 Diagrams are NOT necessarily drawn to scale.
- 7 Number your answers according to the numbering system use in this question paper.
- 8 It is in your interest to write legibly and to present your work neatly.

MATHEMATICS		3
(Paper 2)	Grade 10	,

### **QUESTION 1**

1.1 In the diagram below, A(5:12). Use the diagram to answer the following questions.



1.1.1	Determine the value of $r$ .	(2)
1.1.2	Calculate the value of $\sin \theta$ and $\cot \theta$ .	(2)

1.1.3 Prove that  $\sin\theta \cdot \cot\theta \cdot \sec\theta = 1$  (2)

### **QUESTION 2**

2.1 Determine the value of the following expression by using a calculator:

$$\frac{4\sin 120^{\circ}}{\tan 200^{\circ} - \cos 70^{\circ}} \tag{2}$$

- 2.2 Determine the value of  $\theta$  in each of the following equations, correct to ONE decimal place, if  $\theta < 90^{\circ}$ .
  - 2.2.1  $3\cos\theta = 2,1$  (2)
  - 2.2.2  $\sin(\theta + 25^{\circ}) = 0,845$  (2)

(2) [6]

[6]

### **QUESTION 3**

3.1 Without the use of a calculator (show all steps), determine the value of:

$$\cos 0^{\circ} + \sin^2 60^{\circ} + \sqrt{2} \sin 45^{\circ}$$
(4)

3.2 Find the value of x, without the use of a calculator.

$$x \cdot \tan 60^{\circ} = \frac{\cos 50^{\circ} \cdot \cos 30^{\circ} \cdot \sec 50^{\circ}}{\tan 45^{\circ}}$$
(5)


3.3 Given:  $\frac{f(x) = 2 \tan x}{g(x) = \cos x + 1}$ 

3.3.1	Sketch the graphs of $f$ and $g$ on the same set of axes on the ANSWER	
	SHEET on page 6 for $x \in [180^\circ; 180^\circ]$ .	(6)

- 3.3.2 Write down the amplitude of g. (1)
- 3.3.3 What is the period of f? (1)
- 3.3.4 For which values of x is  $g(x) \ge 0$ ? (2)

**QUESTION 4** 

In the diagram below quadrilateral ABCD, AB // CD;  $\hat{A} = 2x$ ;  $\hat{B} = x$  and  $\hat{C} = 120^{\circ}$ .



4.1 Prove that AD // BC.

(4)

[19]


4.2 What type of quadrilateral is ABCD? Give a reason for your answer.

(2) [6]

MATHEMATICS		5
(Paper 2)	Grade 10	-

### **QUESTION 5**

In the diagram below is ABCD, a parallelogram. CR bisects  $\hat{DCE}$  and CR // BD.



Prove that:

5.1	BC = CD	(5)

- 5.2 ABCD is a rhombus. (3)
- 5.3 If it is given that  $BD = 24 \ cm$  and  $AB = 13 \ cm$ , then  $AC = 10 \ cm$ .

(5) [**13**]

**TOTAL:** 50

MATHEMATICS (Paper 2) Grade 10

#### **ANSWER SHEET**

## HAND THIS ANSWER SHEET IN TOGETHER WITH YOUR ANSWER BOOK.

NAME: \_\_\_\_\_

GRADE: 10 \_\_\_\_\_

**QUESTION 3** 

3.3.1

