

City and Industrial Development Corporation of Maharashtra Ltd.

DRAFT DEVELOPMENT PLAN

NAVI MUMBAI AIRPORT INFLUENCE NOTIFIED AREA (NAINA)

REPORT

NOVEMBER 2016

SPECIAL PLANNING AUTHORITY NAVI MUMBAI AIRPORT INFLUENCE NOTIFIED AREA Appointed by Government of Maharashtra under Section 40(1)(b) of MR and TP Act 1966 on 10th January 2013

PREAMBLE

The Government of Maharashtra has decided to develop a site for International Airport at Navi Mumbai. One of the conditions laid down by the Ministry of Environment and Forests (MoEF), Government of India, while granting Environmental Clearance (EC) and Coastal Regulation Zone (CRZ) clearance to the Navi Mumbai International Airport (NMIA) that the Development Plan for Navi Mumbai shall be revised and recast in view of the proposed airport development so as to avoid haphazard development around the airport. City and Industrial Development Corporation of Maharashtra Ltd.(CIDCO) submitted a proposal to the Government vide letter No. CIDCO/PLNG/CP/2012/18 dated 17th January 2012 requesting for its appointment as Special Planning Authority under section 40(I)(b) of the said Act for an area around the proposed International Airport. The Government of Maharashtra, Urban Development Department by its notification No.TPS-1712/475/CR-98/12/UD-12 dated 10th January 2013 notified the Navi Mumbai Airport Influence Notified Area (NAINA) and appointed CIDCO as Special Planning Authority for the notified area under section 40(1)(b) of the Maharashtra Regional and Town Planning Act, 1966. CIDCO acting as Special Planning Authority for NAINA is hereafter referred to as SPA – NAINA.

SPA-NAINA in exercise of powers conferred by Section 40 of Maharashtra Regional and Town Planning Act 1966 and all other powers enabling it in this behalf has prepared and published the Draft Development Plan of NAINA in the said notified area and has prepared Draft Development Plan Report for implementation of the Draft Development Plan.



TABLE OF CONTENTS

CONTENTS

LIST	LIST OF ABBREVIATIONSxiv	
1.	INTRODUCTION	1
1.1	BACKGROUND	1
1.2	NAVI MUMBAI AIRPORT INFLUENCE NOTIFIED AREA (NAINA)	2
1.3	NEED FOR DEVELOPMENT PLAN	3
2.	EXISTING PROFILE	6
2.1	LOCATION	6
2.2	REGIONAL SETTING	7
2.2.1	TOPOGRAPHY	7
2.2.2	SOIL CONDITIONS	7
2.2.3	GEOMORPHOLOGY	8
2.2.4	CLIMATE	8
2.3	DEMOGRAPHIC PROFILE	9
2.3.1	POPULATION AND IT'S GROWTH	9
2.3.2	POPULATION DENSITY	9
2.3.3	SEX RATIO	10
2.3.4	SC & ST POPULATION	10
2.3.5	LITERACY RATE	11
2.3.6	ECONOMIC BASE	11
2.3.7	MAJOR ECONOMIC ACTIVITES	11
2.3.8	OCUPATIONAL STRUCTURE AND WPR	13
2.3.9	EMPLOYMENT PATTERN	13
2.4	EXISTING TRANSPORTATION NETWORK	13
2.4.1	REGIONAL ROAD NETWORK	
2.4.2	REGIONAL AND SUBURBAN RAIL NETWORK	16
2.4.3	REGIONAL CONNECTIVITY UNDER ACTIVE CONSIDERATION	
2.4.4	LOCAL ROAD NETWORK	21
2.4.5	BUS SYSTEM	21
2.4.6	LOCAL SUBURBAN RAILWAY NETWORK	22
2.4.7	OTHER MEANS OF TRANSPORT	22



2.4.8	PARKING FACILITIES	23
2.4.9	SUMMARY	23
2.5	SOCIAL INFRASTRUCTURE	24
2.5.1	EDUCATIONAL FACILITIES	24
2.5.2	HEALTH FACILITIES	25
2.5.3	COMMERCIAL FACILITIES	26
2.5.4	SOCIO-CULTURAL FACILITIES	26
2.5.5	RECREATIONAL FACILITIES	27
2.5.6	SUMMARY	27
2.6	PHYSICAL INFRASTRUCTURE	28
2.6.1	WATER SUPPLY	28
2.6.2	SEWERAGE	28
2.6.3	STORM WATER DRAINAGE	29
2.6.4	SOLID WASTE MANAGEMENT	29
2.7	SOCIO-ECONOMIC SURVEY	30
2.7.1	HOUSING	30
2.7.2	INFRASTRUCTURE	32
2.7.3	ECONOMIC STANDARD	34
2.7.4	CASTE AND RELIGION	39
3.	EXISTING LANDUSE	41
3.1	SURVEY METHODOLOGY	41
3.1.1	DATA COLLECTION	10
	DATA COLLECTION	45
3.1.2	BENCH MARK SURVEY	
3.1.2 3.1.3		43
3.1.3	BENCH MARK SURVEY	43 43
3.1.3 3.1.3.1	BENCH MARK SURVEY	43 43 44
3.1.3 3.1.3.1 3.1.3.2	BENCH MARK SURVEY GCP COLLECTION BASE STATION	43 43 44 44
3.1.3 3.1.3.1 3.1.3.2	BENCH MARK SURVEY GCP COLLECTION BASE STATION ROVER	43 43 44 44 44
3.1.3 3.1.3.1 3.1.3.2 3.1.3.3	BENCH MARK SURVEY GCP COLLECTION BASE STATION ROVER GCP DATA PROCESSING	43 43 44 44 44 44
3.1.3 3.1.3.1 3.1.3.2 3.1.3.3 3.1.4	BENCH MARK SURVEY	43 43 44 44 44 44 44
3.1.3 3.1.3.1 3.1.3.2 3.1.3.3 3.1.4 3.1.5	BENCH MARK SURVEY	43 44 44 44 44 44 44
3.1.3 3.1.3.1 3.1.3.2 3.1.3.3 3.1.4 3.1.5 3.1.6	BENCH MARK SURVEY	43 44 44 44 44 44 45 45
3.1.3 3.1.3.1 3.1.3.2 3.1.3.3 3.1.4 3.1.5 3.1.6 3.1.7	BENCH MARK SURVEY	43 44 44 44 44 45 45 45
3.1.3 3.1.3.1 3.1.3.2 3.1.3.3 3.1.4 3.1.5 3.1.6 3.1.7 3.1.8	BENCH MARK SURVEY	43 44 44 44 44 45 45 45 45
3.1.3 3.1.3.1 3.1.3.2 3.1.3.3 3.1.4 3.1.5 3.1.6 3.1.7 3.1.8 3.1.9	BENCH MARK SURVEY GCP COLLECTION BASE STATION ROVER GCP DATA PROCESSING IMAGE PROCESSING DIGITIZATION AND DATA PROCESSING METHOD OF FIELD SURVEYS CADASTRAL DATA PROCESSING LIDAR DATA PROCESSING QA AND QC PROCESS ADOPTED	43 44 44 44 44 45 45 45 45 46 46 48



3.2.1.1	FORESTS	48
3.2.1.2	WATER BODIES	48
3.2.1.3	HILLS	48
3.2.1.4	MARSHY/SHRUBS AREA	48
3.2.1.5	SALT PANS	48
3.2.2	EXISTING BUILT-UP AREAS (REDEVELOPABLE LAND)	49
3.2.2.1	RESIDENTIAL LAND USE	49
3.2.2.2	COMMERCIAL LAND USE	49
3.2.2.3	INDUSTRIAL AND WAREHOUSING LAND USE	49
3.2.2.4	MIXED LAND USE	50
3.2.2.5	PUBLIC AND SEMI-PUBLIC UTILITIES AND AMENITIES	50
3.2.2.6	TRANSPORTATION LAND USE	50
3.2.2.7	VEGETATED AREAS	50
3.2.2.8	FARM HOUSE	50
3.2.2.9	RECREATIONAL LAND USE	50
3.2.3	LAND AVAILABLE FOR DEVELOPMENT	51
3.2.3.1	AGRICULTURAL LAND USE	51
3.2.3.2	VACANT LANDS	51
3.2.3.3	QUARRY	51
3.3	ECO-SENSITIVE ZONE AROUND KARNALA SANCTUARY	55
3.4	WESTERN GHATS ECO-SENSITIVE ZONE	55
3.5	IDENTIFICATION OF POTENTIAL DEVELOPABLE AREAS	56
4.	VISION AND STRATEGY	
4.1	VISION FOR NAVI MUMBAI AIRPORT INFLUENCE NOTIFIED AREA	58
4.2	STRATEGY	59
4.2.1	PHASING	59
4.2.2	DEVELOPMENT MODEL	60
4.2.3	RAISING FINANCES	61
4.2.4	TRANSPORT	61
4.2.5	ENVIRONMENT SUSTAINABILITY	62
5.	DEMOGRAPHIC PROJECTIONS	
5.1.	POPULATION FORECAST - NAINA	
5.1.1.	METHODOLOGY	
5.1.2.	POPULATION DISTRIBUTION WITHIN DIFFERENT JURISDICTIONS	
5.1.3.	NAINA'S POPULATION FORECAST BY SHIFT AND SHARE METHOD	
5.1.4.	POPULATION ESTIMATION WITHIN NAINA	
5.1.7.		



5.1.5.	DENSITY IN DP AREA	70
6.	REQUIREMENT OF PUBLIC AMENITIES	71
6.1.	PLANNING NORMS	71
6.2.	DISTRIBUTION OF SOCIAL FACILITIES AND PUBLIC AMENITIES	72
6.3.	POPULATION DISTRIBUTION AND ESTIMATION OF RESERVATIONS	74
6.4.	SECTOR WISE ESTIMATION OF RESERVATION	75
6.5.	PROVISION OF FACILITIES IN BALANCE PHASE-I	75
6.5.1.	EDUCATIONAL FACILITIES	76
6.5.2.	HEALTH FACILITIES	77
6.5.3.	SOCIAL AND CULTURAL FACILITIES AND MARKET / DAILY BAZAAR	77
6.5.4.	PUBLIC UTILITIES	78
6.5.5.	PARKS AND PLAY GROUNDS	78
6.5.6.	PROVISION OF INFRASTRUCTURE IN PHASE-II	78
7.	TRANSPORT	79
7.1	APPROACH AND STRATEGY	79
7.2	TRANSIT ORIENTED DEVELOPMENT (TOD)	85
7.3	DETAILED ROAD NETWORK PLAN OF NAINA	86
8.	PROPOSED LAND USE	
8.1	IMPORTANT CONSIDERATIONS	93
8.1.1	ECONOMIC NODES IN AND AROUND DP AREA	93
8.1.2	CONCEPTUAL DEVELOPMENT STRUCTURE	93
8.1.3	INTEGRATION OF EXISTING LAND USE	95
8.2	FLEXIBLE, INTEGRATED AND HOLISTIC LAND USE PLANNING	96
8.3	PROPOSED LAND USE	97
8.3.1	ALLOCATION OF LAND USES	97
9.	PHYSICAL INFRASTRUCTURE	
9.1	GENERAL	103
9.2	WATER SUPPLY	103
9.2.1	ADOPTED NORMS AND STANDARDS	104
9.2.1.1	NORMS FOR DOMESTIC WATER DEMAND	104
9.2.1.2	NORMS FOR EMPLOYMENT POPULATION	105
9.2.1.3	HORTICULTURE WATER DEMAND	105



9.2.1.4	FIRE-FIGHTING DEMAND	105
9.2.1.5	RECYCLING AND REUSE OF WATER	105
9.2.2	GROSS WATER DEMAND	105
9.2.3	AVAILABLE SOURCES OF WATER	107
9.2.4	PROPOSED WATER SUPPLY SYSTEM	107
9.2.5	BLOCK COST ESTIMATE	113
9.3	SEWERAGE COLLECTION, TREATMENT AND RECYCLING SYSTEM	114
9.3.1	ESTIMATION OF SEWAGE GENERATION	114
9.3.2	SEWAGE COLLECTION SYSTEM	116
9.3.3	SEWAGE TREATMENT AND TERTIARY TREATMENT PLANT	117
9.3.4	REUSE OF TERTIARY TREATED WATER	117
9.3.5	BLOCK COST ESTIMATE	118
9.4	RIVERS, STORM WATER DRAINAGE AND FLOOD CONTROL	120
9.5	SOLID WASTE MANAGEMENT	121
9.5.1	COMPOSITION OF WASTE	121
9.5.2	SOURCES AND TYPES OF SOLID WASTE GENERATION	121
9.5.3	ESTIMATION OF SOLID WASTE GENERATION	121
9.5.4	STAGES OF WASTE MANAGEMENT	122
9.5.4.1	WASTE COLLECTION	122
9.5.4.2	SEGREGATION OF WASTE AT SOURCE	123
9.5.4.3	TRANSPORTATION	124
9.5.4.4	TREATMENT AND DISPOSAL	124
9.5.4.5	LAND REQUIRED FOR DISPOSAL SITE	125
9.5.5	BLOCK COST ESTIMATE	126
9.5.6	METHODOLOGY FOR IDENTIFICATION OF LANDFILL SITES	126
9.5.6.1	BIOMEDICAL WASTE	129
9.5.6.2	HAZARDOUS WASTE	129
9.6	POWER SUPPLY REQUIREMENT	130
9.6.1	DEMAND ESTIMATION	130



9.6.2	POWER DISTRIBUTION	.131
9.6.3	BLOCK COST ESTIMATE	.131
10	LAND DEVELOPMENT MODEL – NAINA SCHEME	132
10.1	APPROACHES FOR PLANNED DEVELOPMENT	.132
10.1.1	SUMMARY	.133
10.2	EXISTING REAL ESTATE SCENARIO	.133
10.3	PROPOSED LAND DEVELOPMENT MODEL FOR DEVELOPMENT PLAN	.134
10.3.1	PROVISION OF LOCAL INFRASTRUCTURE	.135
10.3.2	DEVELOPMENT GUIDELINES FOR GROWTH CENTRE LANDS	.135
11.	SALIENT FEATURES OF DEVELOPMENT CONTROL AND PROMOTIO	N
REGU	JLATIONS	136
11.1	OPTIONS FOR DEVELOPMENT	.136
11.1.1	DEVELOPMENT IN GAOTHANS	
11.1.2	URBAN VILLAGES	.136
11.1.3	NAINA-SCHEME	.137
11.1.4	NON-NAINA DEVELOPMENT	.138
11.2	FEES, CHARGES AND PREMIUMS	.138
11.3	TRANSFERABLE DEVELOPMENT RIGHTS	.139
11.4	OTHER SALIENT FEATURES	.139
12.	ENVIRONMENT SUSTAINABILITY AND TOURISM	140
12.1	EXISTING LAND USE	.140
12.2	PROPOSED ZONING	.140
12.3	PROVISIONS OF ENVIRONMENTAL SUSTAINABILITY IN DCPRS	.141
12.4	INFRASTRUCTURE DEVELOPMENT	.141
12.5	TOURISM	.142
12.5.1	ECOTOURISM	.142
12.5.2	ADVENTURE TOURISM	.143
12.5.3	RURAL/FOLK TOURISM	.144
12.5.4	FILM CITY	.144
12.5.5	HEALTH AND WELLNESS	
12.5.6	ECO-PARK	
13.	BLOCK ESTIMATES & FINANCING DEVELOPMENT	146
13.1	INTRODUCTION	.146



13.1.1	COST OF DEVELOPMENT	.146
13.2	REVENUE SOURCES	.147
13.2.1	REVENUE FROM DEVELOPMENT CHARGE	.147
13.2.2	REVENUE FROM OTHER SOURCES	.148
13.2.3	SALE OF LAND IN GROWTH CENTRES	.148
13.2.4	REVENUE FROM SALE OF SOCIAL PLOT	.148
13.2.5	FSI LINKED PREMIUM (FLP)	.148
13.3	IMPLEMENTATION STRATEGY	.148
13.3.1	INFRASTRUCTURE BY CIDCO	.148
13.3.2	INFRASTRUCTURE BY OTHER GOVERNMENT AGENCIES	.148
13.4	DYNAMICS OF REVENUE	.149

List of Annexures

ANNEXURE 1-1 NAINA ENGLISH GAZETTE NOTIFICATION	150
ANNEXURE 1-2 MIDC 9 VILLAGES NOTIFICATION	157
ANNEXURE 1-3 MSRDC SPA NOTIFICATION	208
ANNEXURE 1-4 MSRDC NOTIFICATION REVISED	213
ANNEXURE 1-5: LIST OF VILLAGES IN NAINA DP	217
ANNEXURE 2 -1: TOPOGRAPHY OF NAINA	222
ANNEXURE 2 -2: VILLAGE POPULATION IN NAINA	223
ANNEXURE 2 -3: EXISTING ROAD NETWORK IN NAINA	224
ANNEXURE 2 -4: QUESTIONNAIRE FOR SOCIO-ECONOMIC SURVEY	225
ANNEXURE 3-1: LEGEND FOR EXISTING LAND USE	230
ANNEXURE 6-1: RANGE OF NORMS & STANDARDS, AND ADOPTED STANDARDS	231
ANNEXURE 6-2: VILLAGE WISE RESERVATION LIST	232
ANNEXURE 13-1: BLOCK COST ESTIMATE AND FINANCIAL ANALYSIS	261



List of Tables

TABLE 1-1 : PROCEDURE FOR PREPARATION OF DEVELOPMENT PLAN AS PER MR&TP ACT 1966	4
TABLE 2-1: MAJOR ROAD NETWORK DETAILS IN NAINA (EXCLUDING IDP)	14
TABLE 2-2: EDUCATIONAL FACILITIES AVAILABLE NAINA	24
TABLE 2-3: HEALTH FACILITIES IN NAINA	25
TABLE 2-4: DRINKING WATER SOURCE	28
TABLE 2-5: HOUSING TYPE	30
TABLE 2-6: HOUSE OWNERSHIP	31
TABLE 2-7: TYPE OF HOUSE CONSTRUCTION	31
TABLE 2-8: TALUKAWISE NUMBER OF ROOMS	32
TABLE 2-9: DURATION OF STAY IN HOUSE	32
TABLE 2-10: AVAILABILITY OF TOILET FACILITY	33
TABLE 2-11: WATER SOURCE FOR DOMESTIC CONSUMPTION	33
TABLE 2-12: AVAILABILITY OF ELECTRICITY CONNECTION	34
TABLE 2-13: HOUSEHOLD INCOME	34
TABLE 2-14: EXPENDITURE PATTERN OF HOUSEHOLDS	36
TABLE 2-15: NUMBER OF EARNERS IN HOUSEHOLD	36
TABLE 2-16: PREDOMINANT COOKING FUEL	37
TABLE 2-17: VEHICLE OWNERSHIP	37
TABLE 2-18: AVAILABILITY OF PARKING	38
TABLE 2-19: ASSET OWNERSHIP	39
TABLE 2-20: CASTE IN NAINA	39
TABLE 2-21: RELIGION IN NAINA	40
TABLE 3-1: VERIFICATION OF COORDINATE SYSTEM ADOPTED BY SURVEY AGENCIES	43
TABLE 3-2: EXISTING LAND USE IN DP AREA	52
TABLE 3-3: VILLAGES AND REFERENCE POINTS	56
TABLE 3-4: SUMMARY OF DEVELOPABLE AREA	56
TABLE 5-1: URBAN POPULATION WITHIN MMR AND MAHARASHTRA	64



TABLE 5-2: SHARE AND SHIFT IN URBAN POPULATION OF MMR IN MAHARASHTRA FROM 1971 TO 2011	65
TABLE 5-3: POPULATION PROJECTION (MAHARASHTRA TOTAL) POP IN LACS	66
TABLE 5-4: POPULATION PROJECTION OF NAINA THROUGH SHIFT AND SHARE METHOD	68
TABLE 5-5: POPULATION PROJECTION OF PARTS OF NAINA	70
TABLE 5-6: DENSITY IN DP AREA	70
TABLE 6-1: STANDARDS ADOPTED FOR PROVISION OF PUBLIC FACILITIES IN NAINA	72
TABLE 6-2: GROUP-WISE AMENITIES & UTILITIES SHOWN IN BALANCE PHASE-I OF DP AREA	73
TABLE 6-3: ABBREVIATIONS, COLOR CODING AND DIVISION OF SOCIAL AMENITIES ACROSS CITY/ PERIPHERAL/ SECTOR LEVEL	
TABLE 6-4: STANDARDS CONSIDERED FOR PROVISION OF FACILITIES IN BALANCE PHASE-I	75
TABLE 6-5: ESTIMATED DEMAND AND AREA REQUIREMENT OF EDUCATIONAL FACILITIES, 2034	76
TABLE 6-6: ESTIMATED DEMAND AND AREA REQUIREMENT OF HEALTH FACILITIES, 2034	77
TABLE 6-7: ESTIMATED DEMAND AND AREA REQUIREMENT OF SOCIAL AND CULTURAL FACILITIES AND MARKE DAILY BAZAARS, 2034	
TABLE 6-8: ESTIMATED DEMAND AND AREA REQUIREMENT OF PUBLIC UTILITIES, 2034	78
TABLE 6-9: ESTIMATED DEMAND AND AREA REQUIREMENT OF PARKS AND PLAY GROUNDS, 2034	78
TABLE 7-1: NMT COVERAGE	84
TABLE 7-2: LENGTH OF PROPOSED ROADS WITH ROW IN BALANCE PHASE-I AND PHASE-II OF DP AREA	87
TABLE 7-3: DETAILS OF RESERVATIONS FOR DEPOTS FOR METRO/ BRTS/ BUS AND AREAS IDENTIFIED FOR INTI CITY BUS TERMINALS AND TRUCK TERMINALS	
TABLE 7-4: TYPE OF INTERSECTIONS AND JUNCTIONS PROVIDED	88
TABLE 8-1: AREA STATEMENT FOR PROPOSED LAND USE IN DP AREA	.100
TABLE 9-1: ESTIMATED POPULATION FOR VARIOUS PHASES IN NAINA	.103
TABLE 9-2: NORMS FOR DOMESTIC WATER DEMAND AS PER CPHEEO MANUAL	.104
TABLE 9-3: WATER DEMAND FOR BALANCE PHASE-1	.106
TABLE 9-4: CLUSTER WISE WATER DEMAND FOR PLAN HORIZON YEAR	.106
TABLE 9-5: WATER DEMAND FOR THE PROPOSED PROJECTS	.107
TABLE 9-6: DETAILS ABOUT GRAVITY FEEDER FOR BALANCE PHASE-1 (AROUND IDP & KSC)	.109
TABLE 9-7: ZONAL DEMAND & CAPACITY OF SERVICE RESERVOIRS	.110
TABLE 9-8: DETAILS OF PUMPING MACHINERY	.110



TABLE 9-9: ZONE WISE LENGTH OF DISTRIBUTION PIPE LINE PROPOSED	112
TABLE 9-10: ABSTRACT OF BLOCK COST ESTIMATE WATER SUPPLY INCLUDING COST OF SOURCE DEVELOP	MENT
	113
TABLE 9-11: ZONE WISE CAPACITY OF PROPOSED STPS AND TTPS	114
TABLE 9-12: SIZE OF PIPES IN PROPOSED COLLECTION SYSTEM	117
TABLE 9-13: ABSTRACT OF BLOCK COST ESTIMATE FOR SEWERAGE SYSTEM, TREATMENT & RECYCLING	118
TABLE 9-14: COMPOSITION OF SOLID WASTE	121
TABLE 9-15: PROJECTED QUANTITY OF SOLID WASTE GENERATION	122
TABLE 9-16: NORMS FOR STREET SWEEPING	123
TABLE 9-17: SUMMARY OF LAND REQUIRED FOR DISPOSAL SITE	125
TABLE 9-18: CALCULATION OF LAND REQUIRED FOR COMPOSTING	126
TABLE 9-19: BLOCK COST ESTIMATE FOR SOLID WASTE MANAGEMENT	126
TABLE 9-20: AREA STATEMENT OF PROPOSED LANDFILL SITES	127
TABLE 9-21: ESTIMATION OF BIO-MEDICAL WASTE GENERATION	129
TABLE 9-22: ESTIMATION OF POWER REQUIREMENT	130
TABLE 9-23: BLOCK COST ESTIMATE OF POWER SUPPLY	131
TABLE 11-1: FSI INCENTIVES IN NAINA SCHEME	137
TABLE 13-1: COST OF DEVELOPMENT	147
TABLE 13-2: SUMMARY OF REVENUE AND COST (NET PRESENT VALUE)	149



List of Figures

FIGURE 1-1: LOCATION OF NAINA IN MMR	1
FIGURE 1-2: MIDC AND MSRDC AREA AS PER NOTIFICATIONS	2
FIGURE 1-3: FINAL MSRDC AREA AS PER AMENDED NOTIFICATION	3
FIGURE 2-1: GEOGRAPHICAL LIMITS OF NAINA	6
FIGURE 2-2: REGIONAL LOCATION OF NAINA	7
FIGURE 2-3: POPULATION AND ANNUAL AVERAGE GROWTH RATE OF POPULATION IN NAINA	9
FIGURE 2-4: SEX RATIO	10
FIGURE 2-5 SC AND ST POPULATION	10
FIGURE 2-6: LITERACY RATE IN NAINA	11
FIGURE 2-7: PEOPLE ENGAGED IN AGRICULTURE AND ALLIED ACTIVITIES	11
FIGURE 2-8: SMALL SCALE AND AGRO INDUSTRIES IN PEN TALUKA, NAINA	12
FIGURE 2-9: INDUSTRIES/WAREHOUSING ALONG NH -17	12
FIGURE 2-10: WORKFORCE PARTICIPATION IN NAINA	13
FIGURE 2-11: EXISTING ROAD CONDITION IN NAINA	14
FIGURE 2-12: EXISTING ROAD NETWORK IN NAINA	15
FIGURE 2-13: EXISTING RAILWAY NETWORK WITHIN DP AREA	17
FIGURE 2-14: PROPOSED REGIONAL NETWORK IN NAINA	20
FIGURE 2-15: EXISTING CONDITION OF VILLAGE ROADS IN NAINA	21
FIGURE 2-16: EXISTING CONDITION OF VILLAGE ROADS IN THE INTERIORS	21
FIGURE 2-17: BUS TRANSPORT IN NAINA	22
FIGURE 2-18: OTHER MEANS OF TRANSPORT	22
FIGURE 2-19: PARKING FACILITIES	23
FIGURE 2-20: SCHOOLS IN VILLAGES	24
FIGURE 2-21: HEALTH FACILITIES IN VILLAGES	25
FIGURE 2-22: COMMERCIAL FACILITIES IN VILLAGES	26
FIGURE 2-23: SOCIO-CULTURAL FACILITIES IN VILLAGES	27
FIGURE 2-24: STATUS OF RECREATIONAL FACILITIES	27



FIGURE 2-25: A WOMAN OF BORZE VILLAGE SHOWS HER ELECTROMAGNETIC 'ATW' CARD.	
FIGURE 2-26: UNORGANIZED SOLID WASTE DUMPING	29
FIGURE 3-1: METHODOLOGY OF TOPOGRAPHIC AND EXISTING LAND USE SURVEY FOR NAINA	42
FIGURE 3-2: MAP SHOWING DIGITIZED FEATURES ON SATELLITE IMAGERY	45
FIGURE 3-3: AREA UNDER SURVEY AGENCIES AND GRID STRUCTURE FOR NAINA	47
FIGURE 3-4: EXISTING LAND USE DISTRIBUTION IN DP AREA	53
FIGURE 3-5: EXISTING LAND USE DISTRIBUTION IN DP AREA, 2014-15	54
FIGURE 3-6: REFERENCE POINTS ON OUTER BOUNDARY OF WESTERN GHAT ESZ	55
FIGURE 3-7: LANDS AVAILABLE FOR DEVELOPMENT IN DP AREA	57
FIGURE 4-1: DEVELOPMENT STRATEGY FOR NAINA	59
FIGURE 4-2: PHASING OF NAINA	59
FIGURE 4-3: TRANSPORT ORIENTED DEVELOPMENT IN NAINA	61
FIGURE 4-4: EVOLVING BALANCE BETWEEN NATURE AND SMART URBAN DEVELOPMENT	62
FIGURE 5-1: MAP SHOWING PHASING OF NAINA	69
FIGURE 7-1: REGIONAL CONNECTIVITY IN DP AREA	80
FIGURE 7-2: METRO AND SUBURBAN RAIL NETWORK IN DP AREA	82
FIGURE 7-3: NMT COVERAGE WITHIN DP AREA	
FIGURE 7-4: PROPOSED HIERARCHICAL ROAD NETWORK IN DP	89
FIGURE 7-5: PROPOSED ROAD AND TRANSIT NETWORK IN DP	90
FIGURE 7-6: IDENTIFIED AREAS FOR DEPOTS FOR METRO/ BRTS/ BUS AND AREAS IDENTIFIED FOR INTER	
TERMINALS AND TRUCK TERMINALS	91
FIGURE 7-7: TYPICAL CROSS SECTIONS FOR MAJOR ROADS PROPOSED IN DP	92
FIGURE 8-1: CONCEPTUAL DEVELOPMENT STRUCTURE	94
FIGURE 8-2: PROPOSED LAND USE DISTRIBUTION IN DP	
FIGURE 8-3: PROPOSED LANDUSE IN DEVELOPMENT PLAN AREA	
FIGURE 9-1: MAP SHOWING BALGANGA WS PROJECT WITH AND PROPOSED TAPPING FROM VAHAL MB	R AND
FROM MBR AT HILLOCK NEAR KONDANE	
FIGURE 9-2: PROPOSED NETWORK OF CLEAR WATER RISING MAINS	
FIGURE 9-3: PROPOSED SEWERAGE / INDUSTRIAL EFFLUENT ZONES WITH LOCATION OF ETP /STPS	115



FIGURE 9-4: PUSHCART WITH CONTAINERS	123
FIGURE 9-5: TYPES OF VEHICLES FOR SOLID WASTE TRANSPORTATION	124
FIGURE 9-6: MAP SHOWING ALL MANDATORY BUFFERS FOR IDENTIFYING LAND FILL SITE	128
FIGURE 12-1: KESZ BIRD SANCTUARY	142
FIGURE 12-2: MANGROVES AT DADAR	143
FIGURE 12-3: TREK TO MATHERAN	143
FIGURE 12-4: IDOL MAKING IN PEN AREA	144
FIGURE 12-5: AYURVEDIC VILLAGE AND STUDENTS EXPLORING PLANTS AT SMART ECO-PARK	145



List of Abbreviations

AMC	Ambarnath Municipal Council
AKBSNA	Ambarnath, Kulgaon-Badlapur Surrounding Notified Area
CBD	Central Business District
CIDCO	City and Industrial Development Corporation of Maharashtra Ltd
CR	Central Railway
CRZ	Coastal Regulation Zone
CSIA	Chhatrapati Shivaji International Airport
CTS	Comprehensive Transport Study (known as TransForm)
DCR	Development Control Regulations
DEA	Department of Economic Affairs
DFC	Dedicated Freight Corridor
DMICD C	Delhi Mumbai Industrial Corridor Development Corporation
DMRC	Delhi Metro Rail Corporation
DP	Development Plan
DPR	Detailed Project Report
ELU	Existing Land Use
EIA	Environmental Impact Assessment
ES	Environmental Status
FOB	Foot Over Bridge
FSI	Floor Space Index
FY	Financial Year
GA	Growth Area
GIS	Geographical Information Systems
Gol	Government of India
GoM	Government of Maharashtra
GPS	Global Positioning System
HA	Hectare
JNPT	Jawaharlal Nehru Port Trust
KMCL	Karjat Municipal Council
KDMC	Kalyan Dombivli Municipal Corporation
KHMCL	Khopoli Municipal Council



KNTNA	Khopta New Town Notified Area		
LDZ	Limited Development Zone		
MMC	Multi-Modal Corridor		
MMCL	Matheran Municipal Council		
MCGM	Municipal Corporation of Greater Mumbai		
MIDC	Maharashtra Industrial Development Corporation		
MESZ	Matheran Eco-Sensitive Zone		
MISEZ	Mumbai Integrated Special Economic Zone		
MJP	Maharashtra Jeevan Pradhikaran		
MJPRCL	Mumbai-JNPT Port Road Company Limited		
Mld	Million Litres/day		
MMB	Maharashtra Maritime Board		
MMR	Mumbai Metropolitan Region		
MMRDA	Mumbai Metropolitan Regional Development Authority		
MoEF	Ministry of Environment & Forest		
MPC	Metropolitan Planning Committee		
MR&TP	Maharaahtra Dagianal and Town Diapping Act. 1066		
Act	Maharashtra Regional and Town Planning Act, 1966		
MSEDCo	Maharashtra State Electricity Distribution Company Ltd		
MSRDC	Maharashtra State Road Development Corporation Limited		
MSRTC	Maharashtra State Road Transport Corporation		
MTHL	Mumbai Trans Harbour Link		
MWSSB	Maharashtra Water Supply and Sewerage Board		
MLRC	Maharashtra Land Revenue Code		
MRVC	Mumbai Rail Vikas Corporation		
MTHL	Mumbai Trans Harbor Link		
MUD	Ministry of Urban Development		
MUIP	Mumbai Urban Infrastructure Project		
MUTP	Mumbai Urban Transport Project		
NH	National Highway		
NMIA	Navi Mumbai International Airport		
NMMC	Navi Mumbai Municipal Corporation		
NMSEZ	Navi Mumbai Special Economic Zone		



NAINA	Navi Mumbai Airport Influence Notified Area	
NSDP	Net State Domestic Product	
NSSO	National Sample Survey Organization	
NTDA	New Town Development Authority	
NUTP	National Urban Transport Policy	
O&M	Operations and Maintenance	
OD	Origin Destination	
PLU	Proposed Land Use	
PPP	Public Private Partnership	
PAMCL	Panvel Municipal Council	
PMCL	Pen Municipal Council	
PU	Phase/ Planning Unit	
R&R	Resettlement & Rehabilitation	
RP	Regional Plan	
RTS	Rapid Transit System	
SEZ	Special Economic Zone	
SH	State Highway	
SPA	Special Planning Authority	
TBD	Theme Based Development	
TBR	Theme Based Reservations	
TMC	Thane Municipal Corporation	
TPS	Town Planning Scheme	
TPD	Tonnes per day	
TRB	Transport Board	
UMTA	Unified Metropolitan Transportation Authority	
ULB	Urban Local Body	
WFPR	Work Force Participation Rate	



1. INTRODUCTION

1.1 BACKGROUND

CIDCO is in the process of developing Navi Mumbai since 1970 as a counter-magnet to Mumbai. The existing airport at Mumbai, is fast reaching saturation and scope for further enhancement appeared very limited in terms of passenger and cargo handling facilities, aircraft maintenance and city side facilities. The air travel demand forecast indicated that demand will grow from 30 million passengers per annum in the year 2012-13 to over 100 million passengers per annum by the year 2030-31.

It was therefore imperative to build a second Airport in MMR. To meet the growing demands of air travel, following the policy of Greenfield airports, CIDCO initiated studies for locating the airport within Navi Mumbai and selected a location close to the mouth of Panvel Creek. The apprehension about the possibility of haphazard development around proposed airport, if sufficient care is not taken led to the declaration of area



Figure 1-1: Location of NAINA in MMR

around proposed airport as NAINA. Refer Figure 1-1: Location of NAINA in MMR for the location of proposed airport and NAINA in MMR



1.2 NAVI MUMBAI AIRPORT INFLUENCE NOTIFIED AREA (NAINA)

CIDCO successfully sought approvals for the proposed International Airport in Navi Mumbai from Government of Maharashtra, Ministry of Civil Aviation and Ministry of Environment, Forest & Climate Change (MoEFCC), Government of India. While granting the Environmental and Coastal Regulations Zone (CRZ) clearances to the proposed Greenfield airport on 22nd November, 2010, Ministry of Environment, Forest & Climate Change (MoEFCC), Government of India, expressed concern about unplanned and haphazard development within 20 km of the Airport. In pursuance of these concerns, Government of Maharashtra identified the area around the proposed airport that was not under any urban governance mechanism (i.e. urban local body (ULB)/ special planning authority/ new town development authority etc.) and notified it as "Navi Mumbai Airport Influence Notified Area (NAINA)" and appointed CIDCO as the Special Planning Authority (SPA) under Section 40(1) (b) of MR&TP Act, 1966 by Govt. Notification No. TPS-1712/475/CR-98/12/UD-12 dated 10th January, 2013. In this notification NAINA comprised total 270 revenue villages from Uran, Panvel, Karjat, Khalapur, and Pen Talukas of Raigad district and Thane Taluka of Thane district of Maharashtra. As per this notification NAINA is approximately 55792 Ha (558 km²). For details of notification refer Annexure 1-1. Subsequently due to Notification of Matheran Eco-sensitive zone, by Ministry of Environment and Forests dated 4th February 2003, two villages (Karambali Tarf Taloje and Sangatoli) which were part of NAINA were stood to be part of MESZ. Therefore the total numbers of villages in NAINA reduced to 268. Further, by Government of Maharashtra corrigendum notification dated 14th July 2015, Rode village was deleted and Nevali village was added in NAINA.

The process of preparation of Development Plan for NAINA was under progress and Existing Land Use map was prepared and submitted to Government of Maharashtra in November 2015. Meanwhile, Government of Maharashtra, vide its notification No. IDC. 2007/(718)/IND-14 dated 22^{nd} September 2015, appointed MIDC (Maharashtra Industrial Development Corporation) as the Special Planning Authority (SPA) for eight villages in Khalapur Taluka. As per the said notification, three villages (namely Wangni, Kelavali and Kandroli Tarf Boreti) are fully under MIDC jurisdiction whereas five villages are partly in MIDC and NAINA. The fact that notification mentioned name of villages with series of survey numbers, it is assumed that the Gaothans engulfed within the list of survey numbers also fall under MIDC jurisdiction. Refer Figure 1-2: MIDC and MSRDC area as per Notifications




Figure 1-2: MIDC and MSRDC area as per Notifications

Later, Government of Maharashtra vide Notification no. TPS-1815/UOR/78/15/UD-13 dated 17th February 2016, appointed MSRDC as SPA for 84 villages (67 villages from Khalapur Tahsil and 17 villages from Panvel Tahsil). As per the notification MSRDC was SPA for the area between Mumbai-



Pune Expressway & Mumbai-Pune old Highway (NH4), and for the land within the two km south-west from Mumbai-Pune Expressway (excluding the area of Pune district and IDP in NAINA). The copy of MIDC and MSRDC notifications are given as **Annexure 1-2** and **Annexure 1-3** respectively. Refer Figure 1-2: MIDC and MSRDC area as per Notifications

Due to above mentioned notification, the 11 villages of NAINA which had signed MOU in 'Make in India' week on 17th February 2016, were separated from NAINA and became part of MSRDC area. Due to initiatives and steps already taken for development of Khalapur Smart City (KSC), on request of CIDCO, Government of Maharashtra decided to remove these 11 villages from MSRDC jurisdiction, and issued amended Notification No. TPS-1815/UOR/78/15/UD-13 on 18th March 2016. The revised list comprised of 71 villages. Out of theses 71 Villages, 41 villages are from NAINA. For notification refer Annexure 1-4. Refer Figure 1-3: Final MSRDC area as per amended Notification.

After considering the areas excluded for MSRDC, MIDC and MESZ, NAINA now comprises of 224 villages with an area of 47409.3 Ha (474 km²); the final list of 224 villages is given in **Annexure 1-5**.



Figure 1-3: Final MSRDC area as per amended Notification

1.3 NEED FOR DEVELOPMENT PLAN

Development Plan indicates the manner in which the use of land shall be regulated, and also indicate the manner in which the development of land shall be carried out. It defines the use of land in term of activities such as residential, commercial, industrial, agricultural, recreational, public utilities, physical and social infrastructure.

For SPA, it is mandatory to prepare Development Plan (DP) within 3 years from the date of its appointment under Section 21 of MR&TP Act, 1966. Given the extensive area of NAINA and the content and procedure of preparing Development Plan as laid down in the MR&TP Act, 1966 the preparation of full-fledged Development Plan requires considerable time.

In addition to above, CIDCO considered the following factors:

Existing Land Use: Preparing an existing landuse survey is the first mandatory step in formulating a Development Plan. Due to vast area considerable time is required to prepare Existing Land Use (ELU) map.

Testing of Innovative Land Development Model: An innovative concept that promotes voluntary land assembly, contributes land for public purposes, finances infrastructure development, has been developed by CIDCO for NAINA. However, this concept needs to be tested quickly in the real world, with regard to its applicability and acceptability by the landowners and developers in NAINA.



Development Pressure: At present in NAINA, development is guided by provisions of development control regulations of the MMR Regional Plan (RP), which permits limited development around Gaothans. However, due to its proximity to Panvel town, emerging major railway station and the proximity to proposed airport, area around Panvel is experiencing relatively accentuated activity. To manage such development pressures, provisions of MMR RP are not adequate and legal provisions by way of Development Plan (DP) and Development Control and Promotion Regulations (DCPR) are considered to be necessary.

Preparation of Interim Development Plan (IDP): Based on the above considerations, CIDCO decided to prepare an Interim Development Plan (IDP) on priority for an area under pressure of development as per the provisions of section 32 read with section 26 of the MR&TP Act, 1966.

Meanwhile Existing Land Use (ELU) survey was continued for the balance area. ELU was prepared and submitted to Government of Maharashtra in November 2015. Now the DP is prepared and the same is ready for inviting objection and suggestion and then it will be submitted to Government of Maharashtra for approval.

Accordingly, IDP was prepared for 23 villages of NAINA, as per all the procedure as laid down in MRTP Act and submitted to Government for sanction in September, 2015.

Now the DP is prepared for the remaining 201 villages following the procedure laid down in the MRTP Act. The objection and suggestion are invited on the same, after conducting the hearing by Planning Committee and incorporating the report of Planning Committee, the Development Plan will be submitted to Government of Maharashtra for approval.

The detailed timeline of Development Plan as per MRTP Act, 1966 is given in Table 1-1 : Procedure for preparation of Development Plan as per MR&TP Act 1966

SN	MRTP Act	Description	Date
	Clause No		As per Act
1.	40 (1) (b)	Appointment of SPA for Notified Area	DOA
2.	21 (2)	Within 3 years from the date of appointment of SPA.	DOA + 3Y
3.		Declaration of Intention for preparation of Development Plan	
4.		Preparation of Development Plan	
5.		Submission of DP to Government for sanction	
6.	21 (3)	If required, seek Time Extension from Government	Extension Possible - NO LIMIT
7.	23 (1)	Date of Declaration of Intention for preparation of DP	DOI
8.		By board resolution	
9.		 Before carrying out survey Send copy of resolution with DP boundary to State Govt. 	
11.		Publish in Official Gazette and In Local newspaper (one or more)	
13.		Invite suggestion/ objection from public minimum for 60 days	DOI + 2 M
14.	23 (2)	Copy of Plan to be made available for public inspection	DOI
15.	24	Appointment of TPO,	DOI
16.		 Resolve to appoint TPO by Board Resolution along with declaration of intention for preparation of DP 	
17.		Appoint TPO with prior approval of Government	

Table 1-1 : Procedure for preparation of Development Plan as per MR&TP Act 1966



SN MRTP Act		Description	Date
	Clause No		As per Act
18.	25	Carry out survey and Prepare Existing Land Use (ELU)	DOI +6 M
19.		Within six months from the date of declaration of intention	6M
20.		If required, extension upto 12 months from Govt.	DOI+6M+1Y
21.	26 (1)	Prepare & Publish Draft DP	DOP
22.		DP to be prepared within 2 yrs from declaration of Intention u/s 23(1)	DOI + 2 Y
23.		Subject to provisions of Section 21 and	
24.		• Publish a notice in official gazette stating where plan would be available for inspection	
25.		Make plan available for inspection by public	
26.		Copy of plan, Report extracts and DCR to be available on sale	
27.		Invite suggestion/ objection from public minimum for 30 days	DOP + 1 M
28.		If required, extension be taken from Government (6 M maximum)	DOI+2Y+6 M
29.	26 (2)	Publication of Draft Development Plan Notice with following:	
30.		Copies available on sale	
31.		Report on ELU and the Survey	
32.		Maps, charts and Report explaining the provisions of DP	
33.		Map showing Planning Unit/sector unalterable till revision of DP	
34.		Report on stages of Development	
35.		Approximate cost of land acquisition and cost of Works.	
36.	28(1)	Consideration of suggestion objection received by SPA within time DOP +	
37.		Receiving of Suggestion/ Objection	DOP + 1 M
38.	28(2)	SPA to constitute Planning Committee (PC)	
39.		SPA to Forward Suggestion/ Objection to PC	
40.	28(3)	PC to give hearing & prepare Report and submit to SPA within 2 M	
41.		• SPA to incorporate PC Report within 2 M from date of its receipt	
42.		SPA to Publish Modified Draft DP and Submit to Govt. for approval DOP + 6 M	
43.	30(1)	Submission of Draft DP to Govt for approval within 6 M from DOP	DOP + 6 M
44.			DOP+6M+ 6M
	DOA - Date of Appointment of SPA		
	DOI – Date of Declaration of Intention for preparation of Development Plan U/S 23(1)		
DOP - Date of publication of Draft Development Plan U/S 26 (1)			
NS - N	lot Specified		
6 M	implies	183 days	



2. EXISTING PROFILE

The chapter presents the existing profile of the project area. It describes its location, regional context and provides details of physiography such as topography, soil conditions, climate, geomorphology and current demographic characteristics. The chapter presents availability of social infrastructure such as education, health, socio-cultural facilities in NAINA etc. Besides, status of existing physical infrastructure has been assessed such as water supply, sewerage, storm water drainage, solid waste management etc. An overview of the key economic activities is also given. The chapter also presents the summary on the socio-economic profile.

Furthermore, existing connectivity of NAINA with MMR has also been presented. Navi Mumbai is one of the vibrant sub-regions in MMR in terms of population and employment growth. MMRDA,

CIDCO, MSRDC, etc. have planned number of transportation projects to provide the regional connectivity to Navi Mumbai which is between NAINA and Mumbai. Some of the major projects planned through various past studies which are relevant for the area are also discussed.

2.1 LOCATION

As mentioned in Chapter-1, NAINA comprises 224 villages and admeasures 474 Km². In terms of geographical location, NAINA stretches from 72°58' East to 73°20' East (longitude) and 18°41' North to 19°09' North (latitude). The villages are from Thane Taluka of Thane district and Karjat, Khalapur, Panvel, Pen, and Uran Talukas of Raigad district. Location of NAINA is shown in **Figure 2-1: Geographical Limits of NAINA**






Figure 2-1: Geographical Limits of NAINA



2.2 REGIONAL SETTING

NAINA shares its boundary with Thane Municipal Corporation (TMC) and Ambernath Kulgaon Badlapur Special Notified Area (AKBSNA) in north, Matheran Ecosensitive Zone on east, Khopoli and Kajat Municipal Council, area under MSRDC as SPA, Pen Municipal Council on south and Dharmtar creek, Khopta New Town, Navi Mumbai (CIDCO) and Navi Mumbai Municipal Corporation on west. In terms of geography, NAINA extends from Goteghar, Nitalas, Wangani Tarf Taloje and Maldunge villages in the North to Shirki Chawl, Wave, and Dhawate in the south west side and Shengaon. Mahad and Nimbode to the south-east. The eastwest spread is about 30 km from Dighode to Varne. The region is a mix of flat and hilly areas with Kalundre, Kirki, Gadhi, Kalun, and Patal Ganga rivers passing through and other





natural water bodies existing within the project area. Refer Figure 2-2: Regional location of NAINA

2.2.1 TOPOGRAPHY

NAINA is situated on Western Ghats, a mountain range that runs parallel to the western coast of the Indian peninsula. The location therefore offers number of hills and undulating geography within the project area. The prominent ones are - along Nitalas and Chorambhe; south of Pale Budruk, Valap, Hedutane and Kanpoli; around Chirvat, Chinchavan, Mosare and Patnoli; Karnala fort and hill, Shirdhon and Akulwadi to the west of Project area; around Talegaon and all along eastern side of NAINA along Matheran Eco-Sensitive Zone. In the south east part hills are along Palasdhari, Talavali in Karjat Taluka and Kalote Mokashi, Vavandhal, Vinegaon, Gohdivali etc in Khalapur Taluka. The highest elevation in NAINA is in Palasdhari Village in the southeast part which is around 480 m above MSL. Refer **Annexure 2-1 for Topography of NAINA**

2.2.2 SOIL CONDITIONS

Soils in DP area are formed from the Deccan trap. Depending on the topographical location, various types of soils are grouped as khar or salt, coastal alluvial and lateritic soils. The soil quality here is favourable for the yield of valuable forest products such as teak-wood, Hirda (Myrobalan), Beheda, etc. However, these soils are heavily eroded due to grazing and cutting of the forest trees.

Major part of NAINA is covered by the rice fields, which are loamy in texture; yellowish or reddish-grey in colour, neutral in reaction and almost devoid of lime. They are formed from the



trap rock from Sahayadri ranges under heavy rainfall and humid climatic conditions. The sub-soil water level is around 3 to 5 m deep. The salt contents of the well water are high due to the proximity of the sea; but due to excellent drainage, its use has not produced any deleterious effects.

2.2.3 GEOMORPHOLOGY

Raigad region has predominantly dark volcanic lava flows and laterites. These are spread out in the form of horizontal sheets or beds and constitute the innumerable spurs, hills and hill ranges; bold, flat topped ridges; lofty peaks and plateaus with impressive cliffs. These hill ranges and plateaus form a part of the Western Ghats. In the plains and valleys the lava flows occur below a thin blanket of soil of variable thickness. Because of their dominantly basaltic composition and the tendency to form flat-topped plateau, the lava are termed plateau basalts. Since these basaltic lava flows cover an extensive region in the Deccan and frequently present step-like appearance to the hills and ridges they are commonly termed as "Deccan traps". The traps attain a thickness of nearly 750 to 850 m around Matheran and Raigad plateaus, respectively. In Thane Taluka as well Basalt flows, result in the predominant formation. It is capped by laterite on a few high plateaus.

2.2.4 CLIMATE

The general climatic regime is fairly equitable since seasonal fluctuations of temperature are not significantly large. The moderating effects of the nearby sea and fairly high amount of relative humidity in the atmosphere have restricted the variability. According to Department of Agriculture, Government of Maharashtra, the state is divided into 9 agro-climatic zones. Thane and Raigad Districts form part of the North Konkan agro-climatic zone with following climatic conditions:

Temperature: Average daily temperature varies from 22° C to 30° C. Minimum temperature varies from 17° C to 27° C. Humidity is 98% in rainy season and 60% in winter.

Rainfall: Majority of the rainfall in the region is from the South–West monsoon between June and September. The average annual rainfall is 2607 mm. Maximum rainfall is received in the month of July.




2.3 DEMOGRAPHIC PROFILE

The demographic profile covers both quantitative and qualitative aspects of human population. Quantitative aspects include composition, density, growth, and qualitative aspects include sociological factors such as education, religion and health.

The demographic profile of any area is the socio-economic characteristics of that area expressed in terms of various factors such as population, age, gender, income levels, sex ratio, literacy rate, employment, religion, caste etc. Only the key aspects are discussed below for which information from the census is available. The planning consultants also carried out a socio-economic survey for about 6613 households. This covered various aspects such as income level, vehicle ownership, type of housing, travel pattern etc. Demographic profile given in the chapter is for entire NAINA i.e. for all 224 villages of NAINA.

2.3.1 POPULATION AND IT'S GROWTH

As per 2011 census, NAINA has a population of 2.8 lakhs with an annual average growth rate (AAGR) of 3.33% for the decade 2001-2011. This AAGR has increased from that of 2.0% in 1991-2001. The population growth as shown in **Figure 2-3** has increased rapidly in previous decades probably due to urban influence.



Population in NAINA


2.3.2 POPULATION DENSITY

Population distribution within the area varies significantly due to geographical context and provision of infrastructure. The gross density of the NAINA is around 5.8 persons per hectare. Though there are no urban areas within NAINA, there are 2 Census Towns (CT) as per 2011 census, namely Pali Devad (Panvel Taluka, situated in IDP), and Dadar (Pen Taluka). The villages such as Kalave and Shilottar Raichur (in IDP area) are densely populated with population density of 188 and 112 Persons per Hectare (PPH) respectively. Due to fact that IDP is well connected and is relatively in close proximity to Navi Mumbai, the density in general is high in and around IDP area. Village wise Population Density Map is given in **Annexure 2-2**.



2.3.3 SEX RATIO

The average sex ratio of the NAINA is 919 (number of female population per 1000 male population). This is lower than the National average of 933, state average of 929 as well as the Raigad district average of 959. The sex ratio in NAINA ranges from 560 of Dolavali village to 1221 of Kanhoba village. There are 51 villages with sex ratio of 1000 or more and 158 villages with sex ratio less than 1000, excluding 15 uninhabited villages. The sex ratio in



Kanhoba, Shiravali tarf boreti, Wangani tarf taloje, Mohope, Shitole and Pohi villages is remarkably high i.e 1221, 1148, 1124, 1121, 1120 and 1105 respectively.

2.3.4 SC & ST POPULATION

The share of Scheduled Castes (SCs) and Scheduled Tribes (STs) population account for 4.15% and 14.54% respectively. Amongst all villages, Pali Devad in Panvel Taluka has the highest share of SC population 1142 persons (12 % of that village's population), followed by Vichumbe with 1012 persons (16 % of that village's population).




Figure 2-5 SC and ST Population

There are about 93 villages without any SC population.

Amongst STs, Dhodani village in Panvel Taluka has the highest share 1644 persons (99 % of village's population) followed by Waredi in Pen Taluka with 1335 persons (64 % of that village's population). Further there are 57 villages with no ST population.



2.3.5 LITERACY RATE

NAINA has an average literacy rate of 68.7 %, which is less than the State and higher than National average literacy rates of 72% and 64.8% respectively as per 2011census. Among all villages, Pohi in Uran Taluka has highest literacy rate of 95 % followed by Odhangi in Pen Taluka at 92.3%. The villages with lowest literacy rates are Pali Budruk in Panvel Taluka at 24.77% and Wangni in Khalapur Taluka at 25.75%.




Figure 2-6: Literacy Rate in NAINA

2.3.6 ECONOMIC BASE

The villages located near Panvel area and along NH-17 and NH-4, have some service and manufacturing industries. This section presents brief information on major economic activities, occupational structure, workforce participation rate and employment pattern of villages in NAINA as observed during site visits and also as per census 2011.



Figure 2-7: People engaged in agriculture and allied activities

2.3.7 MAJOR ECONOMIC ACTIVITES

Jawaharlal Nehru Port Trust, the highest container handling port of India, is in proximity of the NAINA, This port and the major transportation networks (NH-17, NH-04, MPE, Diva-Panvel rail line, Panvel – Karjat rail link and Panvel – Goa rail link etc.) passing through NAINA have created opportunities for development of non-agricultural economic activities. The major non-agricultural economic activities in the area are logistic hubs, warehousing, industries, service industries and commercial activities such as hotels, restaurants and resorts.

Restaurants, hotels, banks, brick kilns have developed on either side of the Panvel-Matheran road near Palidevad and Shilottar Raichur villages. A number of resorts have developed along the NH-17 near the Karnala Wildlife Sanctuary, along NH-4 (for example Ayush Resort at Bhingarwadi) and few hotels and lodges near Wadkhal in Pen Taluka and Mahad in Khalapur Taluka.



Part of Rasayani, Rees and Lodhivali were important industrial area within NAINA, but now it is under MSRDC jurisdiction. Only part of Rasayani is in NAINA. Rasayani has two major industries namely Hindustan Organic Chemicals (HOCL) and Hindustan Insecticides Limited (HIL). These are Government of India Undertaking. HOCL has closed down and HIL is still functional. The villages of Washi, Shinganvat, Masad Budruk of Pen Taluka , have salt pans. However as informed by the locals, salt yield has reduced drastically in the recent years.

Pen Taluka is famous for household and agro industries such as, rice mills, poha and papad making. Pen Taluka is also famous for Ganpati Idol making. The main market for Ganesh Idol is Mumbai and surrounding. The villages of Hamrapur, Tambadshet, Dhondepada, Johe etc have large number of idol making workshops.

Khopoli and Pen Municipal Councils do not form part of NAINA however they are located adjoining NAINA. Khopoli has a few medium and large manufacturing industries such as Enpac India Pvt. Ltd., Hercules Hoists Ltd., Innovassynth Technologies, Kamani Oil Industries, Tata Hydro Power Station, Zenith Steel Industries Limited, Wartsila, Alta Labs etc.



Ganpati Idol Making, Hamrapur Village

Rice mill at Mothe Bhal

Figure 2-8: Small scale and agro industries in Pen Taluka, NAINA

Taloja Industrial Estate is adjoining to the northern part of NAINA. Due to its influence, some industries have come up in the vicinity of this industrial estate. Adjoining to NAINA boundary in Pen Taluka, JSW steel plant is located in Dolvi village. The jetty being used by JSW steel plant is situated in Wave village within NAINA. The areas close to JNPT have warehousing and logistics use. Most of the container yards are located along the NH-17 around villages such as Palaspe, Shirdhon etc.



Figure 2-9: Industries/Warehousing along NH -17



The above described activities provide economic base and employment for the villages in NAINA.

2.3.8 OCUPATIONAL STRUCTURE AND WPR

The Workforce Participation Rate (WPR) in NAINA is nearly 41% with a total of 1,13,648 workers as per 2011 census.

Masad Khurd and Masad Beli villages in Pen Taluka have the highest WPR at 79% and 75% respectively. Lowest WPR is seen in Borgaon Bk and Wajapur villages in Khalapur and Panvel Taluka with 26% and 27% respectively as per 2011 census.




Figure 2-10: Workforce participation in NAINA

Among the total workers, 76% are main workers and remaining 24% are marginal workers.

2.3.9 EMPLOYMENT PATTERN

Of the total workers of 1,13,648 in NAINA, 17 % of workers are engaged in cultivation, 9 % of workers are agricultural labourers, 2.6 % are household workers and 48 % are others. The 2011 census has detailed classification of workers into agriculture (including hunting and forestry), fishing, mining & quarrying, manufacturing & repairs, wholesale & retail trade, etc numbering up to 17 categories.

2.4 EXISTING TRANSPORTATION NETWORK

2.4.1 REGIONAL ROAD NETWORK

The area is well connected by inter-city roads (NHs, SHs, MDRs/ ODRs) with various Municipal Corporations/Councils and villages located within MMR. Existing road network of NAINA and connectivity with MMR is shown in **Figure 2-12**. National Highways, State Highways provide fast transport connectivity within the DP Area. Mumbai-Pune Expressway provides fast transport connectivity with Pune and Mumbai.

NAINA has about 93 km of major road network which constitute NH-4 and NH-17 and nine State highways traversing through it. In addition, Mumbai-Pune Expressway also passes through the area. Thus the area has good regional connectivity with Greater Mumbai, Pune and rest of MMR.

The Mumbai-Pune Expressway, NH-4 and NH-17 are very good maintained major regional roads. The State Highways are fairly maintained. However, the most important state highway within NAINA is Panvel – Sukhapur Road (SH-103) which is narrow and inconsistently maintained. The other state highway i.e. Kon – Savla road (SH-105) connecting Rasayani, Rees Lodhivali area is well maintained but has few encroachments. The list of State Highways traversing through the area is given below:



SH 76 : Khopoli – Pen Road

SH 93 : Khopoli Road

SH 103 : Panvel - Sukhapur - Matheran Road

MSH 104: Chirner to Mankul

SH 105 : Kon – Savla Road

- SH107 : Apta Dand Phata Road
- SH 79 : Karjat Kopri Road
- SH 85 : Panvel Nitalas Road
- SH 88 : Pen Alibag Road

Of the total road network, National Highways (NH-4 and NH-17) together constitute nearly 36 km (6.3%) while State Highways make up for about 57 km (10%) of the total length. Mumbai-Pune Expressway accounts for 0.88 km (0.2%). Major District roads constitute for 76.79 km (13.5%), Other district roads measure 29.89 km (5.2%) and other roads aggregating to a length of about 369.92 km (64.8%). A detailed breakup of the transportation network is presented in **Table 2-1**.

Table 2-1: Major Road Network Details in NAINA (excluding IDP)

Road Category	Length of Road in km	% of Total road length
Expressway	0.88	0.2%
National Highway	36.06	6.3%
State Highway	57.01	10.0%
Major District Road	76.79	13.5%
Other District Road	29.89	5.2%
Other Road/ Village Roads	369.92	64.8%
Grand Total	570.56	100.0%



Existing Condition of Mumbai-Pune Expressway



Existing Condition of NH - 04








Figure 2-12: Existing Road Network in NAINA



2.4.2 REGIONAL AND SUBURBAN RAIL NETWORK

The rail network of Central Railway connecting Mumbai Goa and Mumbai –Pune via Panvel passes through NAINA. In addition to this Panvel Diva line also passes through 14 villages of Thane district within NAINA. The railway stations within NAINA are Chikale, Mohape, Rasayani, Apte, Hamrapur halt, Hamrapur.

NAINA does not have direct connectivity with suburban network of Central Railway. Central Railway provides suburban services between Mumbai and Navi Mumbai through harbour line. Panvel is the terminal station for suburban services to Mumbai CST and Thane.

Total length of railway traversing through the area is about 48.3 km. The existing Panvel-Karjat line is about 14.4 km, Diva-Panvel line measuring 2.9 km, Panvel-Wadkhal line is about 29.9 km, and Wadkhal to Goa line is about 1 km. Thus NAINA is served by very limited suburban railway network (see Figure 2-13).






Figure 2-13: Existing Railway Network within DP Area



2.4.3 REGIONAL CONNECTIVITY UNDER ACTIVE CONSIDERATION

Following are the important proposed/ committed transport projects which would directly impact NAINA (see Figure 2-14: Proposed Regional Network in NAINA).

Proposed Road Network: NAINA will have an enhanced regional road network connecting several parts of MMR and beyond with the following proposed/ committed road network;

- Mumbai-Vadodara spur: The alignment of Mumbai-Vadodara spur in MMR is under implementation by NHAI which starts in Virar and ends in Panvel. This corridor has been planned for fast movement of port related inter-city traffic (JNPT);
- Multi-Modal Corridor (MMC): One of the major recommendations of Comprehensive Transport Study of MMR was development of MMC in MMR starting from Virar and terminating at Alibag. MMRDA has taken up implementation of MMC (about 140 km). Part of the MMC traverses through NAINA and it will provide good regional connectivity to NMIA as well as other parts of MMR.

Proposed Transit (Suburban and Metro) Network

- **Metro Rail:** Presently, there is no Metro line operational in the area. Metro lines proposed in Navi Mumbai will impact the growth and connectivity of NAINA. CIDCO has undertaken construction of the first Metro line in Navi Mumbai from Belapur to Pendhar which is proposed to be extended southwards up to NMIA. Also additional metro corridor between Mankhurd and Ghatkopar has been proposed which will be extended up to Panvel via NMIA, thus providing a fast metro connectivity between eastern suburbs of Mumbai and Panvel.
- Suburban Rail Connectivity: Existing Diva-Panvel line and Panvel-Ka rjat-Khopoli line are proposed to have regular suburban commuter service as part of priority projects by MRVC. Anticipating huge population and employment growth in Navi Mumbai and surrounding areas and upcoming NMIA, MRVC has carried out detailed techno-economic feasibility for suburban operations from Vasai to Diva and Diva to Panvel. In addition to above, MRVC has carried out in-house technical feasibility study for the operation of suburban rail services from Panvel to Karjat. In the long run, suburban services are expected to be available on Panvel Pen route after completion of doubling and electrification of the line.

Proposed MTHL: The proposed Mumbai Trans Harbour Link (MTHL), which connects Sewri (in Island city of Mumbai) to Nhava Sheva (Main land) is planned with the basic objective of (a) development of land across creek and reducing pressure on Mumbai City; and (b) facilitate decongestion efforts by improving connectivity between Island city and land across creek. MTHL along with Eastern Freeway would provide fast connectivity to NMIA and NAINA from Mumbai.

Proposed NMIA: Potential catchment of the NMIA is expected to be mainly MMR and areas neighbouring MMR. The pressure on Mumbai airport is not likely to reduce in the coming years and Pune and Nagpur airports have very limited international flights. Thus the inflow of passengers to the NMIA is expected to be high and as a result the surrounding areas will have increased potential for development.



DFC: Government of India (GoI) envisages developing dedicated freight corridor (DFC) between Delhi and Mumbai (originating from JNPT). DFC is passing through NAINA (14 Villages in Thane Taluka)

Proposed Mumbai – Sawantwadi Coastal Road: The existing State Highway from Chirner to Dadar will be upgraded to Major State Highway-104 and extended to Mankul from Dadar via Sonkhar as a new road. This will be further extended to Sawantwadi as a coastal road.






Figure 2-14: Proposed Regional Network in NAINA



2.4.4 LOCAL ROAD NETWORK





Figure 2-15: Existing Condition of village roads in NAINA

The local road network is primarily formed by the village roads that connect the existing Gaothan settlements to each other. These roads are not more than 6 m wide in most cases. Within the settlements, vehicular roads are minimal and pedestrian pathways form the network. Village level road network is shown in **Annexure 2-3**.



Figure 2-16: Existing Condition of village roads in the interiors

Some village roads, in the intensely developed areas near the major regional roads are welldeveloped and well-maintained. Village roads that are in the interior areas away from major regional roads are mostly narrow kuccha/pucca roads. In Pen taluka the accessibility of *padas* and smaller hamlets is difficult in rainy season due to water logging and marshy conditions.

2.4.5 BUS SYSTEM

The bus service is provided by Maharashtra State Road Transport Corporation (MSRTC). MSRTC has prime responsibility to ensure connectivity of village settlements with nearby Taluka head quarter. The level of bus service required to facilitate transit movement like an urban area is missing. MSRTC has bus depots in Panvel, Pen and Khopoli all outside but close to NAINA. These depots serve the long-distance bus routes as well as inter-village routes.

However, the area near to Panvel is relatively more urbanised and uses bus service from Panvel Bus Depot and NMMT for commuting to Navi Mumbai/ Mumbai.

Palaspe Phata Bus Stop in Kolkhe village is a major location for bus services within NAINA. The services from Palaspe Phata Bus stop provide connectivity for Kolkhe and Kon villages along



NH-4 and Palaspe along NH-17. The bus services from New Panvel provide services to some villages along Panvel Matheran Road Such as Shilottar Raichur, Palidevad, Koproli and Nere.

The Khopoli Municipal Transport runs a few buses between Khopoli and Vashi, Navi Mumbai.

Some of the large companies such as JSW, Reliance etc have their own bus service for their employees which pass through NAINA.



MSRTC Bus

JSW Employee Bus

Figure 2-17: Bus transport in NAINA

2.4.6 LOCAL SUBURBAN RAILWAY NETWORK

The existing railway lines do not provide suburban rail services within NAINA. Suburban rail services are proposed along Panvel-Karjat and Panvel- Apte lines.

2.4.7 OTHER MEANS OF TRANSPORT

The six-seater rickshaws are the most favoured means of Intermediate Public Transport (IPT) between villages. These have a fixed area of service and run on per seat basis. The villages of Dadar, Sonkhar, Kaleshri etc are interspersed with creeks. Small jetties constructed on the creeks are used by fishing boats as well as means of transport in absence of bridges over the creeks. Refer **Figure 2-18** for other means of transport.



Six-seater rickshaw serving as IPT

Jetty in Pen Taluka

Figure 2-18: Other means of transport



2.4.8 PARKING FACILITIES

There are no formal public parking spaces in NAINA. Private vehicles such as cars and twowheelers are parked within private plots of the owners, And during the vehicles being used, these are parked on roads adding to congestion. Privately owned/ maintained truck parking facilities available in Palaspe and Kolkhe villages. The JSW at Beneghat has its own truck parking and bus parking.



Localised parking areas within villages

Two wheelers parked in crematorium

Figure 2-19: Parking facilities

2.4.9 SUMMARY

It is expected that, once the Navi Mumbai International Airport is developed, which is going to trigger the growth of the area, the traffic characteristics are expected to undergo a major change. In addition, the development within the area would need further development of transport network and enhanced regional transport connectivity through suburban rail expansion, metro corridors, and highway corridors.



2.5 SOCIAL INFRASTRUCTURE

2.5.1 EDUCATIONAL FACILITIES

The information available from census 2011 on various educational facilities such as pre-primary schools, primary schools, middle schools, senior secondary schools, colleges and vocational training institutes are assessed. It is observed that the area is fairly well served as far as schools up to middle and secondary level are concerned. It also shows that few of these facilities are provided by the private sector.





Zilla Parishad Secondary School in Vitthalwadi Village

Zilla Parishad Primary School in Dadar Village

Figure 2-20: Schools in villages

Facilities for higher education such as colleges, engineering, medical and management institutes are not available in the area and the people are dependent on nearby urban centres of Panvel, Thane, Khopoli, Uran and Pen for these facilities. Number of educational facilities available within DP Area is given in Table 2-2.

Sr. No.	Educational Facility	Government owned (Nos.)	Private (Nos.)
1	Pre - Primary School (Nursery/LKG/UKG)	390	0
2	Primary School	356	10
3	Middle School	117	7
4	Secondary School	42	12
5	Senior Secondary School	13	1
6	Arts and Science Degree College	0	0
7	Engineering College	0	0
8	Medical College	0	0
9	Management Institute	0	0
19	Polytechnic	0	1
11	Vocational Training School/ ITI	0	0



Sr. No.	Educational Facility	Government owned (Nos.)	Private (Nos.)
12	Non - formal training center	0	0
13	School for disabled	0	0
15	Others	0	54

Source: Compiled from District Census Handbook Raigad and Thane, 2011.

2.5.2 HEALTH FACILITIES

Assessment has been carried out with respect to health facilities such as dispensaries, primary health sub-centres; primary health centres (PHCs) and hospitals. Health facilities have been assessed with an intention to understand the adequacy of health facilities for 2011 population. The analysis is based on the information collected from Census 2011.



PHC at Chowk Village



Private Clinic at Vadkhal Village

Figure 2-21: Health facilities in villages

There are 6 PHCs and 36 PH Sub-centres located in NAINA. As far as higher order health facilities are concerned there are 6 hospitals. Several private clinics are located, apart from the 7 government dispensaries. The nearby urban areas have both private and government hospitals. Number of available health facilities is given in **Table 2-3**.

Sr. No.	Category	Numbers
1	Community Health Centre	0
2	Primary Health Centre	6
3	Primary Health Sub-centre	36
4	Maternity & Child Welfare Centre	6
5	TB Clinic	6
6	Hospital Allopathic	6
7	Hospital Alternative Medicine	0
8	Dispensary	7
9	Veterinary Hospital	5



Sr. No.	Category	Numbers
10	Mobile Health Clinic	1
11	Family Welfare Centre	6
12	Non-government facilities Out patients	99
13	Non-government facilities In and Out Patients	4
14	Non-government medicine shops	19

Source: District Census Handbook Raigad and Thane, 2011.

2.5.3 COMMERCIAL FACILITIES

Small scale commercial establishments selling commodities of daily consumption are present in almost all the villages. Commercial establishments such as grocery shops, medical shops, flour mills, vegetable shops are observed in villages. Apart from these, the major commercial activities such as banks, hotels, resorts and restaurants are located along the National and State Highways. Vendors selling vegetables, fruits, fish and other such necessities are seen along the NH - 17 at some locations, at junction of major roads and on internal roads within villages. There are no designated markets.



Local shops at Adai village

Local shop at Shinganwat Village

Figure 2-22: Commercial facilities in villages

2.5.4 SOCIO-CULTURAL FACILITIES

Socio-cultural facilities such as cinema theatres, sports complexes, and clubs are not observed within the villages of NAINA. However, other socio-cultural facilities such as community halls, school playgrounds, gymnasium etc. are available. Panvel, Khopoli and Uran are the nearest destination for major cultural activities.







Gymnasium in Kolave village

Community Recreational space in front of temple in Vihighar village

Figure 2-23: Socio-cultural facilities in villages

2.5.5 RECREATIONAL FACILITIES

Recreational areas such as neighbourhood parks and city scale parks are not located within this area. However, the major open spaces are school grounds. Some of the Zilla Parishad schools and private schools have playgrounds attached. Some of the residential colonies, societies and housing complexes maintain their own parks and play grounds within their premises.



Private School and Playground, Vadkhal Lack of organized open spaces, people using Village crematorium as sit out space, Dadar Village

Figure 2-24: Status of recreational facilities

2.5.6 SUMMARY

NAINA being rural in nature does not have a well-developed social infrastructure. Though the facilities seem to be sufficient for 2011 census population, there is need to improve the social facilities in view of the anticipated growth in population due to planned urban development.



2.6 PHYSICAL INFRASTRUCTURE

2.6.1 WATER SUPPLY

There are 176 villages have tap water as source which is either treated or untreated. 94 villages have treated tap water source, 82 villages have untreated tap water and 16 villages have both. The other sources of water are covered well, uncovered well, tube wells/ boreholes, untreated tap water, hand pumps, tanks/ponds/lake, river/canal and springs. The details of drinking water source are given in **Table 2-4.** It is observed that nearly 44% villages have treated tap water and 30 % have untreated tap water as source are in Panvel Taluka followed by Pen and Khalapur.

No.	Water Source	Karjat	Khalapur	Panvel	Pen	Thane	Uran	Total
	Tap Water-Treated	1	9	50	32	1	1	94
1	Percentage to total no. of villages	0.6%	5.1%	28.4%	18.0%	0.6%	0.6%	53.4%
	Tap Water Untreated	1	18	22	39	0	2	82
2	Percentage to total no. of villages	0.6%	10.2%	12.5%	22.2%	0.0%	1.1%	46.6%

Table 2-4: Drinking Water Source

Source: District Census Handbook Raigad and Thane, 2011.

WATER: News in Times of India dated 19th December 2015

The villagers of Borze, Pen Taluka have set up a water ATM to dispense purified drinking water at Rs. 10 for 20 litres. The Grampanchayat has tied up with private company Mascot solutions which uses the water from a local pond and supplies it to villager through the water dispenser after purifying it. This is the first time in the district that a local gram panchayat has set up such a hi-tech gizmo and also distributed more than 400 electromagnetic ATW cards, which look like regular ATM swipe cards.



Figure 2-25: A woman of Borze village shows her electromagnetic 'ATW' card.

2.6.2 SEWERAGE

NAINA is rural in character. Census 2011 indicates that 127 villages (i.e. 56%) have open drains. The data further states that 83 villages have sewerage treatment plants (Thane -6, Uran -2,



Panvel -36 Karjat -5, Khalapur-17 and Pen 17). In other villages there is no sewerage system, generally, the toilets are connected to individual septic tanks and the effluent is disposed-off in the nearby drains, waterbodies or open areas.

2.6.3 STORM WATER DRAINAGE

The drainage in NAINA has not been a major issue, due to the peculiar location. It has hills on one side where the rain fall received is drained with high speed of water flowing through rivulets, nallas, valleys, and rivers into the sea, falling on the other side of the area.

After development, the area would be susceptible for flooding because the area receives very heavy rain fall. Chitale committee report ("Fact Finding Committee Report on Mumbai Floods") explains that the annual rainfall of the meteorological sub division of Konkan and Goa (2,980 mm) is heavy. There have been instances when as much as half of the annual rainfall was recorded in a single day. It can be understood that NAINA will be prone to flooding after development if adequate measures are not taken in advance. Urban flooding is fundamentally different from rural flooding, as catchments area gets flooded in a short time. CIDCO has appointed engineering consultants to study the area and propose engineering details for water supply, sewerage, solid waste management and storm water management.

2.6.4 SOLID WASTE MANAGEMENT

In India we have poor solid waste management system in urban area and it is almost absent in rural area. NAINA is predominantly rural and follows the same national trend. As observed during site visits, there is no systematic solid waste management system in villages. The waste generated in the rural area is disposed-off/ dumped along the roads, near waterbodies and open areas in the vicinity. The census 2011 also records that there is no organized waste collection system in the area and the solid waste is dumped along roads and streets. However, with urbanization, the scale of waste generation is likely to increase and this issue cannot be left unattended.



Figure 2-26: Unorganized solid waste dumping



2.7 SOCIO-ECONOMIC SURVEY

A socio-economic survey for NAINA was carried out during the period Dec 2014 - Jul 2015. The total number of households in NAINA is 62829. 10% of 62829 households is 6283. A total of 6613 Households of NAINA were surveyed for various parameters such as income range, house type, house ownership, vehicle ownership, caste, religion etc. The questionnaire for socio-economic survey is enclosed as **Annexure 2-4**.

The sample size contains 10% of the households; the population can be divided into two districts; hence 10% of the households from each district were selected at random. The districts are further divided into talukas; the sample chosen from each district was taken from each of these talukas.

The lowest heterogeneous group is village/pada for rural area. Accordingly 10% of the households were selected randomly from each of these units i.e. pada / village. Every 10^{th} household in a village was surveyed. The results are presented below:

2.7.1 HOUSING

The various aspects covered included housing type, type of construction, period of residence and ownership.

Housing Type: The various options provided in the survey were Apartment/ flat, Independent house, Chawls, Slum type and Wadi. This was based on the general housing typologies found in the Raigad district of Konkan Region close to Mumbai. The survey reveals that 92% of the people stay in independent houses, followed by 4% in Chawls, 4% in flats and 1% in Wadi. Refer **Table 2-5**

Taluka	Apart / fla		Indepe Hou (HH			Chawls		Туре			Wadi		Total No. of	Total %
	(IIII No.)	%	(III No.)	%	(IIII No.)	%	(IIII No.)	%	(III No.)	%	HHs			
Karjat	0	0%	70	86%	0	0%	0	0%	11	14%	81	1%		
Khalapur	11	2%	532	87%	60	10%	0	0%	8	1%	611	9%		
Panvel	208	6%	2958	89%	151	5%	3	0%	10	0%	3330	50%		
Pen	14	1%	2013	97%	19	1%	1	0%	39	2%	2086	32%		
Thane	6	1%	405	99%	0	0%	0	0%	0	0%	411	6%		
Uran	2	2%	89	95%	3	3%	0	0%	0	0%	94	1%		
Total	241	4%	6067	92%	233	4%	4	0%	68	1%	6613	100%		

Table 2-5: Housing type

Source: Socio-Economic Survey



House ownership: Three options were provided in the survey for house ownership – owned, rented and employer provided. 91% respondents stay in their owned house, 9% in rented housing and 1% in employer provided housing. Employer provided housing is observed in Khalapur and Panvel Taluka. Maximum rented accommodation of 15% is observed in Panvel Taluka. Karjat and Thane Taluka have 100% owned accommodation. Refer **Table 2-6**

	Owned		Rented		Employer l	Provided	Total No.	Total
Taluka	(HH No.)	%	(HH No.)	%	(HH No.)	%	of HHs	%
Karjat	81	100%	0	0%	0	0%	81	100%
Khalapur	577	94%	11	2%	23	4%	611	100%
Panvel	2804	84%	509	15%	17	1%	3330	100%
Pen	2043	98%	41	2%	2	0%	2086	100%
Thane	411	100%		0%		0%	411	100%
Uran	88	94%	4	4%	2	2%	94	100%
Total	6004	91%	565	9%	44	1%	6613	100%

Table	2-6:	House	ownership
1 ante	_ - U •	House	owner smp

Source: Socio-Economic Survey

Type of Construction: The options provided in the survey for type of construction were -pucca, *semi-pucca*, *kutcha* and others. The survey shows that 81% of the houses are *pucca*, *semi-pucca* is 13% and *kutcha* is 5% other is only 1%. Maximum 35% of *semi-pucca* houses are observed in Karjat Taluka and maximum 14% of kutcha houses are observed in Khalapur Taluka. Thane has maximum *pucca* houses 90%.

	Рисса		Semi Pucca		Kutcha		Other		Total	
Taluka	(HH No.)	%	(HH No.)	%	(HH No.)	%	(HH No.)	%	No. of HHs	Total %
Karjat	45	56%	28	35%	8	10%	0	0%	81	100%
Khalapur	395	65%	109	18%	87	14%	20	3%	611	100%
Panvel	2898	87%	330	10%	88	3%	14	0%	3330	100%
Pen	1603	77%	359	17%	109	5%	15	1%	2086	100%
Thane	371	90%	38	9%	2	0%	0	0%	411	100%
Uran	55	59%	27	29%	11	12%	1	1%	94	100%
Total	5367	81%	891	13%	305	5%	50	1%	6613	100%

 Table 2-7: Type of house construction

Source: Socio-Economic Survey



Household size: The average household size as per the survey is 4.3 and as per census 2011 the average household size is 4.4.

Number of rooms: The average number of rooms per household in NAINA is 2.6. Maximum number of rooms (2.8) is found in Thane Taluka and minimum number of rooms at 2.3 is found in Khalapur Taluka.

Duration of stay: The categories for duration of stay in years were 1-20, 21-40, 41-60, 61-80, 81-100 and 100+. The survey reveals that most people have been staying for more than 20 years which is 92% of the households. There are 8% households which have shifted in last 20 years. It varies across talukas. In this category, Panvel has maximum i.e. 14%. It can

Taluka	Avg. No. of Rooms
Karjat	2.4
Khalapur	2.3
Panvel	2.8
Pen	2.4
Thane	2.8
Uran	2.4
Average	2.6

Table 2-8: Talukawise Number of rooms

Source: Socio-Economic Survey

therefore be summarized that there has been in-migration in PanvelTalukas. This could be due to availability of employment in the nearby urban areas of Navi Mumbai/ Mumbai near Panvel Taluka.

	1-	20	21-40		41	-60	61-	80	81-	100	10	0+	Total	Total
Taluka	(HH No.)	%	(HH No.)	%	No. of HHs	10tai %								
Karjat	0	0%	30	37%	39	48%	12	15%	0	0%	0	0%	81	100%
Khalapur	24	4%	268	44%	236	39%	79	13%	4	1%	0	0%	611	100%
Panvel	455	14%	1285	39%	1280	38%	296	9%	14	0%	0	0%	3330	100%
Pen	38	2%	684	33%	909	44%	421	20%	33	2%	1	0%	2086	100%
Thane	3	1%	194	47%	174	42%	35	9%	5	1%	0	0%	411	100%
Uran	5	5%	41	44%	37	39%	11	12%	0	0%	0	0%	94	100%
Total	525	8%	2502	38%	2675	40%	854	13%	56	1%	1	0%	6613	100%

 Table 2-9: Duration of stay in house

Source: Socio-Economic Survey

2.7.2 INFRASTRUCTURE

The infrastructure details covered few basic aspects such as availability of toilets, water source, availability of electricity etc.



Toilet Facility: The survey shows 71% households have toilets within the house, 19% use open land, and 10% use public toilet. Panvel Taluka has maximum household having toilets within house (75%) and Karjat has the lowest in the same category at (57%). Public toilets are used maximum in Uran Taluka at (15%) and minimum in Panvel Taluka (2%). Maximum number of households in Thane, Karjat and Khalapur Taluka use open land at 30% each and minimum number for the same is Uran Taluka 14%.

				»	ĩ			
	Within	House	Public T	oilet	Open l	Land	Total No.	Total
Taluka	(HH No.)	%	(HH No.)	%	(HH No.)	%	of HHs	%
Karjat	46	57%	11	14%	24	30%	81	100%
Khalapur	368	60%	58	9%	185	30%	611	100%
Panvel	2501	75%	326	10%	503	15%	3330	100%
Pen	1435	69%	234	11%	417	20%	2086	100%
Thane	277	67%	9	2%	125	30%	411	100%
Uran	67	71%	14	15%	13	14%	94	100%
Total	4694	71%	652	10%	1267	19%	6613	100%

Source: Socio-Economic Survey

Water Source for Domestic Consumption: The main source for water is tap connection for 61% households, followed by bore-well 23% and well 8%. Tap is seen maximum in Uran Taluka 72%. Maximum well (22%) and bore-well (68%) are used in Thane taluka.

Та	luka	Karjat	Khalapur	Panvel	Pen	Thane	Uran	Total
Тар	HH No.	19	387	2077	1441	12	68	4004
Tap	%	23%	63%	62%	69%	3%	72%	61%
Stand	HH No.	2	10	12	10	10	0	44
Post	%	2%	2%	0%	0%	2%	0%	1%
Well	HH No.	7	89	89	208	89	20	502
vv en	%	9%	15%	3%	10%	22%	21%	8%
Hand	HH No.	1	12	40	13	20	5	91
pump	%	1%	2%	1%	1%	5%	5%	1%
Bore	HH No.	43	67	1048	107	278	1	1544
well	%	53%	11%	31%	5%	68%	1%	23%
Pond	HH No.	3	14	10	20	0	0	47
TOIL	%	4%	2%	0%	1%	0%	0%	1%
River	HH No.		1	4	20	1	0	26
Miver	%	0%	0%	0%	1%	0%	0%	0%

 Table 2-11: Water source for domestic consumption



Та	luka	Karjat	Khalapur	Panvel	Pen	Thane	Uran	Total
Others	HH No.	6	31	50	267	1	0	355
Others	%	7%	5%	2%	13%	0%	0%	5%
Total HH	HH No.	81	611	3330	2086	411	94	6613
Total %	%	100%	100%	100%	100%	100%	100%	100%

Source: Socio-Economic Survey

Electricity connection: The area is well served in terms of electric connection where 92% households have an electric connection. Households in Thane and Pen Taluka have maximum electricity connections with 98% and 94% respectively. Khalapur Taluka has the maximum number of households without power supply 25% followed by Karjat 9%.

Taluka	With Electric	Connection		Electric ection	Total No. of HHs	Total %	
	(HH No)	%	(HH No)	%	11115		
Karjat	74	91%	7	9%	81	100%	
Khalapur	458	75%	153	25%	611	100%	
Panvel	3098	93%	232	7%	3330	100%	
Pen	1971	94%	115	6%	2086	100%	
Thane	401	98%	10	2%	411	100%	
Uran	84	89%	10	11%	94	100%	
Total	6086	92%	527	8%	6613	100%	

Table 2-12: Availability of electricity connection

Source: Socio-Economic Survey

2.7.3 ECONOMIC STANDARD

The standard of living was judged from the factors such as income range, asset ownership, vehicle ownership and use of cooking fuel.

Income level: People are often reluctant to divulge information on income, hence instead of asking a direct figure different ranges for income were provided in the questionnaire. Certain other aspects such as number of persons employed by the household, number of earning members, expenditure and asset ownership were collected to get an idea of the standard of living of the residents. It is evident from the survey that 2% of the households refused to reply this question and 97% of the households earn less than Rs 25001/- per month. 1% of the households earn between 25,001 to 40,000 per month. The maximum number of households (40%) has income in the range Rs. 8001 - 16000 followed by 32% the range of Rs. 5001 - 8000 at 32%. The highest range of income category is Rs. 40001 - 60000 which is observed only in 0.2 % of is only 0.2% of the total households.



Income Range	HH No.]	Faluka			
in Rs./Month	& %	Karjat	Khalapur	Panvel	Pen	Thane	Uran	Total
Α	(HH No.)	27	151	453	524	51	21	1227
Upto 5,000	%	33%	25%	14%	25%	12%	22%	19%
В	(HH No.)	37	160	985	762	153	44	2141
5,001-8,000	%	46%	26%	30%	37%	37%	47%	32%
С	(HH No.)	14	223	1556	633	165	27	2618
8,001-16,000	%	17%	36%	47%	30%	40%	29%	40%
D	(HH No.)	2	61	199	84	24	1	371
16,001-25,000	%	2%	10%	6%	4%	6%	1%	6%
E	(HH No.)	1	13	47	8	10	0	79
25,001-40,000	%	1%	2%	1%	0%	2%	0%	1%
F	(HH No.)	0	1	8	3	3	0	15
40,001-60,000	%	0%	0%	0%	0%	1%	0%	0%
G	(HH No.)	0	0	1	0	0	0	1
60,001-80,000	%	0%	0%	0%	0%	0%	0%	0%
Н	(HH No.)	0	0	0	0	0	0	0
80,001-1 lakh	%	0%	0%	0%	0%	0%	0%	0%
Ι	(HH No.)	0	0	0	0	0	0	0
(Above 1 lakh)	%	0%	0%	0%	0%	0%	0%	0%
No Response	(HH No.)	0	2	81	72	5	1	161
No Response %		0%	0%	2%	3%	1%	1%	2%
Total No. of	fHHs	81	611	3330	2086	411	94	6613
Total %	6	100%	100%	100%	100%	100%	100%	100%

 Table 2-13: Household Income

Source: Socio-Economic Survey

Expenditure pattern: An attempt was made to assess the expenditure pattern of the households in NAINA. The total expenditure under each head was grouped and the expenditure for each head was then worked out for each household. Maximum expenditure is on food at Rs. 3335 per household, followed by clothing at Rs.1477 and maintenance at Rs.1031. Maintenance includes utility bills, property tax etc mainly related to property.

Earners in household: Maximum number of household (84%) have single earner, 11% households have two earners and 3% . Uran Taluka is having maximum single earner 98%. Among two earners in a household, maximum (16%) of households are in Karjat. Khalapur, Pen

	Average expenditure				
	per HH in Rs				
Education	651				
Food	3335				
Maintenance	1031				
Phone	1031 245 1477 nt 181 107				
Clothing	1477				
Entertainment	181				
Instalment	107				
Medical	761				
Transport	1002				
Others	206				
Savings	36				
Average	9032				
Source: Socio-E	conomic Survey				

Table 2-14: Expenditure pattern of households

and Panvel Taluka all have two earners at about 12% of households

				Nun	nber of	Earne	rs in H	ouseh	old				
Taluka	0		1		2	2	3		4		More than 4		Total No. of
	HH No.	%	HH No.	%	HH No.	%	HH No.	%	HH No.	%	HH No.	%	HHs
Karjat	0	0%	66	81%	13	16%	2	2%	0	0%	0	0%	81
Khalapur	1	0%	522	85%	76	12%	12	2%	0	0%	0	0%	611
Panvel	39	1%	2810	84%	377	11%	88	3%	9	0%	7	0%	3330
Pen	23	1%	1718	82%	249	12%	82	4%	9	0%	5	0%	2086
Thane	14	3%	362	88%	28	7%	6	1%	1	0%	0	0%	411
Uran	0	0%	92	98%	2	2%	0	0%	0	0%	0	0%	94
Total	77	1%	5570	84%	745	11%	190	3%	19	0%	12	0%	6613

Table 2-15: 1	Number of	earners in	household

Source: Socio-Economic Survey

Predominant Cooking Fuel: Most of the households (68%) use gas for cooking, followed by wood (27%). Coal and Kerosene are used by negligible 2 % and 3% households. Among households using gas as cooking fuel, the number is highest in Panvel and Pen Taluka at 70% and is lowest in Khalapur Taluka at 52%. Among the number of households using wood as cooking fuel the percentage is maximum in Khalapur at 38%, folloed by 35% in Karjat and Thane Taluka each and lowest (23%) in Panvel Taluka.

Table 2-16: Predominant cooking fuel



Taluka	Wo	ood	Со	al	Kero	sene	Ga	as	Gob Ga		Oth	ers	Total No.	Total
	(HH No.)	%	(HH No.)	%	(HH No.)	%	(HH No.)	%	(HH No.)	%	(HH No.)	%	of HHs	%
Karjat	28	35%	6	7%	1	1%	45	56%	1	1%	0	0%	81	100%
Khalapur	235	38%	28	5%	15	2%	316	52%	1	0%	16	3%	611	100%
Panvel	757	23%	66	2%	155	5%	2336	70%	2	0%	14	0%	3330	100%
Pen	565	27%	23	1%	26	1%	1464	70%	3	0%	5	0%	2086	100%
Thane	145	35%	5	1%	5	1%	256	62%	0	0%	0	0%	411	100%
Uran	31	33%	0	0%	0	0%	55	59%	0	0%	8	9%	94	100%
Total	1761	27%	128	2%	202	3%	4472	68%	7	0%	43	1%	6613	100%

Source: Socio-Economic Survey

Vehicle ownership: In NAINA 66% of the households do not own vehicle. Among 34% HHs owning vehicle majority i.e. 85% own one vehicle and only 15% own more than one vehicle. Among vehicle owners 83% own two wheelers and 11% own car. 2% own Bicycle 4% own other type of vehicles like Tractor, Bullock cart etc.

	No.				Taluka			
Туре	& %	Karjat	Khalapur	Panvel	Pen	Thane	Uran	Total
Cars/Vans	No.	1	10	217	19	35	0	282
	%	13%	5%	12%	6%	12%	0%	11%
2 -wheelers	No.	7	184	1444	263	235	12	2145
2 - wheelers	%	88%	94%	81%	88%	83%	100%	83%
Bicycles	No.	0	1	37	6	0	0	44
Dicycles	%	0%	1%	2%	2%	0%	0%	2%
Other	No.	0	1	84	12	13	0	110
Other	%	0%	1%	5%	4%	5%	0%	4%
Total No. of Vehi	cles	8	196	1782	300	283	12	2581
HH not owning	No.	75	436	1818	1817	166	82	4394
vehicles	%	93%	71%	55%	87%	40%	87%	66%
HH owning at	No.	6	175	1512	269	245	12	2219
least one Vehicles	%	7%	29%	45%	13%	60%	13%	34%
Total HH	No.	81	611	3330	2086	411	94	6613
HH owning more	No.	2	25	233	27	37	0	324
than one vehicles	%	2%	4%	7%	1%	9%	0%	5%

Source: Socio-Economic Survey



Parking availability: Almost all the vehicles have parking within premises; only 4% vehicles are parked outside the premises.

	Parking within Premises]	Parkin	g Outsi	de			
Taluka	Cars/Vans			2- wheelers		hers Total		Cars/Va ns		2- wheelers		Others		Total		
	No.	%	No.	%	No.	%	No.	%	N.	%	No.	%	No.	%	No.	%
Karjat	1	13%	7	88 %	0	0%	8	100%	0	0%	0	0%	0	0%	0	0%
Khalapur	10	5%	184	94 %	2	1%	196	100%	1	50%	1	50%	0	0%	2	100 %
Panvel	241	14%	1370	81 %	90	5%	1701	100%	10	14%	41	56%	22	30%	73	100 %
Pen	22	8%	245	88 %	13	5%	280	100%	1	6%	10	59%	6	35%	17	100 %
Thane	39	14%	231	83 %	10	4%	280	100%	0	0%	1	100 %	0	0%	1	100 %
Uran	0	0%	10	83 %	2	17%	12	100%	0	0%	0	0%	0	0%	0	0%
Total	313	13%	2047	83 %	117	5%	2477	100%	12	13%	53	57%	28	30%	93	100 %

Table 2-18: Availability of parking

Source: Socio-Economic Survey

Assets in Household: Television is the maximum owned asset with 44% families having it followed by mobile phone 36%. Landline phone is now out of the fashion as only 1% Households own Land line. Amongst Talukas, Thane has lowest TV ownership with 39% and Pen has the highest with 48%. Mobile ownership is maximum in Karjat Taluka at 39% and lowest in Thane Taluka at 32%.



	TV		Refrigerator		Mobile		Landline		Total	Total	
Taluka	(HH No.)	%	(HH No.)	%	(HH No.)	%	(HH No.)	%	No. of HHs	%	
Karjat	66	47%	20	14%	55	39%	0	0%	81	100%	
Khalapur	433	43%	205	20%	355	35%	10	1%	611	100%	
Panvel	2970	43%	1448	21%	2477	36%	71	1%	3330	100%	
Pen	1866	48%	524	14%	1459	38%	31	1%	2086	100%	
Thane	389	39%	287	29%	320	32%	1	0%	411	100%	
Uran	54	45%	19	16%	45	38%	1	1%	94	100%	
Total	5778	44%	2503	19%	4711	36%	114	1%	6613	100%	

 Table 2-19: Asset ownership

Source: Socio-Economic Survey

2.7.4 CASTE AND RELIGION

The Other Backward Classes (OBC) constitutes a major stratum of the area with 50% of population. General category is next at 16%. The others category includes people who either do not know their caste or do not fall under any of the specified categories. The scheduled Caste and Schedule Tribes are 3% and 5% respectively. Vimukata Jati (de-notified tribes) and Nomadic Tribes (VJNT) are 1%. Amongst the Talukas Uran has the highest population of general category at 76%, OBC are maximum in Thane Taluka at 73% followed by Pen at 55%. Scheduled Tribes are highest in Khalapur Taluka at 8% and Scheduled Castes are highest in Panvel and Karjat Taluka at 5%. VJ & NT are highest in Karjat at 2%.

Table	2-20:	Caste	in	NAINA
-------	-------	-------	----	-------

	Gen	eral	OB	BC	S	С	S	Т	VJ &	k NT	Oth	ers	Tota	
Taluka	(HH No.)	%	(HH No.)	%	(HH No.)	%	(HH No.)	%	(HH No.)	%	(HH No.)	%	l No. of HHs	Total %
Karjat	28	35%	9	11%	4	5%	2	2%	2	2%	36	44%	81	100%
Khalapur	179	29%	179	29%	13	2%	50	8%	1	0%	189	31%	611	100%
Panvel	426	13%	1667	50%	161	5%	221	7%	45	1%	810	24%	3330	100%
Pen	273	13%	1143	55%	14	1%	14	1%	0	0%	642	31%	2086	100%
Thane	57	14%	299	73%	10	2%	27	7%	0	0%	18	4%	411	100%
Uran	71	76%	12	13%	0	0%	2	2%	0	0%	9	10%	94	100%
Total	1034	16%	3309	50%	202	3%	316	5%	48	1%	1704	26%	6613	100%

Source: Socio-Economic Survey



As far as religion is concerned 93% are Hindus followed by Muslims 5% and rest as Christians and others. Muslim and Christian population is high in Uran Taluka at 23% and 31% respectively.

	Hindu		Muslim		Christian		Others		Total	Total	
Taluka	(HH No.)	%	(HH No.)	%	(HH No.)	%	(HH No.)	%	No. of HHs	%	
Karjat	77	95%	4	5%	0	0%	0	0%	81	100%	
Khalapur	602	99%	8	1%	0	0%	1	0%	611	100%	
Panvel	3147	95%	136	4%	20	1%	27	1%	3330	100%	
Pen	1890	91%	167	8%	2	0%	27	1%	2086	100%	
Thane	406	99%	5	1%	0	0%	0	0%	411	100%	
Uran	43	46%	22	23%	29	31%	0	0%	94	100%	
Total	6165	93%	342	5%	51	1%	55	1%	6613	100%	

Table 2-21: Religion in NAINA

Source: Socio-Economic Survey

Summary: The various factors of the survey indicate that Karjat area is most rural as it has maximum *wadi* type housing, maximum household size of 4.9, no employer provided housing. In this aspect, Khalapur, Uran and Panvel are trending towards urbanization with maximum number of housing type as flats, small household size 4.3 and smaller average number of rooms of 2.6.

As regards standard of living Karjat is lowest on most counts such as least number of households having toilets within the house, least number having electricity connection, income level between Rs. 5000 – 8000, low ownership of vehicles and household assets. Highest income levels of Rs. 16001 – Rs. 25000, highest vehicle ownership and maximum tap connections are seen in Panvel and Khalapur Taluka. The other Talukas of Pen, Uran and Thane situate in between Karjat and Panvel &Khalapur.



3. EXISTING LANDUSE

The Existing Land Use (ELU) is a basis for preparation of development plan, which is also mandatory as per section 25 of MR&TP Act, 1966 for the preparation of Development Plan. This chapter presents NAINA ELU and its survey methodology.

In order to expedite the Existing Land Use Survey work, NAINA was divided into two parts and separate survey agencies were appointed for each part. At the end of the work, survey agencies submitted final report documenting activities of their scope of work and detailing out various aspect of the survey. This chapter briefly explains the methodology adopted by the survey agencies. Detailed information is available in the reports submitted by each survey agency to CIDCO.

3.1 SURVEY METHODOLOGY

The methodology in short has three parts. The first part is procurement of satellite images, its processing, landuse classification and digitisation. The second part is Lidar survey i.e. capturing details by Laser scanning, processing and topographic feature extraction. Third part is cadastral mapping which includes procurement of village maps, scanning, geo-referencing and digitisation. The flow chart of methodology is given in **Figure 3-1**.






Figure 3-1: Methodology of Topographic and Existing Land Use Survey for NAINA



3.1.1 DATA COLLECTION

For the purpose of preparation of Development Plan, CIDCO procured satellite imagery and provided the same to survey agencies. CIDCO collected forest land information from MMRDA, which was compiled by MMRDA and ratified by Forest department at the time of revision of first Regional Plan for Mumbai Metropolitan Region. Later CIDCO also procured forest land information directly from Forest Department and the same was incorporated.

The data of development permission was collected from ADTP Thane/ Raigad. The information regarding Government land was downloaded from the website of Government of Maharashtra and also procured from Collector Raigad and Thane. The Survey Agencies procured cadastral maps (village revenue maps) from the office of DILR/ TILR.

3.1.2 BENCH MARK SURVEY

CIDCO provided Temporary Bench Mark (TBM) Point to survey agencies. This TBM is located near a well in front of Rakhumai Temple, Kalundre (about 500 meters from ONGC Kalundre bus stop towards west). Taking this as a reference location, survey agencies established their Bench Mark (BM) points for survey.

3.1.3 GCP COLLECTION

The survey was carried out in two phases by two survey agencies. The first survey agency carried out field work for Part -1 from March 2014 to July 2014 and for Part - 2 the second survey agency carried out field work from January 2015 to June 2015. Areas covered by individual survey agencies and grid structure for NAINA is given in **Figure 3-3:** Area under Survey agencies and Grid Structure for NAINA). For integration, it was necessary to follow the same coordinate system over whole of NAINA. It was achieved by establishing three Horizontal Control Points (HCP-1, HCP-2 and HCP-3) over Part -1 and Part -2 area. These three control points' coordinates were obtained from Part -1 area surveyed agency and the same control coordinates were used to establish the Part -2 area control network. The Part -2 team carried out observation at all three HCPs and post processing results were compared with Part -1 team results. The coordinate comparison of HCPs between Part 1 & 2 survey agencies are mentioned in **Table 3-1: Verification of coordinate system adopted by survey agencies**.

Base Line	Distance by Survey Agency-1	Distance by Survey Agency-2	Diff (D)	Accuracy	Order
HCP 1 - HCP 2	14611.299	14611.329	-0.030	1 : 478112	1-Class
HCP 2 - HCP 3	15487.429	15487.396	0.033	1:466796	1-Class
HCP 3 - HCP 1	12597.898	12597.945	-0.0473	1:266277	1-Class

Table 3-1: Verification of coordinate system adopted by survey agencies

Ground Control Points were collected at several locations of NAINA, to accurately find out the coordinate of physical features. Such features include road intersections, corners of open field or boundary etc.



3.1.3.1 BASE STATION

Two DGPS receivers were deployed as base station by each survey agencies. Initially observation was made for about 8 to 10 hours to get the precise coordinates of the base stations. Thereafter, these precisely known locations were used as base stations and were used during the daily field operation.

3.1.3.2 ROVER

DGPS receivers were deployed as rover. It was set up on or nearby planned location for 30 to 35 minutes to acquire GPS signals. The base station receiver calculates its position based on satellite signals and compares this location to the precisely known location. The difference is applied to the GPS data recorded by the roving GPS receiver to improve the accuracy.

3.1.3.3 GCP DATA PROCESSING

The recorded DGPS observations were post processed and network adjustment was performed. The network adjusted geo-coordinates were provided in UTM projection system with WGS 84 spheroid and WGS 84 datum.

3.1.4 IMAGE PROCESSING

The unprocessed ortho ready satellite images were provided by CIDCO to survey agencies. The data validation and image processing was carried out by survey agencies to ensure the completeness and quality of data. Multi spectral imagery of 2 meter spatial resolution and Panchromatic of 0.5 meter resolution were fused to generate a colour composite imagery at the spatial resolution of PAN imagery (0.5 m). Geo-referencing of satellite imagery was carried out with reference of GCP.

The details of satellite image are given below:

- Imagery date 3rd Nov 2012, 3rd Dec 2012, 29th Jan 2013
- Product
 Panchromatic (black and white) AND Multi spectral
- Bit depth 16 bit
- Ground sample distance (Resolution) 0.5 m (Panchromatic & Pan sharpened)
- Spatial reference system

0	Projection	-	UTM Zone 43N
0	Datum	-	WGS 84
0	Units	-	Meter

3.1.5 DIGITIZATION AND DATA PROCESSING

CIDCO provided a map showing the extent of area to be covered in survey along-with list of villages. CIDCO also provided satellite imagery and administrative boundaries. Survey Agencies procured the cadastral (village revenue) maps from DILR/TILR office. The revenue village maps were digitised and geo-referenced using about 5 ground control points per village. Administrative boundaries received from CIDCO were geo-referenced by the survey agencies. Basic digitization is carried out and the information is classified into different layers. Thereafter, field surveys were conducted. See Figure 3-2: Map showing digitized features on satellite imagery.





Figure 3-2: Map showing digitized features on satellite imagery

3.1.6 METHOD OF FIELD SURVEYS

Field surveys were carried out by the survey agencies to verify the existing land use and base map on ground. The entire area was divided into grids of 1:1600 scale. The surveyors were deployed in field to capture the attribute details.

For each structure/ building foot print, the land use category was classified and at the same time the geographical features such as water bodies, hills and vegetation were observed and marked on the map. Addition/ deletion of features such as roads, buildings were carried out. All the attributes were marked in a separate code on the satellite imagery and detail information was then plotted into the attribute sheet. After completion of field surveys the digitization/ drafting of all corrections were carried out.

Geo-database structure was prepared by planning consultants in consultation with CIDCO. This was used by the survey agencies.

3.1.7 CADASTRAL DATA PROCESSING

The cadastral map prescribes land parcel numbers, classification of land category, the boundaries and ownerships of land parcels. The survey agencies have collected cadastral map from land record department of Thane / Raigad district. The cadastral maps were scanned. Satellite images were georectified and the projection was set to Universal Transverse Mercator (UTM) projection system, zone 43N. The nearest neighbourhood Re-sampling technique was used to re-sample the cadastral map into a pixel size of quick-bird image during the image-to-map registration. Scanned revenue maps were georeferenced using satellite imagery. All land parcels were digitized.

3.1.8 LIDAR DATA PROCESSING

Contour lines are the most common method of showing relief and elevation on a standard topographic map. A contour line represents an imaginary line on the ground, above or below mean sea level. All points on the contour line are at the same elevation. The elevation represented by contour lines is the vertical distance above or below mean sea level. Digital Elevation Model (DEM) has been generated based on the filtered and edited LiDAR data / (bare earth) incorporating streams and break lines and points. The contours at 1 meter, 2 meter and 5 meter interval have been derived from the DEM.

Cartographically, the intermediate contours and every fifth contour have been drawn with different thickness and contour values at appropriate distances to enhance contour readability and indicating the index contour. Starting at zero elevation or mean sea level, every fifth contour line is a heavier line. Each index contour line is numbered at its centroid indicating the elevation of that line. This number is the elevation of that contour line.



3.1.9 QA AND QC PROCESS ADOPTED

The QA and QC process adopted by survey agencies includes manual checks as well as automated routines. Automated process includes the verification of no duplication of lines or symbols, no object with more than one unique identifier, no breaks in graphic connectivity. All graphic files were checked manually with reference to original source map.

3.1.10 GRID FORMULATION

The entire surveyed area has been divided into grids for easy referencing and coordination of survey. The grids are numbered alphabetically from A to V on vertical axis and 1 to 13 on horizontal axis. The typical grid references are a combination of vertical and horizontal reference nos i.e. A4, H13 etc. A village may fall in one or more grid. For example Village Vichumbe, Taluka Panvel falls in one grid H6 and Village Koproli Taluka- Pen falls in four grids namely S3, S4, T3, T4. Grid Structure is shown in **Figure 3-3**.






Figure 3-3: Area under Survey agencies and Grid Structure for NAINA



3.2 EXISTING LAND USE

The existing land use study given in this chapter is limited to DP area i.e. NAINA excluding IDP. The total area therefore refers to total area of NAINA excluding the area of IDP. The area is predominantly rural in nature intermitted with settlements mostly within Gaothans and Padas. However the settlements are also seen sometimes on the out skirt of Gaothans/Padas and along existing roads. The existing developed area is around 7% of the total area (NAINA excluding IDP), this developed area constitutes residential, commercial, industrial, mix use, transport, public & semi- public, public utility, recreational, farmhouses and vegetated areas etc. The major land use is agriculture (43%) followed by forest (20.7%). For existing land uses refer **Table 3-2: Existing Land use**.

3.2.1 ENVIRONMENTALLY SIGNIFICANT AND NON-DEVELOPABLE AREAS

Forest, water bodies, hills, wetlands and salt-pans are the environmentally significant areas. It constitutes 46.2% of the total area. This high percentage of environmentally significant area emphasises the need of environmental considerations in Planning of DP area. The environmentally significant areas are discussed below:

3.2.1.1 FORESTS

DP area is falling in foothill of Sahyadri range. The area witnesses the presence of protected, reserved and few unclassified forests. Forest lies in Balance Phase-I as well as in Phase-II. The forest area in balance phase-I is 1094 and in phase-II it is 7965 Ha. Hence a total area of 9059 Ha is under forests, which is 20.7% of DP area.

3.2.1.2 WATER BODIES

Total area of water bodies including area under revenue water bodies and water bodies within forests constitutes about 3096 Ha (approximately 7.1%) which includes rivers, creeks, lakes, ponds and perennial streams and area under revenue water bodies and within forests. The major rivers flowing through NAINA are Kalundre, Gadhi, Kirki and part of Patalganga. There are several creeklets penetrating into land in Pen Taluka.

3.2.1.3 HILLS

Hills are classified as non-developable. The hill areas with slope greater than 1:5 are considered steep and hence non-developable. The hills in DP area constitute 5305 Ha which is about 12.1% of the total area.

3.2.1.4 MARSHY/SHRUBS AREA

Wetlands are lands observed to be saturated with water at the time of survey. Wetlands are found only in villages of Pen Taluka near creek. As classified above area under marshy/shrubs is 2402 Ha which is about 5.5 % of the total area. These are not wetlands as stipulated in the MoEFCC notification of November 2010.

3.2.1.5 SALT PANS

Salt production is noticed only in villages of Pen Taluka. The area under salt pans is 320 Ha which is about 0.7 % of the total area. Some of the villages that have salt pans area are Vashi, Shinganvat, Bori Fata and Kolave. Salt production is on decline and this activity may be discontinued in future.



3.2.2 EXISTING BUILT-UP AREAS (REDEVELOPABLE LAND)

There are certain areas within DP area which are already developed. The existing settlements and structure in the form of residential, commercial, industrial and warehousing, mixed use, public and semipublic amenities, public utilities, transportation, vegetated and farm houses came up organically in the past. However majority of such built-up areas are not in very good condition or not optimally designed. These areas therefore can be redeveloped efficiently. These areas are discussed further in detail.

3.2.2.1 RESIDENTIAL LAND USE

The dense residential areas are located within and sometimes around the Gaothans. The developments prominently located outside of Gaothans are observed in villages close to New Panvel. In other parts of DP, residential area mainly consists of Gaothans, Padas and sometimes ribbon development along existing roads. The areas developing/ developed under Special Township Policy and Rental Housing Schemes have been accounted in residential development. The area under residential land use is about 1403 Ha (approximately 3.2%) of the total area.

3.2.2.2 COMMERCIAL LAND USE

Commercial activities are concentrated along Highways NH-4 & 17 and SH 79 & 105. The major activities noticed are showrooms, hotels, eating houses, auto repair/ service stations, fuel filling stations etc. Few commercial uses were also observed along Panvel-Matheran State Highway. The total land under commercial use is 131 Ha (0.3%) of the total area.

3.2.2.3 INDUSTRIAL AND WAREHOUSING LAND USE

DP area has very limited industrial activity. This is also evident from the industrial/warehousing landuse which accounts for 648 Ha (1.5%) only. Villages in Pen Taluka have Ganpati Idol making workshops. Villages have brick kilns on their outskirts and these area are included in industrial landuse.

The only Industrial Estate which was falling within DP is Rasayani. It is spread over Posari, Turade, Savale and Wasambe village. However, major part of this industrial estate is now under jurisdiction of another special planning authority i.e. MSRDC.

Taloja Industrial Estate is adjoining to the northern part of NAINA. Due to its influence, some industries have come up in the vicinity of this industrial estate. Few industrial developments have also been noticed along Highways i.e. NH-4, NH-17, and SH-105.

Adjoining to DP boundary, JSW steel plant is located in Dolvi village. The jetty being used by JSW steel plant is situated in Wave village within NAINA.

Jawaharlal Nehru Port Trust which is the highest container handling port of India, it is in proximity of NAINA. This proximity of JNPT has led to development of warehousing and logistics activities in NAINA. Most of these activities are observed along transport corridors i.e. mainly along NH-17 around villages Palaspe, Shirdhon, Chinvat, along NH-4 around villages Kolkhe, Derawali, (although major part of NH4 and surrounding area is now under MSRDC, but indirect impact of industrial and economic activities can be observed in NAINA) and along SH-82 in village Kasalkhand etc. Due to its prominence as economic activity, this use has been categorized separately.



3.2.2.4 MIXED LAND USE

The mixed land use includes the combination of residential and commercial activities or residential and household industry. Land under such use aggregates to 27 Ha which is 0.1% of DP area.

3.2.2.5 PUBLIC AND SEMI-PUBLIC UTILITIES AND AMENITIES

The public and semi-public land use includes educational, health, socio-cultural facilities and religious places. The total land under these uses aggregates to 180 Ha which is approximately 0.4% of total DP area.

3.2.2.6 TRANSPORTATION LAND USE

The transportation network in the area includes the road network and railway network. The total area under transportation land use is 528 Ha, which is approximately 1.2% of the area.

3.2.2.7 VEGETATED AREAS

These are areas where there is substantial green cover either naturally or through plantations. Such areas admeasure 83 Ha and are about 0.2% of the total area.

3.2.2.8 FARM HOUSE

These are few farm houses also within DP area. Areas under Farm houses admeasure 67 Ha and are about 0.2% of the total area.

3.2.2.9 RECREATIONAL LAND USE

The area of land under recreational use such as playgrounds, parks, gardens, water parks, tot lots etc aggregates to 76 Ha, which amounts to 0.2 % of the area.



3.2.3 LAND AVAILABLE FOR DEVELOPMENT

The other land uses which would be available for development are agricultural, vacant lands, vegetated areas, recreational and quarries. These are described below:

3.2.3.1 AGRICULTURAL LAND USE

Agricultural land use is predominant and area aggregates to about 18809 (43%). The agriculture land use is present in almost all villages. Crop lands, fallow lands, plantations, poultry farms/ cattle sheds, nurseries and fish farms are the sub-categories considered under agricultural land use.

3.2.3.2 VACANT LANDS

Vacant land is classified where no particular activities is noticed/ taking place during the site visit. The area has fairly large parcels of land under this category i.e. 1526 Ha, which amounts to 3.5 % of the area.

3.2.3.3 QUARRY

Area under quarries is approximately 67 Ha, which is about 0.2% of DP area.

Refer Table 3-2: Existing Land use for Existing Landuse chart and Figure 3-4: Existing Land Use Distribution in DP area.

Refer Figure 3-5: Existing Land Use Distribution in DP Area, 2014-15 for Existing Land Use Map of DP



	Existing Land Use										
SI. No.	Land Use Category	Bal Phase- I (Ha)	Phase-II (Ha)	Total	% of Total Area						
Α	Area not available for development										
1	Forest	1094	7965	9059	20.7%						
2	Waterbody (Within Forest)	5	53	58	0.1%						
3	Waterbody	161	2485	2646	6.1%						
4	Waterbody (Revenue)	69	323	392	0.9%						
5	Hills (slope more then 1:5)	174	5131	5305	12.1%						
6	Marshy/Shrubs	3	2398	2402	5.5%						
7	Salt pan	0	320	320	0.7%						
Α	Sub-Total	1507	18675	20181	46.2%						
В	Existing Built-up Area (Redevelopable Lands)										
7	Residential	302	1101	1403	3.2%						
8	Commercial	37	94	131	0.3%						
9	Industrial and Warehousing	119	528	648	1.5%						
10	Mixed Use	5	22	27	0.1%						
11	Public and Semi-Public Utilities and Amenities	51	129	180	0.4%						
12	Transport Network	139	389	528	1.2%						
13	Vegetated	2	81	83	0.2%						
14	Farm House	16	50	67	0.2%						
15	Recreational	47	28	76	0.2%						
В	Sub-Total	718	2424	3142	7.2%						
С	Total Non-Developable Land (A+B)	2225	21098	23323	53.3%						
D	Lands available for development										
16	Agricultural	3975	14834	18809	43.0%						
17	Vacant Land	493	1033	1526	3.5%						
18	Quarry	24	43	67	0.2%						
D	Sub-Total (Developable)	4493	15910	20403	46.7%						
Е	Total Area (A+B+D)	6718	37008	43726	100.0%						

Table 3-2: Existing Land use in DP area

Legend used for showing existing land use is shown in Annexure 3-1.






Figure 3-4: Existing Land Use Distribution in DP area






Figure 3-5: Existing Land Use Distribution in DP Area, 2014-15



3.3 ECO-SENSITIVE ZONE AROUND KARNALA SANCTUARY

The Ministry of Environment, Forests and Climate Change by its notification S.O. 230(E) dated 22nd January 2016 has identified an Eco-Sensitive Zone (ESZ) ranging from 0 - 8 km around the Karnala Wildlife Sanctuary. It includes 18 villages from Panvel and Uran Taluka.

The area of KESZ (including Karnala Bird Sanctury) is about 12.10 sq.km. as per MoEFCC notification dated 22 June, 2015. This is considered as area not available for development. Existing uses in KSEZ will be continued and have been considered in already developed areas. Karnala ESZ constitutes mostly forest and hills (gradient >1:5).

As per the notification, a Monitoring Committee to monitor compliance of the notification has been constituted under the chairmanship of Collector Raigad District and representative of SPA NAINA as one of the members of the committee.

3.4 WESTERN GHATS ECO-SENSITIVE ZONE

The Ministry of Environment, Forests and Climate Change by its notification S.O. 733(E) dated 10th March 2014 has identified Eco-Sensitive Zones (ESZ) in the Western Ghats hills in the states of Gujarat, Maharashtra, Goa, Karnataka and Tamil Nadu. Raigad District is one of the districts in Maharashtra which has some villages in the ESZ. The said notification gives the list of villages which are wholly or partly included in the ESZ along with the latitude and longitude of the external boundary of ESZ.

As far as NAINA is concerned certain villages appear in the ESZ list as given in **Table 3-3: Villages and Reference points**. However the latitude – longitude of the external boundary of villages when transferred on map show different locations than those cited in the table and the villages of NAINA at these coordinates do not appear in the list of ESZ notification. Thus there is a discrepancy in the boundary of ESZ and this issue is required to be sorted out with MoEFCC. It is subjected to the final notification by MoEF, which after




Figure 3-6: Reference points on outer boundary of Western Ghat ESZ

publishing will be applicable in DP area. The **Figure 3-6: Reference points on outer** boundary of Western Ghat ESZ shows the map with location of outer boundary marked as per lat-long of reference point given in the notification (shown in **Table 3-3: Villages and Reference points**).



Sr. No	Taluka	Village
1	Karjat	Palasdari
2	Karjat	Talawli
3	Khalapur	Sondewadi
4	Khalapur	Warose T. Wankhal
5	Khalapur	Nadhal
6	Khalapur	Kalote Mokashi
7	Khalapur	Nigdoli
8	Khalapur	Kalote Rayati

Table 3-3: Villages and Reference points

Reference point in Notification	Latitude - Longitude
41	73.4258, 19.4225
43	73.5123, 19.2406
44	73.4137, 19.068
45	73.3746, 18.8911
46	73.3242, 18.7207
47	73.2432, 18.6505
48	73.0729, 18.534
113	73.5363, 18.7441

3.5 IDENTIFICATION OF POTENTIAL DEVELOPABLE AREAS

The main purpose of the existing land use preparation is to know the extent of area already developed and to estimate the land available for development.

Environmentally significant areas such as water bodies, forests (including KESZ), salt pans and wetlands areas are excluded from developable lands. Physically undevelopable areas such as hills with steep slope (greater than 1:5) are also excluded from developable areas. Land under existing transportation network, existing built-up areas are excluded from the developable lands. Refer **Table 3-4: Summary of developable area**.

The agricultural and vacant lands are predominant areas available for new developments and they can be considered as "areas available for development". Large share of government lands is also available in these areas. Altogether, the land available for development in DP area is approximately 20461 Ha that is 46.8% of NAINA excluding IDP. For developable and non-developable land Refer Figure 3-7: Lands available for development in DP area.

Sr. No	Description	Area in Ha	% to total area
А	Total Area of DP (NAINA excluding IDP)	43726	100%
В	Not available for development	20181	46.2%
С	Already Developed (Existing Built-up Area : Re-developable)	3142	7.2%
D	Lands available for development [A-(B+C)]	20403	46.7%

 Table 3-4: Summary of developable area

Source: Analysis of the ELU map






Figure 3-7: Lands available for development in DP area



4. VISION AND STRATEGY

This chapter briefly explains the vision for the development of NAINA and the strategy to attain the same. Chapter also discusses the identified focal areas to bring strategy into action.

4.1 VISION FOR NAVI MUMBAI AIRPORT INFLUENCE NOTIFIED AREA

Navi Mumbai Airport Influence Notified Area (NAINA) depends upon the economic base provided by proposed Navi Mumbai International Airport near Panvel, Taloja Industrial Area and Jawaharlal Nehru Port Trust. However, all the three are outside of NAINA limits, having their own immediate hinterlands to capture the growth impulses of these economic hubs. New economic opportunities will attract people from different areas and backgrounds. These socio-economic activities will also result in the expansion of housing market of Mumbai and Navi Mumbai towards NAINA. NAINA will have to acquire a competitive edge over other areas in Mumbai Metropolitan Region (MMR) to attract the economic impulse and housing market.

The vision for NAINA is:





4.2 STRATEGY

The key focal areas to attain the perceived vision as stated above are Phasing, Land Development Model, and Raising Finances for development of infrastructure, Transport Network and Environmental Sustainability. The five dimensional strategies is indicated in Figure 4-1: Development Strategy for NAINA



Figure 4-1: Development Strategy for NAINA

4.2.1 PHASING:

NAINA is spread over 474 km². To understand the scale of urbanization involved, it could be compared with the city of Mumbai which is spread over 438 km² and that of Navi Mumbai which is spread over 344 km². While Mumbai has been developing over the past century, it took about half a century for Navi Mumbai - a planned greenfield city to get developed and populated. NAINA in terms of area is considerably more than Navi Mumbai. Therefore NAINA is too big an area to be urbanised in the plan period of next 20 years. It will neither be possible nor advisable to plan and provide infrastructure for whole of NAINA uniformly. Hence it is considered appropriate take to up development in a focused way for selected area where development pressure is more. The focus of infrastructure will be on this selected area on priority. This area is termed as Phase-I. Remaining area is termed as Phase-II. Refer Figure 4-2: Phasing of NAINA.

Furthermore development is dynamic and cannot be frozen in a 20 year plan, thus while a detailed land use plan will be prepared for the Phase –I, and the areas which are




Figure 4-2: Phasing of NAINA

likely to be urbanized beyond plan period are marked as Phase-II. The idea is to review the plan after sometime (5 - 10 years), assess the development potential and needs and if required modify the plan suitably.



4.2.2 DEVELOPMENT MODEL:

Development of NAINA is planned to be holistic and flexible at the same time. In such situation, it becomes challenging to guide the development pattern. Therefore an innovative Land Development Model 'NAINA – a voluntary land pooling scheme' has been adopted.

The essential features of this model are.

- a) Land is assembled into a minimum size.
- b) 25% of the land is surrendered to the planning authority for provision of roads and infrastructure and 15% of land is surrendered to planning authority towards its land bank.
- c) FSI for 60% of land retained by the developing entity is enhanced to compensate for the surrendered land.

Voluntary land pooling primarily responds to the demands of the market. Provision of 'incentives for participation in the scheme, and some disincentives for not participating' are introduced to make the scheme attractive and ensure maximum participation. Retaining land for subsequent sale by planning agency could raise resources for financing the development. The model in detail has been explained in Chapter 10.

The outcome of NAINA Scheme being market dependent is intrinsically uncertain. To overcome the risk and uncertainty of outcome the following strategy is proposed:

a) Flexible Zoning:

SPA intends to promote development in NAINA with major role for developers and other real estate entrepreneurs. It is therefore desirable to promote the concept of zoning with flexibility to promote compatible land uses in different zones.

In each zone compatible land uses are defined under preferred, permitted, and prohibited uses. The concept of flexible zoning is to create an enabling environment for private sector led development that can adapt to changing economic scenario. This process will ultimately result into integrated and holistic development of NAINA.

If reasonably large land is coming for development, which is capable of developing infrastructure on its own, such development is permitted even in Phase-II. For such development the minimum size of land assembly is more than 25 Ha.

b) Selective reservations in DP:

Promoting large scale development through private sector also implies that some of the facilities will come up by private sector along the development. Two main criteria of provision for facilities are:

Considering the possibility and willingness of development by private sector, the estimated amenities for year 2034 have been categorized in three groups.

- Group I 100% provision of reservations in DP
- Group II 50% reservations in DP and 50% through NAINA Scheme
- Group III Not shown in DP, expected from large developments

The details are given in Chapter-6.



4.2.3 RAISING FINANCES:

The land required for infrastructure would become available under NAINA model free of cost. The finances required for developing city-level infrastructure will be raised from development charges, as leviable under the MRTP Act, 1966. The prescribed development charges are enhanced to facilitate funding. The second source of revenue is disposal of 15 % land reserved as growth centre in Development Plan. For those who are not participating in NAINA scheme, FSI linked premium will be applicable to have parity in contribution for development of infrastructure, Details of the same are given in DCPR.

4.2.4 TRANSPORT:

Transport network is backbone of cities. Though other reservations have not been shown in detail beyond Phase-I, the road network has been planned for entire NAINA. Appropriate RoW has been worked out, planned and reserved for entire NAINA. Around the proposed sub urban stations adequate land has been reserved for circulation, integration of public transport and parking. Following parameters have been taken into considerations while planning Transport Oriented Development for NAINA, refer **Figure 4-3: Transport Oriented Development in NAINA**

- Walk: Developing neighbourhoods that promote walking by providing neighbourhood facilities and public transport at walkable distance
- Cycle: Promoting and encouraging Non-motorized transport system by providing cycle and pedestrian lanes
- Connections: Creating networks of streets and roads, proposing roads in loops to provide choice of mobility
- Transit: High potential development along major transport connectivity
- Mixed activities: Planning for mixed use, controlled by DCPR
- Dense and compact development: Optimizing density and transit capacity. Creating regions with short commutes
- Shift: Increasing mobility by regulating land use (providing parking) and facilities (transport oriented facilities) near transport nodes.



Figure 4-3: Transport Oriented Development in NAINA



4.2.5 ENVIRONMENT SUSTAINABILITY:

NAINA is partially located in the hilly terrain of Western Ghats, which has sensitive areas of natural and ecological importance. Protecting these natural areas is important for regional ecological balance of MMR and Western Ghats. The Eco-sensitive zones have been protected to retain the natural ecology and environment in NAINA. Balance between nature and Smart urban development has been evolved.

Environmental sustainability is an important aspect for any plan. The environmental conditions of an area influence the quality of life of its inhabitants. NAINA being a Greenfield development, environmental sustainability becomes more significant. Environment conservation in the DP includes both the built and natural heritage. While it is difficult to address all the conservation issues in a DP, attempt has been made to minimise the adverse impact of

urbanization on environment through land use proposals and the Development Control and Promotion Regulations (DCPRs).The same are discussed in detail in Chapter - 12.



Figure 4-4: Evolving balance between Nature and Smart Urban Development



5. DEMOGRAPHIC PROJECTIONS

NAINA is almost a green field development. The traditional methods of population projection used in Development Plans for existing cities are not relevant in the instant case. This chapter describes the selection of appropriate methodology and the working of projected population of NAINA for the horizon year 2034.

5.1. POPULATION FORECAST - NAINA

5.1.1. METHODOLOGY

The conventional methods of population projection of given city essentially use time series data. Based on such data, regression analysis is carried out on the relation between population as dependent variable and time as independent variable. The functional form could be linear (arithmetic) or non-linear (geometric). For projecting the population in future the past relation between 'population' and 'time' is assumed to hold good even in future. The basic limitation of this method is that it does not take into account the changes occurring in the external context such as reduction in general fertility rate, changing migration patterns, focused economic growth etc. Furthermore, in the absence of detailed migration and age-group specific birth and death data a more sophisticated trend analysis by 'cohort survival' method is also not possible. In addition, where slowing of growth rate is in its nascent stage (as in case of Greater Mumbai where peri-urban areas are growing at faster rate) or where a new economic input is expected to trigger urban growth, trend projection based on historical time series data of the concerned area is not relevant. In such circumstances a different approach to population forecast is adopted. This is called "ratio" or "shift and share" method. Such methods were adopted by D'Souza Committee while reviewing the Development Plan of Greater Mumbai in 1988, by Mumbai Metropolitan Region Development Authority (MMRDA) in Regional Plan 1996-2011 and also in draft Development Plan 2034 of Municipal Corporation of Greater Mumbai (MCGM).

Shift and Share method adopts approach of '**from whole to the part**'. Population of a city is a share of overall urban population of higher order spatial entity (e.g. region or state). However, such share is not constant and past data suggest the 'shifts' in the share. Such shifts are then moderated for the future either based on the trend or based on the judgment about the impacts of new economic inputs. This method is used in step down manner. At the highest order, the national or state demographic forecasts are considered. At the national level the contribution of net migration is very small. Projecting population is therefore less uncertain. After 2001 Census, Registrar General Census operations, Government of India, had provided population forecasts for India and States with Urban Rural division up to 2026.

Population growth of NAINA is likely to occur on account of new economic inputs like NMIA, expansion of JNPT, emerging rail links at Panvel, warehousing activities at Kalamboli and expanding housing market of Mumbai/ Navi Mumbai aided by infrastructure provisions by CIDCO. NAINA is likely to grow in the regional context of Mumbai Metropolitan Region. Therefore, **"Shift and Share"** method has been used to forecast the population for horizon year 2034.

Since NAINA is integral part of Urban Mumbai Metropolitan Region, the 'step down' approach uses Maharashtra Urban, Mumbai Metropolitan Region (MMR) Urban, Greater Mumbai Urban Agglomeration (GMUA) + Bhiwandi Nizampur Municipal Corporation + Vasai Virar Municipal Corporation + Navi Mumbai (CIDCO), NAINA and Khopta New Town Notified Area (KNTNA) as administrative units. The data compiled for the application of the method and the outcomes are described in succeeding paragraphs.

5.1.2. POPULATION DISTRIBUTION WITHIN DIFFERENT JURISDICTIONS

The available population from Census data was compiled (shown in **Table 5.1**) to be used for population estimation of NAINA. **Table 5.1** shows the population within various administrative zones in MMR and Maharashtra. In 2011 out of 508 lakhs population of Maharashtra's urban, 228 lakhs population was of Mumbai Metropolitan Region alone. Similarly, population within different jurisdiction within MMR is also shown in **Table 5.1**. Navi Mumbai shows considerable growth with Average Annual Growth Rate (AAGR) to be more than 10% (for year 2001 to 2011). NAINA in 1991 had 1.75 lakh of population, which grew to 2.78 lakhs in 2011, with AAGR of 3% in two decades (2.1% AAGR in 1991 to 2001, and 3.3% AAGR in 2001 to 2011). Refer **Table 5-1** for Urban Population within MMR and Maharashtra.

Description	Census Population in Lakhs						
Description	1971	1981	1991	2001	2011		
Maharashtra Total	504.1	627.8	789.4	968.8	1,123.7		
Maharashtra Urban	157.1	219.9	305.4	411.0	508.2		
Mumbai Metropolitan Region (MMR)	77.9	110.9	145.3	188.2	228.0		
MMR Urban	68.3	101.2	135.2	181.8	213.8		
GMUA + BNMC+ VVSR+CIDCO	66.9	99.2	131.6	174.7	204.6		
GMUA	64.6	95.7	124.8	161.3	179.7		
Greater Mumbai Municipal Corporation	59.7	82.4	99.3	119.8	124.4		
Thane Municipal Corporation	1.7	4.7	8.0	12.6	18.4		
Kalyan- Dombivali Municipal Corporation	1.5	5.8	8.2	11.9	12.5		
Ulhasnagar Municipal Corporation	1.7	2.7	3.7	4.7	5.1		
Navi Mumbai Municipal Corporation	-	-	3.9	7.0	11.2		
Mira-Bhayandar Municipal Corporation	-	-	1.8	5.2	8.1		
AREAS NEARBY Greater Mumbai Urban Agglomeration (GMUA)	2.3	3.5	6.7	13.4	24.9		
Bhiwandi-Nizampur Municipal Corporation	0.8	1.2	3.8	6.0	7.1		
Vasai Virar City Municipal Corporation	0.3	0.4	2.2	4.7	12.2		
Navi Mumbai (CIDCO)	1.2	2.0	0.7	2.7	5.6		
OTHER URBAN LOCAL BODIES	1.4	2.1	3.6	5.7	8.0		
Ambarnath Municipal Council	0.6	0.9	1.3	2.0	2.5		
Kulgaon-Badalapur Municipal Council	-	-	0.5	1.0	1.7		
Panvel Municipal Council	0.3	0.4	0.6	1.0	1.8		
Pen Municipal Council	0.1	0.2	0.2	0.3	0.4		
Khopoli Municipal Council	0.2	0.3	0.5	0.6	0.7		
Karjat Municipal Council	-	-	0.2	0.3	0.3		
Matheran Municipal Council	0.0	0.0	0.0	0.1	0.0		
Alibag Municipal Council	0.1	0.1	0.2	0.2	0.2		
Uran Municipal Council	0.1	0.2	0.2	0.2	0.3		
CENSUS TOWNS	-	-	-	1.4	1.1		
NAINA			1.73	2.09	2.78		

Table 5-1: Urban Population within MMR and Maharashtra

Source: Census of India 1971, 1981, 1991, 2001 and 2011



For Population estimation, the share of population of a jurisdiction within its subsequent higher hierarchy of jurisdiction was calculated. The share of Maharashtra urban population to Maharashtra's total population was 39%, 42% and 45% in the years 1991, 2001 and 2011 respectively. **Table 5-2** shows the 'shift in share' in urban population of Maharashtra, MMR, NAINA etc. This trend shows that the share of Maharashtra urban population within Maharashtra is increasing consistently. On the other hand, the share of MMR urban population in Maharashtra urban population decreased from 46% to 42% in last three decades. Decrease in share of MMR urban population in Maharashtra's urban population indicates that urban areas outside MMR are growing at faster pace.

Greater Mumbai Urban Agglomeration (GMUA) constitutes municipal corporations of Greater Mumbai, Thane, Kalyan-Dombivali, Ulhasnagar, Navi Mumbai and Mira-Bhayandar. Areas such as Bhiwandi-Nizampur (MC), Vasai-Virar (MC) and Navi Mumbai (CIDCO) are outside of GMUA. However to consider single urban entity adjoining to the area of interest i.e. NAINA, Bhiwandi-Nizampur (MC), Vasai-Virar (MC) and Navi Mumbai (CIDCO) have been clubbed with GMUA.

As shown in the **Table 5-2** given below, share of population of Greater Mumbai Urban Agglomeration including Bhiwandi Nizampur Municipal Corporation, Vasai Virar Municipal Corporation and Navi Mumbai – CIDCO within MMR urban in the years 1991, 2001 and 2011 was 97.3%, 96.1% and 95.7% respectively. It is evident that shift in the share of population continued to be negative during past three decades. NAINA during two decades i.e. from 1991 to 2011) shows no significant deviation from natural growth. Please refer **Table 5-2** for share and shift in share from 1971 to 2011.

		Share of population				Shift in Share			
Description	1971	1981	1991	2001	2011	1971- 1981	1981- 1991	1991- 2001	2001- 2011
Maharashtra Urban in Maharashtra Total	31.2%	35.0%	38.7%	42.4%	45.2%	3.9%	3.7%	3.7%	2.8%
MMR Urban in Maharashtra Total	13.5%	16.1%	17.1%	18.8%	19.1%	2.6%	1.0%	1.6%	0.3%
MMR Urban in Maharashtra Urban	43.5%	46.0%	44.3%	44.2%	42.1%	2.6%	-1.8%	- 0.0%	-2.2%
GMUA + BNMC+ VVSR+CIDCO in MMR Urban	97.9%	97.9%	97.3%	96.1%	95.7%	0.0%	-0.6%	-1.2%	-0.4%
NAINA in MMR URBAN			1.28%	1.15%	1.30%			-0.14%	0.15%

Table 5-2: Share and Shift in urban population of MMR in Maharashtra from 1971 to 2011

Source: Census of India 1971, 1981, 1991, 2001 and 2011



5.1.3. NAINA'S POPULATION FORECAST BY SHIFT AND SHARE METHOD

Shift and share method follows the approach of **'whole to part'**. It implies that the population in higher order spatial entity will define the lower order spatial entity population with the help of percentage share within the larger spatial hierarchy. Therefore the elementary task was to estimate the population growth of highest hierarchy related to the study area i.e. Maharashtra State.

Maharashtra's Population Projection:

National Commission on population has projected the urban and rural population of India and states from the year 2002 to 2026. This document was prepared by Registrar General, Census Operations, Government of India (RGI). This population projection was done in 2006 and it is available for all states from the year 2002 to 2026. Now census data for the year 2011 is also available. Hence the census data was used to assess the deviation from the projection by RGI. For the year 2011, the population projected by the RGI in 2006 is 1126.6 lacs whereas the census 2011 shows 1123.7 lacs. It implies that the difference between the estimated population and census population-2011 is approximately 3 lacs i.e. 0.25%. The estimated population by RGI is slightly on higher side. This fact was taken care of while using the population projection of RGI.

The availability of census 2011 population and projections done by RGI provided supplementary information to study the trend and estimate population growth till 2034. The average annual growth rate of the past decades was analyzed and the deviation from RGI projection was observed. On the basis of this observation, the AAGR for 2021 and 2031 was assumed and the projections were carried out. The same is shown in the **Table 5-3**

	Table 5-3: POPULATION PROJECTION (MAHARASHTRA TOTAL) Pop in Lac								
Description \ Ye	ar	1971	1981	1991	2001	2011	2021	2031	
Population	Census Data (Actual Population)	504.1	627.8	789.4	968.8	1123.7		-	
(Maharashtr	RGI PROJECTION					1126.6	1270.8		
a rotal)	a Total) PROJECTED POPULATION					1258.2	1372.8		
Comparison	Difference with RGI F	Projection	(in Lacs)		-2.9	-12.6			
Companson	Difference with RGI F	Projection	(in Percei	ntage)		-0.25%	-0.99%		
Analysis									
Decades	Decades			81-91	91-01	01-11	11-21	21-31	
AAGR			2.5%	2.6%	2.3%	1.6%	1.2%	0.9%	
DIFF IN AAGR				0.1	-0.3	-0.7	-0.4	-0.3	

The projected total population of Maharashtra for the year 2021 is 1258.2 lacs which is about 12.6 lacs more than the population projected by RGI. Considering the fact that projected population by RGI was on higher side by about 3 lacs in the year 2011. If the same trend continues, the population gap is expected to increase in 2021. Therefore the population estimated for the year 2021 which was 1258 i.e. less by 12.6 lacs of RGI's population estimation, was considered appropriate and the trend was continued till 2034.



Maharashtra Urban and MMR Urban Population Projection:

Subsequently the population projections of required areas within Maharashtra were estimated on the basis of shift and share method. The share of Maharashtra Urban population in Maharashtra's total population was 31%, 35%, 38.7%, 42.4% and 45.2% in 1971, 1981, 1991, 2001 and 2011 respectively. The shift in the share was observed for past decades (3.9%, 3.7%, 3.7% and 2.8% in consecutive decades), and based on past trend shifts in urban population share for the future were assumed (2.6% for 2021 and 2.3% for 2031). Accordingly, total urban population of Maharashtra was estimated. Please refer **Table 5.4** for details.

Similarly the trend of share and its shift was observed for MMR urban population with Maharashtra urban population for last four decades. Based on the past trend, the shift was assumed. And the share of MMR urban population in Maharashtra urban was worked out. And thus MMR urban population was projected. Following the step down approach the shifts and shares of NAINA was estimated as detailed in subsequent paragraphs.

Population Projection for NAINA:

The three critical scenarios possible for the growth of NAINA are:

Low growth scenario: The natural growth phenomenon where neither any infrastructure provisions nor economic activities are induced due to which the population grows at slow and natural pace. This is the trend if area is allowed to grow on its own with provision of infrastructure as and when the need arises. This was the trend till appointment of CIDCO as SPA.

Medium growth scenario: The growth in population is expected due to induced external forces which are basically provision of infrastructures like water supply, sewerage, drainage, roads, schools, hospitals etc. Further, induced population is due to planned activities within the zone. Infrastructure and economic activities on one hand induce or attract population to in-migrate but also control the phenomenon by the planned and controlled approach.

High growth scenario: It is the result of uncontrolled and unplanned growth due to economic activity in nearby area. Population growth in this scenario is due to the inflow of heavy economic activities. In such situation, the zone attracts people from different areas including adjoining ones.

To be rational in terms of efficient and planned development the medium growth population growth scenario has been taken into consideration. The Shift and Share assumptions in **Table 5-4** are therefore considered as per medium growth scenario.

While envisaging share of NAINA population in MMR urban population, induced growth was assumed. The induced growth was assumed due to provision of infrastructure (social and physical), economic activities, efficient connectivity and better quality of life. These factors will attract people from other areas to NAINA. Thereafter induced shift in the share of population of NAINA were assumed and shares from MMR urban were derived (Refer **Table 5-4**). It is expected that the population of NAINA would be approximately 14.02 lakhs by the year 2034. **Table 5-4** shows the population projection through shift and share method.



Description	Spatial Entity \ Year	Existing Population				Population Projection - Shift and Share method (Medium Growth Scenario)			
		1971	1981	1991	2001	2011	2021	2031	2034
	Maharashtra Total	504.1	627.8	789.4	968.8	1,123.7	1,258.2	1,372.8	-
	Maharashtra Urban	157.1	219.9	305.4	411.0	508.2	601.7	688.1	710.7
Population	MMR URBAN	68.3	101.2	135.2	181.8	213.8	242.3	264.7	269.6
Population	GMUA + BNMC+ VVSR+CIDCO	66.9	99.2	131.6	174.7	204.6	225.9	238.8	240.8
	NAINA	-	-	1.7	2.1	2.8	4.97	11.38	14.02
	Maharashtra Urban in Maharashtra	31.2%	35.0%	38.7%	42.4%	45.2%	47.8%	50.1%	
	MMR Urban in MH Urban	43.5%	46.0%	44.3%	44.2%	42.1%	40.3%	38.5%	37.9%
Share	GMUA + BNMC+ VVSR+CIDCO in MMR Urban	97.9%	97.9%	97.3%	96.1%	95.7%	93.2%	90.2%	89.3%
	NAINA in MMR Urban			1.3%	1.1%	1.3%	2.0%	4.3%	5.2%
	Maharashtra Urban in Maharashtra		3.9%	3.7%	3.7%	2.8%	2.6%	2.3%	
	MMR Urban in MH Urban		2.6%	-1.8%	0.0%	-2.2%	-1.8%	-1.8%	-0.5%
Shift in Share	GMUA + BNMC+ VVSR+CIDCO in MMR Urban			-0.6%	-1.2%	-0.4%	-2.5%	-3.0%	-0.9%
	NAINA				-0.1%	0.2%	0.8%	2.3%	0.9%
								Assumptions	3

Table 5-4: Population Projection of NAINA through Shift and Share method

5.1.4. POPULATION ESTIMATION WITHIN NAINA

After projecting NAINA's total population for the year 2034, further step is to estimate the distribution of this population within NAINA where development would be taking in various phases. As phasing will define the level of infrastructure provision and location will define connectivity, geography and other factors, therefore it is important to consider the internal dynamics of NAINA while distributing the projected population within NAINA. Therefore the population estimation of IDP, Balance Phase-I and Phase-II (Refer Figure 5-1: Map showing Phasing of NAINA) needs to be done separately.

As a matter of fact, the shift and share method will not be very appropriate method now to further distribute the projected population in relatively smaller areas. Since the area is small people prefer to commute to the place of work instead of migrating. Therefore Annual Average Growth Rate (AAGR) method has been applied to calculate population projection within NAINA – Phase-I, Balance -Phase-I and Phase-II. This population estimation will depend on the time, level of infrastructure provisions and economic development etc.



The basic assumptions regarding development pattern in various phases and parts of NAINA are as following:

- **Population Projection for IDP** Due to fact that the area is in Phase-I. the provision of infrastructure development will be faster as compared to other parts of NAINA. Also, it is well connected and relatively affordable to reside. The growth trend will therefore continue rising till one more decade. This area has highest potential to develop in the immediate future, comparatively faster to other areas. Accordingly, the annual growth rate is expected to rise up to about 20%. As part of it is already developed and hence it is likely to saturate before other areas. It will gradually reach its saturation in terms of population growth rate. After that the growth rate will reduce and will continue with almost consistent population growth rate till the plan period.
- **Balance Phase-I** This area comprises of areas adjoining IDP and Khalapur Smart City area. This area is less developed as compared to IDP. Hence it offers opportunity for providing better




Figure 5-1: Map showing Phasing of NAINA

infrastructure. Commutable distances and scope to plan developable areas efficiently makes this zone favorable for high growth. This part of NAINA is also expected to grow as fast as IDP. The Annual growth rate in this area also is expected to rise up to about 25%. It will continue to grow at high rate for the rest of Plan period. The population growth therefore will be high, after a decade it will become consistent but at higher rate than IDP.

• **Phase-II** - This part of NAINA is outside of Phase-I, CIDCO does not plan to provide urban infrastructure in this area in the Plan Period. It means that the infrastructure provision will take place after 2034. This area is relatively far and transportation commuting facilities are also not very efficient. The area is assumed to have low population growth. The growth in terms of AAGR increases up to 6%, and continues to be around 5% till planned period.

Detailed Annual Assumptions for the Growth Rate from 2011 onwards are given in the Table 5-5: Population Projection of Parts of NAINA:



The final Population projection **Table 5-5** as per the assumed Annual Growth Rate within NAINA is given below.

	Average Annual Growth Rate (AAGR)			Population in Lacs				
		Balance			Balance		Total	
Year	IDP	Phase I	Phase-II	IDP	Phase I	Phase-II	NAINA	
	As per Census							
1991				0.23	0.29	1.20	1.72	
2001	6.7%	1.8%	1.3%	0.39	0.34	1.36	2.09	
2011	6.9%	1.4%	2.8%	0.65	0.39	1.74	2.78	
		AAGR Assum	ptions		Population Est	imation		
2016	2.9%	2.7%	1.1%	0.75	0.44	1.84	3.02	
2021	20.1%	10.9%	2.7%	1.50	0.68	2.09	4.27	
2031	21.2%	26.2%	6.3%	4.67	2.47	3.40	10.55	
2034	11.0%	18.7%	5.3%	6.22	3.86	3.94	14.02	

Table 5-5: Population Projection of Parts of NAINA

Therefore the Estimated Population for the year 2034 will be:

- IDP Total projected population 6.2 lakhs
- Balance Phase-I Total projected population 3.86 lakhs
- Phase-II Total projected population 3.94 lakhs

Total population of NAINA is therefore expected to be 14.02 lakhs by the year 2034.

5.1.5. Density in DP Area

The development strategy adopted is optimal in terms of infrastructure provision and population growth. Area under Phase-I is planned to grow first and therefore priority of infrastructure provision is given to Phase-I of NAINA. DP area comprises of Balance Phase-I and Phase-II. Description of area, population and density in Balance Phase-I and Phase-II are given in **Table 5-6: Density in DP Area.** Gross density is calculated on total area and net density is calculated on developable area in corresponding phase. Gross density in Balance Phase-I is 57 persons per hectare (PPH) and in Phase-II is 11 PPH, whereas net density attained in Balance Phase-I and Phase-II is 85 PPH and 25 PPH respectively. Projected gross density in entire DP area is 18 PPH and net density is 38 PPH

Description	Balance Phase-I	Phase-II	Grand Total
Developable Area (Ha)	4525	15936	20461
Redevelopable Area (Ha)	684	2366	3050
Non-Developable Area (Ha)	1509	18706	20215
Total Area (Ha)	6718	37008	43726
Projected Population (lacs)	3.86	3.94	7.8
Gross Density (PPH)	57	11	18
Net Density (PPH)	85	25	38

Table	5-6:	Density	in	DP	Area
Lanc	· · · ·	Density	***		1 II Cu



6. **REQUIREMENT OF PUBLIC AMENITIES**

One of the main functions of Development Plan (DP) is to designate land for public purpose. Transport, education, healthcare and recreational open spaces are the principal components of public purpose for which land has to be designated in DP. Traditionally planning norms/standards in terms of area required per thousand or per lac of populations have been used for this purpose. However in case of DP, the land development model puts an upper limit of 40% of developable area for such facilities (10% is used for roads, 15% is for growth centre, 10% is for open spaces and 5% is for social facilities). This chapter explains norms relevant for NAINA and their provisions in DP area.

6.1. PLANNING NORMS

The public services and facilities in the urban environment have significant impact on the quality of life of the people residing in urban areas. Good quality of physical and social infrastructure such as transport, water supply, sewerage, education, health care and community facilities are essential elements for healthy and sustainable urban life.

For assessing requirement of social and physical infrastructure for estimated population, the spatial norms have been laid down in various documents by different agencies. To adopt most appropriate norms for NAINA, the requirement of facilities in the form of norms, standards and guidelines were referred from various sources i.e. Government Resolution 1979 of Government of Maharashtra, UDPFI guidelines -1996 and revised URDPFI -2014 (final version of URDPFI Guidelines). In addition, CIDCO has also adopted a set of norms for planning of Navi Mumbai and for preparation of development plan for Waluj. A comparative statement of these norms and standards is given in **Annexure 6-1**. Based on this range of norms and standards, appropriate one for NAINA has been arrived at. These are given in **Table 6-1: Standards adopted for provision of public facilities in NAINA**.



	e 0-1. Standards adopted for provision of public		
Type of	Facility	Standard	as
Facility		1 for Population	Area(Ha)
	Balwadi/ Creche	12000	0.05
Educational	Primary & Secondary School building (S)	10000	0.40
Facilities	School Play Grounds (SPG)	10000	0.60
Facilities	Colleges (C)	125000	1.00
	Professional Colleges/ Technical College	125000	2.00
	Clinic	10000	0.06
Health	Dispensary/Primary Health Centre (PHC)	25000	0.15
Facilities	General Hospital (GH)	100000	0.50
	Super Speciality Hospital	250000	2.00
	Library	10000	0.05
Social And	Multipurpose Hall	10000	0.20
Cultural	Health Club & Gymnasium	10000	0.10
Facilities	Community Centre (CC)	100000	0.20
Facilities	Religious	10000	0.15
	Working Women's Hostel	100000	0.30
Market / Daily Bazaar	Market / Daily Bazaar (DB) It includes: Vegetable/Fish/Meat Market Rationing / Kirana/ Retail Shops/Flour mills Milk Booths, Personal Service Establishments, Post Office etc.	10000	0.10
Public	Fire Brigade and Allied services (FS)	200000	1.00
Facilities	Burial/Cremation Ground (BG/C)	500000	4.00
raciiities	Police Station (PS)	100000	1.00
Onon	Parks (P)	10000	3.00
Open Spaces/Park	Playgrounds (PG)	10000	4.00
	City Park (CP)	500000	50.00

Table 6-1: Standards adopted for provision of public facilities in NAINA

6.2. DISTRIBUTION OF SOCIAL FACILITIES AND PUBLIC AMENITIES

Entire DP is too big an area to be urbanised in the plan period of 20 years. It will neither be possible nor advisable to plan and provide infrastructure for whole of DP area in one go. Hence it is considered appropriate to take up development in phases. The development of infrastructure should be provided for selected area where development pressure is more or eminent in near future. The focus of infrastructure therefore will be on selected area, termed as Balance Phase-I.

Also, it is important to mention that distribution of above estimated facilities would defer due to developments of layouts and facilities coming up in NAINA scheme etc. Considering this, the estimated amenities for year 2034 have been categorised in three groups given in the **Table 6-2: Group-wise Amenities & Utilities shown in Balance Phase-I of DP area**.



Group	Distribution	Social Amenities	Public Utilities	Parks and Play Grounds
Group I	100% designated in DP	 Dispensary/Primary Health Centre General Hospital Community Centre 	 Police station Fire station Burial Ground	ParksPlay groundsCity Level Park
Group II	50% designated in DP and 50% expected by developers through NAINA Schemes	 Market / Daily Bazaar Schools College 		 School play grounds
	Mandatory Amenities expected from large development.			 Open space requirement as Described in DCPRs
Group III	Optional Amenities in NAINA Schemes	 Clinics Balwadi/ Creche Religious Health Club & Gymnasium 		

- a) **Group I-100% reservations shown in DP:** The public utilities and major social facilities like parks & playgrounds, crematorium/ burial grounds, police station, fire station and general hospital are included in this group. Most of these are unlikely to be developed through the market. Hence the entire requirement estimated from the norms adopted for DP is provided in the plan.
- b) Group II-50% reservations in DP and 50% through NAINA Scheme: Certain amenities can get developed through the market as these facilities are commercially viable. Yet 50% of such amenities are shows as reservations in DP to be developed by CIDCO. This is a fall-back arrangement, if NAINA Scheme does not succeed. The balance 50% amenities are expected from NAINA Scheme through layout regulations governing development of NAINA Schemes.
- c) **Group III-Not shown in DP Amenities, expected from large Development/ NAINA Scheme:** This is an indicative list of amenities that, a developer would provide in response to demand and also as a marketing strategy to attract customers and investors.

All identified social facilities have been divided across various levels. Some facilities cater to the needs at city level and some cater to the needs at peripheral & sector level. Accordingly, facility distribution has been worked out. Abbreviations as well as colour code used while spatially locating required social infrastructure facilities is given in Table 6-3: Abbreviations, Color Coding and Division of Social Amenities across City/ Peripheral/Sector Level.

In addition to the above mentioned reservations, DP proposed Growth Centre (GC) as one of the required reservation. Growth centre zone will be exclusively developed by SPA-NAINA and will have predominantly commercial, business, residential activity or any other activity which CEO, SPA-NAINA deems fit. GC is shown as reservation in development plan.

Village and sector wise list of all the reservations are given in Annexure 6-2



Category of facilities	Facility description	Abbreviation used	City Level	Peripheral Level	Sector Level
EDUCATIONAL	School	S			٧
EDUCATIONAL	College	С	V		
MEDICAL	Primary Health Centre	PHC			٧
MEDICAL	General Hospital	GH	V		
MARKETS	Market / Daily Bazaar	DB			٧
	Fire Station	₽S	V		
COMMUNITY	Police Station	PS		v	
SERVICES	Community Centre	CC			٧
	Burial / Cremation Ground	BG/C	V		
	Park	Р			٧
PARKS & PLAY	Play Ground	PG			٧
GROUNDS	School Play Ground	SPG			٧
	City Park	СР	V		
	33KV Electric Substation 2	ESS			٧
	220 KV Receiving Station	RS	V		
	Clear Water reservoir	CWR	V		
PUBLIC UTILITIES	Elevated Service Reservoir/ Ground Service Reservoir	ESR/GSR		v	
	Sewage Treatment Plant	STP	V		
	Public Utilities	PU	V		

Table 6-3: Abbreviations, Color Coding and Division of Social Amenities across City/ Peripheral/ Sector Level

6.3. POPULATION DISTRIBUTION AND ESTIMATION OF RESERVATIONS

Total population projected for NAINA is 14.02 Lacs for the year 2034. Considering that development is to be focused on Phase-I area only, the population estimated for Balance Phase –I (excluding IDP) is about 3.86 Lacs. The requirements of facilities have been worked out as per standards adopted for Phase-I population of 3.9 lacs only.

The social facilities are required to cater to the needs of population. The hierarchy of facilities (for example primary school, high school, college) is defined on the basis of population it has to serve. There is also threshold (minimum) population to run or maintain the facility. **Table 6-4** shows the total facilities required for 3.9 lacs of population. In case of allocating higher order facilities which serve more than one sector such as General Hospital, Police Station, Fire Station, City Parks, Colleges and Burial Ground, spatial distribution is given due consideration. But for micro level or neighbourhood level facilities, sector wise population estimation is required to spatially distribute the facilities according to the threshold and the catchment of the population.



6.4. SECTOR WISE ESTIMATION OF RESERVATION

Balance Phase-I area is divided into 25 sectors; in which 17 sectors are around IDP and remaining 8 are in Khalapur smart city area. The development plan promotes mixed land use by permitting residential activity in most of the proposed zones.

The residential factors used for estimation of residential population within respective land uses are - 90% for R-1 (Predominantly Residential), 20% for developments in Growth Centre, 50% for R-2 (Mix Use) and 90% for R-3 (Urban Village). The residential factors when multiplied by area of respective zones (the R-1, R-2, R-3 zones and Growth Centers) in which residential activity was assumed gave the net residential use in each sector.

Proposed landuse was considered for estimation of sector level population. The estimated area under residential use through proposed landuses was calculated in each sector. Projected population was distributed on the basis of proportion of residential activity in each sector. Further the facilities were provided on the basis of estimated population in each sector.

6.5. PROVISION OF FACILITIES IN BALANCE PHASE-I

This section presents estimated demand of proposed social infrastructure facilities such as educational, health facilities, open spaces and other amenities. It includes estimated demand and its area requirement for the facilities required by the population of 3.9 lacs for the horizon year 2034. Refer **Table 6-4** for total number of facilities required in Balance Phase-I in sectors

		Descr	iption				
Type of Facility	Facility	Group	Standar	ds	Facilities Required for 3.9 lac Population		To be Designated
Facility			1 for Population	Area (Ha)	No.	Area	%
	Balwadi/Creche	III	12000	0.05	0.0	0.0	NIL
Educational	Primary & Secondary School (building) (S)	П	10000	0.40	19.5	7.8	50%
Facilities	School Play Grounds (SPG)	П	10000	0.60	19.5	11.7	50%
	Colleges (C)	Ш	125000	1.00	1.6	1.6	50%
	Professional Colleges/ Technical College	Ш	125000	2.00	0.0	0.0	NIL
	Clinic	III	10000	0.06	0.0	0.0	NIL
Health	Dispensary (PHC)	I	25000	0.15	15.6	2.3	100%
Facilities	General Hospital (GH)	I	100000	0.50	3.9	2.0	100%
	Super Speciality Hospital	III	250000	2.00	0.0	0.0	NIL
	Library	III	10000	0.05	0.0	0.0	NIL
	Multipurpose Hall	III	10000	0.20	0.0	0.0	NIL
Social And	Health Club & Gymnasium		10000	0.10	0.0	0.0	NIL
Cultural	Community Center (CC)	I	100000	0.20	3.9	0.8	100%
Facilities	Religious		10000	0.15	0.0	0.0	NIL
	Working Womens Hostel	III	100000	0.30	0.0	0.0	NIL

Table 6-4: Standards considered for Provision of Facilities in balance Phase-I



		Descr	iption				
Type of Facility	Facility	Group	Standar	ds	Facilities Required for 3.9 lac Population		To be Designated
Facility			1 for Population	Area (Ha)	No.	Area	%
Market / Daily Bazaar	Market / Daily Bazaar (DB): Includes Vegetable, Fish/Meat Market Rationing / Kirana/ Retail Shops Flour mills, Milk Booths, Personal Service, Post Office etc.	II	10000	0.1	19.5	2.0	50%
Dublis	Fire Brigade and Allied services (FS)	I	200000	1.00	2.0	2.0	100%
Public Facilities	Burial/Cremation Ground (BG/C)	-	500000	4.00	0.8	3.1	100%
	Police Station (PS)	Ι	100000	1.00	3.9	3.9	100%
Onon	Parks (P)	Ι	10000	3.00	39.0	117	100%
Open Spaces/Park	Playgrounds (PG)		10000	4.00	39.0	156	100%
Spaces/Park	City Park (CP)	Ι	500000	50.00	0.8	39.0	100%

In balance phase-I the population density is low and due to low density, the spatial distribution becomes sparse. Further, the area is also spread in 4 major pockets. For some reservations (Fire station, Police station, Health etc.) the distance also plays a vital. Taking these factors into account some of the reservations have been proposed more than the population norm requirement. The individual facility on the basis of their type is given below in detail:

6.5.1. EDUCATIONAL FACILITIES

Demand estimation was carried out for educational facilities which include balwadi/ creche, primary & secondary schools, colleges and professional institution/ technical colleges. It is estimated that, by the year 2034, about 20 schools would be needed to cater to the basic educational requirement. Similarly about 2 Colleges would be needed by the year 2034. Estimated demand and area requirement for educational facilities along with standards considered for the same is given in **Table 6-5**. The actual provision of educational facilities in Balance Phase-I have been allocated on the basis of groups these are classified into (as per **Table 6-2**). 26 Schools, 27 School Play Grounds and 3 Colleges have been provided in Development Plan.

Type of		Standards		Requirement for 3.9 lacs Population		Provision	Designated in DP	
Facility	Facility	1 unit for Population	Area (Ha)	No.	Area (Ha)	as per Group	No.	Area (Ha)
	Balwadi/Creche	12000	0.05	0.0	0.0	Nil	0	0
	Primary & Secondary School (building) (S)	10000	0.40	19.5	7.8	50%	26	10.3
Educational Facilities	School Play Grounds (PG)	10000	0.60	19.5	11.7	50%	27	17.2
	Colleges (C)	125000	1.00	1.6	1.6	50%	3	3.2
	Professional Colleges/ Technical College	125000	2.00	0.0	0.0	Nil	0	0

 Table 6-5: Estimated demand and area requirement of Educational Facilities, 2034

Note: As per education trend observed in Navi Mumbai, it is suggested to have integrated/ composite schools (from pre-primary to higher secondary).



6.5.2. HEALTH FACILITIES

As far as the health infrastructure is concerned, 4 general hospitals and 16 Primary Health Centres would be needed to cater to the needs of population by the year 2034. This would facilitate the city level medical needs. Dispensaries (PHC) of about 0.15 ha each would cater to the local health facility requirement at sector. The Estimated demand of health facilities and area requirement along with standards considered for the same is given in **Table 6-6**. The actual provision of health facilities in Phase-I have been allocated on the basis of groups these are classified into (as per **Table 6-2**). Total 20 PHCs and 7 General Hospitals have been provided in DP.

Type of		Standards		Requiremo 3.9 Lacs Po		Provision	Designated in DP	
Facility	Facility	1 unit for Population	Area(Ha)	No.	Area (Ha)	as per Group	No.	Area (Ha)
	Clinic	10000	0.06	0.0	0.0	Nil	0	0
Health	Dispensary/Primary Health Centre (PHC)	25000	0.15	15.6	2.3	100%	20	3.2
Facilities	General Hospital (GH)	100000	0.50	3.9	2.0	100%	7	4.1
	Super Speciality Hospital	250000	2.00	0.0	0.0	Nil	0	0

Table 6-6: Estimated demand and area requirement of Health Facilities, 2034

6.5.3. SOCIAL AND CULTURAL FACILITIES AND MARKET / DAILY BAZAAR

The social and cultural facilities include religious facilities, library, multipurpose hall, health club and gymnasium, community centre, religious facility and working women hostels. Market / Daily Bazaar/ market complexes include Vegetable Market, Fish/Meat Market, Rationing / Kirana/ Shops Services, Flour mills, Milk Booths, Personal Service Establishments, Post Office etc. As per the adopted norms, 20 daily bazar complexes would be needed. 4 Community Centre reservations would be required. Requirement of all social and cultural facilities is given in **Table 6-7**. The actual provision of community centres and daily bazaars in Balance Phase-I have been allocated on the basis of groups these are classified into (as per **Table 6-2**). 7 community centres and 27 daily bazaars have been provided in DP.

Table 6-7: Estimated demand and area requirement of Social and Cultural Facilities and Market / Daily Bazaars, 2034

Type of	Facility	Standa	ırds	Requirement for 3.9 Lacs Population		Provision as per	Designated in DP	
Facility	racinty	1 unit for Population	Area (Ha)	No.	Area (Ha)	Group	No.	Area (Ha)
	Library	10000	0.05	0.0	0.0	Nil	0	0
Costal	Multipurpose Hall	10000	0.20	0.0	0.0	Nil	0	0
Social And	Health Club & Gymnasium	10000	0.10	0.0	0.0	Nil	0	0
Cultural Facilities	Community Centre (CC)	100000	0.20	3.9	0.8	100%	7	2.0
racinties	Religious	10000	0.15	0.0	0.0	Nil	0	0
	Working Women's Hostel	100000	0.30	0.0	0.0	Nil	0	0
Market / Daily Bazaar	Vegetable Market Fish/Meat Market Rationing / Kirana/ Shops Services Flour mills Milk Booths, Personal Services, Post Office	10000	0.1	19.5	2.0	50%	27	3.0



Some city level or larger scale facilities which are mandatorily to be provided have been shown in DP. Facilities which are expected 50% by developers through NAINA Schemes are shown in DP to the extent of 50% of the requirement.

6.5.4. PUBLIC UTILITIES

Requirement of public utilities such as fire stations, police stations and burial grounds has been worked out. These include 4 Police stations, 2 Fire stations of 1 Ha each; along with 1 Burial/ Cremation ground. Requirement of all utilities is given in **Table 6-8**. The actual provision of public utilities in Balance Phase-I have been allocated on the basis of groups these are classified into (as per **Table 6-2**). 4 Fire stations, 5 Burial/ Cremation grounds and 7 Police stations have been provided in DP.

Type of	Facility	Standards		Requirement for 3.9 Lacs Population		Provision as per	Designated in DP	
Facility		1 unit for Population	Area (Ha)	No.	Area (Ha)	Group	No.	Area (Ha)
Public Facilities	Fire Brigade and Allied services (FS)	200000	1.00	2.0	2.0	100%	4	4.0
	Burial/Cremation Ground (BG/C)	500000	4.00	0.8	3.1	100%	5	8.9
	Police Station (PS)	100000	1.00	3.9	3.9	100%	7	7.0

Table 6-8: Estimated demand and area requirement of Public Utilities, 2034

6.5.5. PARKS AND PLAY GROUNDS

Parks and Play grounds are essential facilities. It is estimated that 39 Parks of 3 Ha each, 39 Playgrounds of 4 Ha each and 1 city level parks of 39 Ha will be needed for the horizon year population. (Refer **Table 6-9: Estimated demand and area requirement of parks and play grounds, 2034**). 36 Parks, 47 Playgrounds and 2 City parks have been provided in DP. As Balance Phase-I is divided into two locations (one around IDP and another in KSC). Therefore instead of one park of 39 Ha, two city parks with smaller areas totalling to 55.4 Ha have been provided. Moreover these city parks are identified close to forest lands to facilitate creation of large green spaces.

Table 6-9: Estimated demand and area requirement of parks and play grounds, 2034

Type of	Facility	Standards		Requirement for 3.9 Lacs Population		Provision as per	Designated in DP	
Facility	raciity	1 for Population	Area (Ha)	No.	Area (Ha)	Group	No.	Area (Ha)
	Parks (P)	10000	3.00	39.0	117.0	100%	36	139.5
Open Spaces/Park	Play grounds (PG)	10000	4.00	39.0	156.0	100%	47	147.8
Spaces/ Park	City Park (CP)	500000	50.00	0.8	39.0	100%	2	55.4

6.5.6. PROVISION OF INFRASTRUCTURE IN PHASE-II

Although the provisions of facilities have been committed only in Balance Phase-I of DP area, but few mandatory facilities have been provided in Phase-II area also. Facilities such as schools, playgrounds, and parks have been provided in phase-II area of DP. Facilities provided in Phase-II area are mostly on government land, no private land has been used for reservations except mandatory reservation near station area (Station Area Facility) and other transport related reservations (Bus Depot, Terminals and Roads).

In Phase-II the population based norms were not applied. Hence it was not possible to assess the exact requirements of reservation at this stage in Phase-II. To accommodate the social and physical infrastructure need in Phase-II, some of the government lands have been reserved as Public Purpose Utilities (PPU). Depending upon the need as and when it appears, the PPU can be developed by SPA/appropriate authority.



7. TRANSPORT

This chapter deals with the proposed transport network incorporated in development plan, taking regional connectivity into account and integrating it with DP's transport network. The parameters and strategy considered while planning the transport network have been described in this chapter. It also discusses the type of road network and Right of Way (RoW) adopted and measures taken for enabling Non-Motorised and Public Transportation systems.

7.1 APPROACH AND STRATEGY

Following are the approach and strategies, considered and applied while planning transport infrastructure for Development Plan:

- Integration with Regional transport network: The airport and the Sea Port (JNPT) are the two traffic generating centre with national significance. The regional connectivity therefore becomes a major consideration in planning transport infrastructure. Accordingly the regional, inter state and national level of roads have been considered and incorporated in the proposed transport network. Refer Figure 7-1 for regional road network. Few of them are listed below:
 - Virar-Alibag Multi Modal Corridor (MMC): Proposed Virar-Alibag MMC is planned as a regional corridor connecting Alibag to virar via JNPT, passing through DP area from north to south. This multimodal corridor will provide public transport and road based connectivity. Service roads will be provided along the MMC on both sides to provide local access for the proposed development. The RoW proposed for the MMC is approximately 100m to accommodate metro, regional road, and service roads on both sides. To merge MMC & Mumbai Vadodara (MV) spur, Right of Way prescribed for combined corridor in DP area is 126 m. The combined corridor will have 4+4 lanes of MMC & spur carriageway on either side. Approximately 36.47 km of length of MMC passes through DP area. The alignment of MMC within DP area has been incorporated is as provided by MMRDA
 - Integration of Mumbai Vadodara spur: This highway is proposed by NHAI. It connects NH-8 (near Virar) to JNPT, which is passing through DP area. MV spur has been integrated with MMC to avoid passing of two 100m wide roads bifurcating the DP. MV spur will join MMC and instead of 100 m RoW for each (MMC and MV Spur) the width of the MMC corridor will be increased to 126 m. This increased width will accommodate the carriage way of MV spur as well. In this way instead of two 100 m roads, one 126 m road is proposed saving valuable land.
 - **Proposed Interchanges on Mumbai-Pune expressway:** The express-way enters in NAINA through Adai village (in IDP area). An interchange is proposed in IDP area, in Devad village.






Figure 7-1: Regional Connectivity in DP area



- Extending connectivity from IDP: As planning for part of NAINA (IDP) is already completed; the road network of IDP is taken into consideration. Proposed road network in IDP is extended and integrated with DP area road network. The guideline from the Urban Development Department, Government of Maharashtra on road width was not available at the time of plan preparation for IDP, hence right of way of roads within IDP and DP area are different. For the sake of RoW continuity from IDP the right of way of roads from IDP is continued till the nearest road junction. Not only the macro level connectivity and options for different directions are provided, but also micro level connections are worked out in detail.
- Incorporating Existing Roads and Settlements: While planning transport network for DP, the existing villages, population and the existing roads are crucial to determine the proposed road network. The road network proposed by other government agencies i.e. PWD and Zila Parishad is taken into account and suitably incorporated. Whenever these roads pass through dense settlements (Gaothans or Pada), a diversion/ bye pass is proposed to avoid demolition of existing structures. The existing roads are utilised to the maximum extent possible for widening and also to reduce the acquisitions and constructions cost towards developing these roads from a scratch. Priority is given to connect existing population and villages as they would act as catalyst for development of NAINA. The existing roads indicated in DP are as observed on site . These are not necessarily authorised means of access.
- Metro Network: There is an extensive metro network proposed to connect Navi Mumbai and other suburban towns to main economic centres in Mumbai. The proposed metro network in the adjoining areas of NAINA connects CBD Belapur, Kharghar, Taloja MIDC Industrial Area, NMIA, JNPT, Uran, Panvel. Some of these important proposed metro corridors with respect to the Project Area are as follows:
 - i. Mankhurd-Vashi-Narthen Gaon (Line No.-M17, 23 kms)
 - ii. Vashi-Belapur-NMIA-Panvel (Line No.-M18, 18 kms)
 - iii. Targhar-Kharkopar-Nhava Sheva-Dronagiri (Line No.-M19, 18 kms)
 - iv. Kharkopar-Dhutum-Pirkone-Shirkhi-Vadkal (Line No.-M20, 31 kms)
 - v. Dronagiri-Pirkone-Jite (Line No.-M21, 17 kms)
 - vi. Shirki-Washi-Jite (Line No.-M22, 13 kms)

It is planned to extend the proposed metro up to Panvel in IDP up to MMC to enable Transit Oriented Development (TOD).

Separate metro link proposed in northern part of DP area (14 villages in Thane area) is about 6.4 kms in length. Refer **Figure 7-2** for proposed metro network in DP. The total length of proposed metro network is about 43.03 kms within DP area. Metro Depot has also been proposed in DP area near Wangani tarf waje village.






Figure 7-2: Metro and Suburban rail network in DP area



- Suburban Rail Network: As described in Chapter 2 there is no suburban rail service in NAINA, although a rail network exists, it is mainly used by through trains and shuttle services. However suburban rail transit plays an important role for commuting working population from fringe areas to urban centres. The railways are planning to run suburban services on the rail lines passing through DP area, assuming these services would be operational in the near future, stations are proposed at suitable locations depending on the proposed land use and development potential. These are in addition to the existing stations. The details of the rail corridors and stations are as follows:
 - i. *Diva- Panvel Corridor:* A small stretch passes through 14 villages of Thane Taluka, there is no existing station in this stretch, and hence a station is proposed at Narivali.
 - ii. *Panvel-Karjat Corridor:* There are three existing stations on this line namely Chikhale, Mohope and Chowk. Additional three stations are proposed in Usarli Khurd, Bhingar and Morbe.. Proposal of doubling the corridor is under active consideration by MRVC
 - iii. *Panvel-Roha Corridor along Konkan Railway:* There are six existing stations located on this line namely Somtane, Rasayani, Apte, Hamrapur/Jite Halt, Hamrapur and Pen which is outside of NAINA. Additional two station at Wadkhal has been proposed.

Usrali Khurd and Wadkhal would be junctions. The Panvel –Karjat and Panvel – Pen railway bifurcates at Usarli Khurd and the Panvel – Thal and Panvel – Roha railway bifurcates at Wadkhal.

The suburban railway lines have been incorporated in development plan as it is from the network of Draft Regional Plan published by MMRDA. The RoW for the same will needed to finalized by MMRDA in consultation with Indian Railway and hence it is not marked on DP. The proposed lines by MMRDA within development plans are as following:

Panvel-Karjat Suburban rail corridor and Panvel – Roha suburban corridor are likely to accelerate development within the DP area. One suburban network is proposed from Jasai-Pen-Apte through Khopta New Town area. One more is proposed from Apte to Chowk Refer **Figure 7-2** for proposed sub-urban rail network. As mentioned in chapter -2, there exist approximately 48 kms of railway network in DP area. Suburban railway service is proposed on existing lines of Diva-Panvel, Panvel-Jite-Thal and Panvel-Karjat, and on new line proposed from Gavanphata to Jite (5.4 kms). The total length of proposed suburban network therefore is about 45.11 km within NAINA.

• Non-Motorised Transportation (NMT) provisions: Vehicles operating on the fossil fuels are the major source of pollution. In view of the goal of sustainable development it is necessary to minimise use of non-renewable fossil fuels. In this context public transport, non-motorized transport and walkable city are the key concept in transport strategy. The places to be connected by cycle network are suburban stations, metro stations, other public transport nodes and roads of intermodal connectivity.



The roads with cycle track and radial distance to 1 km and 2 km (cycle able distances) are shown below in **Figure 7-3**. It covers almost 64% of DP area if 2 km of distance is considered as a catchment area by cycle tracks, (refer **Table 7-1**). The left out areas are mostly forest, hills and other non-developable land.

Table 7-1: NMT C	overage
------------------	---------

Radial Distance	Area Coverage	Percentage area of NAINA
1 km	150	32%
2 km	304	64%

• In addition to above, social facilities have been provided at approachable distances through NMT modes. This will not only reduce pollution (air, sound etc.) but will enhance the quality of life.




Figure 7-3: NMT coverage within DP area



- Freeway and Arterial Road Network: A number of freeways and arterial roads linking DP area are proposed in CTS and further studies, which are of regional importance and these have been incorporated in the transport network.
- **PWD perspective plan considered:** One of the important road within DP area is Sawantwadi coastal road. PWD, Government of Maharashtra is planning and working on its implementation. The RoW and its alignment is taken from PWD and incorporated in transport network. Other roads as proposed and planned by PWD are obtained from PWD office Thane and Raigad and incorporated in road networks of DP.
- Other Important Links relevant to DP: Among the other proposals in CTS and other studies, the important transport links of the DP are Mumbai Trans Harbour Link (MTHL), and NMIA. These transport links will trigger the development within DP area.

7.2 TRANSIT ORIENTED DEVELOPMENT (TOD)

Transit Oriented Development is an integrated approach of transport and land use planning leading to compact, high density developments located around public transit nodes such as metro stations, railway stations or multimodal transit hubs. The development has a rich mix of land uses including commercial, residential, and institutional; designed to maximize the access to transit and non-motorized transport. The term transit includes variety of modes including Metro rail, suburban rail, light rail, road based public transport etc. and a mix of all these gives rise to a variety of land use patterns around the transit corridors and nodes. The proposed growth centres are located along the transit route in the form of TOD.

CTS carved out a vision for MMR's future transport as a seamless, integrated system for safe and convenient commuter travel throughout the region with a strong emphasis on public transport. In order to support the anticipated economic development in MMR and subsequent inter-related transport challenges given by population and employment growth, 'Transit First' was considered as a guiding principle in preparation of the transport plan for MMR.

With this vision, the CTS identified major Transport Networks for MMR to serve multiple growth centres identified within the region. Other important aspects of the Plan are capacity enhancement of existing suburban and development of metro corridors; connecting major existing and planned activity centres of the region providing exclusive bus lanes to reinforce rail-based transit with a higher order road based public transport systems.

During the CTS Study, DP area was not envisaged as a region of intensive urban development. Therefore, in light of delineation of DP area as a separate region under influence of NMIA and new urban development strategies being devised for the region, calls for augmenting the transit network proposed under CTS.

Based on Mumbai and Navi Mumbai experience and also other international regional planning practices, economic growth of the region is maximized by effective public transit connectivity. Given that the major economic drivers of DP area include NMIA, JNPT and Industries (Taloja MIDC, Kalamboli) actually lie outside the region, it is very critical to integrate these economic and employment centres through public transport.

Thus, promoting TOD is the key aspect of the transport and land use of DP NAINA. To encourage Transport Oriented Development, higher FSI of 3.00 is allowed upto 500m distance on either side of 60m spine (as marked on DP). It is proposed to have mass transit system on this road and therefore walkable distance which is about 500m with respect to spine are considered as part of TOD.




7.3 DETAILED ROAD NETWORK PLAN OF NAINA

Taking into account the aforesaid transport existing and proposed network, the planning for transport network for DP is worked out as follows:

- **60 meters (RoW) spine for inter-nodal connectivity:** Spine is an arterial road running through DP in north-south direction providing connectivity to intermediate areas on either side of it. It is also proposed to have mass rapid transit system on spine. Depending upon the traffic load it may be Bus Rapid Transit System (BRTS) or Metro, provision for both the services has been taken into consideration. The RoW proposed for the Spine is 60m. The spine starts near village Bhandarli as 60m wide road connecting NH4 and MMC. Through MMC it connects 14 villages of Thane district to entire DP area, which are part of DP but physically separated by Ambernath Kulgaon Badlapur Special Notified Area (AKBSNA). The spine then originates near Chorambhe and Nitalas village in the north of DP and runs towards the south of DP. The spine meets MMC near Pali Khurd village. The spine continues towards south crossing Panvel- Karjat railway line (passing through MSRDC area). A suburban station is proposed in Bhingar village on the intersection to facilitate changeover of passengers between MRTS Station on spine and suburban station. The spine crosses NH-4 near Khanawale village in MSRDC area and runs parallel to Mumbai-Pune Expressway between MPE and NH-4 in MSRDC area. It traverses again through DP near Nigdoli village in Khalapur smart city area. The spine terminates at NH-4 near Mahad Village.
- Hierarchical Road Network: A hierarchical road network is proposed to provide access into various parts of the DP. Provision of optimal Right of Way (RoW) as per Urban Development Department, Government of Maharashtra, has been adopted. with road network having RoWs for Sub-Arterials as 60m and 45m, sector roads and local access roads as 36 m and 24 m respectively. The hierarchy of proposed roads with RoW and length of the same is given in Table 7-2. Proposed Hierarchical Road Network in DP is presented in Figure 7-4. Combined proposed road and transit network are shown in Figure 7-5.
- Roads Type, length and Rows: Proposed road network is classified into two types of roads-
 - A. Proposed Regional roads
 - B. Proposed roads in DP

Regional roads in the form of MMC and Mumbai-Vadodara spur occupy about 2.3% of total developable area in DP. Other proposed roads varying from 60 m to 9 m of RoW account for about 9.3% of the total developable area. Approximately 550 km of road network is proposed in DP area which occupies about 11.6% of developable area of DP area; refer **Table 7-2** for the length of proposed roads with their RoW. As per Urban and Regional Plans Formulation and Implementation (URDPFI) Guidelines, 2014 issued by the Ministry of Urban Development, proposed share of landuse under Transport & Communication for Small to Medium size cities is 10% to 12% of the developed area and for Large Cities, Metropolitan Cities and Megapolis it is 12% to 14% developed area. In DP (which comes under Metropolitan City), the area proposed under roads itself is about 11.6% and considering the area under proposed metro, suburban corridors, bus terminals, bus depots, inter-city bus terminals, truck terminals, etc., the area under transport (approximately 2377 Ha of roads and 142 Ha of reservations) would be about 12.35% of the developable area. It is within the range of 12% to 14% of developable area as prescribed by URDPFI Guidelines.





				Phase	-I	Phas	e-ll	Total	
SI. No.	Types of Roads	Right of Way (ROW)	Length in mts	Area in Ha	% of Developable land in Bal Ph-l	Length in mts	Area in Ha	Area under Roads in DP	% of Developable Land in DP
А	Proposed Regional	Corridor							
1	MMC 126 m	126	6,057	76.3	1.7%	22,126	279	355.1	1.7%
2	MMC 100 m	100	0	0.0	0.0%	8,289	83	82.9	0.4%
3	Mumbai- Vadodara spur	100	0	0.0	0.0%	3,927	39	39.3	0.2%
	Sub Total (A)		6,057	76.3	1.7%	34343	401	477	2.3%
В	Proposed Roads in	DP							
4	Road 60 m	60	21,172	127.0	2.8%	40,694	244	371.2	1.8%
5	Road 45 m	45	14,950	67.3	1.5%	1,14,077	513	580.6	2.8%
6	Road 36 m	36	61,476	221.3	4.9%	92,480	333	554.2	2.7%
7	Road 35 m	35	741	2.6	0.1%	0	0	2.6	0.0%
8	Road 30 m	30	0	0.0	0.0%	180	1	0.5	0.0%
9	Road 27 m	27	1,716	4.6	0.1%	0	0	4.6	0.0%
10	Road 24 m	24	37,621	90.3	2.0%	1,20,781	290	380.2	1.9%
11	Road 20 m	20	1,589	3.2	0.1%	0	0	3.2	0.0%
12	Road 15 m	15	369	0.6	0.0%	0	0	0.6	0.0%
13	Road 12 m	12	1,460	1.8	0.0%	0	0	1.8	0.0%
	Sub Total (B)		1,41,095	518.6	11.5%	3,68,212	1,381	1,899.5	9.3%
	Total		1,47,152	594.9	13.2%	4,02,555	1,781.8	2,376.8	11.6%
	Total Developable A	rea in Bal P	h-l	4493					
	Total Developable A	rea in Ph-II		15910					
	Total Developable in	DP Area		20403					

Table 7-2: Length of Proposed Roads with RoW in Balance Phase-I and Phase-II of DP area

- Areas identified for Depots for Metro/ BRTS/ Bus and Areas identified for Inter-city bus terminals and Truck terminals: Proposed metro corridors/ BRTS and bus system needs adequate depots for maintenance of coaches/ fleet. With time inter-city travel is expected to increase and there is a need for development of inter-city bus terminals. As part of the study, areas have been identified and demarcated for depots for Metro/ BRTS/ Bus and Inter-city bus terminals. The details are presented in Table 7-3 and shown in
- Figure 7-6.



S. No.	Reservation	Total number	Total Area (Ha)
1	Bus Depot	4.0	57.9
2	Bus Terminal	16.0	15.6
3	Metro Depot	1.0	17.6
4	Station Area Facility	18.0	32.7
5	Truck Terminal	1.0	18.6
Grand Total		40.0	142.4

Table 7-3: Details of Reservations for Depots for Metro/ BRTS/ Bus and Areas identified for Inter-city bus terminals and Truck terminals

• Principle for providing type of grade separation/ at-grade traffic control measures at major intersections:

General criteria applied for selecting appropriate type of grade separation/ at-grade traffic control measures at major intersections are given in **Table 7-4**. Adequate area for development of rotary or grade separation facility has been identified and demarcated in the plan. It is suggested that, at the development of grade separation facilities and rotaries, IRC guidelines needs to be followed. All the minor intersections shall be uncontrolled to begin with and as traffic increases they need to be provided with traffic signals for effective and smooth traffic operations.

Type of roads	Proposed Traffic Control Facility	
60m with MMC	Full/ Partial Clover leaf/ Trumpet	
60m with NH	Full/ Partial Clover leaf/ Trumpet	
60m with 60m	Full/ Partial Clover leaf/ Trumpet	
60m with 45m	Rotary (with or without traffic signal)	
45m with 45m	Rotary (with or without traffic signal)	
45m with 36m	Rotary (with or without traffic signal)	
36m with 36m	Rotary (with or without traffic signal)	

 Table 7-4: Type of Intersections and Junctions provided

Typical cross sections of all major roads are given in Figure 7-7.

• **Coastal Road within DP area:** The existing State Highway from Chirner to Dadar will be upgraded to Major State Highway 4 and extended to Mankul from Dadar via Sonkhar as a new road. This will be further extended to Sawantwadi as a coastal road. To enhance the connectivity in DP with such an important link, a 60 m road has been proposed starting near Wave and running straight along the coast line to connect MTHL (via Vitthalwadi, Vasheni, Jui and Vindhane).






Figure 7-4: Proposed Hierarchical Road Network in DP






Figure 7-5: Proposed Road and Transit Network in DP









Figure 7-6: Identified areas for Depots for Metro/ BRTS/ Bus and Areas identified for Inter-city bus terminals and Truck terminals














Figure 7-7: Typical Cross Sections for Major Roads proposed in DP



8. PROPOSED LAND USE

This chapter describes the manner in which proposed land use of Development Plan is derived. The major considerations for proposed landuse plan are existing land use, terrain, estimated population, existing and proposed transport network. The proposed landuse plan also includes designation of land for public purposes as indicated in Chapter-6.

8.1 IMPORTANT CONSIDERATIONS

Following are a few relevant factors, which are considered while defining land use pattern of DP area.

8.1.1 ECONOMIC NODES IN AND AROUND DP AREA

Development Plan area is located in the proximity of important existing and proposed economic nodes. Leveraging these economic nodes to structure the land use pattern is important to ensure successful Development Plan. The major economic nodes are as follows:

- Navi Mumbai International Airport at Panvel (the basis reason for notification of NAINA)
- An emerging rail hub at Panvel
- Warehousing activities at Kalamboli
- Taloja Industrial Area
- Expansion of Jawahar Lal Nehru Port Trust (JNPT)
- Khalapur Smart City area along with MIDC area

Provision of supporting activities and transition zones to connect these economic nodes from DP area is very important. Efficient transport network, particularly public transport and high quality infrastructure would help DP to capture the growth impulses of these economic opportunities.

8.1.2 CONCEPTUAL DEVELOPMENT STRUCTURE

The land use pattern proposed in DP is the detailing of the structure plan for the area. The Structure Plan for the Project Area is based on the following principles.

- Regional transport network
- Leveraging existing and proposed economic nodes in and around DP area
- Protecting natural areas of DP
- Identify available land for development



- Utilizing project area which is in promixity to navi mumbai
- Proposed transportation network
- Flexible zoning
- Integrating gaothan (urban villages) in the urban structure
- Concept of sub-cities and broad zoning

In additions to these principles, the Structure Plan is configured through delineation of three sub-cities or urban centres. These sub-cities are based on following major considerations:

- Proximity of existing and proposed economic nodes (JNPT, NMIA, CBD of Navi Mumbai, Taloja MIDC Industrial Area);
- Proximity to Navi Mumbai for urban contiguity and indications of ongoing development in these locations hence demand for land;
- Good existing and proposed transport connectivity;
- Land Availability for Development, etc.

A brief description of the four sub-cities is given in the following sections. Refer Figure 8-1

• Sub-City I: CENTRAL DP (Aero City)

Sub City I is delineated around IDP-I. This part of the Project Area is already receiving significant spill over development from adjoining areas of Panvel and development along the regional transport corridors. In addition to this, a number of Special Township Projects are coming up here. The location of Sub City-I also provides opportunity for leveraging upcoming NMIA, existing infrastructure in Panvel, and existing regional connectivity with respect to NH-4, Mumbai-Pune Expressway and Panvel-Matheran road. Further, Panvel-Karjat regional rail link is also coming up to serve as a Suburban Rail service which will also enhance public transport connectivity.

• Sub-City II: WEST DP Area (Port City)

Sub City –II i.e. West DP area is located very close to Jawaherlal Nehru Port Trust (JNPT). JNPT is currently handling 8.75 Million TEUs. JNU is expanding its logistics handling capacity to 16.32 Million TEUs by 2020. It is doubling its handling capacity which will provide opportunity for more




Figure 8-1: Conceptual Development Structure

logistic and value addition industrial activities to the adjoining area of DP. Already there are number of container handling units, warehousing units, and other related activities in west DP area.



• Sub-City III: NORTHERN DP Area (Industrial City)

This part of the Project Area is northern most pocket of DP. It is adjoining Taloja MIDC Industrial Area and Kharghar residential township. The current connectivity to the area is from NH-4 but this area is strategically surrounded by Navi Mumbai, Kalyan-Dombivali townships, Ambernath Kulgaon Badlapur Special Notified Area. Hence the area has good potential for development.

The sub-city can provide scope for expansion of Taloja MIDC Industrial Area, leverage economic activities in CBD and other social infrastructure in Navi Mumbai. The proposed connectivity to this area is very good due to existing National Highways, rail line with suburban services and proposed road, MMC and metro network. There are number of Special Township Projects and other projects that are coming up in this area to indicate that there is demand for land for urban development.

• Sub-City IV: SOUTHERN DP Area (Smart City)

This part of DP comprising of Khalapur and surrounding areas has immense locational advantages. Due to presence of NH-4 and Mumbai-Pune expressway it is very well connected at regional level. 60 m spine provides strong linkage to rest of the DP. Tourism locations such as Mahad temple and other natural surroundings (hills and waterbodies) attract weekend floating population. To the east of Khalapur area is MIDC industrial area and west side has number of economic and industrial activities at present.

To leverage and enhance this local potential, some of the identified area can be developed as Phase-I. Infrastructure support can further enhance the possibility of generating economic activities. This in turn will support the sustainable development of entire development Plan.

8.1.3 INTEGRATION OF EXISTING LAND USE

The existing land use is classified in three categories, these are:

- 1. Non-Developable Areas,
- 2. Developed Areas (Redevelopable) and
- 3. Developable Areas

Each category has its own character and significance in the given context. These are discussed below:

Non-Developable Areas: This consists of land use zones which are environmentally significant. The land falling under non-developable areas are Forests, Water Bodies, Hills (slope more then 1:5), Marshy land/Shrubs, Salt pans, Area under Revenue Waterbodies, KESZ and Coastal Regulatory Zones. Areas coming under these zones are conserved in their natural form. The detailed way of conserving and integrating environmentally sensitive areas are discussed in Chapter 12

Developed Areas: Developed areas comprises of two major classifications, Gaothans (existing village settlements) and other built-up areas.

Gaothans: To achieve holistic urban development, integration of Gaothans with scope for their expansion is necessary. No disturbance in the form of redevelopment is proposed within the inhabited Gaothans. The provision of growth and expansion of Gaothans is addressed in the form of 200 meters expansion area around inhabited Gaothan. This 200m of expansion area is termed as Urban Village. Provision of road network, social and physical infrastructure has been made to establish healthy connection among existing and expected development. Such a strategy would enable integration of the village settlements to the proposed urban development of DP area, hence leading to an inclusive, holistic, healthy and planned urban development.



Other Built-up Areas: Built-up areas and structures out of the expansion area around Gaothans are approached in different manner. The basic criterion is to retain the built structure to the extent possible. For example, while proposing connectivity or improvement to any existing social facility, the minimum disturbances to the existing built-up areas are done.

Developable Areas: This category consists of land use zones which are vacant or available for development. This category consists of Agriculture, Vacant and Quarry areas. Proposal focuses over developable areas for proposed land use. The chapter discusses proposed land use in subsequent paragraphs.

8.2 FLEXIBLE, INTEGRATED AND HOLISTIC LAND USE PLANNING

The Developable land after excluding Non-developable areas and developed areas in DP amounts to be 20461 Ha (as mentioned in Chapter 3: Existing Landuse). The proposed land use considers the existing features and integrates the same in a holistic manner.

Though the concept of zoning is important, rigid land use zoning concepts are gradually becoming an obsolete idea in urban planning and more so in the context of promoting private developers in urban development. Hence, it is desirable to promote the concept of flexible zoning to permit compatible land uses in various zones. Such a concept is all the more necessary when the SPA intends to develop common infrastructure and social facilities in DP with major role from developers and other real estate entrepreneurs in the form of NAINA Scheme.

The concept of flexible zoning is evolved for land use plan of DP area. In each zone compatible land uses are defined under permitted, permitted with conditions, and prohibited uses. The concept of flexible zoning is to encourage flexible environment for private sector led development and to tap market demand with changing economic scenario.

DP is delineated into six major zones namely R1, R2, R3, R4, I and LDZ (limited development zone). The allocation of these zones also depends on the phases in which DP area is divided. There are certain zones which are proposed only in Phase-I, few other zones area only in Phase-II and some zones are shown in both the Phases. Relation of Phasing and the provision of zones are given below:

Phase - I: Proposal for Phase-I of DP comprises of all the defined zones, with reservations (as explained in chapter-5 of this report) and Growth Centres. Phase-I predominantly contains following zones:

- R1: Predominantly Residential
- R2: Mixed Use Zone
- DP Reservations (Growth Centres Public facilities and Utilities)

Phase-II: Proposal for Phase-II comprises mainly of broad zoning of G-1 and G-2 zones of sanctioned Regional Plan of MMR. The detailed proposal consists of following zones:

- R4: Recreational Zone
- I: Industrial and warehousing Zone (IWZ)
- LDZ: Limited Development Zone
- Theme Based Development and
- Theme Based Reservations

In addition to this, transportation related reservation such as bus terminus, truck terminus parking are earmarked. Also the broad network required for the area is proposed along with city level facilities like



land fill sites Facilities around villages earmarked on government land etc. Theme based development reservation is earmarked in this area

In both the Phases: Since Gaothans are spread over entire DP area, the 200m area around such Gaothans namely urban villages are shown in both the phases. Part of Rasayani plan is adopted with minor changes and hence although it is in Phase-II, it contains following zones:

- R1: Predominantly Residential
- R3: Urban Village
- I: Industrial and warehousing Zone (IWZ)
- DP Reservations: Transport Reservation and Public Purpose Utilities

8.3 PROPOSED LAND USE

The gross area of DP is 437.26 km^2 , out of which the area available for development is about 204.03 km². The understanding of context and allocation of landuses is a complex but important exercise. It depends on macro and micro level contexts, including physical, social and economic factors. List of activities permissible under these land use zones are given in detail in DCPRs. Apart from the land use zones, reservations have been earmarked on Development Plan. Map showing proposed land use zoning is given as **Figure 8-2**.

8.3.1 ALLOCATION OF LAND USES

The distribution of Land uses is done on the basis of the activities anticipated. After understanding the context in macro and micro level, the land is allocated the best suitable land use. While providing landuse to any area, the surrounding landuses (in the form of both existing and proposed) are also considered to attain integrated and holistic planning.

Following are the major landuses with broad criteria for provision of the same; refer **Table 8-1** for area under proposed land use and **Figure 8-2: Proposed Land Use Distribution in DP**

R1: Predominantly Residential: The zone is aimed at promoting residential development and supporting social infrastructure. Functions compatible to residential development are permitted in R1. The developable areas with 'inward planning approach' to ascertain safety to residents with all required social infrastructure is main motive behind this approach. Residential areas are located at adequate distance to any major transport connectivity, to avoid any direct disturbance but at the same time efforts have been to have easy access. The total area under Residential Landuse is approximately 2449 Ha in Balance Phase-I, occupying 54.4% of developable land in Balance Ph-I and 6 Ha (in Rasayni part) in Phase-II, and comprises of 12 % of the total developable land in DP.

R2: Mixed Use Zone: This zone comprises of mix of different landuses such as residential, commercial, recreational etc. Mix use also occurs as a result of organic growth taking place since years. Due to market forces of need and supply, such development come into existence in the form of mixed landuse. In such cases the strict land use control is difficult to implement. In addition to this, mix land use development and hence these have been retained and extended up to desired limits. The total area under mixed land use is approximately 222 Ha (only in balance Phase-I), occupying 5% of developable land in Balance Ph-I and comprises of 1.1% of the total developable land in DP.



R3: Urban Village: The MMR Regional Plan 1996-2011 has provision for expansion of existing Gaothans upto 200m from existing inhabited Gaothans. The same concept has been continued and accordingly, demarcated on plans. These areas are termed as Urban Villages. The urban villages will primarily consist of residential use. The total area under urban villages is approximately 3199 Ha, and comprises of 15.7% of the total developable land in DP

R4: Recreational Zone: The zone is aimed to promote recreational activities and lung spaces within the development.

These are located considering the beauty and protection of environment sensitive areas. Attempt has been to identify potential locations and an aim to develop them as macro level recreational activity. The total area under recreational land use is approximately 934 Ha (only in Phase-II), and comprises of 4.6 % of the developable land in DP.

I: Industrial and Warehousing Zone: This zone is aimed to promote industrial, warehousing and logistics use to generate economy and employment in DP area. This zone is proposed at the suitable locations for industrial or warehousing activities. In the north of DP area, this zone is proposed near Taloja industrial area. This zone is proposed in DP near JNPT to harness the potential of warehousing activities around port. The existing industrial area in Rasayani has been retained. This activity is also proposed along Dharamtar creek in Pen Taluka for development of jetties and warehousing activities. This is also discussed in subsequent paragraphs. This zone is approximately spread over 1321 Ha (only in Phase-II) of land, constituting 6.5% of the total developable area.

Development of Jetties and Warehousing along Dharamtar Creek: According to Regional Plan 1996 – 2011 jetties along with ancillary uses were proposed in few locations along Dharamtar creek. This was as per NOCs then given by Maharashtra Maritime Board (the erstwhile Commissioner of Inland Water Transport) for location clearance to a number of projects involving construction of jetties and warehousing facilities along Dharamtar Creek. Some proposals involved midstream transhipment of chemicals through barges which were to be brought to jetties in the Dharamtar Creek. Near the jetties storage facilities were proposed for these goods. From these warehouses, goods would be distributed to the hinterland by road transport. It was anticipated that these developments will turn Dharamtar Creek into a small port. The road traffic generated will also require significant strengthening of road infrastructure (including construction of new roads). To promote such economic activity in DP area, about 360 Ha of land is devoted to Industrial and warehousing zone where only jetty and ancillary activities will be permitted.

LDZ: Limited Development Zone: This zone is proposed in Phase-II of DP. As already mentioned DP area is too big to be developed in one go, within the plan period. Therefore this zone identifies the land which is not required for urbanisation as of now and hence development is restricted. In this zone the development is permitted with lower FSI. This zone will not only provide flexibility to the plan but also scope of making modifications as per future requirements. The total area under LDZ is 15169 Ha. This is about 74.3% of total developable land in DP.

Theme Based Development:

Theme based development approach help in development of the people, city and country as investors from around the world showcase their interest. Themes can be inspired from any sector like finance, tourism, industries, Medical, Educational etc. It is difficult to predict the types of themes that can come in future. The concept of themes should be left to the imagination and creativity of the people and investors.



Theme based development provide ample opportunities for concept that can prove beneficial as people from different countries will have various options to invest. This will increase employment opportunities, educational facilities, social inclusiveness and quality of life.

Looking into these aspects, theme based developments are permitted in LDZ zone of DP. In DCPR the list of themes are given but it is open ended to ensure not to limit the creativity of the people/ investors.

DP Reservations:

- In Balance Phase-I: Detailed plan has been prepared for Phase-I. Apart from general public facilities and utilities in Phase-I, reservation named Growth Centre is also shown in Phase-I area. Predominantly Growth Centre (GC) land is earmarked as CIDCO's land bank. This will be developed by SPA-NAINA and will have predominantly commercial, business and residential activities. As this zone is predominantly commercial, needs visibility and connectivity with major roads, hence as far as possible this is placed along major roads and important transport nodes. The total area under Growth Centres is approximately 676 Ha, and comprises of 15.1% of the total developable land in balance Phase-I of DP.
- In Phase-II: Intensive development is not expected in Phase-II. However, to promote creativity and to promote economic activities concept of Theme Based Reservations has been introduced in Phase-II. Reasonable freedom has been assured for development of Theme Based Reservations. Detailed infrastructure Plan has not been prepared for Phase-II except for transport network and few other mandatory facilities such as schools, playgrounds, and parks. Facilities provided in Phase-II area are mostly on government land, however, in unavoidable circumstances minimal private land has been used for TBR and reservation near station area (Station Area Facility) and other transport related reservations (Bus Depot, Terminals and Roads) etc.

To accommodate the future social and physical infrastructure need in Green zone, some of the government lands have been reserved as Public Purpose Utilities (PPU). Depending upon the need as and when it appears, the PPU can be developed by SPA/appropriate authority. Refer DCPR for permissible activities in this zone. In addition to this Theme Based Reservations are also marked in Phase-II area. These areas are majorly on government land and are planned to be developed as theme based activities. Certain theme as and when required, will be developed on these sites. SPA NAINA will develop these Theme based reservations to promote economic activities and to mark the identity of the city on global map.

Transport: The total area under proposed transport use is approximately 2377 Ha, and comprises of 11.6% of the total developable land in DP.


Karnala Eco-Sensitive Zone (KESZ): The boundary of KESZ as per the MoEFCC notification is shown as KESZ. No reservations or land uses are shown in this area as the planning and development of the area is governed by the stipulations of the notification. These include; preparing a Zonal Master Plan for the ESZ by the State Government and approval of the same by a Competent Authority in the State Government, list of activities prohibited or regulated within the ESZ and constitution of a Monitoring Committee for effective monitoring of the ESZ.



	Proposed Land Use								
SI. No.	Land Use Category	Balance Phase-I	% of Developa ble Area in Bal Ph-I	Phase- II	% of Developa ble Area in Bal Ph- II	Total	% of Total Developab le Area in DP	% of Total DP Area	
1	R-1 Predominantly Residential	2443	54.4%	6	0.0%	2449	12.0%	5.6%	
2	R-2 Mixed Use	222	4.9%	0	0.0%	222	1.1%	0.5%	
3	R-3 Urban Villages	777	17.3%	2422	15.2%	3199	15.7%	7.3%	
4	R-4 Recreation	0	0.0%	934	5.9%	934	4.6%	2.1%	
5	I - Industrial/ Warehousing zone	0	0.0%	1321	8.3%	1321	6.5%	3.0%	
6	LDZ Limited Development Zone	61	1.4%	15108	95.0%	15169	74.3%	34.7%	
8	DP Reservations	1179	26.2%	307	1.9%	687	3.4%	1.6%	
а	Growth Centres	676	15.1%	0	0.0%	676	3.3%	1.5%	
b	Parks and Playgrounds	358	8.0%	42	0.3%	401	2.0%	0.9%	
с	Utilities, Community, Educational, Health, Markets, Transportation	144	3.2%	143	0.9%	287	1.4%	0.7%	
d	TBR - Theme Based Reservation	0	0.0%	122	0.8%	122	0.6%	0.3%	
9	Proposed Transport	596	13.3%	1823	11.5%	2419	11.9%	5.5%	
10	Existing Facilities (Roads, Railways and Public & Semi-public amenities)	174	3.9%	570	3.6%	743	3.6%	1.7%	
11	Forest	1067	23.8%	5181	32.6%	6248	30.6%	14.3%	
12	Water Bodies	200	4.4%	3125	19.6%	3325	16.3%	7.6%	
13	Salt Pans	0	0.0%	300	1.9%	300	1.5%	0.7%	
14	Marshy and Shrubs	0	0.0%	1667	10.5%	1667	8.2%	3.8%	
15	KESZ	0	0.0%	4245	26.7%	4245	20.8%	9.7%	
	Total Area	6718	150%	37008	233%	43726	214%	100.0 %	
	Developable Land	4493	100%	15910	100%	20403	100%	46.7%	

Table 8-1: Area Statement for Proposed Land Use in DP	area
Tuble o 1. med Statement for Froposed Land Ose in Dr	ai cu

Refer Figure 8-33 for proposed land use map of Development Plan.








Figure 8-2: Proposed Land Use Distribution in DP






Figure 8-3: Proposed Landuse in Development Plan Area



9. PHYSICAL INFRASTRUCTURE¹

This Chapter describes the demand assessment and provision of land reservation for Physical infrastructure comprising of Water Supply, Sewerage and recycling, Drainage and river training, Solid Waste Management and Power supply.

9.1 GENERAL

SPA-NAINA has decided to adopt two phases of development Phase-I is the area where SPA-NAINA could extend infrastructure in next 10 years and Phase II where such infrastructure could be provided only after 10 years based on the requirement and development in Phase-II area. This chapter is essentially about Balance Phase-I, excluding IDP area. The demand for infrastructure essentially depends upon the population. The estimated population for various phases is summarised below in **Table 9-1**:

Phase /Zones	Estimated Population in Lakhs			
	2016	2034		
IDP	0.75	6.22		
Balance Phase-I	0.44	3.86		
Phase-II	1.84	3.94		
Total	3.02	14.02		

Table 9-1: Estimated Population for various Phases in NAINA

9.2 WATER SUPPLY

Availability of sustainable source of water with related infrastructure facilities is prime necessity for any modern and sustainable development. But prior to exploring for a sustainable source it is utmost necessary that water demand is worked out based on alternate standards, bench marks and acceptable norms. The piped water supply has to be designed to provide adequately for:

• Domestic needs: Including drinking, cooking, bathing, and washing, flushing of toilets, and individual gardening / air conditioning.

¹ Physical Infrastructure includes Roads and Transport also, However given its significance in shaping land use it is dealt separately in chapter 7.



- Demand for the employment in various work places: For Institutional needs.
- Industrial use: For existing and proposed industries.
- Horticulture needs: For public parks and urban greens.
- Fire Fighting needs.
- Unaccounted for Water: Including distribution losses, treatment losses and transmission losses.

The physical infrastructure for water supply is to be designed based on spot to spot demand. Thus for arriving at total water demand, the demand with respect to location of residential, commercial and institutional complexes has been considered. Therefore the proposed land use of complete area has been identified and based on the land use the demand has been worked out and compiled.

9.2.1 ADOPTED NORMS AND STANDARDS

9.2.1.1 NORMS FOR DOMESTIC WATER DEMAND

The quantity of water required in the houses for drinking, cooking, bathing, washing etc. is termed as domestic water demand.

The Environmental Hygiene Committee suggested certain optimum service levels for communities based on different population groups. The code of Basic Requirements of Water Supply, Drainage and Sanitation (BIS: 1172), as well as the National Building Code recommends a minimum of 135 lpcd service level for communities where the residents are provided with full flushing system for excreta disposal. The Manual of Water Supply and Treatment, issued by CPHEEO (Central Public Health and Environmental Engineering Organization), Ministry of Urban Development, and Government of India has recommended the domestic water demand as shown in below in

Table 9-2: .

Classification of Towns	Recommended Water Supply Levels
Towns provided with piped water supply but without sewerage system	70 litres per capita per day
Cities provided with piped water supply where sewerage system is existing/ contemplated	135 litres per capita per day
Metropolitan and Mega Cities provided with piped water supply where sewerage system is existing/ contemplated	150 litres per capita per day

Table 9-2: Norms for domestic water demand as per CPHEEO manual

The URDPFI guidelines, issued by Ministry of Urban Affairs and Employment, Government of India, have also prescribed the same standards as CHEEPO norms. CIDCO has also prescribed the design norms for design of water supply systems, which prescribes a domestic water demand of 180 lpcd. The design population of Balance Phase-1 area (excluding IDP and including Khalapur Smart City area), for plan horizon year is nearly 3.9 lakh. Thus based upon above three guide lines and standards prescribed by CIDCO, the domestic water demand has been worked out taking 180 lpcd service level at consumer end.



9.2.1.2 NORMS FOR EMPLOYMENT POPULATION

The water requirement for the persons working in different commercial establishments, offices, factories and educational institutions have also to be considered while working out water demand. The CPHEEO manual as well as URDPFI guide lines prescribe a service level of 45 lpcd for the employment population. Thus the same has been considered while working out the total water demand.

9.2.1.3 HORTICULTURE WATER DEMAND

Provision has also been kept for horticulture water demand for green parks and urban greens proposed. The demand has been worked out at 67000 litres per hectare, for 60% of proposed green area and 30000 litres per hectare for balance 40% of the green area as per DSIIDC (Delhi State Industrial & Infrastructure Development Corporation Ltd.) norms.

9.2.1.4 FIRE-FIGHTING DEMAND

As per CPHEEO manual the fire-fighting demand is to be taken based on the formula:

Fire-fighting demand in kl/day = $100 \text{ x P}^{0.5}$

(Where P is the population in thousands)

Thus the same has been worked out as per above standards and added to total demand

9.2.1.5 RECYCLING AND REUSE OF WATER

To reduce the fresh water demand recycling of domestic and industrial waste water is considered. The sewage and sullage generation has been taken as 80% of the water supplied for domestic use, as suggested in the Manual of Sewerage and Sewage Treatment, issued by CPHEEO, Ministry of Housing and Development, Government of India.

The infiltration in conveyance system has been kept as 20% of daily flow as prescribed by CIDCO in their norms looking to intensive rains in the area. Provision has been kept for losses in STP and Tertiary Treatment Plants, while working out availability of water for recycling. The recycled water is proposed to be used to meet the horticulture demand for urban greens; fire fighting and balance water is to be supplied for flushing purposes in residential area.

It is also proposed that as per provision in the DCPR, the sullage from the residential apartments shall be treated by the developer itself at site and recycled for internal usage (horticulture, fire fighting and flushing) and only sewage from the WCs shall be treated in community treatment plants and recycled after tertiary treatment. It is also assumed that 30% of the development may be individual houses or small establishments, which may not be able to treat the sullage at site, thus from such developments whole of the sewage and sullage shall be transported to community treatment plants.

9.2.2 GROSS WATER DEMAND

Based upon the existing and proposed residential, commercial (employment), horticulture and fire fighting demand, the gross water demand for the Balance Phase-1 area (including Khalapur Smart City area) has been estimated.

For working out fresh water demand at consumer end, the quantity of recycled water from Tertiary Treatment Plants after subtracting the losses in the supply system has been deducted from the total



demand. For estimating gross water demand 28% losses in distribution and transmission system has been considered as per norms prescribed by CIDCO for design of water supply system.

Based upon above norms the demand for total Balance Phase-1 area (including Khalapur Smart City area) works out as 66.75 mld, and if recycling is not considered the demand of fresh water shall be as high as 120.40 mld. The detailed calculations are shown in **Table 9-3**:

Water Demand Calculation Balance Phase-I (including KSC) (Considering Recycled Water)									
	Po	pulation	/ Area in	Ha	Rate of	W	ater Den	nand in m	ld
Particulars of users	2016	2021	2031	2034	Supply in lpcd	2016	2021	2031	2034
Residential	23400	46800	237900	390000	180	4.21	8.42	42.82	70.20
Employment	5850	16380	83265	136500	45	0.26	0.74	3.75	6.14
Fire fighting				100	D*(P)^0.5	0.48	0.68	1.54	3.89
Urban Greens	26	79	212	265	52200	1.38	4.15	11.06	13.83
					Total	6.34	13.99	59.18	94.06
Recycled Water flushing	to be us	ed for U	rban gree	ns, fire fi	ghting &	2.46	5.03	25.57	41.92
Net Fresh Water I	Demand a	t consume	er end			3.88	8.96	33.60	52.14
Distribution, Trea	tment & T	Fransmiss	ion losses	28%		1.09	2.51	9.41	14.60
Total Demand at source with recycling						4.97	11.47	43.01	66.75
Demand without	recyclin	2				8.12	17.91	75.75	120.4

Table 9-3: Water Demand for Balance Phase-1

Since the Balance Phase-1 (around IDP) area and Khalapur Smart City (KSC) are scattered, thus to judiciously decide the source and required infrastructure, the demand has also been worked out separately for each cluster and is being depicted in **Table 9-4**

Cluster Name	Demand in MLD considering Recycling	Demand in MLD without Recycling	
Western Cluster	15.87	27.33	
Eastern Cluster	16.34	29.70	
Northern Cluster	12.85	20.87	
Khalapur Smart City (KSC)	21.68	42.50	
Total	66.75	120.40	

 Table 9-4: Cluster wise Water Demand for Plan horizon year



9.2.3 AVAILABLE SOURCES OF WATER

Presently the CIDCO area gets water from Hetawane dam and MJP. The availability from these sources is nearly 265 mld. A project from Balganga dam is under execution, which is likely to be completed by 2020. The availability from this source shall be 350 mld. In the meeting held on 25th August 2015 chaired by MD, CIDCO at Nirmal Bhawan it was informed that about 150 mld of water can be spared from Bal Ganga project for proposed developments in the area. In addition a new source from proposed Kondhane dam is under consideration. CIDCO is expecting to get 250 mld of water from this source.

This way nearly 150 mld of water shall be spared/ available for NAINA and KNTNA from Balganga project onwards from 2020 and additional 250 mld is also expected from Kondane dam in near future for new developments.

Presently CIDCO has planned following four projects to be developed onwards from 2016 for which the water demand is likely to come from 2021 onwards. Their demand for the year 2021, 2031 and 2034 (the plan horizon year) is being given below in **Table 9-5**

S.		Fresh water demand in MLD for the year					
No	Proposed development projects	2021	2031	2034			
1.	Interim Development Plan	26.06	63.80	92.59			
2.	NAINA Phase-1,	8.33	29.75	45.07			
3.	Khopta Area (KNTNA)	25.44	89.60	111.33			
	Sub Total	59.83	183.15	248.99			
4.	Khalapur Smart City (KSC)	3.50	14.07	21.68			
	Total Demand in MLD	63.33	197.22	270.67			

Table 9-5: Water Demand for the proposed Projects

From above table it is clear that total demand for first three projects (IDP, balance Phase-I area and Khopta Area for the year 2021 is 59.83 MLD, and by the year 2029 it is likely to be around 150 mld. Thus from available spare water from Bal Ganga, the water demand for above three projects can be met up to 2029, and then after balance 99 mld demand be met from additional 250 Mld water which shall be available from Kondane dam. The Khalapur Smart City (KSC) falls near Kondane Dam. Thus it is proposed that demand for KSC may be met from Kondane dam, its project is also likely to be completed very soon.

9.2.4 PROPOSED WATER SUPPLY SYSTEM

As per proposals of Balganga Water Supply Scheme (350 mld) of CIDCO, the water drawn from Balganga dam is proposed to be treated at Nidhiwali Water Treatment Plant, from where it shall be pumped to a Break Pressure Tank (BPT) near Dighati, and then shall be transferred to Master Balancing Reservoir at VAHAL through 2500 mm diameter Pipe line. It is proposed to draw water from this MBR tank for balance Phase-1 other than KSC. Since KSC area is near to Kondane dam, water demand for KSC is proposed to be met from Kondane dam. The water from Kondane dam is likely to be pumped from dam to a hillock near dam, where it shall be treated and stored in a Master Balancing Reservoir (RL 186 assumed). It is proposed to draw 21.68 mld demand of KSC from this MBR. The site of both these MBR along with proposed route of gravity mains for CWR-1, CWR-2 in NAINA Phase-1 remaining area and to proposed GLSR in KSC is shown in Figure 9-1: Map showing Balganga WS Project with and proposed tapping from VAHAL MBR and from MBR at hillock near Kondane






Figure 9-1: Map showing Balganga WS Project with and proposed tapping from VAHAL MBR and from MBR at hillock near Kondane



It is proposed to draw the demand of NAINA Phase-1 (remaining area other than KSC- 45.07 mld) from VAHAL MBR. Nearly 80% area of project area, falls outside South and South-East boundary of IDP, while the rest 20% falls outside its Northern boundary. The total demand is proposed to be drawn from above MBR through a common gravity main. Near village Karanjade a Tee point is proposed, where from the demand for the northern and eastern part is taken to CWR-1 (near proposed CWR of IDP at village Kolke). The demand for South and Eastern part shall be carried to the proposed CWR at village Chirvat. The gravity feeder is proposed to be laid along JNPT road (NH-4B). Based upon the available head at Vahal MBR and RLs of proposed site of CWR-1 and CWR2, gravity feeder has been designed and size of gravity feeders worked out. Accordingly it is proposed to lay DI pipe line class K-9 with internal cement mortar lining 1000 mm diameter 9267 meters long from VAHAL MBR to Node G-1. From Node G-1to CWR-1, the size of pipe line proposed is 600MM diameter DI K-9 (4015m long). Similarly from Node-G1 to CWR-2, 4154 meters long 500 mm diameter DI-K-9 line with cement mortar lining is proposed.

The demand for KSC shall be drawn from MBR at hillock near Kondane dam as shown in above figure. The size of gravity main from this MBR to proposed GLSR in KSC area shall be 600 mm diameter DI K-9 with internal cement mortar lining.

The details regarding demand carried by each line, its length and size are being narrated in Table 9-6:

Nodes		Demand				
From	То	(MLD)	Pipe Dia	Pipe Material	Length(m)	
VAHAL MBR	G-1	45.07	1000	DI K-9 with internal cement mortar lining	9267	
G-1	CWR-1	29.19	600	DI K-9 with internal cement mortar lining	4015	
G-1	CWR-2	15.87	500	DI K-9 with internal cement mortar lining	4154	
MBR at hillock near Kondane dam	GLSR-12 in KSC	21.68	600	DI K-9 with internal cement mortar lining	10300	

 Table 9-6: Details about Gravity Feeder for balance Phase-1 (around IDP & KSC)

The capacity of CWRs has been kept equivalent to 3 hours storage, based on 22 hours pumping. Accordingly the capacity of CWR-1 is proposed as 4.0 ML & CWR-2 is proposed as 2.20 ML.

As per decision of CIDCO, the distribution of water to consumers shall be by pumping through Variable speed pumps. Thus the complete remaining area (Phase-1) has been sub divided in 10 zones and the KSC area in 4 zones. The details of zones along with capacity of GSRs required are given in **Table 9-7**



S No	Cluster	Demand in MLD	Storage Reqd in MLD @ 50%	GSR Zone No	GSR Capacity Required in MLD
				7	2
1	Western Zone	15.87	8	8	2
1	Western Zone	15.67	0	9	2
				10	2
		16.34	8	11	2
2	Eastern Zone			12	2
2				13	2
				14	2
3	Northern Zone	12.85	6	15	3
5		12.65	0	16	3
				17	3
4	Khalapur Smart City	21.68	11	18	3
4	(KSC)	21.08	11	19	3
				20	2

Table 9-7: Zonal Demand & Capacity of Service Reservoirs

The Water from the CWR is proposed to be pumped to different Ground Service Reservoirs through network of pumping mains. The size of all pumping main has been derived as per the criterion laid down in CPHEEO manual for Economical design of pumping mains, taking into consideration the capital investment and the capitalized investment for power charges. For working out economical size, per meter cost for seven nearby sizes of pipe has been worked out, considering bare cost of pipe, excavation of trenches, cost of specials / valves, laying and jointing etc and most economical pipe size worked out from them.


The economical size of pipe lines so worked out have been checked for the surge pressure encountered in the system. Even though the system has been checked for surge pressure, provision has been kept for zero velocity valves and air cushion valves for extra safety.

The water from CWR shall be pumped by Centrifugal pumping sets. The pumping sets have been designed keeping in view the criterion laid down in CPHEEO manual. Accordingly it is proposed to install 3 numbers (2W+1SB) pumping sets at CWR-1 and 3 numbers (2W+1SB) at CWR-2) keeping provision of 50% standby pumping set. The duty conditions for proposed pumping sets are being narrated in **Table 9-8**:

Tuble > of Details of Tumping Fluehinery								
Sr. No.	Pump Description	Discharge (LPS)	Head	Motor Capacity each set (KW)				
Pump	bing Sets at CWR-1							
1	Centrifugal pumping sets coupled with squirrel cage induction motor (2W+1SB)	184.30	80	230 KW- 3 Nos				
Pumping Sets at CWR-2								
2	Centrifugal pumping sets coupled with squirrel cage induction motor(2W+1SB)	100.21	75	120 KW- 3 Nos				

Table 9-8: Details of Pumping Machinery





The location of CWR with pump house and GSRs proposed is shown in Figure 9-2 below.

Figure 9-2: Proposed Network of Clear Water Rising Mains



Provision has been kept for HT Power line up to pumping station along with sub-station, electric cabling and metering etc. Provision has also been kept for trunk distribution system on sector level roads only. The internal distribution shall be laid by the developer. It is proposed to lay the distribution system with Ductile Iron pipes class K-7 with internal cement mortar lining. The proposed length of different size of pipe line to be laid in each zone is shown in **Table 9-9**

Zone wise length of different pipes		70	7	7	7	7	T
	Zone-7	Zone-8	Zone-9	Zone-10	Zone-11	Zone-12	Total
150	5712	5537	7312	7034	7934	8319	41848
200	3617	2186	3760	3618	6554	6239	25974
250	2094	1457	2089	2010	4139	4991	16780
300	1904	1311	1880	1809	3104	3744	13752
350	1713	1166	1671	1608	2760	3328	12246
400	1333	1020	1253	1206	2070	2912	9794
450	952	874	1045	1005	1725	2496	8097
500	762	729	836	804	1725	2080	6936
600	571	291	627	603	1380	2080	5552
700	381		418	402	1380	1664	4245
750					1035	1248	2283
800					690	1248	1938
900						832	832
1000						416	416
Total length in zone	19039	14571	20891	20099	34496	41597	150693

Ta	able 9-9: Zone	wise length	of distribu	ition pipe l	line propos	ed



9.2.5 BLOCK COST ESTIMATE

The Block Cost Estimate has been worked out based on the rates from CIDCO SOR 2012-13. Necessary price escalation has been added to bring the rates at present year level. For the items which are not available in above SOR, present market rates have been considered for preparing the estimate. The estimated cost for source development has been considered based on estimated cost of Balganga project by CIDCO. The abstract of Block cost Estimate is shown in **Table 9-10**

	Cost Abstract Water Supply System NAINA Remaining Area			
S No	Particulars	Cost Rs in Millions		
1	Gravity feeder main from VAHAL MBR to CWR-1 & CWR-2 and from Kondawane MBR to KSC GLSR as per detailed estimate and designs	299.91		
2	Clear Water Reservoirs at CWR -1 and 2	104.64		
3	Pumping mains from CWRs to Service Reservoirs	289.47		
4	Clear water Pumping Machinery at both CWR for pumping water to Service Reservoirs	18.90		
5	Ground Service Reserviors with Pumping Machinery with Variable Speed Pumps	427.50		
6	Trunk Distribution System for all the distribution zones	904.10		
7	Clear Water Pumping Stations and Pump house at GSRs	15.78		
8	Staff Quarters, Office building, Boundary wall and campus development	19.39		
9	Provision for Electric HT Line & Sub Station	25.00		
10	Maintenance Vehicles	3.60		
11	Cost of Land	6.00		
	Total Core Components	2,114.29		
	Add Non-Core components & Contingencies 10.3 %	217.77		
	Total	2,332.07		
	Say Rs in Crores	233.0		
	Source Development Cost 2500/350 ie 7.143/ mld	477.0		
	Total Cost in Crore Rupees	710.0		

Table 9-10: Abstract of Block Cost Estimate Water Supply including Cost of Source Development



9.3 SEWERAGE COLLECTION, TREATMENT AND RECYCLING SYSTEM

9.3.1 ESTIMATION OF SEWAGE GENERATION

The Sewage Collection and recycling system is planned and designed to collect, treat, and recycle all the domestic sewerage generated from the Balance Phase-1. It is proposed that Sullage will be treated on site by the developer of land and Sewage is carried to City/ community level STPs/ETPs.

As per provision in the DCPR prepared for IDP, the sullage from the residential apartments was proposed to be treated by the developer itself at site and recycled for internal usage (horticulture, fire fighting and flushing) and only sewage from the WCs was to be treated in community treatment plants and recycled after tertiary treatment, by assuming 30% of the development may be individual houses or small establishments, which may not be able to treat the sullage at site, thus from such developments whole of the sewage and sullage was to be transported to community treatment plants. But as decided by CIDCO, now for remaining area of Phase-1 and KSC whole of the sewage and Sullage is to be taken to community treatment plant, thus the same has been adopted in this report.

The sewage and effluent generation has been assumed as prescribed in CPHEEO manual. While working out sizes of collection system and capacity of Sewage Treatment Plant, provision has been kept for 20% infiltration through sewer lines as per guide lines issued by CIDCO. Accordingly the sewage generated, Capacity of STPs and Tertiary Treatment Plants required has been worked out and shown in Table below.

Looking to the topography of the area, pace of development and land use, the balance Phase-1 has been divided into 8 Sewerage Zones. The related Tertiary Treatment Plant is also proposed to be installed on the side of STP. The recycled water shall primarily be used for proposed urban greens as horticulture requirement/ fire fighting and the remaining shall be used for flushing in residential areas. The Capacity of Sewage Treatment Plants and Tertiary Treatment Plants proposed zone wise is being given in Table-11 below:

Table 7-11. Zone wise Capacity of proposed 511 s and 111 s				
Sewerage Zone	Capacity of STP	Capacity of TTP		
Sewerage Zone-6 (Western Cluster)	4.80	3.90		
Sewerage Zone-7 (Western Cluster)	3.10	2.50		
Sewerage Zone-8 (Western Cluster)	5.10	4.12		
Sewerage Zone-9 (Eastern Cluster)	9.00	7.27		
Sewerage Zone-10 (Eastern Cluster)	6.20	5.00		
Sewerage Zone-11 (North Cluster)	9.10	7.35		
Sewerage Zone -12 (KSC)	12.00	9.70		
Sewerage Zone -13 (KSC)	12.00	9.70		
Total Capacity	61.3	49.54		

 Table 9-11: Zone wise Capacity of proposed STPs and TTPs



A map showing proposed Sewerage zones along with the location of STPs is shown in Figure 9-3: Proposed Sewerage / Industrial Effluent Zones with location of ETP /STPs




Figure 9-3: Proposed Sewerage / Industrial Effluent Zones with location of ETP /STPs



9.3.2 SEWAGE COLLECTION SYSTEM

The Sewage collection system is provided to collect the domestic sewage from the residential / institutional areas and to convey it to the proposed Sewage Treatment Plant of that zone. The zoning and collection network is proposed in such a way that the flow of sewage follows natural slope and conveys the sewage to treatment plant (located at the lowest elevation) under gravity flow. But for part of sewage pumping shall be required, for which sewage pumping stations are also proposed.

The Sewage Collection system is being proposed at sector level roads only. The internal sewers including laterals shall be provided by the land developers themselves, which shall further be connected to trunk sewerage system. The sewage collection network is based on following parameters, as per the recommendations in the manual of Sewerage and Sewage Treatment issued by CPHEEO, Ministry of Housing Government of India:

Minimum velocity at designed peak flow			: 0.8 meters / sec			
Maximum velocity in SW Pipes				: 1.4 meters / sec		
Maximu	m velo	ocity in 1	RCC / HDPE Pipes	: 2.5 meters / sec		
Max. dej	pth of :	flow in	sewers at ultimate peak flow:			
I	Up to 4	400 mm	sewer	: half full		
2	400 to	900 mn	n sewer	: 2 /3rd full		
1	Above	900 mm	n sewer	: 3/4th full		
]	Minim	um size	of sewer	: 160 mm		
Maximu	ım spac	cing of N	Man holes			
I	Up to 3	300 mm	sewer	: 30 meters		
1	Above	300 mm	n sewer	: 90 meters		
1	Additional manholes			: At every junction, change of alignment/ gradient/ size.		
Size of n	nan ho	les				
I	Up to 2	1.5 metr	es depth.	: 900 mm dia.		
-	1.5 to 2	2.5 mtrs	depth	: 1000 mm dia		
1	Above	2.5 mtr	s depth	: 1200 at bottom & 900 at top		
]	Formu	la adopt	ed for design	: Manning's Formula		
	V	=	1 / n X R 2/3 X S 1/2			
]	Here					
	V	=	Velocity in meters			
]	R	=	Hydraulic mean depth = WA / WP			
	S	=	Hydraulic slope in M / meter			
]	N	= Man	ning's coefficient			
		= 0.01	2 for SW Pipes			
		= 0.01	1 for RCC / PSC pipe			



Accordingly the different size of pipes proposed for collection system in all the seven zones is being given in **Table 9-12**. The collection system is proposed to be laid in RCC pipes class NP-3:

Sewerage Zones> Pipe Size (mm)	6	7	8	9	10	11	12	Total (m)
250	6218	4033	6554	8403	12091	17247	13865	68411
300	1762	1143	1857	2381	3426	4887	5199	20655
350	1554	1008	1638	2101	3023	4312	4160	17796
400	829	538	874	1120	1612	2300	3466	10739
450							2773	2773
500							2080	2080
600							1040	1040
700							693	693
800							1387	1387
Total	10363	6722	10923	14005	20152	28746		125574

Table 9-12:	Size of Pi	pes in prop	osed Collection	System
14010 / 120			obea concentor	


9.3.3 SEWAGE TREATMENT AND TERTIARY TREATMENT PLANT

It is proposed to provide conventional Activated Sludge Process / MBBR type of Sewage / Treatment Plant. The plant shall comprise of Coarse screen chamber, Sewage pumping station, Fine screen chamber, Grit chamber, Activated sludge type Aeration Chamber with Fluidized Bed Reactor or Moving Bed Bio-film Reactor, Secondary Sedimentation tank, Air Blowers, Sludge pumps, and Sludge drying mechanism.

The Tertiary Treatment Plant (TTP) shall comprise pre-chlorination chamber, rapid gravity sand filters and post chlorination mechanism. The TTPs are designed to receive an inflow of 85% of Sewage generated assuming 15% losses in STP. The losses in TTP are taken as 5%.

9.3.4 REUSE OF TERTIARY TREATED WATER

The Sewage treated in STP and then the secondary water treated in Tertiary Treatment Plant in each zone shall be collected in individual Clear water reservoir, wherefrom it shall be pumped for horticulture / Fire fighting and for flushing in the same zone. The water shall be collected by individual users in their ground tanks for their use. Provision has been taken for Clear water reservoirs, pumping machinery and distributary rising mains with DI Pipe class K-9 for supplying recycled water.





9.3.5 BLOCK COST ESTIMATE

The Block Cost Estimate has been worked out based on the rates from CIDCO SOR 2012-13. Necessary price escalation has been added to bring the rates at present year level. For the items which are not available in above SOR, present market rates have been considered for preparing the estimate. The abstract of Block cost Estimate is shown in **Table 9-13 and detailed estimates along with related designs are enclosed in Annexure part:**

Abst	Abstract of cost estimate for Sewage collection system and Treatment for Balance Phase-I (around IDP and KSC)						
			Amount	in	INR		
SI. No		Component	millions				
Α		Land Acquisition					
	1	For Sewage Treatment Plant, Tertiary Treatment Plant and Rest room cum store		4	1.21		
		Sub total		4	1.21		
В		Sewage Collection System					
	2	Sewage Collection System complete with excavation, providing laying and jointing RCC pipes, Sewage chambers and manhole etc.		31	7.54		
		Sub Total		31	7.54		
С		Sewage Treatment Plant					
	1	Sewage Treatment Plants & SPS		62	2.00		
	2	Staff quarters and other buildings with Land development of complete STP TTP and Staff Quarter area		2	7.59		
		Sub Total		64	9.58		
D		Sewage pumping main and pump sets					
	1	Sewage pumping set at SPS			2.40		
	2	Sewage Rising Main from SPS to higher man hole			6.48		
		Sub Total		:	8.88		
F		Dedicated express power feeder main					
		From Substation to treatment plants and SPS		4	5.00		
F		Maintenance Vehicles					
		One Jeep and one truck and one mini truck			3.40		
G		CD Works & Sewer Bridges					
		CD Works & Sewer Bridges for crossing Nalas and roads		3	1.75		
		Total		1,09	7.36		
		Non Core Components					
	7	Non Core components & Contingencies10. 3%		11	3.03		
		Cost in INR (Non-core Components)		11	3.03		
		Total Project Cost in INR millions		1,21			
		Say Rs in Crores		12	21.0		

 Table 9-13: Abstract of Block Cost Estimate for Sewerage System, Treatment & Recycling



П

	around IDP and KSC	
Sl. No	Component	Amount in INI milllions
Α	Tertiary Treatment Plant	
	Tertiary treatment Plant for secondary treated water from STPs	198.00
	Sub Total	198.00
В	Treated water Reservoir and Pumping machinery	
	Tertiary Treated water reservoir for recycling	54.00
	Pumping Machinery	18.91
	Sub total	72.91
В	Recycled water distribution system	
	Pipe lines for distribution of recycled water	37.03
	Sub total	37.03
	Total Core Components	307.94
	Non Core Components	
7	Non Core Component & Contingencies 10.3%	31.72
	Cost for Non-core Components	31.72
	Total Recycling Project Cost in INR millions	339.66
	Say Rs in Crores	34.00



9.4 RIVERS, STORM WATER DRAINAGE AND FLOOD CONTROL

In general the drainage of the area is from North East (where high hills are seen) towards South West. The details about these rivers are given below:

- Gadhi or Kalundri River: It has two tributaries. On one of the tributaries is Gadheshwar dam at the foot hills. One of the tributary as well as the main river passes through IDP area. The river flows from North East to South West direction. The river originates from the hills on the North East side of NAINA. All drainage from the north east side goes to this river/ its tributaries.
- Kolkhewadi River: This River flows from East to west through southern part of IDP area. The level ranges from 30 m to 8 meters except for the hilly terrain. It meets with the Gadhi River and finally discharges in to the sea.
- Patalganga River: Patalganga River rises in the steep western scarps of the Matheran uplands where it branches off from the main ridge near Khopoli and maintains a general westward flow till it joins the Dharamtar Creek with a wide estuary. The tail-waters of the Khopoli power project are let into the river near Khopoli. The river forms boundary of the NAINA region along Rasayani Industrial Estate and then flows through Khopta to confluence in to the creek. There is no evidence of major flooding in the river catchment areas during monsoon.
- Amba, Bhogeshwari and Balganga rivers: These Rivers traverse the southern part of NAINA in Pen Taluka. Portion of Amba up to Nagothane is navigable but it gets frequently silted and requires dredging. The Amba River forms the southwest boundary of NAINA and only a small portion touches NAINA.

CIDCO has appointed M/s DHI for carrying detailed engineering requirements for water supply, sewerage, and storm water drainage and flood control. Their preliminary study for IDP recommended a 15 m buffer along all natural drainage channels and the same was incorporated in the DCPRs. Similar recommendations when available for entire NAINA could be incorporated in the plan/ DCPRs.

The cost of flood control measures will be part of the detailed engineering exercise and cost of storm water drains is included in the road design.



9.5 SOLID WASTE MANAGEMENT

9.5.1 COMPOSITION OF WASTE

The area being a green-field development, no data on composition of waste is available. Hence standards mentioned in the CPHEEO manual are assumed for composition of waste which is further used for calculating the area required for landfill site. Composition of solid waste is given in **Table 9-14**

Sr. No.	Parameter	% of waste as per CPHEEO Manual				
1	Total organic content	44.57				
2	Paper	2.91				
3	Rubber, leather & synthetics	0.78				
4	Glass	0.56				
5	Metals	0.33				
6	Inert Materials	43.59				
Source: CPI	Source: CPHEEO Manual For Solid Waste					

 Table 9-14: Composition of Solid Waste

9.5.2 SOURCES AND TYPES OF SOLID WASTE GENERATION

Municipal Solid waste: The main sources of Municipal Solid Waste (MSW) generation will be residential areas, commercial areas, hotels, institutional areas, markets and other such areas. Wastes from industries and hospitals are not part of MSW; these are called Industrial or hazardous wastes and Bio-medical wastes respectively. MSW can be classified into four broad categories such as:

- Organic waste: This is biodegradable waste consisting of food, kitchen waste, green waste (vegetables, flowers, leaves, fruits), leaf litter etc
- Recyclable waste: paper, glass, bottles, cans, metals, certain plastics, etc.
- Inert waste: construction and demolition waste, dirt, rocks, street sweeping, drain silt, debris.
- Domestic hazardous waste (also called "household hazardous waste") & toxic waste: medication, e-waste, paints, chemicals, light bulbs, fluorescent tubes, spray cans, fertilizer and pesticide containers, batteries, shoe polish etc.

The Ministry of Environment, Forests and Climate Change (MoEFCC) has separate rules for the management of Municipal Solid Waste, Bio-Medical Waste (BMW), Hazardous Wastes, Electronic waste and Construction and Demolition (C&D) waste.

Construction and Demolition Wastes: The construction and demolition waste mainly consists of earth, stones, concrete, bricks, lumber, roofing materials, plumbing materials, heating systems and electrical wires etc. These wastes are heavy, having high density, often bulky and occupy considerable storage space either on the road or communal waste bin/container.

Details of BMW and HW are mentioned subsequently.

9.5.3 ESTIMATION OF SOLID WASTE GENERATION

Municipal Solid Waste: The population projections made in this report and as per capita waste generation rates (of 600 gm per capita for resident population as per CPHEEO manual on SWM) are



used for estimating future waste generation trends. The rate of waste generation throughout the horizon year of 2011-2034 is considered uniform i.e. 600 gm per capita per day. The following table shows the projected quantity of waste generated. As per the projections, the total Phase-I (IDP, Balance Phase-I and Khalapur Smart City area) population in the year 2034 will be 10.08 lakhs hence the quantity of waste generation will be around 604.8 tons per day.

Construction and Demolition Wastes: This waste is usually part of MSW, however given the nature and quantity of such waste it is estimated as a separate head. There are no fixed standards for estimating C & D waste; the Handbook on Technologies for Solid Waste Management, GoM, 2016 suggests that 10-20% of MSW is usually C&D waste. The Municipal Corporation of Greater Mumbai has issued Construction and Demolition Waste Management Rules 2006. These rules mention different quantities of waste for different wards within the city such as 500 tpd (R – South, R – North, R – Central) 400 tpd (A,B,C,D,E,F,G wards), 350 tpd, (H East & K East) (H West, K West P North & South) 300 tpd and 200 tpd(L,N, M East &West, S,T). The above two standards are considered as base for C &D projection for NAINA. 20% of MSW works out to 121 tpd and the average of C& D waste as per MCGM rules works out to 350 tpd. Considering the fact that entire NAINA will not be developed in the plan period and redevelopment works will less, the C & D waste is assumed to be lower of the two i.e. 121 tpd.

Estimated quantity of solid waste generation is given in Table 9-15

Sr. No.	Particulars/year	2021	2031	2034
1	Projected population	2,18,000	7,15,000	10,08,000
2	Solid waste generation tpd	131	429	605
3	Construction and Demolition Waste tpd	26	86	121


Table 9-15: Projected quantity of solid waste generation

9.5.4 STAGES OF WASTE MANAGEMENT

The key stages of solid waste management include collection, transportation, transfer station or storage (if required), treatment and disposal. These are briefly described in the following sections.

9.5.4.1 WASTE COLLECTION

Door-to-door collection: Door-to-door collection of waste is recommended in all the areas. The waste collection shall be carried out using compactors, in gaothan or areas having narrow street widths small compactors or containerised push carts may be used. Each such push cart will have four HDPE (High Density Polyethylene) or LDPE (Low Density Polyethylene) containers of approximately 40 liters of capacity and .45m x .35m x .35m size. The push cart for door to door collection will be provided with a bell so that the residents will be alerted of the arrival of the cart for emptying their waste containers directly into the containers of the cart as shown in. The sanitary workers shall collect the waste from domestic, commercial and other areas in such congested zones. Solid waste should be collected within 24 hours of generation.





40 Ltrs Rickshaw Bin

Capacity	: 40 Ltrs with Handle
Dimension	: Top OD : 350(L) x 350(B) mm approx.
	Top ID : 320(L) x 320(B) mm approx.
	Bottom OD : 285(L) x 285 (B) mm approx.
	Height : 455 mm approx.
	Handle : 08mm Rod and strips are painted with
anti corrosive	

Raw Material : LLDPE Process : ROTO Molding Features : Heavy Duty handle makes it easy to lift. Smooth finish inside and outside – so easy to wipe and clean.

Figure 9-4: Pushcart with containers

Litter Bins: In addition to the door to door collection, litter bins are recommended to be provided in public places such as gardens, bus stops, at regular intervals on streets in commercial and institutional areas. These may be provided at 50 m interval or as per the land use and density of people. The capacity may be around 0.02 cu. M. but may vary depending on the waste generation.

Street Sweeping: Street sweepers shall be assigned with fixed individual beats and 'pinpoint' work according to the density of the area to be swept. The following standards may be considered. The main roads and high-density areas shall be cleaned every day. The low-density areas can be cleaned on alternate days. Drain de-silting will be done on need basis. Norms for street sweeping is given in **Table 9-16**.


Table 9-16	Norms	for street	sweeping
-------------------	-------	------------	----------

Sr. No.	Description	Norm (road length/ sweeper)
1	High density areas (commercial, institutional etc.)	250m - 300m
2	Low density area	650m – 700m

Wherever bulk quantity of bio-degradable waste is generated such as vegetable markets, gardens, leaf litter etc. facilities for on-site composting should be explored.

9.5.4.2 SEGREGATION OF WASTE AT SOURCE

At present, the DP area is rural in character, and the system of solid waste management does not exist. Segregation of waste at source shall be implemented, primarily in residential areas, where door to door collection of waste is proposed. Separate collection and storage of the biodegradable and non-biodegradable fraction, dry and wet waste of the waste from households, shops and restaurants shall be carried out by the sanitary workers. For this purpose, the residents would be asked to store the biodegradable and non-biodegradable waste separately. Also, the push-carts/ compactors would be provided with two separate compartments in different colours for collection of the bio-degradable and non-biodegradable waste. Awareness programs should be conducted to train the people about the segregation of waste at household level. It is mandatory to segregate waste into bio-degradable and non-biodegradable as per the Municipal Solid Waste Management (MSW) Rules 2000.





9.5.4.3 TRANSPORTATION

The MSW Rules 2000 stipulate that carrying solid waste in open vehicles is not permissible. Thus mechanical compactors of adequate capacity will be used. These usually have a capacity of 6 to 8 m³. For congested areas mini-tipper of 1.8 m³ capacity can be used.



Figure 9-5: Types of Vehicles for Solid Waste transportation

9.5.4.4 TREATMENT AND DISPOSAL

The characteristics and quantity of solid waste generated primarily influence the disposal options. A review of the solid waste analysis results for most Indian towns and cities indicate that nearly 50% of the waste generated is organic in nature, as per CPHEEO Manual it is 40%. In terms of the quantity, this works out to about 242 tpd for the horizon year of 2034. The organic component of the waste (40% of the total waste) will be composted and the rest of the waste will be land filled.

The other technology options will not be suitable, due to the following reasons:

Incineration: Due to low calorific value and high moisture content, this technology is not suitable for Indian Solid waste management. Also capital, O&M costs will be very high.

Pyrolysis and Gasification: This process involves thermal decomposition at high temperature and besides recovering energy from the waste. It will ensure proper destruction of waste. But due to the composition of the waste and high moisture content the application of this process is only limited.

Pelletisation: Making fuel pellets is another option. Low calorific value wastes will not be suitable unless ingredients are added to increase calorific value. While a few Pelletisation plants are operating in India, long periods of project development and establishment are the hindrances in this method.

Bio-Chemical Conversion: This is based on decomposition of organic matter to produce methane Gas. Anaerobic digestion in closed container can produce bio-gas to the tune of 50 to 150 m³ per tonne of waste. Gas can be used for cooking, heating, or generation of electricity. Several schemes of bio-methanation plants are being planned in India.

Considering the limited experience of above technologies, the daily quantity of waste generated and also as the surrounding areas being predominantly rural, it can be safely presumed that the composting will be suitable and will find a good market within the region.

The proposed disposal strategy for DP is as follows:

• Compost the organic fraction of the waste – 242 tons/day for the terminal year 2034



- Sanitary land filling of inorganic fraction of waste and compost rejects about 20% i.e. (48 tons/day in year 2034)
- Encouraging local level aerobic composting and
- Educating the community on 4R strategy (Reduce, Reuse, Recycle and Recover)

Sections below discuss the various aspects of implementing the above strategy.

9.5.4.5 LAND REQUIRED FOR DISPOSAL SITE

Area requirement for the composting and land fill sites is assessed for the horizon year 2034. At 605 tons per day, the (40%) waste for composting works out to be 242 tons per day, and that for the land filling is 532 tons (including 20% compost rejects and C&D wastes) by the design year. The design capacities have therefore been considered as 242 tons for composting and 532 tons for land-filling.

As summarised below, the area required for disposal of waste NAINA works out to a total of 23 ha. This comprises of 2 ha of land for composting. These area calculations form the basis for identifying the new disposal site or assessing the adequacy of the proposed composting site. Summary of land required for disposal site is given in **Table 9-17** below

S	Calculation of Landfill area requirement	Quantity	Unit
N 1	NAINA Population in 2034	1008000	Persons
2	Waste Generation in 2034 @0.6 Kg per capita per day	605	tpd
3	Total waste	605	tpd
4	Organic Waste @40% of Total Waste	242	tpd
5	Area requirement of Landfill site		
а	Waste coming to landfill @ 60% of waste generated	363	tpd
b	Construction and Demolition Waste @20% of Total Waste	121	tpd
с	Compost reject @ 20% of organic waste	48	tpd
6	Total waste coming to landfill	532	tpd
7	Landfill site life	15	years
8	Assumed waste density	2913926.4	t/m ³
9	Total waste generation	0.85	t
10	Total volume of waste generated @1.62 t/ m^3	3428149	m ³
11	Volume of daily cover (10% of Waste)	342815	m ³
12	Volume of liner and cover (12.5% of Waste)	428519	m ³
13	Volume Reduction due to settlement (10%)	342815	m ³
14	Landfill volume	3856667	m ³
15	Assumed Landfill height	17	m
16	Area of Landfill site	226863	m^2
17	Landfill Area required (say)	23	ha
18	Composting area requirement		
а	Quantity for Compost @ 40% of Total waste generated	242	tpd
b	Conversion factor 1 ton = 1.62 m^3	1.62	m ³
с	Volume	392	m ³
d	Recycling period	21	days
e	Total area for composting (From Table 9-15)	16460.2	m^2
f	Total area in ha (say)	2	ha
19	Total Landfill area = Landfill area req +Composting area	24	ha



SN	Description	Quantity	Unit
1	Trench dimensions		
а	length	90	m
b	width	2	m
С	depth	1.5	m
d	spacing	1	m
2	Total Area for 1 Trench	270	m²
3	Capacity of 1 Trench	270	m ³
4	No of Trench for 1 day	1.5	No
5	No of Trench for 21 day	30.5	No
6	Area requirement of Trench for 21 day	8230.1	m²
7	Area of One Standby Trench	8230.1	m²
8	Total Land Area Requirement	16460.2	m²

Table 9-18: Calculation of land required for composting

9.5.5 BLOCK COST ESTIMATE

The block cost estimate consists of two components – land cost and waste processing cost. The land cost is Rs. 0.39 Cr/ ha and processing cost is Rs. $300/m^3$ for 1 year according to CIDCO standards for Navi Mumbai.

Sr. No.	Item	No.	Unit			
Α	Land Acquisition Cost					
1	Land Area Requirement	24	На			
2	Rate	0.6	Cr / Ha			
3	Land Cost	15.0	Cr			
В	Composting Cost					
1	Volume per day	392	m ³ per day			
2	Volume for one year	143047	m ³ per year			
3	Rate for composting	300	Rs./ m ³ per year			
4	Cost per year	4.3	Cr			
5	Cost for 15 years	64.4	Cr			
С	Land fill site development Cost					
1	Rate	350	Rs per ton			
2	Quantity	2913926	ton			
3	Cost	102.0	Rs Cr			
D	Total Cost (in Rs Cr = A3+B5+C3)	181	Cr			

Table 9-19: Block cost estimate for solid waste management

9.5.6 METHODOLOGY FOR IDENTIFICATION OF LANDFILL SITES

There are stringent criteria for selection of landfill site. If 20 km aerial distance from proposed airport criteria is applied there is hardly any suitable location within Development plan area as NAINA boundary itself is 25 km from proposed NMIA. Thus a criterion of 10 km from NMIA is adopted. The

existing landfill site approved by MoEFCC for MCGM at Kanjurmarg is about 8.5 km from the Chhatrapati Shivaji International Airport. Similarly in Puducherry the landfill site has been permitted within 7.5 km from the airport.

DP area has other environment sensitive features such as the Karnala Eco-sensitive Zone, Matheran Eco-sensitive Zone, few hills, rivers, reserved forests and areas under Coastal Regulation Zone. Thus identifying a suitable site within these constraints is a difficult task. Amongst the notified rivers as per the GR Dated 13th July 2009, there are three notified rivers in the study area namely Patalganga, Balganga and Bhogeshwari. Out of these the water quality for Balganga and Bhogeshwari is designated as A-I from origin to creek thus a buffer of 3 km is inevitable. In case of Patalganga River A-I Class is from Origin to Tata Power house at Khopoli, A-II Class from Tata Powerhouse to weir at Chawane and SW-II Class from weir at Chawane to creek. For the Gadhi and Kasadi Rivers the entire stretch is classified as A-II Class thus a buffer of 1 km has to be left. This relegates quite a bit of the area unfit for use of landfill site. A composite map of all such buffers shown on the project area is presented in **Figure 9-6: Map showing all mandatory buffers for identifying land fill site**

The Govt. of Maharashtra has recently denotified the River Regulatory Zone policy, however buffers are maintained as per the policy as a good practice.

It is difficult to get such a large land parcel (24 Ha) at one place and hence smaller parcels at different locations are identified (refer **Table 9-20**), based on above requirements and availability of Government Land. The list of suitable sites and area is given in **Table 9-20**.

The most feasible identified pockets at Vaklan and Khanav sites comprise of 24 ha which meets the requirement. The land requirement may reduce if more advanced technology is adopted. This will be decided when a detailed solid waste management plan is prepared and the technology for waste disposal is finalized, nevertheless most of the area required will be managed in 2 selected sites of Khanav and Vaklan. The details of area and land ownership of identified lands are as given in **Table 9-20**

	Land Ownership						
Site Location	Government Land Area(ha)	Private Land Area (ha)	Total Area (ha)	Govt. Land Area %			
Bhatan	3.5	2.8	6.3	55			
Khanav	11.7	2.2	13.8	84			
Morbe	7.4	4.4	11.8	63			
Vaklan	4.9	5.2	10.1	49			
Grand Total	27.5	14.5	42.0				

Table 9-20: Area statement of proposed landfill sites






Figure 9-6: Map showing all mandatory buffers for identifying land fill site



9.5.6.1 BIOMEDICAL WASTE

Bio medical waste is the waste material generated from the hospitals, dispensaries & pathological laboratories. The bio medical waste has to be collected, transported & disposed off in the manner & methods as suggested under Bio-medical waste (M & H) Rules 2016. It is clearly mentioned in this rule that the 'occupier' (a person who has control over the concerned institution / premises) of an institution generating bio-medical waste (hospital, nursing home, clinic, dispensary, veterinary institution, animal house, pathological laboratory, blood bank etc.) shall be responsible for taking necessary steps to ensure that such waste is handled without any adverse effect to human health and the environment.

In no case bio-medical waste shall be mixed with municipal solid waste. In most existing cities large hospitals have their own incineration plants and common incineration plants are set up by local authorities. There are designated agencies for collection and transportation of bio-medical waste which is then brought to the common incinerator/ disposal site. The total bio-medical waste generation would be 345 kg/ day for the DP area as worked out below. A common incinerator may be provided at the land fill site or if such a facility is set up by one of the super speciality/ general hospital it can be used by the other on payment. A hazardous waste disposal site is available at Taloja operated by private agency. The bio-medical waste can also be disposed at Taloja site, details given in **Table 9-21**.

Sr. No.	Medical facility	No. of hospitals	Total Area Sq. m.	No. of beds	#Biomedical waste generation @0.375 kg/bed
1	Nursing Home / PHC	20	30000	120*	45
2	General Hospital	7	40100	401**	150
3	Super speciality hospital (not shown as reservations but required as per norms, expected through NAINA Scheme)	2	40000	400**	150
	Total	29	110100	921	345

* Each PHC to have 6 beds as per IPHS standards

** No. of beds = 100 sq. m./bed as per IPHS

As per CPHEEO Manual

9.5.6.2 HAZARDOUS WASTE

Industrial land use of 991 ha is proposed in the DP. It is difficult to estimate the quantity of hazardous waste without knowing the type of industries. Hazardous waste generated if any from construction sites or any other use, such as spent oil swabs, used oil barrels etc can be collected by the authorised agency and disposed at the Common Hazardous Waste Treatment Storage and Disposal Facilities (CHWTSDF) at Taloja as per the provisions of the Hazardous Waste Management and Handling Rules, 2008. The same site can be used by industries to be developed in future on the proposed industrial land use. Furthermore if the area is found insufficient a site can be identified when the DP is revised.



9.6 POWER SUPPLY REQUIREMENT

The following standards have been adopted for the estimation of power requirement for the planning area.

Domestic Demand

- 1.5 KW per household for EWS/LIG
- 3.0 KW per household for MIG
- 4.0 KW per household for HIG

Commercial and Industrial Demand

- 1 KW per Shop
- 10 KW per Service Industrial Unit

Social Facilities and Public Utilities Demand

- Public Facilities 50 KW per 7500 persons
- Public Utilities 120 KW 7500 persons

9.6.1 **DEMAND ESTIMATION**

Based on the above standards the broad estimate for power supply for DP Area for the terminal year 2034 is given below in **Table 9-22**. The estimated population for the terminal year 2034 is 3.9 lacs.

	Power requirement – Residential areas							
Sr. No.	Household	Percentage	No. of households	Total Power requirement MW				
1	EWS/LIG	30	23400	3	5			
2	MIG	50	39000	11	17			
3	HIG	20	15600	6	2			
	Sub Total	100	78000	21	15			
	Pow	er requirement	– Commercial a	ireas				
Sr. No.	Shops and Service Industries	Unit per 1000 persons	Estimated units	Power requirement per unit in KW	Total Power requirement MW			
1	Shops	20	7800	1	7.8			
2	Service Industries	2	780	10	7.8			
	Sub Total	-	-	-	15.6			
	Power requirement – Public Utilities and Facilities							
Sr. No.	Facility	KW per 75	00 persons	Total Power Requirement MW				
1	Social	5	0	2.6				
2	Public Utility	12	20	6.2				
	Sub Total	·		8.	84			
	Total			23	39			

Table 9-22: Estimation of Power requirement	
---	--



The total power supply requirement therefore works out to 239 MW say 250 MW. The power will be sourced from MSETCL.

9.6.2 POWER DISTRIBUTION

The power will be distributed from a Receiving Station (RS) through a network of substations. The power demand works out to be 250 MVA by applying a power factor of 0.85 to the above requirement of 294 MW or 300 MW.

Standards considered for distribution of Receiving Station (RS) and Electric Sub Stations (ESS) are as following:

S. No. Utility		1 for	Area required	Total Required for 3.9 lacs of population	
		person	(m ²)	Units	Area (m ²)
1	Receiving Station (RS)	1,00,000	4000	4	16,000
2	Electric Sub Stations (ESS)	50,000	2000	8	16,000

Therefore total 4 Receiving Stations and 8 Electric Sub Stations (ESS) have been provided in Balance Phase-I area, i.e. in Khalapur Smart City area and remaining Ph-I area (excluding IDP area)

9.6.3 BLOCK COST ESTIMATE

The block cost estimate is calculated for the MRS, RS, transmission line and internal distribution based on CIDCO's standards for Navi Mumbai. The key assumptions are

- Cost of MRS Rs 150 Cr
- Cost of RS -4x2.5 = 10 Cr.
- Transmission lines Rs. 3 cr/ km
- Internal distribution (including ESS) Rs. 0.2 cr/ ha

The details of Block cost estimate of power supply are given in Table 9-23

Table 9-23: Blo	ck cost e	estimate of	f power	supply
-----------------	-----------	-------------	---------	--------

Sr. No.	Item	Quantity	Unit	Cost per unit	Unit	Cost	Cost Rs. in Cr
1	Main Receiving Station	1	no	150	Cr/Unit	150	150
2	Receiving stations	4	no	2.5	Cr /Unit	10	10
3	Transmission Line	100	km	3	Cr/Km	300	300
4	Internal Distribution	4493	На	0.2	Cr/Ha	899	899
	Total						1359



10 LAND DEVELOPMENT MODEL – NAINA SCHEME

This section explains the rationale of search for alternative land development models and recommends a suitable development model for Development Plan.

10.1 APPROACHES FOR PLANNED DEVELOPMENT

The key objectives of planned urban land development are:

- To obtain land for public purposes physical and social infrastructure
- To ensure inclusive growth by providing housing to the poor, and
- To raise finances by either capturing land value gains that occurs on account of provision of infrastructure or adopting the principle of 'growth pays for growth'.

The two conventional approaches to planned development have been the Development Plan (DP) model and the Bulk Land Acquisition Model. The DP model has been largely used in existing towns and cities such as Mumbai and Thane etc. whereas Bulk Land Acquisition model has been found suitable for greenfield development like Navi Mumbai, NOIDA or capital cities like Chandigarh, Gandhinagar, Bhubaneswar etc. Each has its merits and demerits.

The DP designates particular parcels of land for public purposes, which can then be compulsorily acquired. In this process landowners who lose their land, bear the cost and the benefits accrue to others. DP typically does not attempt to capture land value gains that accrue on account of such benefits. Bulk land acquisition on the other hand can potentially ensure that all three objectives of planned urban land development are achieved. However large scale compulsory land acquisition is increasingly becoming difficult.

In case of land pooling and land readjustment the burden of providing land for public purposes and infrastructure is equitably cast on all landowners. The merit of this method is that the land remains with the original land owners except to the extent that is required for public purposes. The traditional Town Planning Schemes relied on capturing 50% of land value gains to finance implementation of Town Planning Schemes (TPS). The Gujarat model of development plans/ town planning schemes, in addition allows planning authorities to retain land that could be sold for financing TPS. In the Korean model of land readjustment 'cost equivalent' land was retained by planning authority.



Improved TPS framework is now available with the modifications to the MRTP Act, but it could still be tedious and time consuming process. Without ruling out the TPS Route, an innovative model based on voluntary participation incentivised through appropriate DCPRs is necessary.

10.1.1 SUMMARY

It is necessary to appreciate that each approach will have some advantages as well as disadvantages. The models can be grouped into three categories. The salient features of each are explained below based on land acquisition, land value capture and finances.

- 1. In conventional development plans, planning authorities have to acquire land designated for public purposes with additional responsibility of rehabilitating the displaced persons. The land value gains cannot be captured in this model. Hence external funds are necessary.
- 2. Voluntary land pooling primarily responds to the demands of the market. As the approach is voluntary there may be holdouts by certain landowners, which may frustrate the development agency leading to uncertain outcomes. Incentives for participation in the scheme as well as some disincentives for not participating are necessary to make the scheme attractive and ensure maximum participation. Retaining land for subsequent sale by planning agency could raise resources for financing the development.
- 3. Development of new towns with 100% acquisition of land is faced with the same problems of land acquisition and rehabilitation of displaced persons although planned and inclusive development is possible in this method. The land value gains can also be fully captured.

For DP a model belonging to category 2 above has to be developed.

10.2 EXISTING REAL ESTATE SCENARIO

Since the intended model is market dependent an appreciation of current real estate market is desirable. The land prices in Navi Mumbai and surrounding areas, including that of CIDCO have been increasing steadily. The announcement of the development of Navi Mumbai International Airport has further fuelled the increase in real estate prices.

The average price for residential flats in the area around Panvel is about Rs.5400 per ft². As per the ASR the land prices in Vichumbe village were Rs. 27,60,000 per Ha in 2013, Rs. 31,74,000 per ha in 2014 and Rs. 34,91,000 in 2015 which shows an increase of 15% and 10% over preceding years respectively. In case of Nadode near Khalapur the rates are, Rs. 1753200 (2013), Rs. 19,48,000 (2014) and Rs. 21,43,000 (2015) which show an increase of 11% and 10% over preceding years respectively. For Shirki village near Pen the rates are Rs. 11,38,500 (2013) 11,95,000 (2014) Rs. 13, 15,000 (2015) which show an increase of 5% and 10% over preceding years respectively.

Substantial development is happening in the form of Gaothan Expansion Schemes, Integrated Townships, and Affordable Housing Schemes. The existing and proposed transport network are further fuelling the real-estate prices such as NH-4, NH-4B, NH-17 Mumbai –Pune Expressway, proposed Alibag-Virar Multi Modal Corridor, Panvel – Karjat suburban rail, Vasai-Diva- Panvel suburban rail, doubling of tracks between Panvel and Roha by Konkan Railway. Besides this the Delhi-Mumbai Industrial Corridor and Dedicated Freight Corridor are likely to act as impetus for rise in the real estate and land prices. Thus it is very likely that with provision of basic infrastructure for planned development in place, land values may increase rapidly that could be tapped for financing development.



10.3 PROPOSED LAND DEVELOPMENT MODEL FOR DEVELOPMENT PLAN

After studying various development models adopted across the country, including Special Township schemes (now renamed as Integrated Townships in Maharashtra) and development approaches adopted by CIDCO in the past particularly at Waluj a base model was proposed. This model underwent rigorous scrutiny based on inputs received from various stake-holders. The model is now coined as 'NAINA Scheme'.

Its key principles are:

- a) Incentivize aggregation: Since bulk land acquisition is difficult and time-consuming, SPA-NAINA will have to incentivize land aggregation by owners. The incentives to be given are additional FSI on aggregation, compared to low FSI for individual plot developments. Incentives are to be given in the form of discount in infrastructure development charges, comprehensive Environment Clearance, provision of supporting infrastructure by SPA-NAINA. Minimum area of aggregated land eligible for NAINA Scheme shall be 7.5 Ha (4 Ha. In Urban Village and 25 Ha in LDZ zone).
- b) Sharing of Land: In NAINA scheme, the owner/developer will retain 60% of the land and 40 % land shall be surrendered to SPA-NAINA "free of cost by consent agreement" for providing roads, open spaces, amenities and growth centre. The permissible FSI for the entire plot will be 1.00, which can be consumed on the 60 % of retained land resulting in net FSI of 1.7 for the retained land. In case of NAINA- Scheme having areas between 7.5 ha and less than 10 ha, 50% land will have to be surrendered to SPA-NAINA, resulting in 2 FSI on land retained by owner/ developer. If more land area is affected by reservations, landowner is to be compensated for loss of land in excess than the land to be surrendered as stated above, by way of TDR.
- c) Raising Finances: The finances required for developing city-level infrastructure will be raised from development charges, as leviable under the MRTP Act, 1966. The second source of revenue will be disposal of 15 % land reserved for growth centre. The outcome of NAINA-Scheme being market dependent is intrinsically uncertain. To overcome the risk and uncertainty of outcome following strategy is proposed:
 - Land designated for roads, amenities and growth centre as shown on the PLU of DP shall be notified for compulsory acquisition
 - NAINA Schemes can be formulated incorporating roads and amenity reservations. These will be counted towards 40% of the land to be surrendered to SPA-NAINA
 - Landowners whose land is notified for acquisition for growth centre if willing to contribute 40% of the land free of cost, will be compensated for 60% of the land by way of TDR
- d) Inclusive housing: All developments on lands admeasuring 4000 m² or more shall have provisions for Inclusive housing. In case of plotted development 20% of the plots or land parcel constituting 20% area shall be reserved for inclusive housing (ie. EWS/LIG). In case of plots the area shall be between 30 50 m². Such plots/ land parcel will be sold to SPA-NAINA as per the prevalent ASR (Annual Schedule of Rates). Such plots/ land parcel can be located anywhere in DP. The developer shall be entitled for the FSI of such plots/land which can be consumed on the same land or can be availed in the form of TDR as per the Development Control & Promotion Regulations. In case of group housing 20% of the built up area shall be utilized for constructing EWS/LIG tenements anywhere in DP area. All other conditions shall be as per the Government Resolution on affordable housing as amended from time to time.



10.3.1 PROVISION OF LOCAL INFRASTRUCTURE:

The internal layout of 60% of the land retained by the landowner shall follow the standard layout regulations in terms of provision of internal roads, infrastructure, recreational open space and local amenities.

FEATURES OF THE PROPOSED MODEL

- a) Area requirement: Considering the existing situation and market scenario promoting townships on smaller areas than those proposed in Special Township Policy would be feasible. Minimum land area or land aggregation required for participating in 'NAINA Scheme' is 7.5 Ha. For areas within urban villages (excluding gaothans) the minimum area is 4.0 Ha. The minimum land requirement for NAINA – Schemes in LDZ is 25 Ha. SPA-NAINA will not be providing infrastructure in LDZ areas hence the minimum area requirement for NAINA – Schemes has been increased to 25 Ha so that only self-sustaining mini-townships are developed.
- b) **Permissible Uses:** Uses permissible on owner's land are residential, commercial, hotels, offices etc. as per the Zoning and Land uses/ activities stipulated in the DCPRs. The whole of retained land can also be used for institutions like residential schools, hospitals, college with hostel, research and development institutions etc.
- c) **Development of Growth Centres:** Growth Centres will be exclusively developed by SPA-NAINA. These will act as catalysts for urban development and these will be designated in the development plan based on various parameters such as proximity to transport network, existing urban centres and development potential.

10.3.2 DEVELOPMENT GUIDELINES FOR GROWTH CENTRE LANDS

- a) The FSI permissible on growth centre lands shall be 1.7, at par with the FSI of land retained by the landowners in 'NAINA scheme'.
- b) No amenity space shall be provided in Growth Centres.
- c) Only internal and layout roads and open spaces will be required to be provided without losing FSI potential.
- d) The Growth centre shall not be used for inclusive housing or development of Social facilities.
- e) The Growth centre land shall not be allotted for any request of land by Govt/Semi-Govt. Agency at concessional prices.



11. SALIENT FEATURES OF DEVELOPMENT CONTROL AND PROMOTION REGULATIONS

The Development Control and Promotion Regulations (DCPR) are the mechanisms to facilitate the implementation of the Development Plan and carry out planned development. The DCPRs are largely based on the "Standardized Development Control and Promotion Regulations for Regional Plans" prepared by the Urban Development Department, Government of Maharashtra. These DCPRs have been contextualised for the DP.

11.1 OPTIONS FOR DEVELOPMENT

For the purposes of DCPRs, DP has been divided into four categories viz; Gaothan, Urban Villages, NAINA-Scheme and Non-NAINA Developments.

11.1.1 DEVELOPMENT IN GAOTHANS

Gaothans, as defined in the Maharashtra Land Revenue Code (MLRC) Section 122, are shown on DP. As Gaothans are built areas it is expected that mostly redevelopment proposals will come for approval. No FSI is proposed; instead built-form will be controlled by footprint and number of storey. Existing footprint will have to be retained and maximum two storeys are permissible including ground floor. To facilitate wider access-ways buildings abutting such existing access-ways less than 4.5 in width will be setback by 2.25 m from the centreline of the existing access. Most existing uses will be continued.

In case of availability of unencumbered land within Gaothan or lands capable of being developed according to stipulations of Urban Village including NAINA – Schemes in Urban Villages the same is permissible. This provision will promote planned development within Gaothan wherever possible as well as benefit such land owners.

11.1.2 URBAN VILLAGES

Urban villages are areas of 200 m around existing inhabited Gaothans. These are marked on the Development Plan. As per the existing MMR Regional Plan these areas are permitted for development with 1 FSI and a maximum building height of 24 m. Both NAINA-Schemes and Non-NAINA Developments are permitted in Urban Villages



11.1.3 NAINA-SCHEME

It is further divided in following spatial context-

- NAINA –Scheme in Urban Villages: The land holdings in these areas are small and hence landowners may not be able to aggregate to 7.5 ha land to be part of the NAINA-Scheme, though there is no restriction on them forming part of the scheme if they manage to aggregate such land partly within 200 m and partly outside 200m. Therefore considering the land-holding pattern a smaller land assembly scheme is proposed for urban villages. If the owners aggregate a minimum of 4 ha land they will retain 60% of the land and contribute 40% of land to SPA-NAINA. Within the land retained by the landowners open spaces at the rate of 10% of the land will have to be provided however provision of amenity space will be optional. It shall be mandatory that if the NAINA –Scheme is for 4 ha only then all such land shall be within 200m of the Gaothan.
- NAINA-Scheme out of Urban Villages: The minimum area required for participating in NAINA Scheme is 7.5 ha. For area 10 Ha and above, 40% land will be surrendered to SPA-NAINA free of cost. Developer will be allowed to use FSI of entire land on balance 60% of retained land. In case of NAINA- Scheme having areas between 7.5 ha and less than 10 ha, 50% land will have to be surrendered to SPA-NAINA and the FSI on retained land will be 2.0. There will be a two-stage approval process. In first stage an Outline Development Permission will be granted based on verification of details of ownership, and proposed allocation of land to be surrendered to SPA –NAINA. Final Permission will be granted based on detailed layout plan, building plans, infrastructure availability, project report etc. Depending upon the size of the scheme and the number of dwelling units proposed a graded range of amenities to be developed by the developer has been proposed. This will include basic education and health facilities.

Incentive FSI for larger aggregation of land proposed in NAINA-scheme is given in Table 11-1 Table 11-1: FSI incentives in NAINA Scheme

Gross Area of NAINA Scheme (Ha)	Gross FSI	FSI on land retained by developer
7.5 ha and above but less than 10 ha	1.00	2.0
10 ha and above and up to 25 ha	1.00	1.7
Above 25 ha but less than 40 ha	1.08	1.8
Above 40	1.14	1.9

• NAINA – Scheme in LDZ: The minimum land requirement for NAINA – Schemes in LDZ is 25 Ha. The developer is required to surrender 40% land to SPA-NAINA of which 15% will be used for Growth Centre and 25% for city-level and/or peripheral level infrastructure and amenities. The developer will retain and protect the land for Growth Centre, vacant and unencumbered till it is demanded by SPA-NAINA. Similarly he will also maintain the 25% land reserved for amenities, However, SPA-NAINA may allow him to develop such amenities with its consultation and the developer will be compensated as per the DCPRs for developing such amenities. If the developer falls short of 25 Ha land aggregation the same can be offset against land under reservation elsewhere.



11.1.4 NON-NAINA DEVELOPMENT

The FSI permissible for such developments will be 0.5 and all other regulations of the DCPRs will be applicable.

The FSI for developing amenities is 1, irrespective of NAINA-Scheme or Non-NAINA development. In case of NAINA-Schemes this will be exclusive of the FSI permissible on the land retained by the developer as mentioned in **Table 11-1**.

• Applicability of 22.5% Scheme for bulk land pooling (Area 60 Ha and above): During the hearing of the objections and suggestions of the IDP, there were requests for CIDCO to assist the villagers in land development as they do not possess financial and technical strength to take benefit of NAINA-Scheme.

The Planning Committee of IDP recommended that CIDCO can propose bulk land pooling scheme for land aggregations above 60 ha provided the land owners voluntarily aggregate and request CIDCO to take scheme with complete development of physical and social infrastructure i.e. City-level, Peripheral-level and Local-level. The cost of development of Local-level infrastructure is Rs 72/m². In order to recover this cost CIDCO will require additional 37.5% land and therefore will return 22.5% developed land/plot to landowners. This is similar to the rehabilitation scheme offered to villagers affected by the NMIA for whom Pushpak Node is being developed.

Developing inclusive housing will not be mandatory for the landowners. Detailed guidelines for conditions of land aggregation, operation of the scheme and other modalities will be framed by SPA-NAINA.

- Theme-based Developments: In a greenfield development, it is important to promote economic activities which will act as magnets to attract investments as well as employment opportunities and thus residents to the area. If this is not done there is always a risk of such city becoming a dormant suburb of the main city around which it is planned. This was amply experienced in the case of Navi Mumbai which was envisaged as an independent self-sustained city with its own economic and employment hub, but did not manifest so even after 50 years of its existence. In order to address this issue the concept of theme-based developments has been introduced. The examples of theme development are Edu-city, Medi-city, Tech-city, Entertainment City, Sports City, Logistics Parks and Tourism City. The details of the same are given in DCPR.
- Integrated Township Project (ITP or STP): In case of already approved projects Development Charges payable or paid as per Chapter VI-A of MRTP Act will be payable by the developer. In case of new proposals developer will have to surrender 15% land as decided by SPA-NAINA. This 15% will be exclusive of DP reservations if any.



11.2 FEES, CHARGES AND PREMIUMS

Development charge: The development charge has been increased by Government of Maharashtra to approximately Rs 500 per m².

FSI linked Premium: Certain amount based on FSI in the form of Premium will be payable to SPA-NAINA by persons seeking development permission for Integrated Township Projects which are covered under NAINA Scheme,

11.3 TRANSFERABLE DEVELOPMENT RIGHTS

Transferable Development Rights (TDR) is a mechanism by which the development potential of a land parcel is separated from the land itself and is made available to the owner to be used on other land parcel or as tradable commodity under certain terms and conditions. The mechanism is extensively used by planning authorities when land under reservation for public purpose is to be acquired by the authority. The GoM by its notification No. TPS -1813/3067/CR-122/MCOUNCIL/12/UD-13, dated 06 /02 /2016 has issued uniform regulations for TDR and Accommodation Reservation to be incorporated in the DCRs of Municipal Councils in Maharashtra. The same have been adopted for DP with suitable modifications. The significant ones are as below:

- The notification stipulates norms for loading of TDR on particular plot based on the road width fronting the plot. The loading increases with increase in width of the road as well as size of the plot. These norms have been bifurcated in two for NAINA Schemes and other Non-NAINA developments. While maximum permissible loading is restricted to 0.50 in case of Non- NAINA developments it is increased to 1.0 in NAINA-Scheme. This is done to incentivize NAINA-Schemes and encourage land owners to opt for NAINA-Schemes.
- The maximum permissible utilisation of Transferable Development Rights (TDR) loading on receiving plot in Non-NAINA Development in shall be restricted to 20% of area of receiving plot subject to condition that the receiving plot shall be fronting on road having width 9m and above.

11.4 OTHER SALIENT FEATURES

- There will be no restrictions on height of the building, except those governed by Civil Aviation and Fire Safety Act whichever is less
- Rules for tree plantation :
 - Every plot of land shall have at least 1 tree for every 100 m² or part thereof
 - Recreational open spaces shall have at least 5 trees for every 100 m².
- Rules for size of hoardings and fees and deposit charged for erecting hoarding
- Regulations on Environmental Sustainability and Public safety included
- Regulations for Provision of facilities for physically handicapped, Quarrying and Erection of Mobile Towers included.
- To promote Aesthetics/Urban Design qualities in city architecture special provisions have been incorporated in DCPR in the form of incentive FSI. For aesthetic consideration the FSI incentive is 0.05 in NAINA scheme and 0.02 for others. To avail this incentive the applicant would have to submit their designs for special review by the committee to be constituted for this purpose.



12. ENVIRONMENT SUSTAINABILITY AND TOURISM

Environment sustainability is an important aspect for any plan or project. The environment influences the quality of life of its inhabitants. DP area being a Greenfield development, environment sustainability takes front seat and can also be addressed in a holistic manner. While it is difficult to address all the environmental issues in a Development Plan, attempt has been made through land use proposals and the Development Control and Promotion Regulations (DCPRs). In addition to above, another important aspect discussed in this chapter is tourism. It is an important economic activity, can be developed in the initial stages of the plan period and has scope for involvement of the villagers if developed accordingly.

12.1 EXISTING LAND USE

DP is spread over 437.26 km². In Existing Land Use exercise environmentally significant areas were identified. These are Forests, Water bodies, Hills, Wetlands, Salt-pans and Karnala Eco-sensitive zone. The area covered under forest is about 9059 Ha (20.7%), water bodies (including area under revenue waterbodies and waterbodies within forests) is about 3096 Ha (7.1%), steep Hills is about 5305 Ha (12.1%), Marshy/Shrubs is 2402 Ha (5.5%), and salt pans is about 320 Ha (0.7%). Total environmental significant area amounts to be about 20181 Ha, covering around 46.2% of the DP area. Details and table for the same is given in 'Chapter-3: Existing Land Use'.

12.2 PROPOSED ZONING

Zoning has been addressed in the Development plan with an objective to protect or minimise the adverse impact of urbanisation on environment. Taking clue from the Regional Plan 1999, the environmentally significant areas are protected. This objective is achieved by two pronged strategy. One protection comes from intrinsic legal status by way of notification of forest, notified eco-sensitive zones and through provisions in DCPRs such as buffers along water bodies, protection of area of steep hill slope etc.

This Development Plan addresses the issue by proposing LDZ Zone in areas where development was to be controlled. LDZ zone permits selective developments such as farm houses, week-end houses on 2000 m^2 plots, holiday homes, resorts, large institutions on minimum 2.5 Ha plots, film shooting sites on minimum 5 Ha sites and certain obnoxious or hazardous uses with adequate environmental protection



measures. The FSI proposed for such activities was 0.05 with a view to minimise adverse impact on the character of the countryside.

In addition to this, LDZ is proposed to include environmentally significant areas such as wetlands and hills with steep slopes. The total area under LDZ is 15169 Km² which is about 74.3% of total developable area of DP and 34.7% of total DP area.

12.3 PROVISIONS OF ENVIRONMENTAL SUSTAINABILITY IN DCPRs

The DCPR has several provisions related to environmentally sensitive aspects. The same are described below:

- **Hill preservation:** DCPR prohibits construction activities on slopes steeper than 1:5 thus preserving hill slopes.
- **Protection of Water Bodies:** DCPR makes it mandatory to have a buffer of 15 m along rivers and nalas, where no development is permissible. This will ensure protection of the waterbodies and the flood plains.
- **Rain water harvesting:** DCPR makes rain water harvesting mandatory for plots larger than 500 m².
- Use of solar energy: DCPR has provisions to install Solar water heating systems in public buildings such as hospitals, hostels, hotels, guest houses, laboratories, research institutions, schools and colleges etc. In development on areas of 25 ha or more use of renewable energy based lighting for minimum 25% of external lighting in public areas is mandatory.
- **Tree plantation:** DCPR has mandated tree plantation to have at least 1 tree for every 100 m² or part thereof for every plot and for recreational open spaces at least 5 trees for every 100 m².
- **Recycling of grey water:** DCPR has mandated all developments on plots 4000 m² or more shall have provisions for recycling of grey water.
- **Solid waste handling:** All developments above 20 Ha shall have on-site decentralized plants for treatment of organic waste. Segregation of solid waste at source has also been stipulated for all developments.

12.4 INFRASTRUCTURE DEVELOPMENT

The population of 7.8 lakhs is likely to have huge requirement of water. Furthermore disposal of sewage, waste water and solid waste generated by such a large population will adverse impact environment if not addressed properly. Thus adequate measures are required in provision of infrastructure to minimize the adverse impact. The same are discussed below:

- Sewage and waste water management: Sewage treatment plants are grouped into zones such that water will flow by natural gravity thereby avoiding pumping costs and energy required for the same. Treated sewage water will be reused for horticulture, industrial use and non-domestic purpose.
- **Solid waste management:** For solid waste management door-to-door collection and segregation of waste at source into bio-degradable and non-biodegradable will be mandatory. Biodegradable waste will be converted to compost by vermiculture or other suitable options, possibility of bio-



methanation and other such technologies will be explored. As far as possible only non-recyclable inert waste will be sent to landfill site which have been identified and marked in the plan considering all the environmental aspects.

- Storm water drainage and flood control: A study was carried out by CIDCO to assess and to take measures to avoid flooding. It has also appointed engineering consultants to propose adequate measures for storm water drainage and flood control. The preliminary results suggest a buffer of 15m along all rivers and nalas, and the same has been incorporated in the DCPRs. Further recommendations from the study if any will also be suitably adopted by SPA.
- **Public transport and Non-Motorized transport:** The DP roads are generally 24 m wide and above, have adequate width for provision of public transport (bus). The roads 36m and above will have exclusive bus lanes, thus facilitating BRTS. The major arterial roads (60m) are designed in such a way, that elevated metro line can be provided if the need be. In addition to above non-motorised transport is encouraged by providing footpath and cycle tracks on roads 24 m wide and above. The cycle and pedestrian network connect suburban stations, metro stations, other public transport nodes and roads of inter-nodal connectivity.

12.5 TOURISM

DP area has abundance of tourism potential. It is surrounded by beautiful mountains of Matheran and Lonavala in the east, and vast sea towards the west. It also encompasses Karnala bird sanctuary. These locations already attract tourist from different places. There are few rivers and creeks within DP area, providing favourable conditions for Mangroves and dense vegetation to grow naturally. These water bodies and dense mangroves provide scenic beauty to this area.

Few local and regional tourism potentials identified in DP are discussed below:


12.5.1 ECOTOURISM

Karnala Eco-sensitive Zone (KESZ): Karnala bird sanctuary along with KESZ accounts for about 43 km² of area (as per MoEFCC notification dated 17th June 2015), in which about 43 km² is in DP area and remaining 1 km² is in Khopta. The protection, conservation and access to KESZ become essential issues to promote eco-tourism. These will have to be adequately addressed while preparing the zonal plan for the KESZ as stipulated by MoEFCC. Promoting tourism in KESZ also provides an opportunity to attract KESZ tourists to nearby other tourist places.



Figure 12-1: KESZ Bird Sanctuary

Mangroves and Waterbodies: South-west coast of DP area contains numerous creeks (Dharamtar creek, Karanja creek), tributaries and Patalganga river in the form of water bodies. Due to presence of salty water in this region, mangroves and other natural vegetation is seen in abundance. These water bodies and dense vegetation have lot of potential to be developed as tourist attraction under eco-tourism category.





Therefore a 'Mangrove Park' may be developed near the mouth of Patalganga River, in Dadar, without damaging the natural flora and fauna in this area. Dense vegetation surrounded by creeks and tributaries, with connectivity to the area provide the best suitable location for a 'Mangrove Park'. **Figure 12-2** shows approximately 15 km² of area covered by mangroves and water bodies. The Mangrove Park could have board walks on stilts for people to visit the



Figure 12-2: Mangroves at Dadar

interiors, bird watching towers and ferry services around and within the proposed park. A nature interpretation centre can be developed on the lines of Mahim Nature Park, Mumbai and the Godrej Mangrove Park, Vikroli, Mumbai . This would also provide employment opportunities for local villagers as nature tourist guides, ferry service operators etc.

12.5.2 ADVENTURE TOURISM

• Water sports: As mentioned, in DP area there are numerous water bodies in the form of creeks (Dharamtar creek), tributaries, ponds and rivers. At few locations in Dharamtar creek, Amba river and Patalganga river water sports can be introduced. During summers and other time of the year when people from Mumbai and Navi Mumbai go to Goa and other beaches which are crowded, these new tourist places can provide a different attraction and an alternative destination much closer to Mumbai.



Figure 12-3: Trek to Matheran

Trekking: Geographical terrain of DP area is interestingly undulating, giving rise to hills at visible distances. Few series of hills in Matheran and Karnala are visual and physical delight to trek on. The existing trek to Karnala fort and Matheran, are popular ones to start with. Few other trekking routes can be explored and promoted by providing connectivity till base. Provision and program for night stay, camping, food and other activities during trek can be the main selling features. The local villagers can be employed as trekking guides and in setting up way side amenities and homestays.



12.5.3 RURAL/FOLK TOURISM

• Art: There are many villages within DP area which are still untouched by contemporary and modern way of living. These places still possess their traditional art, craft, culture, dance, music, and sports. These can be explored, identified and given platform to showcase their uniqueness and purity. Certain workshops can be conducted for tourist to see, learn and enjoy new form of arts.

For example, Jite village, in Pen is known for its idol making exercise. Idol making art is practiced by almost all the houses in Jite village. Thousands of Ganesha and other idols are made and sold in Mumbai and other surrounding markets. This art of making sculptures can be

promoted and workshop with exhibition can be conducted at least once a year

- Food: Local food of any place is very peculiar in its own way. This local and traditional food art can also be served with other traditional art exhibition.
- Organizations such as the Yusuf Meherally Foundation are active in the area. They have developed Tara village as an ideal village with a dairy



Figure 12-4: Idol Making in Pen area

and an experimental organic farm. There is a village industries complex consisting of a soap unit producing both toilet and laundry soap, an oil ghani unit, a bakery unit, a pottery unit and a carpentry unit. Such initiatives can act as tourist attractions as well. These can act as focal points for volunteer tourism.

12.5.4 FILM CITY

There are a few film shooting sites such as Swapna nagri (Harigram Village) and ND studios (Morbe Village). These and more such sites could be developed as tourist attractions as is being done in Ramoji Film city Hyderabad and Film city tour of Mumbai but may be on lesser scale considering environmental factors.

12.5.5 HEALTH AND WELLNESS

An ayurvedic village on 60 acre land is functional in Morbe village. The facility offers various ayurvedic treatments and packages from 7 to 21 days for different ailments such as diabetes, stress management, arthritis or general treatment packages such as panchkarma. This particular enterprise has its own farm from where the ayurvedic herbs are sourced. Such developments can be encouraged by providing adequate infrastructure.

12.5.6 ECO-PARK

A SMART eco-park developed by a non-profit trust SMART is functional near Usarli Khurd village in Panvel Taluka. Study tours to the SMART Eco Park facilities include visits to the Education Centre, Discovery Centre, Activity Centre, Peace Gardens and Animal Barn. Visitors are able to access the balance of the agricultural eco-park by permission of the promoters. The park presents good opportunity for experiential learning for students. Such developments can be promoted in LDZ areas.







Source: www. ayurvedicvillage.com

Source: www.smartindia.org

Figure 12-5: Ayurvedic village and Students exploring plants at SMART Eco-park

Above mentioned attractions can be clubbed together in a holistic manner to work as a 'life time experience' to any tourist.

As per preference, adventurous, heritage, or nature oriented program can be planned for tourists. A trek or a walk in dense mangroves and creeks would give memorable experience to trekkers. Heritage walk or a day drive covering few heritage sites, or visually delightful sites, will generate interest to the context. After any of the day's activity, night stay in the lap of nature and traditional music, dance and food will gift them relaxed and contented sleep.

A location in accordance with other tourist attractions, preferably near Dadar village can be developed as a focal point to all tourists. Haat with food court, handicraft products, local artefacts and folk music and workshops will provide a delightful experience for the tourist. These activities will generate revenue for local development.

One of the most important things in the process would be to monitor waste generated by people, its collection and transportation. Protection of natural vegetation, resources and water bodies will be on priority.



13. BLOCK ESTIMATES & FINANCING DEVELOPMENT

13.1 INTRODUCTION

It is necessary to have fair estimate of the expected revenue and the expenditure for the proposals envisaged in the Development Plan. Accordingly, the MRTP Act 1966 under section 26(v) specifies that the plan should contain "an approximate estimate of the cost involved in acquisition of lands required by the Planning Authority for the public purposes, and also cost of works as may be necessary". In case of a SPA engaged in greenfield development having no recourse to tax revenues, it is imperative to prepare a financing mechanism for implementing the Development Plan.

13.1.1 COST OF DEVELOPMENT

The detailed plan for Phase-II has not been prepared. The development in Phase –II is not expected in the plan period. However some individual development may come and that is also permitted in Phase-II. The land required for ROW of Proposed road network has been shown in Phase-II. The costing of Phase II has not been done except for the facilities which are required for Phase-I for example development of Landfill site.

All the lands will be acquired which are shown as reservations and Growth Centre in the Development Plan. This area is about 1631 Ha including 198 Ha of Govt Land. This includes land area under roads, public utilities, public facilities, amenities and growth centres. Presently the highest non-NA value as per the Annual Statement of Rates (ASR) applicable in Development Plan area is about Rs. 600 per m². Considering the land acquisition rate to be four times of this, the acquisition rate would be about Rs. 2400/- per m². Further, it is assumed that only 20% land need to be acquired under RFCTLARR 2013 and balance 80% will accrue by way of land assembly. Accordingly, the approximate cost of land acquisition would be about Rs. 688 Crs.

The demand for amenities was assessed and has been discussed in detail in chapters 6 & 8. The estimates for the facilities and amenities, which have to be provided by Government Agencies has been worked out as per Schedule of Rates of CIDCO wherever possible, issued in the year 2012-13, with suitable price escalation added to it to bring the cost at 2016-17 level. For other items, the block costs have been used for estimation. The summary of estimated cost is given in **Table 13-1: Cost of Development**.



S N	DESCRIPTION	COST (Rs in Crores)
1	LAND ACQUISITION	688
2	POWER	1359
3	SOLID WASTE MANAGEMENT	181
4	WATER SUPPLY	710
5	SEWERAGE SYSTEM	156
6	ROADS	3032
7	TRANSIT -METRO	1435
8	TRANSIT -SUB URBAN RAIL	90
9	OPEN SPACE	36
10	OTHER INFRASTRUCTURE Crematorium/ Burial ground , Fire station, bus terminus, police station etc	79
	TOTAL	7766
NOTE	 Above Cost is excluding: 1) Establishment & administration expenditure will be added @10 % on yearly expenditure and, 2) Interest @9% per annum will be calculated on the loan required for the const 	

Tuble 10 11 Cost of Development	Table 13-1	: Cost of I	Development
---------------------------------	------------	-------------	-------------

It has been assumed that infrastructure would be first focused in IDP area and thereafter in the balance Phase -I area. It is expected that infrastructure will be provided from 2019 to 2034. In the initial period of 5 years from 2019 to 2024, basic infrastructure work (road, water supply, sewerage, drainage, power etc) will be taken up on priority. The provision for Metro will wait till the city obtains critical mass and this has been considered from the year 2029 onwards. From the analysis it is clear that in the initial period, the fund requirement for infrastructure would be far more than the revenue and hence the fund would be borrowed from the market. After accounting for items listed at note 1 and 2 in **Table 13-1: Cost of Development, the Net Present Value (NPV) of the estimated infrastructure cost is Rs. 12629 Cr. For detailed costing estimation, refer Annexure 13-1**

13.2 REVENUE SOURCES

13.2.1 REVENUE FROM DEVELOPMENT CHARGE

The Chapter VI-A of MRTP act 1966 provides for Development Charge to be levied by Planning Authority, which can be used only for the purpose of providing public amenities, maintenance and improvement of the area. The development charge is payable by the applicant coming forward for development permission. It is applied on land coming for development and proposed built up area separately. For land the rate specified by the Act is 0.5% of the Annual Statement of Rates for land. Similarly, for proposed built up area, the rate is 2.0% of the Annual Statement of Rates for land.

The total Balance Phase-I area is about 6718 Ha of which, developable area accounts for about 4493 Ha. Considering the applicable basic rate of development charge is Rs. 100 per m² the potential revenue from Development Charge in terms of present value will be about Rs 767 Cr. The total cost of development of infrastructure is estimated about Rs. 28498 cr. The NPV of the same would be about Rs 12629 cr. Even if



the development charge is increased by several fold (say 5 times) the anticipated revenue would be only to the order of Rs. 12297 Cr and NPV of the same would be about Rs 3844 Cr. Accordingly, CIDCO approached Government of Maharashtra and enhanced rate for Development Charge was approved. Even after increase in Development Charge rate, it is evident that Development Charge alone will not be sufficient to meet the cost of infrastructure. Due to such huge gap in revenue and expenditure, it is very clear that the Plan will remain on paper and it cannot be implemented unless additional sources of revenue are tapped.

13.2.2 REVENUE FROM OTHER SOURCES

In order to generate additional resources, about 15% of the developable land has been proposed for Growth Centre in the DP. This land would be developed and disposed off in the market.

13.2.3 SALE OF LAND IN GROWTH CENTRES

The Growth Centres (GC) are shown in the Development Plan. These Growth Centres account for about 677 Ha (about 15% of the area expected to be available for development). Land in GC would be leased by CIDCO for mixed land use. The revenue generation has been estimated with the assumption that the basic rate is @ 6000 per m² in the base (year 2014-15) and the rate of escalation is 12% per annum upto the year 2020 and 15% per annum beyond year 2020. With these assumptions, the revenue available for funding the infrastructure would be of the order of Rs 36041 Crs. The NPV of the same by discounting @ 9% yearly would be about Rs 9703 Cr.

13.2.4 REVENUE FROM SALE OF SOCIAL PLOT

The social facility plots are given on concessional rates to other government bodies / trusts to develop the facility. However, these plots are not provided free of cost. After considering this factor, it is expected that revenue from allotment of social facilities on concessional rate would generate about Rs 1681 Crs. The NPV of the same by discounting @ 9% yearly would be about Rs 512 Cr.

13.2.5 FSI LINKED PREMIUM (FLP)

DCPR enables the applicant to utilise higher FSI than the prescribed base FSI, if required, on payment of premium. This facility is available to NAINA scheme falling within 500m on either side of 60m spine road, Theme Based Developments, buildable amenity plots, residential, mixed use, industrial and developments in urban villages. Since the FSI linked premium is payable only when applicants desires higher FSI, it is difficult to assess the revenue expected from this source.

13.3 IMPLEMENTATION STRATEGY

13.3.1 INFRASTRUCTURE BY CIDCO

CIDCO has developed Navi Mumbai and has vast experience in city development. CIDCO will take up construction and development of infrastructure works i.e. roads, water supply, sewerage, drainage. CIDCO proposes to go for land acquisition in the beginning. Immediately on the approval of the Development Plan, CIDCO would proceed with land acquisition. In the first two years CIDCO would focus on land acquisition. So that land is available for development of infrastructure.

13.3.2 INFRASTRUCTURE BY OTHER GOVERNMENT AGENCIES

There are few facilities and amenities which are under the domain of other government agencies e.g. power by MSEDCL & MAHATRANSCO, Police, and Indian Railways etc. In such cases, CIDCO will provide land to these government agencies and request them to take up work related to their field.



13.4 DYNAMICS OF REVENUE

Although the costs have been estimated at 2016-17 prices the actual costs at current prices will depend upon the year in which the works are executed. The uncertainty of revenues is of higher degree as they are dependent upon the movement of land prices in time and corresponding quantum of development. The financing scheme of implementation of Development Plan therefore needs to be tested in terms of a cash flow analysis over 20 years period with reasonable assumptions. For details, see **Annexure 13.1**.

The summary of the revenue and expenditure is given in Table 13-2:

	Table 13-2: Summary of Revenue and Cost (Net Present Value)					
S. No	DESCRIPTION	Rs in Cr				
Α	REVENUE FROM ALL SOURCES					
1	REVENUE FROM DEVELOPMENT CHARGE (NPV)	3844				
2	REVENUE FROM GROWTH CENTER (SALE OF LAND-NPV)	9703				
3	REVENUE FROM FLP (NPV)	554				
4	SALE OF SOCIAL FACILITY (NPV)	512				
5	NPV OF REVENUE FROM ALL SOURCES A	14613				
В	EXPENDITURE TO BE INCURRED FOR INFRASTRUCTURE					
1	NET PRESENT VALUE OF ALL EXPENSES	12629				
2	TOTAL EXPENDITURE B	12629				
С	NPV (A - B)	1984				
D	Internal Rate of Return (IRR)	22%				

Table 13-2: Summary of Revenue and Cost (Net Present Value)

From the **Annexure 13-1**, it can be seen that in the initial period (2019 to 2023), the anticipated expenditure on infrastructure projects would be more than the revenue in the corresponding years. The revenue starts exceeding the anticipated expenditure on infrastructure from the year 2024 onwards. However, accounting for the backlog for the period 2019-2023, the year on year (y-o-y) positive opening balance is expected from the year 2033. With the assumptions cited in the annexure, the NPV surplus (total revenue – total expenditure) of the project is estimated to be Rs. 1984 Crores and the IRR works out to be about 22%. Thus it may be inferred that the proposed development including its NAINA scheme based financing model is financially viable. However, there would be need for institutional funding for the initial phases say first 10-15 years.



ANNEXURE 1-1 NAINA ENGLISH GAZETTE NOTIFICATION

४६ – महाराष्ट्र प्रासन राजपत्र भाग एक—कोकण विभागीय पुरवणी, गुरुवार ते मुख्यार, फेह्रवारी १४-२०, २०१३/माथ २५-फाल्गुन १, प्रके १९३४

URBAN DEVELOPMENT DEPARTMENT

Mantralaya, Mumbai 400 021, Dated 10th January 2013.

NOTIFICATION

MAHARASHTRA REGIONAL AND TOWN PLANNING ACT, 1966.

No.TPS-1712/475/CR-98/12/UD-12.—Whereas, the Revised Regional Plan for Mumbai Metropolitan Region (hereinafter referred to as the "said Regional Plan") has been sanctioned by the Government in the Urban Development Department under sub-section (1) of section 15 of the Maharashtra Regional and Town Planning Act, 1966 (hereinafter referred to as the "said Act") vide Notification No.TPS-1297/1094/CR-116/97/UD-12, dated 23rd September 1999 (hereinafter referred to as the "said Notification") and has come into force with effect from the 1st December, 1999 ;

And whereas, the Government has decided to develop a site for International Air Port in Navi Mumbai area within the said Regional Plan;

And whereas, as per one of the conditions laid down by the Ministry of Environment and Forest (MoEF), Government of India, while granting Environmental and CRZ Clearance to the Navi Mumbai International Airport (NMIA) that the Development Plan of Navi Mumbai shall be revised and recast in view of the proposed Air Port Development so as to avoid unplanned haphazard growth around the proposed air port;

And whereas, as per the provisions prescribed in the Notification issued by the Airport Authority of India (AAI) on 14the January 2010, no structure shall be constructed or erected on any land within the periphery of 20 km. from ARP of NMIA (Navi Mumbai International Air Port) without obtaining the No Objection Certificate (NOC) from AAI (Airport Authority of India);

And whereas, City and Industrial Development Corporation of Maharashtra Ltd (CIDCO) submitted a proposal to the Government vide letter No. CIDCO/PLNG/CP/2012/18 dated 17th January 2012 requesting for its appointment as Special Planning Authority under section40(1)(b) of the said Act for an area around the proposed International Airport comprising the boundaries and villages covered within it, s specified respectively in the schedule-I and schedule-II appended hereto;

And whereas, after making necessary enquiries and after consulting the Director of Town Planning, Maharashtra State, Pune, the Government is of the opinion that it is necessary to have planned and controlled Development within the area proposed by CIDCO to be declared as notified area (hereinafter referred to as the 'said notified area').

Now therefore, in exercise of the powers conferred under clause (b) of sub-section (1) of section 40 of the said Act and of all other powers enabling it in this behelf, the Government of Maharashtra hereby-

(i) Notifies the area specified in the schedules-I &II appended hereto as "The Navi Mumbai Airport Influence Notified Arae" (NAINA), as shown on plan.

(ii) Appoints the CIDCO to be the Special Planning Authority for the said notified area i.e. NAINA.

(iii) Declares that any other Special Planning Authority functioning in the said NAINA, prior to this notification shall cease to function from the date of this notification.

(iv) Directs the CIDCO to prepare and publish the development proposals and development control regulations for the said notified area and submit the same to the Government for sanction after following due procedure prescribed in the said Act.

Copy of the plan showing the boundaries of the said notified area shall be available for inspection for the general public during office hours on all working days at the following offices for a period of one month :-

(1) Commissioner, Konkan Division, Konkan Bhavan, Navi Mumbai.

(2) Chief Planner, CIDCO, CIDCO Bhavan, CBD Belapur, Navi Mumbai - 400 614.

(3) Collector Raigad/ Thans.

(4) Dy. Director of Town Planning, Konkan Division, Konkan Bhavan, Navi Mumbai.

(5) Assistant Director of Town Planning, Raigad Branch, Raigad-Alibagh.

(6) Assistant Director of Town Planning, Thane Branch, Thane.



महाराष्ट्र क्रासन राजपत्र भाग एक—कोकण विभागीय पुरवणी, गुरुवार ते बुखवार, फेब्रुवारी १४-२०, २०१३/माथ २५-फाल्गुन १, क्रके १९३४ 🛛 ४७

Schedule - I

Boundaries of the Navi Mumbai Airport Influence Notified Area

(NAINA)

Directions	Bounded by
North	The Northern boundary of village Nitalas touching the boundary of AKBSNA; than boundary of Matheran Eco sensitive Zone (MESZ) passing through village Wangani Tarf Taloje;
East	Boundary of MESZ passing through village Wangani TarfTaloje upto village Wavarle; then Western boundary of Karjat Municipal Council, then railway line passing from Karjat Municipal Council to Khalapur Municipal Council; then Northern noundary of Khalapur Municipal Council up to MMR boundary;
South	MMR boundary from North-West corner of Khalapur Municipal Council to Pen Municipal Council, then North to West bounary of Pen Municipal Council, MMR boundary from West corner of Pen Municipal Council to Tahsil Boundary of Pen; then along the boundary of Pen Tahsil up to villageVittalwadi;
West	Along periphery of Khopta New Town from village Vittalwadi to Kanthavali and further along periphery of Navi Mumbai upto village Nitalas.

It also includes the villages deleted from Navi Mumbai Municipal Corporation, apart from area designated by boundaries described above.

Note .--- This shall be read with the plan accompanying this notification.

Sr. No. (1)	Name of Vill (2)	age		Tahsil (3)	District (4)
1	Goteghar			Thane	Thane
2	Bhandarli			Thane	Thane
3	Uttarshiv		***	Thane	Thane
4	Nagaon		int (Thane	Thane
5	Narivali	***	1. See .	Thane	Thane
6	Bale		1.22	Thane	Thane
7	Vaklan			Thane	Thane
.8	Bamali	270		Thane	Thane
9	Nighu		1444 T	Thane	Thane
10	Navali		0.04	Thane	Thane
11	Dahisar	0.00	284211	Thane	Thane
12	Mokashi			Thane	Thane
13	Valivali	200		Thane	Thane
14	Pimpari			Thane	Thane
15	Veshvi	11.8	++=	Uran	Raigad
16	Dighode	(e)(e)()	344	Uran	Raigad
17	Kanthavali	***		Uran	Raigad
18	Pohi		****	Uran	Raigad
19	Ransai	***		Uran	Raigad
20	Tighar			Karjat	Raigad
21	Nangurle	111		Karjat	Raigad
22	Varne		14440	Karjat	Raignd
23	Avalas (Excluding area East	of Karjat-Khopoli Rail Line)		Karjat	Raigad

 $Schedule \cdot H$

List of villages within the boundaries of the Notified area



r. No. (1)	Name of Village (2)			Tahsil (3)	District (4)
24	Palasdari (Excluding area East of Karjat-I	(hopoli Rail Line)		Raigad	
25	Talawali (Excluding area East of Karjat-K	hopoli Rail Line)		Karjat	Raigad
26	Kharpada			Pen	Raigad
27	Dushmi			Pen	Raigad
28	Kauli Simadevi			Pen	Raignd
29	Khar Simadevi		+++	Pen	Raigad
30	Kharkoshim			Pen	Raignd
31	Jui Khurd	1444	144	Pen	Raigad
32	Jui Budruk		1.000	Pen	Raigad
33	Jite	1722		Pen	Raigad
34	Navkhar	(444)		Pen	Raigad
35	Khar Nandai			Pen	Raigad
36	Turkhul		-	Pen	Raigad
37	Khar Dubej	444		Pen	Raigad
38	Rave	111	-	Pen	Raigad
39	Dadar			Pen	Raigad
40	Urnoli			Pen	Raigad
41	Sonkhar	111		Pen	Raigad
42	Khar Dutarfa Borli	+++	***	Pen	Raigad
43	Kalave	115	1	Pen	Raigad
44	Hanumanpada	(***)	3.8.1-	Pen	Raigad
45	Davre	-+++	.44	Pen	Raigad
46	Kopar	1.000	144	Pen	Raigad
47	Khar Borli		225	Pen	Raigad
48	Govirle		*9*	Pen	Raigad
49	Balawali	444	111	Pen	Raigad
50	Ambivali		***	Pen	Raigad
51	Hamrapur	+++	+++	Pen	Raigad
52	Tambadshet	+++		Pen	Raigad
53	Johe		140	Pen	Raigad
54	Dolvi Dahaba		1.10	Pen	Raigad
55	Mothe Vadhav	+++	22	Pen	Raigad
56	Kaleshri	base.	144	Pen	Raigad
57	Kanhoba		- 00	Pen	Raigad
58	Vitthalwadi	1.111		Pen	Raigad
59	Mothe Bhal		111	Pen	Raigad
60	Lakhanle			Pen	Raigad
61	Narwel		444	Pen	Raigad
62	Bahiram Katak	+++		Pen	Raigad
63	Benavale		644	Pen	Raigad
64	Wadhav			Pen	Raigad
65	Div	-44	22	Pen	Raigad
66	Borze		144	Pen	Raigad

*6	महाराष्ट्र शासन राजपत्र भाग एककोकण विभागीय पुरवगी, गुरुवार ते बुखवार, फेब्रुवारी १४-२०, २०१३/माध २५-फाल्गून १, जले १९३४

14



÷

r. No. (1)	Name of Village (2)				Tahsil (3)	District (4)
67	Kane			+++	Pen	Raigad
68	Waredi			444	Pen	Raigad
69	Nagadi Sapoli				Pen	Raigad
		698		344		
70	Khar Dutarfa Sapeli	9		+++	Pen	Raigad
71	Kharsapoli	fit f		***	Pen	Raigad
72 73		995		2.00	Pen Pen	Raigad Raigad
74	Shitole Davansar	1414		-+++	Pen	Raigad
				-+++ -		
75 76	Ramraj Dhavate	***		++>	Pen Pen	Raigad Raigad
77	Tarankhop				Pen	Raigad
78	Antore	11		512	Pen	Raigad
- 222						1000000
79	Patnoli	11		7354	Pen	Raignd
80	Koproli				Pen	Raigad
81	Odhangi	22		+++	Pen	Raignd
82	Washi				Pen	Raigad
83	Sare Bhag			1	Pen	Raigad
84	Shirki Chawl				Pen	Raigud
85	Masad Bedi	***			Pen	Raigad
86	Masad Khurd	****			Pen	Raigad
87	Masad Budruk			110	Pen	Raigad
88	Borwe			+1	Pen	Raignel
89	Bori				Pen	Raigad
90	Shirki				Pen	Raigad
91	Kolave			20.00	Pen	Raigad
92	Shinganvat			ALC: N	Pen	Raigned
93	Dhondpada	***		-++= -	Pen	Raigad
94	Umbarde		1.0	211	Pen	Raigad
95	Meleghar	Ú01			Pen	Raignei
96	Kandale	177	1.81	1999	Pen	Raigad
97	Uchede			+++	Pen	Raigad
98	Kandlepada	÷?			Pen	Raigad
99	Wadkhal	111		1111	Pen	Riugad
100	Beneghat	12		111	Pen	Raigad
101	Wave	111		111	Pen	Raigad
102	Kashmirwadi	2.24		1944	Pen Pen	Raigad
103 104	Rode Talegaon			1957.	Khalapur	Raigad Raigad
105	Panshil	·"		-	Khalapur	Raigad
106	Rees				Khalapur	Raigad
107	Lodhivali (Excluding area under MESZ)				Khalapar	Raigad
108	Nadhal (Excluding area under MESZ)	2			Khalapar	Raigad
109	Chouk Manivali (Excluding area under MESZ)	S			Khalapur	Raigad
110	Nanivali (Excluding area under MESZ)				Khalapor	Raigad
111	Warose Tarf Wankhal (Excluding area under MESZ)				Khalapur	Raigni
112	Borgaon Khurd (Excluding area under MESZ)	+++			Khalapur	Raigad
113	Sondewadi (Excluding area under MESZ)	1.14			Khalapur -	Raignd
114	Wavarle (Excluding area under MESZ)				Khalapur	Raigad
115	Pali Budruk	+++			Kholapur	Raigad
116	Vadvihir (Excluding area under MESZ)				Khalapur	Raigard
117	Borgaon Budruk (Excluding area under MESZ)	10		410	Khalapur	Raigod
118	Padaghe			14.40	Khalapur	Raignd
119	Morbe			-++=	Khalapur	Raignd

महाराष्ट्र ज्ञासन राजपत्र भाग एक—कोकम विभागीय पुरवणी, गुरुवार ते बुधवार, पेञ्चवारी १४-२०, २०१३/माध २५-फाल्युन १, जले १९३४ 🔅	χt.

भग एक (सोबिप्)--०

November 2016



ir. No. (1)	Name of Village (2)			Tahsil (3)	District (4)
120	Bhilvale	122	1.1	Khalapur	Raigad
121	Hataoli			Khalapur	Raigad
122	Jambhiyali Tarf Wankhal	41.8		Khalapur	Raigad
123	Tupgaon			Khalapur	Raigad
124	Pali Khurd		+++	Khalapur	Raigad
125	Sarang	(1993) S. (1993)		Khalapur	
126	Parade	(PR4) (242) -	***	Khalapur	Raigad
127	Ambivali Tarf Tungartan	***		Contraction of the Contraction o	Raigad
128	Wasambe			Khalapur	Raigad
129	Chambharti	2011	110	Khalapur Khalapur	Raigad
130	Vat		114	100 CONTRACTOR 100 CONT	Raigad
131	Kambe	111		Khalapur	Raigad
132	Vayal	351 F	(***	Khalapur	Raigad
133	Tembhari	***	4.8.0	Khalapur	Raigad
134	Kapari	304	3	Khalapur	Raigad
135	Asroti	1.00		Khalapur	Raigad
		244		Khalapur	Raigad
136	Dharni	344		Khalapur	Raigad
137	Asare	(221)		Khalapur	Raigad
138	Kandharoli Tarf Wankhal		100	Khalapur	Raigad
139	Vavandal	2		Khalapur	Raigad
140	Vinegaon			Khalapur	Raigad
141	Kalote Mokashi		111	Khalapur	Raigad
142	Kalote Rayati			Khalapur	Raigad
143	Nigdoli			Khalapur	Raigad
144	Nadode	446		Khalapur	Raigad
145	Nimbode	***	444	Khalapur	
146	Vanave	111	1000		Raigad
147	Shiravali Tarf Boreti		111	Khalapur	Raigad
148	Khalapur	***	±*.	Khalapur	Raigad
149	Ghodivali	200 S	***	Khalapur	Raigad
150	Kandharoli Tarf Boreti			Khalapur	Raigad
151	Navandhe	満想	2.4	Khalapur	Raigad
152		+++		Khalapur	Raigad
153	Wangani (Excluding area East of Karjat-Khopoli Rail	line)		Khalapur	Raigad
154	Kelavali (Excluding area East of Karjat-Khopoli Rail)	inel	222.2	Khalapur	Raigad
	Dolavali (Excluding area East of Karjat-Khopoli Raill	inel	0.0	Khalapur	Raigad
155	Shengaoo (Excluding area East of Karjat-Khopoli Ra	illine)	***	Khalapur	Raigad
166	Mankivali (Excluding area East of Karjat-Khopoli Ra	illine)		Khalapur	Raigad
157	Anjrun		201	Khalapur	Raigad
158	Hal Khurd	444	1.00	Khalapur	Raigad
159	Mahad			Khalapur	Raigad
160	Nitalas (Excluding area under MESZ)	100		Panvel	Raigad
161	Nitale (Excluding area under MESZ)	2.	10.0	Panyel	Raigad
162	Kherane Khurd		100	Panyel	Raigad
163	Vavanje (Excluding area under MESZ)			Panyel	Raigad
164	Mahodar (Excluding area under MESZ)		104	Panyel	Raigad
165	Kondap (Excluding area under MESZ)			Panyel	Raigad
166	Wangani Tarf Taloje (Excluding area under MESZ)			Panvel	Raigad
167	Karambeli Tarf Taloje (Excluding area under MESZ)		1.11	Panvel	Raigad
168	Shiravali (Excluding area under MESZ)		3.4.0	Panvel	
169	Ambe tarf taloje (Excluding area under MESZ)	10 - C		Panvel	Raigad
170	Chinchavali Tarf Taloje	225			Raigad
171	Mahalungi	27	4.44	Panvel	Raigad
179	Chindharan	27	+++	Panvel	Raigad
173	Kanpoli			Panyel	Raigad
174		513		Panvel	Raigasd
175	Valap Pale Rudente			Panvel	Raigad
110	Pale Bodruk		2.2	Panvel	Raigad

40	भवगण्ड् शासन राजपत्र भाग एक—कोकण विधाणीय पुरवर्ष	, गुरुवार ते बुववार, केह्वारी १४-२०, २०१३/माथ २५-काल्पुन १, ज्ञके १९३
40	महाराष्ट्र शासन राजपत्र भाग एक—कोकण विधानीय पुल्वर्म	, गुरुवार ते बुक्वार, केंब्रुवारी १४-२०, २०१३/भाध २५-काल्पुन १, झके १९



Sr. No. (1)	Name of Village (2)				Tahsil (3)	District (4)
176	Hedutane	30017		- and	Panvel	Raigad
177	Kevale	***			Panvel	Raigad
178	Khanay	111			Panyel	Raigad
179	Morbe (Excluding area under MESZ)				Panyel	Raigad
180	Kondale (Excluding area under MESZ)				Panyel	Raignd
181	Khairwadi (Excluding area under MESZ)				Panyel	Raigad
182	Tamsai (Excluding area under MESZ)				Panyel	Raigad
183	Maldunge (Excluding area under MESZ)				Panyel	Raigad
184	Dhodani (Excluding area under MESZ)			21###	Panvel	Raigad
185	Deharang (Excluding area under MESZ)	+++		444	Panvel	Raigad
186	Dhamani (Excluding area under MESZ)			C. 4440	Panyel	Raigad
187	Gadhe (Excluding area under MESZ)				Panyel	Raigad
188	Ambe tarf waje	440			Panyel	Raigad
189	Shivansai	+++		4+	Panvel	Raigad
					Panyel	Raigad
190	Dundre (Excluding area under MESZ)	1.1.4				the second se
191	Ritghar (Excluding area under MESZ)	***			Panvel	Raignd
192	Usarli Budruk (Excluding area under MESZ)	***			Panvel	Raigad
193	Umroli				Panvel	Raigad
194	Chinchavali Tarf Waje			4.14	Panvel	Raigad
195	Vakadi	***		+++	Panvel	Raigad
196	Nere (Excluding area under MESZ)				Panvel	Raigad
197	Koproli	1000			Panvel	Raigad
198	Harigram				Panvel	Raigad
199	Adai	+++		- 444-	Panvel	Raigad
200	Akurli				Panvel	Raigad
201	Palidevad				Panvel	Raigad
202	Devad				Panvel	Raigad
203	Shilottar Raichur	A			Panvel	Raigad
204	Chipale	31003			Panvel	Raigad
205	Bonshet	+++			Panvel	Raigad
206	Vihighar (Excluding area under MESZ)	+++			Panyel	Raigad
207	Ambivali (Excluding area under MESZ)				Panyel	Raigad
208	Sangatoli (Excluding area under MESZ)		- 11		Panyel	Raignd
209	Waje (Excluding area under MESZ)				Panyel	Raigad
210	Cheravali (Excluding area under MESZ)				Panyel	Raigad
211	Wajapur				Panyel	Raigad
212	Loniwadi (Excluding area under MESZ)			- 444	Panyel	Raigad
213	Wangani Tarf Waje (Excluding area under MESZ)				Panyel	Raigad
1100 C	Pali Khurd			101-	Panvel	Raigad
214	Chikhale	***			Panvel	Raigad
215		***		***	 The second se second second se	
216	Moho			144	Panyel	Raigad
217	Shivkar			144	Panvel	Raigad
218	Vichumbe	***		645	Panvel	Raigad
219	Usarli Khurd			111	Panvel	Raigad
220	Kolkhe	4.00		144	Panvel	Raignd
221	Kon			111	Panvel	Raigad
222	Borle	+++			Panvel	Rnigad
223	Sangade			669	Panvel	Raigad
224	Belavali	0.000		444	Panvel	Raigad
225	Wardoli (Excluding area under MESZ)	++++		÷	Panvel	Raigad
226	Bherle (Excluding area under MESZ)				Panyel	Raigad
227	Bhingar (Excluding area under MESZ)				Panvel	Raigad
228	Ajivali	1.438.			Panvel	Raigad
229	Ariwali				Panyel	Raigad
230	Derawali			1.14	Panvel	Raigad
231	Palaspe				Panyel	Raigad
-	Kudave			192	Panyel	Raignd

महाराष्ट्र ज्ञासन राजपत्र आग एक---कोकण विभागीय पुरवगी, गुरुवार ते बुववार, केव्रुवारी १४-२०, २०१३/माय २५-पतागुन १, शके १९३४ ५१

भग एक (कोपि.पू.)--७म

.



Sr. No (1)	Name of Village (2)			Tahsil (3)	District (4)
233	Nandgaon	300		Panvel	Raigad
234	Mosare			Panyel	Raignd
235	Patnoli	444	+++	Panyel	Raigad
236	Vadavali			Panvel	Raignd
237	Turmale			Panyel	Raigad
238	Chirvat	4++		Panvel	Raigad
239	Shirdhon	4++	1.4.4	Panvel	Raigad
240	Giravale	101	+ * *	Panyel	Raigad
241	Somtane	444		Panyel	Raigad
242	Kasal Khand			Panyel	Raigad
243	Ashte		1000	Panvel	Raigad
244	Shedung		140	Panyel	Raigad
245	Bhingarwadi		-+++	Panyel	Raigad
246	Mohope (Excluding area under MESZ)			Panyel	Raignd
247	Poyanje (Excluding area under MESZ)			Panyel	Raigad
248	Pali Budruk (Excluding area under MESZ)			Panyel	Raigad
349	Bhokarpada (Excluding area under MESZ)		+++	Panyel	Raigad
250	Barwai (Excluding area under MESZ)		100	Panyel	Raigad
251	Khanavale			Panyel	Raigad
252	Bhatan		111	Panyel	Raigad
253	Narpoli			Panyel	Raigad
254	Dahivali			Panyel	Raigad
255	Nanoshi	***		Panyel	Raigad
256	Sangurli			Panyel	Raigad
257	Chinchavan		***	Panyel	Raigad
258	Devloli Budruk			Panvel	Raigad
259	Savale	1.0.0		Panyel	Raigad
260	Jatade	1.11		Panvel	Raigad
261	Dapiwali	+**		Panyel	Raigad
262	Vaveghnr	4.64		Panvei	Raigad
263	Gulsande		111	Panvel	
264	Posari		***	Panvel	Raigad
265	Turade				Raigad
266	Kalhe			Panvel	Raigad
267	Koral	***		Panvel	Raigad
268	Ante	4.4.4	***	Panvel	Raigad
269	Akulwadi	***		Panvel	Raigad
200	Ladiwali	***		Panvel	Raigad
210	restiment			Panvel	Raigad

५२ महाराष्ट्र ज्ञासन राजपत्र भाग एक—कोकल विभागीय पुरवर्णी, गुरुवार से बुखवार, फेब्रुवारी १४-२०, २०१३/माघ २५-आलपुन १, झके १९३४

Note .-

(1) MESZ = Matheran Eco-Sensitive Zone

(2) Boundary of Matheran Eco-Sensitive Zone shall be as per the Ministry of Environment and Forests, Govt. of India, Notification No. S.O. 133 (E) dated 4th February 2003.

This notification shall also be published on the Government website www.urban.maharashtra.gov.in

By order and in the name of the Governor of Maharashtra,

SANJAY V. PAWAR Desk Officer.



ANNEXURE 1-2 MIDC 9 VILLAGES NOTIFICATION

RNI No. MAHBIL /2009/37831



महाराष्ट्र शासन राजपत्र

असाधारण भाग चार–ब

बर्च १, अंक १०६] बुवबार, सप्टेंबर २३, २०१५/आश्विम १, प्राके १९३७ [पृष्ठे ५१, किंमत : रुपये ९.००

असाधारण क्रमांक २२७

प्राधिकृत प्रकाशन

महाराष्ट्र शासनाने महाराष्ट्र अधिनियमांन्यये तयार केलेले (भाग एक, एक-अ आणि एक-ल यांमध्ये प्रसिद्ध केलेले नियम व आदेश वांव्यतिरिक्त) नियम व आदेश.

> उद्योग, ऊर्जा व कामगार विभाग मादाम कामा मार्ग, हुतात्मा राजगुरू चेक, मंत्रालय, मुंबई ४०० ०३२, दिनांक २२ सप्टेंबर २०१५.

अधिसूचना

महाराष्ट्र औद्योगिक विकास अधिनियम, १९६९.

क्रमांक आवडीसी. २००७/(७१८)/उ-१४.—म्हाराष्ट्र औद्योगिक विकास अधिनियम, १९६१ (१९६२ चा महा. तीन) चे कलम १, पोट-कलम (३) अन्वये प्रदान केलेल्या शक्तींचा वापर करून महाराष्ट्र शासन यद्यारे मोणे केळवली, वांगणों, घोडीवली, कांडरोली, नावंडे. मानकिवली, हाळखूर्य, अंजरुण, तालुका खालापुर, जिल्हा रायगड व मोजे तळवली, तालुका कर्जत, वि. रायगड येथोल सोवत जोडण्यात आलेल्या अनुसूचीत उल्लेखिलेल्या क्षेत्रत उक्त अधिनियमाचे प्रकरण ६ ज्या तारखेस अंमलात येईल ती तारोख २३ सप्टेंबर, २०१५ म्हणून नियुक्त करीत आहे य उक्त क्षेत्र अधिनियमाच्या कलम २ खंड (ग) अन्यये औद्योगिक क्षेत्र म्हणून जहीर करोत आहे.

उक्त क्षेत्र मुख्य कार्यकारो अधिकारी, महाराष्ट्र औद्योगिक विकास महामंडळ, अधेरी (पूर्व), मुंबई-९३ आणि उप विभागीय अधिकारी, खालापुर विभाग, खालापुर, जि. रायगढ यांचे कार्यालयत टेकलेल्या नकाशात लाल रंगाने जास्त स्पष्टकंगे दाखविले आहे आणि सोबतच्या अनुसूचीत दर्शीवल्याप्रमागे त्याच्या चतु:सीमा आहेत.

अनसची

अनुक्रमांक	सर्व्ह हिम्सा नंबर नंबर	and all	क्षेत्र (हे. आर)	अनुक्रमांच	सर्व्ह नंबर	हिस्सा नंबर	क्षेत्र (हे. आर)
(१)	(२)	(\$)	(8)	(१)	(२)	(\$)	(¥)
2	1	0	390.0	3	55	e	0.042
5	9	ø	8.732	x	58	ø	8.080

भाग चार-स-२२७-१



R

22	220	63		वी—चालू	1023	1426	10.14
8)	(?)	(३)	(8)	(8)	(?)	(\$)	(8)
4	58	o	o.Rog	8.4	82	ø	5.883
Ę	54	e	0.240	86	86	0	8,340
6/	25	3	0.734	80	ių o	0	0.835
4	\$10	o	0,3,8,0	86	48	0	0.880
8	35	Q	0.865	86	43	o	990.0
80	23	0	0.680	40	43	ů.	0,332
88	20	ø	0.750	48	48	34	0,383
53	78	a	8.437	42		ਬ	0.340
83	२२	ø	0.635	43	44	ø	0,8,80
85	२३	a	0,730	48	48	a	0.400
84	58	o	0,700	44	40	ø	0.286
25	74	a	0.790	4.5	46	ø	255.0
8:9	75	अन	0.805	40	49	D	6.080
35		च	0,520	46	Ęσ	Ø	0.348
23		ক	0.856	49	97	अ	2,300
20	30	ø	0,583	50		व	099.0
79	25	ø	0.774	52	83	a	0,430
25	25	a	0.50R	67	\$ 3	a	0,820
23	Şо	8	0,500	63	58	ø	૦,રેહધ
28		2	9.838	68	54	ø	0,348
74	36	æ	0.886	64	88	a	393.0
76		H	a ja ja	66	E (9	8	0,400
20	38	8	0,600	E (3)		3	0,800
36		7	0,200	52		3	0.324
29	32	ø	0.1349	59	52	a	8.580
3o	33	a	0.677	159	59	a	#,390
36	38	a	9.1068	50	00	o	0.592
32	34	ø	0,844	90	50	o	559.0
33	36	σ	0.844	50	50'	ø	0.048
3X	30	a	0,208	ъx	50	0	0.580
34	36	ø	0,843	04	80	0	0.868
36	96	ø	0.738	ъų	50	0	2.285
₹o	80	ø	0.1012	60	1010	0	2,004
36	88	a	0.360	50	64	o	0.643
26	85	ø	8.094	109	90	o	0.800
80	83	a	0.994	60	60	o	0.4,20
**	88	¢	2,230	68	52	0	0,430
88	84	a	0.475	62	27	0	0.820
83	XE	ø	9,899	43	63	0	0.04/9
88	80	ø	0,200	68	28	o	0.04(9

महाराष्ट्र झासन राजपत्र असाधारण भाग चार-व, सप्टेंबर २३, २०१५/आभ्विन १, झके १९३७



(9)	(?)	(३)	(8)	(9)	(?)	(3)	(8)
64	64	a	0.885	854	858	o	0,570
65	25	a	0.200	359	१२२	a	0,862
60	610	ø	0.550	275	१२३	o	0,880
44	11	o	0,320	358	178	٥	0,000
19	29	0	8.468	295	194	0	0.598
30	90	0	0,040	230	295	0	0.773
88	39	0	0.040	255	275	0	0.024
97	१२	a	0.557	१३२	255	o	0,399
63	ę ą	ø	0.070	233	779	ŵ	0.850
88	88	a	9.098	858	830	0	0.076
94	94	o	0,250	834	888	a	0.263
95	९६	ø	9,059	856	195	ø	0.89,0
910	90	σ	90E.0	130	233	ø	635.3
39	96	σ	0.325.0	836	\$9¥	a	9.379
99	22	ø	0,580	965	834	ø	0.365
200	200	0	0.880	\$80	285	0	0.70F
805	808	0	0.340	282	230	o	0.992
505	202	0	0.040	283	265	o	\$\$5.0
503	203	अ	0.530	283	965	٥	0,05,0
808		व	060.0	885	280	0	0.288
204	108	a	0.370	784	285	ø	0.074
205	204	0	0.454	389	585	ø	2.094
200	१०६	a	6.363	880	5X3	ø	0.985
208	200	٥	590.0	285	88X	ø	953.0
909	305	ø	0.790	989	884	ø	0,4,70
15	905	ø	e.19319	840	188	0	0.988
888	220	σ	0.485	૨५ ૨	88.9	0	0,880
999	595	ø	0.980	848	285	ø	0.880
\$\$\$	\$\$5	0	0,040	843	888	o	0.850
\$\$8	683	ø	0.792	848	240	0	0.920
284	\$\$8	अ	0.200	244	\$45	0	2.920
158		व	990.0	245	848	ø	0.844
035		क	0,030	840	843	0	0.844
255	1999	a	0.860	245	848	ø	0.864
1999	395	ø	0,790	949	74 4	ø	0.700
190	699	a	0.045	860	શ્વદ	ø	0.900
959	186	ø	1.944	125	240	٥	0,630
\$55	999	σ	0,300	885	140	ø	0.580
\$93	190	8	996.0	€39	165	σ	ه اولاه
858		2	0,800	838	\$25	0	0.850

महाराष्ट्र झासन	राजपत्र	असाधारण	भाग	चार-ब,	सप्टेंबर	63'	२०१५/आण्विन	P, 316	6658	
			1	A.	512					

 ${\bf \bar{g}}_{i,i}$

माग चार-व-२२७-१अ



X

(8)	(?)	(\$)	(X)	(१)	(7)	(\$)	(X)
19	828	a	0.00%	9019	395	٥	0,070
255	124	a	a'R£3	হত্য	593	ø	10,084
8610	125	ø	0,720	808	\$93	ø	0.094
254	1213	a	a_9@a	804	888	0	0,0%0
285	144	e	8.5.90	705	284	0	0.073
200	933	a	6.880	890	395	o	0,070
305	\$69	a	o,oão	205	0.85	a	8.874
				9019	285	ø	0,850
						एकूचा	999.09

महाराष्ट्र प्रासन राजपत्र असाधारण भाग चार-ब, सप्टेंबर २३, २०१५/आभ्विन १, प्रके १९३७

चतुःसिमाः

उत्तरेस.—मध्य रेल्वे

दक्षिणेस.—मौजे रुरवइंची शौव व नाला.

पूर्वेस.—मौने केवली सर्व्ह नं. १३७,१३८,१३९,१४०, १४१, १४२, १४६, १४९, १५२, १६०

पश्चिमेस.—मोने वांगणी व नांवदेची शीव.

अनुक्रमांक	सन्ह	हिल्सा	क्षेत्र	अनुक्रमांक	सर्व्	हिस्सा	क्षेत्र
	नंबर	नंबर	(हे. आर)	0.1	नंबर	नंबर	(हे. आर)
(१)	(?)	(३)	(¥)	(१)	(?)	(३)	(¥)
8	2	ø	0.080	99	₹ø	a	0.076
3	3	ø	a,4Ra	99	- 25	ø	0.033
2 10 10 1	२ ३	a a	0.30%	78	२२	ø	0.770
x	x	٥	0.403	-	43	•	9,040
4	4	ø	0,390	२३	38	ø	0.534
Ę	ŧ	a	0.37%	58.	24	0	0.699
6	6	¢	0,808	વ્ય	35	0	0,340
6	8	φ	0.880	26	90	a	0.378
3	20	٥	0.050	80	35	a	0,800
80	88	a	क, २०२	36	28	0	0.1540
55	\$5	0	0.280	25	Эo	अन् १	0,850
53	\$ 3	¢	2,280	3ø		व २	0,050
67	28	0	990.0	32	হহ	٥	0.030
88	24	0	0.853	ş ę	३२	ø	2.480
84	25	ø	0.448	33	33	ø	0.1360
25	R19		0,020	эx	\$K	ø	0,790
8/9	35	٥	0.693	34	২০	•	@, ? ?0
35	25	ø	2.720	ąę	36	o	0.880

जिल्हा रावगड, तालका खालापर, मौजे बांगणी



(1)	(?)	(\$)	(8)	ची—चालू (१)	(?)	(\$)	(8)
	111111	10.212	1136200013		20202	3.02	
₹0	36	a	0.589	६५	52	٥	0.084
35	80	a	5.584	66	59	٥	0,884
38	85	ø	5,800	60	60	o	6,763
80	85	ø	0.265	52	50'	0	0.747
88	83	ů.	959.4	62	50	ø	8,0152
85	8.8	a	0,930	60	50	٥	0.855
83	84	σ	o.o%4	50'	,9 A	ø	6.866
8.8	84	0	ه فرلولو	50	10%	0	0.798
\$4	8.0	a	0.565	60	96	ø	0.288
88	88	ø	e,6/00	৩४	'0'0	0	0.93X
КЮ	86	0	0.040	104	201	ø	0.830
86	40	e	8.233	'9Ę	70	o	0,040
89	48	a	2.445	66	60	o	0,332
40	42	¢	0,76X	50	68	ø	0,462
48	43	0	0.480	90	69	o	0.893
42	4.8	o	0.468	40	63	0	0.843
43	44	a	0,800	13	88	٥	0,342
48	48	a	0,0%0	52	64	٥	0.830
44	40	0	0.620	63	28	0	0.498
45	44	a	0.266	28	615	ø	0.678
40	49	ø	୧.३७६	64	66		0.228
46	50	ø	P.807	25	68	0	0.863
48	57	e	0.240	215	90	o	0.408
ξø	62	o	0.670	4	59	o	0.807
58	63	a	0,585	83	९२	ø	0.488
62	84	ą	× 13.8	90	93	a	0.600
53	55	ø	0,880	39	88	0	0.422
5.8	ଷ୍ଡ	à	300,0	92	54	ø	0,070
						एकुण	42.552

महाराष्ट्र प्रासन राजपत्र असाधारण भाग चार-व, सप्टेंबर २३, २०१५/आर्थिन १, जर्क १९३७

4

चतुःसिमा ः

उत्तरेस.—मोजे तळवलीची शीव दक्षिणेस.—मोजे केळवलीची शीव पूर्वेस.—मोजे केळवलीची शीव पश्चिमेस.—मोजे नांवहेची शीव



ħ

अनुक्रमांक (१)	ਸਟ	हिस्सा	क्षेत्र (हे. आर)	अनुक्रमांक	गट	हिस्सा	क्षेत्र (हे. आर) (४)
	नंबर	नंबर		10840112	नंबर	नंबर	
	(?)	(\$)	(¥)	(8)	(?)	(3)	
3	2		0.948	38	¥?		0.229
* * *	9	3	0.880	89	¥\$		0.838
3	\$	2	0.084	83	88		0.084
×	3		959.0	88	84		0.470
4	×		0.230	84	28		0.204
Ę.	4		0,480	86	80		0,346
10	6		0,740	80	86		0,06,0
٢	0		0.888	84	28		0.580
*	6		0.869	88	40		0.240
80	9		0.909	40	9.8		0,777
88	20		0.8mm	48	42		0,820
53	99		2.366	42	43		0,084
83	87		₹.863	43	48		0,080
88	E 3		659.0	48	44		0,770
24	28		0.448	44	હદ્		0.368
₹Ę.	24		o.oota	45	40		0,370
819	25		0.8.90	40	46		0.380
35	205		500,0	46	49		0.040
99	25		955.0	49	Ęo		0,070
20	25		0,030	Ęo	57		0.898
73	20		0.248	52	57		0.549
22	25		0,680	52	53		0.800
23	55		0.379	63	58		0,420
28	२३		8.704	5.8	54		0,0158
74	28		0.840	64	55		0.880
25	38		8.10104	66	80		0.580
₹ø	20		586.0	80	54		P.(100
35	35		0.35.0	52	88		0.868
25	36		2.520	83	190		0,790
Şø	32		0.00%	(50	50		0,020
36	33		0,880	50	50		9,739
35	ŝК		0.900	67	φø		0,600
23	24	3	0.970	50	50		0.863
эx	2 4	2	0.830	50	104		0,530
34	35		2.005	04	50		0.640
35	30		590.0	96	'0'0		0.707
20	34		0.804	00	50		0.884
36	25		0.965	50	90		0.480
89	80		0.516	901	60		0,800
80	88		500.0	60	83		0.800

महाराष्ट्र शासन राजपत्र असाधारण भाग चार-ज, सप्टेंबर २३, २०१५/आभ्विन १, जले १९३७



		अनुसूची —चाल् (१) (२) (३) (४) (१) (२) (३) (४)									
(8)	(?)	(\$)	(¥)	(8)	(?)	(\$)	(X)				
63	68		0,303	858	145		0.585				
53	63		0.287	**4	¥98		0.838				
63	68		0.848	१२६	274		0.783				
68	64		0.743	653	355		0,090				
64	25		0.760	358	270		0.641				
25	60		0.325	959	196		0,1374				
60	44		0.334	\$30	1995		1.998				
25	23		०.२२०	969	\$30		0.275				
68	80		0,300	\$35	565		0.289				
90	88		0.775	\$33	\$99		0.053				
89	99		0.36%	83.8	893		0,E/g3				
99	99		0.467	234	828		0.840				
93	98		0.984	83E	834		0.880				
88	194		0.594	200	265		2489				
94	९६		0.200	369	120		0,800				
85	80		2.835	969	265		0,R13				
80	92		0,050	380	983		0.430				
39	99		0,980	888	280		0,480				
100	200		0.760	988	888		0.430				
805	808		0.1570	£83	\$83		0.850				
505	202		0.299	888	\$83		0.200				
803	203		0.460	284	288		0.240				
0%	208		0.488	8 86	284		0,830				
04	204		0.284	889	285		0.249				
eE.	205		0.4.80	285	880		o.E¥o				
00	2010		3.8%.0	888	285		0.400				
205	305		0.376	888	283		0.888				
909	203		0,880	840	240		0,830				
055	\$20		0.400	848	242		0.090				
\$\$\$	399		8,850	842	847		0.440				
\$\$\$	883		935.9	843	243		1.904				
£99	\$73		0.15/40	84.8	શ 4.8		0.880				
85	\$88		o,ofa	244	140		0.97.a				
198	1894		0.690	१५६	246		0.260				
253	\$86		0,880	840	849		0,830				
0.91	270		0.1340	242	冬気の		0,890				
355	255		0,790	848	828		0.99				
995	999	\$	\$58.0	250	287		1.660				
959	999	2	0.350	939	\$ # \$\$		0.595				
999	120		0,580	939	858		0.769				
553	\$98		0.880	8,39	1254		0.000				
\$23	155		ه بلولوه	888	१६६		0,890				

महाराष्ट्र शासन राजपत्र असाधारण भाग चार-व, सप्टेंवर २३, २०१५/आश्विन १, शके १९३७

6



(१)	(?)	(\$)	(8)	(8)	(?)	(\$)	(8)
854	१६७		0.XEE	700	૨૦૫		०,६२०
229	186		0.874	205	205		0,830
6.35	195	7	0,880	209	2005		0.745
145	225	2	0.890	280	205		0.653
939	100		0,095	255	909		3.690
00/5	808		0.059	285	220		3.890
808	505	2	0.499	₹ \$ 5	225		0,3%0
505	909	2	0,0%0	788	F\$\$		0.250
\$03	£03		0.528	784	273		0.587
xet	208		9,10109	3 99	288		0,000
104	2:04		0.260	28:0	224		0.986
305	105		0.8%0	796	285		996.3
100	2010		8.470	285	035		0.790
307	205		0.680	999	255		0.083
203	9019		0.240	२२१	285		0.800
100	160		8,620	***	250		0,083
848	262		0.680	993	255		0.747
535	535	8	0.800	558	555		8,022
163	828	7	0,700	224	२२३		\$ \$\$5.5
828	623	8	0.780	२२६	258		0.298
104	163	2	0.240	279	224	8	3,348
225	168		0,380	285	224	8	0.990
035	124		0,290	255	225		0.450
335	225		0.1340	4 59	250	5	2090
231	160		0,980	२३१	295		0,480
699	160		0,75,0	737	225		0.790
\$98	335		8.780	222	230		0,233
999	269		0.540	528	705		\$ 899.3
\$93	280		0,700	294	२३२		0,080
899	595		0,440	255	283		0,800
794	193		0.950	230	23%		0,3400
395	898		2,040	285	286		0,800
0.95	194		2.540	789	200		0.066
395	195		2.5:00	280	२३८		0,330
999	190		4,330	788	989	ę	0,5,80
200	3.95		\$,230	285	२३९	۶ ج	0.468
908	295		3,470	£83	5.80		0.276
808	500		0.820	58.8	585		0,04,0
₹03	202		o.950	784	२४२		0.234
50%	202		950,5	58.6	583		595.3
704	203		0_200	২४৩	284		\$.800
PoE.	20%		0,880	385	58.0		0.748

महाराष्ट्र झासन राजपत्र असाधारण भाग चार-व, सप्टेंबर २३, २०१५/आभ्विन १, ज्ञके १९३७

2



/+1	1:55	155	अनुसूची—चाल् (१) (२) (३) (४) (१) (२) (३) (४									
0	(3)	(4)	(8)	(8)	(4)	(4)	(X)					
86	582		¢,0'30	398	225		6.3×0					
40	584		e.909	555	240		0,300					
848	240		0.740	599	895		9E0.5					
948	248		990.0	56×	585		259.9					
243	242		0.095	384	263		8.830					
84×X	243		959,0	785	56×		0.488					
944	348		599.0	56.0	384		1.408					
સ્પદ	744		0.80%	395	395		0.886					
140	રપદ		0.866	555	260		5.080					
246	740		0,638	300	395		0.733					
244	245		8,0813	308	999		0.1070					
750	248		0,5,80	309	300		0,433					
939	२६०		0.222	303	305		0.75.8					
२६२	\$25		0.084	20%	205		0.702					
२६३	752		0,0%0	3ah	303		0.38C					
68	595		2.060	305	30%		399.0					
754	4 £8		0.074	300	304		0,380					
235	754		0.630	306	3019		0.346					
6.98	355		0.222	908	306		0.050					
339	950		5.8.80	49E	246		0,838,0					
959	255		0,090	355	320		0.045					
200	989		0.200	385	38E		0.75%					
908	9(g#		0.883	383	389		0.086					
505	70 F		0.058	388	883		0.790					
Fo?	707		0.523	384	388		0,700					
58	२७३		\$.03e	385	384		0.073					
204	80¥		0,036	380	386		0.789					
205	204		0.052	386	380		0.086					
eleis	200		0,020	986	286		0.38.8					
205	205		0,640	320	389		0.883					
Po9	969		0.850	379	250		0,380					
100	360		0.683	३२२	358		8.807					
828	928		0.200	352	३२२		0.290					
929	949		0.559	95X	353		0.9:05					
223	963		530.0	વરષ	358		8.824					
XX	828		0.303	३२६	રર્ષ		0.200					
264	764		a_?3a	350	375		0.8613					
225	325		0.960	396	996		0,090					
0:55	26.0	2	909.0	356	396		0.769					
335	9055	÷	e.283	330	358		0,053					
968	255	2	0.467	395	330		0.948					
290	366	2	0,834	999	386		0.850					

महाराष्ट्र शासन राजपत्र असाधारण भाग चार-ब, सप्टेंबर २३, २०१५/आण्विन १, शके १९३७

٩

भग मार-ब-२२०-२



अनुसूची—चाल् (१) (२) (३) (४) (१) (२) (३) (४)											
(१)	(?)	(\$)	(¥)	(१)	(?)	(३)	(X)				
333	994		0,36,0	₹04	303		0,743				
99X	555		0.890	305	\$0\$		0.258				
334	33X		0.284	₹00	308		2.204				
335	334		0,340	305	304	2	0,700				
390	३३६		0.380	P04	3:54	2	0.0%0				
332	590		350,0	920	305		0,570				
986	286		૦,૬૦૪	368	ইওড		0.930				
380	988		950,0	325	305		0,370				
3.85	280		0.780	928	909		0,900				
285	386		0,850	34.8	340		0,050				
283	385		0,0%0	364	368		0.35.0				
188	383		0.200	34E	365		0.740				
384	38.8		0,85,0	96.0	\$2\$		6,0154				
388	384		956.0	366	36.8		e.233				
\$810	38E		a, 276	925	264		0,887				
386	<u>\$8</u> ,0		0,0130	390	366		0.480				
288	384		005,6	39₽	\$6'0F		0.70				
34,0	386		0.257	345	326		0.860				
348	840		0,390	398	925		0,024				
343	348		0,7130	368	390		0.86				
343	348		6,033	244	398		0.750				
148	343		0_250	396	365		0,398				
344	348		0,390	390	596		0,839				
ş4ξ	344		9.869	396	368		0.790				
140	346		0.848	996	394		0,77a				
446	34/0		6.033	800	395		0.55.0				
949	346		0,860	808	295		ه مېنې				
36,0	349	1	0.840	805	808		0.894				
388	349	3	0.725	803	808		0.58.0				
962	360		0.289	808	804		0.880				
363	368		૦.૨५३	804	805		0.1997				
388	३६२		0.80%	805	800		0.288				
354	963		0.025	800	806		0,943				
388	35.8	\$	0.470	806	808		0.787				
36.0	3EX	÷	2.284	808	860		0.880				
356	354		990.0	850	855		@.0ĘĘ				
986	386		0.045	888	885		0.880				
100	35.0		0,920	885	853	2	4.433				
905	355		0.200	\$\$\$	\$\$3	२	0.720				
₹o₹	986		0.289	*6*	883	3	0,7%0				
şeş	3130		0.844	884	858		0,080				
Yor	308		0,420	888	884		P.6133				

महाराष्ट्र झासन राजपत्र असाधारण भाग चार-ब, सप्टेंबर २३, २०१५/आण्विन १, जने १९३७



				अनुसूची—चालू (१) (२) (३) (४) (१) (२) (३) (४)										
(१)	(?)	(\$)	(¥)	(8)	(?)	(३)	(x)							
880	885		0.700	849	846		0.095							
35%	880		8.863	860	849		0,236							
258	358		0.564	888	850		0,051							
850	258		0.7915	828	838		0,080							
358	850		0.3615	863	885	2	0.240							
***	858		0.042	888	889	र २	0.280							
£73	855		0.834	854	883		0.380							
898	853		0.820	338	828		0,0106							
894	858		e.933	840	854		0.750							
195	874		0,770	856	855		0.086							
699	858		0.787	828	860		P,398,9							
258	890		0.240	800	852		0,070_0							
878	876		995.0	808	886		39,0							
6£8	898		0.062	805	8,00		0.840							
898 X	830		0,790	KOŻ	808		0,740							
835	858		0.25.4	8.0.8	808		0.270							
833	835		0.807	804	ECIS		0.700							
838	833		0,805	808	8.9.8		0.750							
834	838		503.0	800	8.04		0,090							
835	834		955,0	208	\$10E		0.748							
670	836		9.849	808	8,0.9		0.350							
896	890		0.780	840	8:02		0,350							
988	836		0.840	\$28	908		0.764							
680	899		0.090	845	820		0.570							
888	880		₹,070	863	828		0.843							
583	8.8.6		0,0155	*2*	828		0.030							
683	885		0.062	864	¥63		0,060							
188	883		5050	258	828		0.380							
183	888		0.29%	82.9	864		0.80%							
186	884		0.80%	866	858		0,063							
5810	888		2,000	828	820		0.733							
\$86	8.8.0		9,339	860	338		0,80							
888	8.85		0,740	A65	828		0,000							
840	888		0,800	865	860		0.003							
848	840		0.36.0	863	865		0.089							
842	848		0.052	868	865		0.530							
843	843		0.066	894	863		6,651							
848	843		0.862	865	868		0,0108							
844	848		\$\$\$.0	860	860		0.86							
845	844		0,0¥3	888	868		0,030							
840	848		0.220	866	869		0_233							
846	840		6,363	4,00	886		0.065							

महाराष्ट्र शासन राजपत्र असाधारण भाग चार-ब, सप्टेंबर २३, २०१५/आण्विन १, शके १९३७

19

भाग चार-च-२२७-२अ



(१)	(?)	(\$)	(8)	(3)	(?)	(\$)	(8)
408	898		0.655	434	434		0.890
402	4,00		0.280	436	438		0,650
403	908		0.5:03	430	430		0.370
10X	402		0.040	434	432		0.084
بالاي	403		0,098	439	438		0.280
405	408		0.0'69	480	480		\$55.0
100	405		395.0	4.88	488		0,034
406	4,00		0,043	482	489		0.808
409	406		6,033	483	483		0.884
480	90,0		0.7XX	488	488		990.0
428	480		0,330	484	484		0.858
482	38,0		0.000	485	425		0.480
4.83	485		0.860	480	480		0.868
\$50	473		0.25,0	484	486		505.0
484	428		0.66%	489	489		0,046
485	484		0.522	440	440		9.869
480	425		0.045	448	442		0.733
354	480		0,890	442	442		0.603
489	486		a,340	443	443		0.048
470	488		0.024	448	448		2,833
478	470		2.862	444	444		0,084
422	498		0.88/0	લ્ યદ	બ્લ્લ		0,063
423	999		0.349	440	440		0.086
128	493		0.20%	446	446		0.620
494	498		9.88.9	449	449		0.690
475	494		0,040	480	450		9.069
190	476		9.909	458	482		0.840
492	970		0.890	467	452		2.468
999	476		o, Eu o	483	463		0,800
430	4.29		909.0	488	488		0.786
4.38	4,32		0,1580	બદ્ધ	બદ્ધ		0.349
432	432		a.\a£?	4૬૬	486		0.898
488	488		0.370	460	950		0.570
38	438		0.850	454	459		995.0
						एक्षण	245.449

महाराष्ट्र	शासन	राजपत्र	असाधारण	भाग	चार-ब,	सप्टेंबर	63'	২০१५/আদি	न १,	जने	6630	

चतुःसिमा :

उत्तरेस.—मोने घोडीवलीचे गट नं. १५५ व १९१. वक्षिणेस.—नाला पूर्वेस.—मोने कांडरोलीची शौध पश्चिमेस.—मोने खालापूरची शौव व कांडरोलीचे गट नं. २९ व ३०.



महाराष्ट्र झासन राजपत्र असाधारण भाग चार-ब, सप्टेंबर २३, २०१५/आश्विन ९, शके १९३७

83

अनुफ्रमांक	सर्व्ह	हिस्सा	क्षेत्र	अनुक्रमांक	सन्हें	हिरसा	क्षेत्र
	नंबर	नंबर	(हे. आर)		नंबर	नंबर	(हे. आर)
(१)	(?)	(\$)	(x)	(१)	(?)	(3)	(¥)
8	2	\$	१,२२०	Ko	9	x	0,074
3	4	3	0,090	38	٩	4	\$\$9.3
3	3	x	0,050	88	9	ξ.	0.880
8	3	14	0.740	83	٩	v	0.00
4	3	Ę	0,060	88	9	6	0,000
Ę	2	10	8.500	84	٩	9	0,030
0	ą	2	4.620	85	20	8	0,023
c	3	÷	0,070	¥'0	20	2	0,307
٩	3	3	0,030	86	20	3 स	0.384
80	x	2	0,050	88	20	३वह	8.79X
\$\$	*	2	599,0	40	20	8	0.25/0
88	8	3	0.034	48	70	Ę	0.200
\$3	8	x	0,0813	42	20	6	0.888
88	8	4	0.039	43	20	9	0,0%0
24	x	Ę	5,30,0	48	20	80	0.250
25	x	10	0,10%	44	20	22	0,004
80	8	6	0.074	46	20	88	0.707
25	4	2	0.886	40	20	\$3	0.890
99	4	÷.	0,0/36	46	20	88	0.843
99	6	१ वर	0.1303	49	25	8	0.888
25	Ę	१व	0.390	Ęø	85	2	0.330
55	8	रक	9.569	5.8	99	9	0.889
25	E.	÷	0.250	57	35	४अ	0,070
38	Ę	3	EE0.6	63	75	ধৰ	0,024
74	£.	×	0,090	68	25	4	0.930
25	6	3	0.884	64	35	4	0.864
20	10	2	0.366	5.5	\$ \$	8	0,033
35	0	3312	0.894	E (0)	25	7	0.220
25	0	\$ अ२	0.894	54	63	3	0,000
Şø	0	3943	0,406	69	23	R 34	0,804
96	0	वे स	0.3510	150	£3	४ वर	0.038
99	0	x	0.800	30	£5	४व२	0.039
55	6	4	0.930	50	8 3	४व३	950,0
38	0	E,	e,oĝe	\$e!	23	४ ब४	0.070
34	2	ą	2,200	80	4 3	খল্বাদ	0,070
36	9	2	0,0'9Ę	:04	\$ 3	४ थ ६	0,076
40	8	२ अ	0.807	36	85	খনত	0,000
36		रच	0,200	15/5	23	४व८	0.030
76	e. e.	3	0.025	36'	65	ধৰৎ	0,080



अनुसूची—पाल् (१) (२) (३) (४) (१) (२) (३) (४)										
(१)	(3)	(\$)	(¥)	(8)	(?)	(\$)	(X)			
20	£3	প্ৰাংক	9.920	995	25		6.063			
60	13	श्रव ११	9,079	953	88	3	0,820			
68	\$3	সৰাই	0,0%0	१२१	29	۹ २	0,300			
52	13	अबरवे	0.072	\$55	22	4	0.020			
63	83	४च१४	o.olyly	<i>\$</i> 93	25	x	6,3130			
68	8 3	স্বহণ্	950,0	858	25	4	0,0%0			
24	1 3	8.9.6	950.0	854	20	3	0.8'03			
25	\$3	%ৰাই\ও	3.980	195	20	\$	0.880			
60	23	খৰং১	0.0XE	199	20	3	@,033			
66	\$ 3	8456	0,037	355	20	×	0.700			
23	1 3	४व२०	560.0	959	20	4	399.0			
90	1 3	४व२१	0.0.8.3	\$30	20	6	0.489			
39	£3	४व२२	0.072	965	20	'ø	0.025			
99	23	४व२३	0,076	835	₹0	6	0,840			
65	\$ 3	४ब२४	0.076	\$33	20	8	0.760			
88	\$3	४व२५	360,0	838	2a	50	0.097			
84	23	४ब२६	0.076	184	20	. 85	0,033			
95	83	४व२७	9,999	235	२१	2	0.807			
80	F 3	४व२८	999.0	870	२१	2	0,833			
96	£3	8458	0,030	259	35	3	0,700			
99	83	'ধন্মইত	0,030	\$34	२१	×	0.383			
200	23	খৰাইই	0.350	380	२१	4	0,050			
808	84	2	929.0	888	77	3	0.494			
807	84	२अ	0,366	885	25	र २	0,300			
203	84	२थ	0.020	883	25	3	0_030			
808	\$10	१ अ	522.0	688	25	8	0.063			
204	89	2	9,058	284	25	36	0.750			
Ref.	8/0	३ब	0.3X0	8×8	२२	Ę	0,4150			
800	8:0	३क	0,0,8,3	880	-	2	0.746			
205	হত	३अर	0.33%	285	55	2	0.570			
808	হ।ত	३ अ२	0.820	888	२३	3	0.761			
055	810	4	οξο, ο	840	२३	¥	0.760			
888	80	€.अ	0,084	848	२३	4	0.283			
999	ξia	दय	o£\$_o	842	38	१ २	0.58%			
\$83	হ'ত	637	0_290	843	58	2	0.960			
888	210	८ब	6.903	848	58	3	0.050			
155	80	9.89	0.200	844	38	*	0.869			
359	8/9	९व	6,003	શ્પદ	58	4	0.796			
039	\$ 10	११अ	309.0	8410	38	Ę.	0.099			
355	219	\$ 5	0.000	246	24	2	0.590			

महाराष्ट्र झासन राजपत्र असाधारण भाग चार-ब, सप्टेंबर २३, २०१५/आश्विन १, झके १९३७



			अनुसु	ची—चालू			
(१)	(?)	(३)	(¥)	(१)	(२)	(\$)	(8)
749	સ્પ	₹	353.0	999	79	ख	0,550
25,0	રષ	3	0.860	200	99	ð	0,073
848	સ્પ	¥	0.080	509	25	х	0.250
१६२	રષ	4	0.885	202	79	4	0,0(50
163	સ્પ	Ę	૦,૦૫૬	203	79	6,37	0,269
823	74	ъ	0.755	808	79	६ब	0.890
175	રષ	6	0.008	204	79	2.37	0,203
144	સ્પ	8	0.396	906	25	८व	0,060
85:0	74	20	0.856	2013	30	2	0.987
529	સ્પ	. 88	0,0133	245	30	2	0,3/38
939	24	52	0,030	205	30	Þ	0.084
\$00	34	83	0,006	280	30	х	095,0
808	74	88	0,0%0	\$\$5	30	4	0,0193
507	74	14	0.033	585	30	६ अ	0.794
\$03	२६	8	0.332	F 85	30	हव	4, २३३
(a¥	ବ୍ୟ	३अ	0,070	889	30	६क	0.867
804	२६	३ च	0,0%0	224	30	6	0.0446
2019	२६	к	0.70E	395	30	٩	0,700
003	25	0	0.09\$	270	30	20	0,25,0
367	75	6.39	0.850	259	30	88	0.770
983	રદ	24	0,803	985	30	87	0,073
120	25	৫ক	0.844	250	38		0.980
868	705	રસ	505.0	255	37	8	0,090
928	20	१ स	0,980	555	39	२ अ	0.884
123	715	3	०.२६०	२२३	35	रुख	0.025
xs	২৩	8 8	P.98.4	२२४	37	३अ	0.887
124	20	४स	0.392	***	३२	देख	0.380
238	35	\$	0.830	२२६	32	रुक	0.384
120	35	२अ	£003	559	32	५.জং	0,099
22/	92	रेख	0.320	776	39	५अ२	0,098
828	35	3	٥.२३२	255	37	Ę	0,30%
290	25	4	0,098	430	39	ত উন	0,730
293	35	Ę	०.१३१	787	99	८ अ	0.396.0
599	35	'0 研	0,3150	585	37	9	0.253
£93	92	'এন্দ	0.096	रवव	32	ţa.	0.290
888	35	٢	0.862	73 <i>¥</i>	35	57	0.880
299	35	9	99Ę,0	234	33	\$	0,800
299	35	20	0.004	२३६	33	3	০,০৪০
6/29	79	\$	0,090	250	33	३ अ	0.880
388	25	२अ	0,390	245	33	३थ	0.190

महाराष्ट्र शासन	राजपत्र	असाधारण	भाग	चार-व,	सप्टेंबर	२ ३,	২০१५/আম্বিন	१, लके	1980	



 $\bar{\rho}\bar{\gamma}$

56.320

एकूण

(8)	(?)	(३)	(४)	(8)	(?)	(\$)	(8)
999	53	×	0.250	સ્પદ	38	80	540.0
980	23	4	0.270	24(9	374	۶ ج	0,080
788	33	10	0.284	742	34	4	0,020
585	99	6	0.956	248	36	8	0.558
283	33	9	0.970	950	36	२अ	0.046
<i>4</i> 8.8	23	ξo	0,570	758	35	स्ब	0.083
784	33	35	0,030	555	36	8	0.084
ર૪૬	38	१ 3म	oçoço	२६३	34	9	550.0
5,8,0	ŝК	१व	e,000	909	36	२ ३	0,070
285	эĸ	7	0.99.0	960	₹4	¥ 34	0,033
986	эĸ	3	0,990	828	34	४व	6,073
740	38	×	0,030	969	36	4	e_033
748	38	4	555.0	863	36	Ę	0.083
349	58.	Ę	\$293.9	828 835	36	0	6,083
743	38	0	0.748	764	36	6	550.0
748	38	6	0.086	76 E	36	۲ ۲	0.084
744	эx	6 9	289.0	860	36	80	0,0%0
				205	36	25	0,030
				_		1001000	153252-00

महाराष्ट्र शासन राजपत्र असाधारण भाग चार-व, सप्टेंबर २३, २०१५/आभ्विन १, ज्ञके १९३७

चतुःसीमाः

उत्तरेस.—मोजे नवादेची शौव दक्षिणेस.—नाला पूर्वेस.—मोजे नवांदेची शौव

पडिचमेस.—मोने घोडवलीची शीव

मनुक्रमांक	सर्व	डिस्सा	क्षेत्र	अनुक्रमांक	सर्व्ह	हिस्सा	क्षेत्र
	नंबर	नंबर	(हे. आर)		नंबर	नंबर	(हे. आर)
(5) (3)	(\$)	(\$) (\$)	(8)	(7)	(\$)	(8)	
ং	107		0,290	٩	285		0,880
8	tois	8	a'530				
3	205	8	0.200	ţo	\$\$6		0.850
×	675		8.750	25	\$50		0.340
				\$5	\$55		0.250
4	\$\$8.		0,440	23	199		0.530
е, '0	\$\$4		8.440	88	143		0,770
' 9	395		0,450			10	
c	055		0.360	84	१२७	Pt.	0,220

मौने नावंदे, तालुका खालापुर, जिल्हा रायगढ



			अनुस्	वी—चालू			
(8)	(?)	(३)	(8)	(8)	(۶)	(\$)	(8)
75	249		0.700	45	290	1	0,370
819	243		0.240	40	290	2	0.660
34	148		0.220	46	898		0.090
99	244		0.770	9.0	F97		0,069
20	844 E.		0.340	Ęø	883		0,0135
73	140	8	0.386	58	868		0,080,0
99	2410	7	0.590	52	294		0,483
7 5	846		6.90%	53	395		989.0
28	848		983.0	68	295		6,882,0
74	150		0.0/07	દ્ધ	399		0,1030
75	5.25		6.88%	ĘĘ	999		8,0 50
20	१६२		e.203	63	200		6.834
36	163		0.835	56	205		2,838
25	158		\$.36X	69	202		0.462
30	ર૬ ૫		0.488	60	505	8	2.060
38	१६६		0.884	50	505	१ २	0,055
38	150		o,o?o	50	508		995.0
33	125		0.430	ĘU	204	8	0.888
58	929		ه رياره	ъ×	204	4	0,070
34	2000		0.860	104	305	80	0,796
3Ę	805	. 8	8.280	36	540		8.80X
₹ø	808	2	0,080	66	205		0.884
36	909		o,oqo	50'	909		0.068
99	803		a,39a	801	-95		0.900
80	808		0,350	60	999		0.58.0
88	1:04		0.630	68	-99		0,000
83	200		¢.003	65	F8		2.978
83	205		0.386	63	284		1.663
88	909		0,075	82	259		\$9955
84	260		0,040	64	280		1.547
88	105		2.05.6	25	399		0.050
¥υ	868		055.0	615	255	8	0.969
86	163		0,85/0	44	285	~ ~	0.848
88	128		0.204	٤٩	250		0,090
40	124		0.663	20	255		0_084
48	125	\$	0,098	39	255		1,300
42	255	2	969.0	92	555		3.860
43	160		0,25,0	59	558		0.099
48	166		0.746	48	224		995.5
44	828		0.396	94	255		0.758

महाराष्ट्र झासन रा	तपत्र असाधारण भाग चार-	ज, सप्टेंबर २३, २०१५,	/आभ्विन १, ज़के १९३७
*	344.0748.41C1	010104000011010104	Contra Directa dada

भाग चार-ब-२२७-३



A.	2.5	1.1		चो —मालू	244	2.5	4.4
(१)	(5)	(३)	(¥)	(8)	(?)	(3)	(x)
95	250		0.065	83E	२६१	د	0,0'90
80	396		0,940	250	335	٩	0.007
39	999		0.002	192	२६१	20	0,003
88	940		0_080	767	365	55	0.044
200	285		\$75°	6.80	757	52	0.059
905	२३२		0.584	8×8	२६१	£3	0,090
909	555		0,0%0	585	285		0,070
\$03	538		a ola	683	365		0,030
80%	२३५		9619.7	58.8	36.8	2	0.039
Roly	235		2.979	884	56.8	R	0,037
gog.	२३७		0,860	88E	888	ş	0,037
toia.	265		955_0	880	5£8	×	0,037
205	989		0.200	186	888	4	0.033
909	5,80		a ana	686	56.8	Ę	0,037
280	585		0,090	840	528	0	0,037
359	585		0,805	848	75×	6	0,070
999	58.8	\$	8.889	848	888	9	0.090
\$\$\$	58.8	2	0.740	848	888	20	0,030
88X	48.E		5.086	848	२६४	88	0,036
284	58.0		0.084	શ્વધ	839	53	0,033
359	385		a,oEa	શ્પદ	839	69	0,034
0/\$\$	388		0.409	840	56.8	18	0.033
255	240		905.0	246	568	199	0.032
999	248		0,0%0	848	5E.R.	8 E	o,oão
120	242		6,033	१६०	838	to	0,038
\$98	243		0.289	\$68	888	28	0.071
\$99	348		0.830	525	56.8	95	0.076
\$99	744		0.043	863	8.25	70	0,076
58	74E		0.8%6	8EX	568	55	0,076
199	240		0.488	254	888	7 7	0.070
299	746		0.746	१६६	568	4 9	0.096
699	249		a_ota	8 B 9	36.8	35	0.076
255	२६०		o,oão	2,25	568	74	0.070
999	989	\$	0.१२०	939	36.8	२ ६	0,070
830	968	7	०,०६०	\$150	368	89	0,033
\$98	285	3	0_0'30	905	885	76	0,096
\$ \$?	968	×	500.0	F0 7	888	79	0,300
833	339	4	0,055	\$603	825	30	0,033
(3X	968	B,	e'ege	808	888	38	0,089
194	252	'a	0,052	804	888	38	0,039

महाराष्ट्र झासन राजपत्र असाधारण भाग चार-ब, सप्टेंबर २३, २०१५/आश्विन १, झके १९३७



(8)	(5)	(\$)	(¥)	(8)	(?)	(\$)	(x)
१७६	75 X	33	950.0	888	२७०		0.0%3
RIS/0	75 X	эĸ	0.033	Soo	२७१		0.844
106	28.8	34	0,0 <u>3</u> 0	908	२७२		1.090
905	4 68	36	250.0	202	963		8.804
360	२६४	₹a	0.076	203	208		0,050
838	268	36	0,035	50%	204	2	2.760
929	888	38	0.034	204	204	2	0.848
\$25	835	80	250.0	305	୧७६		0,090
838	88F	85	0,076	2010	2005		0.838
824	3 68	84	0.076	205	205		9.769
125	86.X	жa	a'atria	905	205		2.005
8610	868	8.8	०.०२९	980	828		1.667
225	36.8	84	0.092	775	964		0.439
258	२६४	8.6	0,076	-	925		0,750
190	75.¥	К.О	0.084	-	76:0		0,070
395	388	86	0.883	888	380		0,000
999	888	86	0.385	284	રવ્ય		0,800
593	858	40	8.538	285	960	2	7.960
888	254		0.055	077	360	२	O.F.MO
294	२६६		a aha	2.85	360	4	0.860
795	95/o		0,530	789	125		0,050
6/25	285		2.025	250	929		0.690
295	२६९		0.042	999	923		0.790
						एकूण	68.4.68

महाराष्ट्र झासन राजपत्र असाधारण भाग चार-ब, सर्ख्यर २३, २०१५/आण्विन १, झके १९३७

25

चतुःसीमा ः

उत्तरेस.—गट नं. २९२, २९३, ३१२, १५०, १४५, १४४, १८१, १२४, १८८, ६६, १८०, १३५, २९१

दक्षिणेस.—नाला

पूर्वेस.-हल बुहुक ते कर्जत रोड

पश्चिमेस.—मौजे कांडरोलीची शीव

1.4.4	A 8.			n	
मान	मानाकवली,	तालका	पालास.	जिल्हा	रायगड
			- A	1.1.20	

अनुक्रमांक	सर्वे	हिस्स्त	क्षेत्र	अनुक्रमांक	सर्व्ह	हिस्सा	क्षेत्र
	नंबर	नंबर	(हे, आर)		नंबर	नंबर	(हे, आर)
(१)	(?)	(३)	(8)	(१)	(?)	(\$)	(X)
8	84		0,680	8	રૂપ		0.290
9	32		0.480	4	35		0.900
3	89		0.880	Ę	30		0,734

भाग चार-च-२२०-९अ



٦ø

(3	(?)	(3)	(8)	(3)	(?)	(\$)	(8)
v	36		990.0	84	'0Ę		0.520
	25		0.300	86	'a'a		0,340
5	80		0.804	80	106		0,800
80	88		0.800	86	90		0.198
88	85		0,890	88	60		0.034
88	83		0,200	40	68		0.509
83	88		0.776	48	67		0,508
88	84		890,0	42	63		0.232
84	82		0,08,0	43	68		0,043
75	80		0.703	48	64		0.045
205	84		0.080	44	68		0.497
25	88		0.738	46	66		0.570
99	40		\$05.a	40	68	٢	0.848
99	42		0.570	40	28	8	0.808
295	43		\$05;0	48	90		0;8155
35	48		0,730	Ęø	52		0.850
93	44		0.X'(5/0	52	99		0.0%0
38	48	8	8.055	53	\$ 2		0.889
74	48	3	o,o?a	53	88		0.784
२६	40		0.099	68	94		0.800
80	45		o,784	Ęų	38		9,700
35	49		\$\$6:0	5.5	9.9		0.983
99	ξ¢.		904.0	Ę (9	84		0.940
30	23		0.C70	54	99		0.900
3 Ę	£2		0.695	£9	700		0.570
35	63		0.082	90	909		0,080
\$\$	£X		P.736	50	803		1.300
58	E4.		0.394	50	\$03		2.004
94	66		0,030	60	808		0.53
36	60		9.269	50	son		0.1894
₹0	54		0.834	194	१०६		9.840
34	26		0.983	'0Ę	\$\$\$		0.646
96	.00		0.853	00	११२		0.X(03
80	50		0.508	50	855	7	0.594
88	'0?		250.0	90	\$\$\$	र २	0,090
83	60		0.820	60	399		0.870
83	20		0.865	68	075		0.000
88	10%		0.850	55	389		0,275

महाराष्ट्र झासन राजपत्र असाधारण भाग चार-व, सप्टेंबर २३, २०१५/आश्विन १, जन्ने १९३७



			ગનુષ્	्ची—भालू			11
(8)	(\$)	(\$)	(¥)	(१)	(?)	(\$)	(x)
63	999		9.997.0	555	294		0,808
68	270		5.838	\$53	295		0,340
24	\$95		0,080	858	025		0.836
25	\$72		0,736	१२५	225		500.0
60	१२३		0,270	295	995		0.507
44	858		650.0	t70	200		0,208
69	१२ ५		0.0'0%	355	708		8.255
90	293		390,0	959	385		0.88
89	870	2	0.746	230	980		0.894
99	199	2	0.282	765	285		0.598
93	295		0,805	१३२	789		939,0
88	255		0.98%	\$33	250		0,8154
94	230		o.233	838	२२१		0,09.8
95	\$\$8		0.025	834	255		0.294
915	223	पैको	0.388	255	२२३		0,776
38	\$\$¥		0.697	₹₹0	258		0.788
99	234		0,794	285	274	2	0.587
200	235		0.065	969	224	\$	0.970
808	190		0.230	880	२२६		0.098
503	265		0,230	888	270		0.498
803	259	1	9.808	989	396		0.022
808	959	2	0.002	282	255		0.702
204	180		0.840	\$88	230		0.88 G
808	\$88		305.0	884	985		0,830
200	1849		0.830	184	787		0.785
305	£ X3		079.9	\$8'9	233		0,040
909	188		0.2.80	186	83 8		0.860
989	184		6.85G	989	234		0.048
999	285		0.548	840	२३६		0.878
195	280		0,060	848	2310		0.086
F75	285		E95.0	848	२३८		0,070
888	189		0,030	843	965		0.439
184	225		999.0	84.8	3.80		0.768
885	828		0,048	244	788		0.084
0.95	494		0.000	245	585		0.7813
255	\$95		0.055	8410	585		0,830
999	595		0.074	842	488		0.880
199	\$9 \$		a.783	848	384		8.988
195	898		0.050			एकूम	49,050

-	1000	VENTER	1000	चार-स	प्रार्थनग	93	२०१५/आण्विन १, अवं	aiF 00 3
afact 2 faces	CI-STAR	3100411-1	Sener.	ALC	0.645	140	fold on set I an	2.240

- 85



महाराष्ट्र ज्ञासन राजपत्र असाधारण भाग चार-ब, सप्टेंबर २३, २०१५/आश्विन १, ज्ञके १९३७

अनुसूची—चाल्

चतुःसिमा :

उत्तरेस.—मोने हाळ बुदुक ते कर्जत रोड व मोने मानकिवलीचे गट ने. १०७, १०९, ११०, ११४, ११५. दक्षिणेस.—नाला

पूर्वेस.—कर्नत खोपोली रेल्वे लाइंन

पश्चिमेस.—नाला व मोले अंजरुनची शीव.

अनुक्रमांक	सक	गट	क्षेत्र	अनुक्रमांक	मर	हिस्सा	क्षेत्र
	नंबर	नंबर	(हे. आर)	10040000-020	नंबर	नंबर	(हे. आर)
(१)	(?)	(३)	(¥)	(१)	(२)	(३)	(x)
3	48	पैकी	0,700	9€	40	14	0.200
\$	44	2	0,080	54	40	25	0.05
3	44	3	0.990	33	40	8.9	0.000
x	light	3-37	2.060	₿.K.	44		0.660
4	144	¥	0,070	34	49	2	0.490
ε,	44	4	0.990	36	48	7	7,740
0	44	£,	0,330	30	49	7	0.840
٤	44	'ø	0,390	36	49	8	0.840
9	44	८ अ/१	0,030	24	Ęo	१ वर	0,500
20	44	231/2	0.030	Ro	Ęo	ংঅ	0,330
25	44	८ म/३	0.080	88	Ęo	R	0,4130
53	44	८अ/४	0,000	85	Ęa	3	9.760
63	فوفو	٩	0.3%0	¥3	53	१अ	P.86%
88	44	80	0,070	**	65	श्य	P.830
24	44	११अ	0,080	84	68	२अ	0.479
25	44	११व	0,090	86	25	२व	0.894
₹ \9	40	2	0_070	80	57	व अ	0.735
35	40	- P	500.0	86	68	३ च	0.863
99	40	3	0.776	86	53	३वा	a,703
50	40	¥	0,808	40	83	३वह	0,051
99	40	4	50%,0	98	53	2	0_0%0
55	40	R,	0.866	48	62	2	0,030
49	40	'a	0.290	48	65	3	0.060
58	40	٤	0.883	48	5 7	४ अ	0,830
74	40	٩	0,730	44	63	খন্দ	0,878
75	40	₹0	0,070	બદ	£2	4	0.478
20	40	99	0.855	40	53	Ę	0,030
36	40	55	0,283	46	53	0	0,820
99	40	83	0.890	48	69	6	0,080
30	40	88	\$ \$5.0	Ęo	83	म	2,099

मौजे हाळखर्द, तालका खालापर, जिल्हा रायगड



			अनुसू	यो—चाल्			
(8)	(?)	(३)	(¥)	(8)	(?)	(\$)	(8)
83	58		1.143	90'	E 10	र २	969.4
53	E 4	2	590.0	60	ছ৩	2	9012.9
53	84	२अ	0.800	68	Ψć.	2	0.989
58	64	२ व	0.805	22	5.4	ę	0.606
Ęų	E 4	3	a,38,a	63	53	3	0.050
55	£4	¥	0,533	68	83	2	\$.608
50	44	4	0.050	64	59	· ?	959.0
54	Eq	Ę.	0.860	25	90	2	0,040
59	54	·0	७,२२०	60	00	R	395.0
00	ĘĘ	१ म	0,730	66	00	३ अ	0.830
20	77	१ वा	ø,२३ø	69	00	देख	0,830
50	EE	2	4.988	90	150	×	0.770
50	FF	3	055.0	88	30	બ કા	0,050
'0 X	EE	x	\$98,0	58	100	৸ৰ	0,080
134	53	4	0,0EE	69	00	R,	0,860
195	66	Ę	0.339	98	00	0	0,050
66	E E	19	0.250	94	90	2	0.235
36	88	6	0.894	95	30	9	0,74,0
				810	.96	50	0,070
						एकूण	25.488

महाराष्ट्र झासन राजपत्र असाधारण भाग चार-ब, सप्टेंबर २३, २०१५/आश्विन १, झके १९३७

२३

चतुःसिमाः

उत्तरेस.—मौजे अंजहनची शीव.

दक्षिणेस.—राष्ट्रीय महामार्ग क. ४ (मुंबई-पुणे).

पूर्वस.—मौने हाळ सन्हें नं. ७१, ७२, ४, २.

पश्चिमेस.—मोने हाळ सन्हें नं. ६६अ, ५९, ६०.

अनुक्रमांक	गर	हिरसा	क्षेत्र	अनुक्रमांक	मष्ट	हिस्सा	क्षेत्र
	नगर	नंबर	(हे. आर)		नंबर	नंबर	(हे. आर)
(१)	(२)	(\$)	(¥)	(१)	(7)	(\$)	(8)
8	8	1	0,0840	6	x		0.57.0
3	5	२अ	4.737	٩	4	2	0,074
3	2	त्वरं	0,030	to.	4	\$	0.098
к	2	रेचरे	0.040	75	Ę		0.090
4	2	77	0,37,0	१२	6		0.858
Ę	3		0,070	१३	6		#,376
'0	3		0.026	88	9		0.382

मौने अंतरुण, तालुका खालापुर, जिल्हा रायगढ



(8)	(?)	(\$)	(¥)	(१)	(?)	(\$)	(8)
24	20		0.200	48	86		0,095
25	83		a, 28a	44	88		0,370
80	27		0.938	44	40		0.776
14	23		505.0	40	48		0.760
99	28		\$\$0,0	46	42	2	0.888
20	24	1	0.99.0	49	42	2	0.265
99	24	÷.	0,050	5,o	43		0.595
77	25		0.049	53	48		0.073
25	810		0,036	57	444	2	0.30%
23	35		0.266	£ 3	44	2	0.880
38	25		0.925	ξ¥	48		0.209
74	20		8.000	54	40		0.050
75	२१		a_0?a	इह	44		0.880
20	22		0,020	হ ৩	48		0,780
26	२३		0,330	52	60		0,9:00
29	38		0.200	59	52		0.808
3o	-		0,070	100	69		0.064
9€	२६		શ.રૂદ્ધ	30	63		0,04%
38	२६		0,750	'oR	83		0.899.0
55	205		0.330	50	R4		0.743
38	35		0.400	80	66		0.830
34	79		0.880	134	R (d)		0.805
ақ.	3ø		0.884	104	56		0.160
30	35		e.379	196	69		0.760
36	\$9		0.388	6/0	130		0_070
28	aa		0.749	20	30		0.875
80	38		0,439	90	50		0,050
88	34		a atya	60	'a¥	R	\$.79a
88	35		0.365	52	35		0.358
83	319		0.840	62	00		3.366
88	36		509.0	63	30		0.489
84	96		0.34.8	68	90		0.046
88	80		a.१५a	24	60		0,390
80	85		0.8819	25	53		0.266
86	85		0.750	60	67		0,060
88	K\$		0,350	33	63		0.999
40	88		0.029	69	68		0.838
48	84		0.050	90	24		1.703
42	86		0.0'05	99	65		0.464
43	80		a,43a	92	60		0,850

महाराष्ट्र प्रासन राजपत्र असाधारण भाग चार-ब, सप्टेंबर २३, २०१५/आश्विन १, ज्ञके १९३७



(१)	(\mathcal{E})	(9)	(%)	(१)	(?)	(३)	(8)
98	44		0.752	785	१२७		0.438
88	63		0.75,6	83X	657	२	0.362
94	80		0,25,0	234	886		505.0
95	99		0.348	255	999		0.049
90	97		0.385	\$ \$0	230		0.768
38	83		0.760	365	159		0,340
99	88	\$	0.050	969	\$35		0.733
200	88	3	955.0	280	\$33		0.332
808	84		4.765	888	858		0.327
508	29		0.402	888	234		0.205
50S	90		0.836	283	78F		0.388
ex.	86		0.379	8.8.8	150		0,874
204	99		0,400	884	132		0.130
toE.	200		0.990	888	989		0.058
600	808		0,390	6.8.2	880		0.448
301	202		0.986	288	888		0,084
909	203		0,830	989	\$83		0,084
280	808		943.0	240	\$83		0,75,0
\$\$\$	204		0.862	848	888	2	0.200
595	205		0.458	843	884		0.090
\$83	800		0,840	243	188		0,753
888	205		P.878.0	84.8	880		0.0%2
224	209		e.રાહ	144	285		0.092
253	220		0.838	745	989		0.638
039	393		0.333	2410	१५ ०		0.458
358	222		0,903	146	848		@. २ ६३
995	१रव		0.408	848	14 7		0.500
190	\$58		0,1590	25,0	843		8,609,8
298	224		0,338	898	848		0.236
\$55	१ १६		0.३२०	252	144		0.774
\$78	675		0.54.00	635	146		0.650
88	253		500.0	88.8	140		0.884
195	999		0.864	164	346		\$85.5
१२६	\$90		9.02E	866	84.9		1.787
890	898		૦.૩૮૫	86/0	860		0.684
355	195		0.804	239	989		0,380
959	874	8	0.770	935	863	2	0.206
\$3o	194	2	०,२००	800	823	2	0,784
989	295	2	0.998	50.5	१६३		0.1325
999	275	ę	0.852	507	858	8	0.866

महाराष्ट्र शासन	राजपत्र	असाधारण	धाग	चार-ब,	सप्टेंबर	? 8,	२०१५/आश्विन	۶,	ल के	1110

- 24

भाग चार-ज-२२७-४

(8)	(5)	(3)	(x)	(8)	(?)	(\$)	(8)
হত?	858	2	0,552	293	208		0.178
(38	140	1	0.280	568	२०५		0.108
104 104	166		0,723	284	206	2	0, 800
105	144		०.५२५ ०.५२९	२१६	२०६	Ŷ	१.१६४
104	145		0.936	285	200	231	0.883
205	140		0,8'00	355	208		0.7%0
203	200		0.0%3	999	280		0.205
360	105		0.774	250	225		0.75%
838	202		0.376	नन्त	282		0.498
525	হতহ		0,840	२२२	283		0.755
123	108		0.782	555	288		0,734
828	104		0.901	258	રશ્પ		0.958
824	१७६		0.792	२२५	२१६	2	2.037
25	100		2.980	२२६	286	۶ ج	0.850
100	205		0,300	250	286		0,705
244	9019		0.743	255	285		0.009
255	260		0.85%	255	255		0.203
299	828		0.640	550	220		0.04
395	868		e.203	२३१	999		P.866
599	123		0,520	२३२	२२२		0.248
593	828		0.070	565	२२३		0,05,1
898	264		0.709	538	२२४		0.485
294	165		0,070	२३५	રસ્પ		0,880
295	160		0.025	ବ୍ୟକ୍	२२६		0,4,94
093	205		0.444	₹¥ø	295		0,0%
395	169		0.360	742	276		0.045
223	190		0.830	985	979		0,355
900	888		૦,૧૫૭	580	530		0.500
908	525		0.1338	5.8.5	२३१		0.890
505	\$93		0.705	385	585		0.090
Şağ	86x		0,Ę(gą	583	533		0,770
50.8	294		900'.0	58.8	53.8		0.084
204	198		0.38.8	584	રવેબ		e.790
905	\$610		0.602	586	२३६		0.824
2010	295		0.3%0	580	230		a.430
205	868		0.250	585	355		390.0
909	500		0.633	586	536		0,0%0
980	202		0.050	340	580		0,800
888	303		0.780	548	3.85		0.834
585	503		0,853	245	585		0.76

महाराष्ट्र प्रासन राजपत्र असाधारण भाग चार-ब, सप्टेंबर २३, २०१५/आण्विन १, प्रके १९३७

(3)	(?)	(3)	(¥)	(8)	(?)	(\$)	(8)
743	583		૦,૨૭૬	749	585		0,080
248	58.8		0,090	3 60	240		0,0%0
744	984		0_0₹0	252	રપર		0_0%0
745	२४६		0_070	२६२	242		0,070_0
240	58.9		0_0%a	२ ह३	243		0.088
246	385		0,020	835	248		0,593,0
						एकूण	69.240

महाराष्ट्र झासन राजपत्र असाधारण भाग चार-ब, सप्टेंबर २३, २०१५/आश्विन ९, झके १९२७

70

चतुःसिमाः

उत्तरेस.—नाला

दक्षिणेस.—मौजे हळखुर्दची शीव.

पूर्वेस.—मोने मानकिवलीची शौध व मौने अंजरूनचे गट नंबर २०८.

पश्चिमेस.—नाला.

मौने तडवली, तालुका कर्जत, जिल्हा रायगड

अनुक्रमांक	गर	हिस्सा	क्षेत्र	अनुक्रमांक	गट	हिस्सा	क्षेत्र
	नंबर	नंबर	(हे. आर)		नंबर	नंबर	(हे. आर)
(8)	(7)	(\$)	(¥)	(१)	(?)	(३)	(¥)
8	20	2	0_?30	25		R	0.432
2		२अ	0.984	२३		ą.	993.0
3		२ व	0,760	38		x	6.883
x	24	3	0.888	વબ	55	ø	0.368
4		3	0.593	75	28	0	0,300
Ę	२६	१म	598.5	20	34	٥	0.405
6		१ व	2,000	76	३६	3	0.75.0
८ ९		\$	0.763	7 9		۶ ع	0.76,2
٩	915	\$	1.190	30		3	0.891
80		7	0.850	3€	₹œ	१ म	0,349
88	35	ø	0,446	55		१व	0,379
58	28	2	a atra	33	30	5	0,409
83		2	0.240	38	36	2	0.629
88		3	0.790	34		2	0,545
84		¥	0,840	36	99	a	\$59.8
35		4	\$.850	₹ø	80	१ म	0.483
80	30	a	0.866	36		२ अ	0.302
14	38	2	0.999	74		3	0.074
99		2	\$30.0	80		ধ্ব হন	0.38.R
20		3	0,4,0%	88	85	3	1.550
75	99	2	0.317	88		২জ	2.920

भग चर-त-२२७-४अ



	अनुसूची—समाज,										
(8)	(?)	(\$)	(¥)	(१)	(7)	(\$)	(x)				
83		२ च/१	o.730	53	84	5	0,3E0				
88		२ च/२	0,750	62		۲ ۲ ۵	0.200				
84		ą	0.320	63	86	ø	0,930				
88		×	০,০%০	88	6.9.	\$	5.886				
80	85	1	0.894	54		2	0.060				
86		2	0.095	ĘĘ		3	0,7150				
88		3	0.447	6.9	86	a	4. <i>85</i> 4				
40		×	0.744	52	46	2	0,430				
48		4	2.340	59	48	R	0_240				
42		Ę	0.302	100		5 5 7	0.580				
43		6	9.385	90		×	a,Ę.ტa				
48		e	0,074	'98'		ધ.મ	8,733				
44		د ۹	0.032	\$e'		<i>५</i> व	0,465				
48	83	9	590.0	60	48	Ę	@.233				
40	88	1	१.३२९	194		0	0.240				
46		२अ	0.770	36		63	७,२२०				
49		२व	0.866	50		८ व	0,409				
Ę¢.		3	4.439	30	40	0	0.734				
						एकूच	39.249				

महाराष्ट्र झासन राजपत्र असाधारण भाग चार-ब, सप्टेंबर २३, २०१५/आश्विन १, झके १९३७

चतुःसिमा ः

उत्तरेस.—मौने तळवली सर्व्ड नं. १, २, गावठाण, १०, ९, २२. वक्षिणेस.—मौने नावंडे व वांगणोची शौव पूर्वेस.—मौने तळवली सर्व्ड नं. २४. पश्चिमेस.—फॉरेस्ट.

महाराष्ट्राचे राज्यपाल खांच्या आदेशानुसार व नावाने,

बे. भू. लटके,

शासनाचे उप संचिव.



महाराष्ट्र ज्ञासन राजपत्र असाधारण भाग चार-ब, सप्टेंबर २३, २०१५/आश्विन १, शके १९३७

INDUSTRIES, ENERGY AND LABOUR DEPARTMENT

Madam Cama Marg, Hutatma Rajguru Chowk, Mantralaya, Mumbai 400 032, dated the 22nd September 2015

NOTIFICATION

MAHARASHTRA INDUSTRIAL DEVELOPMENT ACT, 1961.

No. IDC. 2007/(718)/IND-14.—In exercise of powers conferred by sub-section (3) of section I of the Maharashtra Industrial Development Act, 1961 (Mah. III of 1962), the Government of Maharashtra hereby appoints 23rd September 2015 to be the date from which the provisions of Chapter VI of the said Act shall take effect in certain areas of villages Kelvali, Vangni, Ghodivali, Kandroli, Navandhe, Mankivali, Helkhurd, Anjarun, in Taluka Khalapur of District Raigad and village Talavli in Taluka Karjat of District Raigad, mentioned in the Schedule appended hereto and declares the said area to be an industrial area under clause (g) of section 2 of the said Act, for the purpose of the said Act;

The said area is more clearly defined in red in the maps deposited in the offices of the Chief Executive Officer, Maharashtra Industrial Development Corporation, Andheri (East) Mumbai 400 093 and Sub Divisional Officer, Khalapur, Division Khalapur, District Raigad and is bounded by the areas as indicated in the said schedule.

121.1	10.00	1.0
Sch	$\rho d u$	110
1000		

Village Kelvali, Taluka Khalapur, District Raigad

Serial No.	Survey No.	Hissa No.	Area (H. R.)	Serial No.	Survey No.	Hissa No.	Area (H. R.)
(1)	(2)	(3)	(4)	(1)	(2)	(3)	(4)
1	1	0	0.791	26		В	0.030
2	9	0	1.238	27	31	1	0.800
1 2 3	11	0	0.758	28		2	0.200
	12	0	1.047	29	32	0	0.759
4 5	14	0	0.207	30	33	0	0.822
6	15	0	0.150	31	34	0	0.781
7 8	16	1	0.235	32	35	0	0.455
8	17	0	0.347	33	36	0	0.455
9	18	0	0.482	34	37	0	0.104
10	19	0	0.540	35	38	0	0.457
11	20	0	0.397	36	39	0	0.234
12	21	0	1.532	37	40	0	0.718
13	22	0	0.836	38	41	0	0.380
14	23	0	0.230	39	42	0	1.095
15	24	0	0.100	40	43	0	0.995
16	25	0	0.290	41	44	0	1.130
17	26	A	0.406	42	45	0	0.526
18		В	0.620	43	46	0	0.392
19		С	0.468	44	47	0	0.200
20	27	0	0.642	45	48	0	1.143
21	28	0	0.225	46	49	0	1.350
22	29	0	0.672	47	50	0	0.426
23	30	1	0.600	48	51	0	0.417
24		2 A	0.331	49	52	0	0.099
25	31	A	0.419	50	53	0	0.332



1)	(2)	(3)	(4)	(1)	(2)	(3)	(4)
51	54	А	0.343	99	99	0	0.890
52		В	0.357	100	100	0	0.417
53	55	0	0.440	101	101	0	0.350
54	56	0	0.578	102	102	0	0.050
55	57	0	0.248	103	103	A	0.637
56	58	0	0.228	104		в	0.030
57	59	0	1.010	105	104	0	0.320
58	60	0	0.351	106	105	0	0.585
59	61	A	1.300	107	106	0	0.383
60		В	0.190	108	107	0	0.091
61	62	0	0.530	109	108	0	0.210
62	63	0	0.120	110	109	0	0.737
63	64	0	0.375	111	110	0	0.546
64	65	0	0.356	112	111	0	0.947
65	66	0	0.898	113	112	0	0.050
66	67	1	0.500	114	113	0	0.238
67		2	0.400	115	114	A	0.200
68		3	0.385	116		в	0.099
69	68	0	1.640	117		С	0.030
70	69	0	0.397	118	115	0	0.480
71	70	0	0.698	119	116	0	0.290
72	71	0	0.928	120	117	0	0.056
73	72	0	0.756	121	118	0	1.955
74	73	0	0.610	122	119	0	0.370
75	74	0	0.484	123	120	1	0.329
76	76	0	1.146	124		2	0.400
77	77	0	1.705	125	121	0	0.620
78	78	0	0.853	126	122	0	0.462
79	79	0	0.407	127	123	0	0.410
80	80	0	0.520	128	124	0	0.700
81	81	0	0.530	129	125	0	0.691
82	82	0	0.410	130	126	0	0.221
83	83	0	0.057	131	127	0	0.025
84	84	0	0.057	132	128	0	0.392
85	85	0	0.446	133	129	0	0.420
86	86	0	0.270	134	130	0	0.728
87	87	0	0.660	135	131	0	0.163
88	88	0	0.320	136	132	0	0.190
89	89	0	1.581	137	133	0	1.113
90	90	0	0.050	138	134	0	0.329
91	91	0	0.050	139	135	0	0.386
92	92	0	0.662	140	136	0	0.372
93	93	0	0.010	141	137	0	0.918
94	94	0	0.791	142	138	0	0.119
96	95	0	0.160	143	139	0	0.060
96	96	0	0.069	144	140	0	0.144
97	97	0	0.371	145	141	0	0.025
98	98	0	0.288	146	142	0	1.095

महाराष्ट्र झासन राजपत्र असाधारण भाग चार-व, सप्टेंवर २३, २०१५/आश्विन १, झके १९३७



(1)	(2)	(3)	(4)	(1)	(2)	(3)	(4)
147	143	0	0.916	163	182	0	0,710
148	144	0	0.129	164	183	0	0.420
149	145	0	0.520	165	184	0	0.005
150	146	0	0.944	166	185	0	0.463
151	147	0	0.410	167	186	0	0.280
152	148	0	0.410	168	187	0	0.270
153	149	0	0.460	169	188	0	1.620
154	150	0	0.280	170	189	0	9.140
155	151	0	1.910	171	190	0	0.030
156	152	0	0.155	172	191	0	0.010
157	153	0	0.155	173	192	0	0.015
158	154	0	0.185	174	193	0	0.025
159	155	0	0.200	175	194	0	0.040
160	156	0	0.900	176	195	0	0.023
161	157	0 0	0.830	177	196	0	0.010
162	158	0	0.610	178	197	0	1.125
				179	198	0	0.420
						Total	97.291

महाराष्ट्र ज्ञासन राजपत्र असाधारण भाग चार-ब, सप्टेंबर २३, २०१५/आश्विन १, ज्ञके १९३७

Boundaries :

On the North by .- Central Railway

On the South by .- Boundary of Village Dholivali & Nala

On the East by .- Village Kelvli Survey No. 137, 138, 139, 140, 141, 142, 146, 149, 152, 160

On the West by .- Boundary of Village Vangni & Navandhe.

Serial No.	Survey No.	Hissa No.	Area (H. R.)	Serial No.	Survey No.	Hissa No.	Area (H. R.)
(1)	(2)	(3)	(4)	(1)	(2)	(3)	(4)
1	1	0	0.010	18	19	0	1.210
2 3 4	2	0	0.590	19	20	0	0.028
3	3	0	0.301	20	21	0	0.033
4	4	0	0.573	21	22	0	0.217
5 6	Б	0	0.390	22	23	0	2.050
6	6	0	0.324	23	24	0	0.618
7	8	0	0.474	24	25	0	0.899
8 9	9	0	0.417	25	26	0	0.350
9	10	0	0.060	26	27	0	0.324
10	11	0	0.202	27	28	0	0.400
11	12	0	0.140	28	29	0	0.750
12	13	0	1.140	29	30	A 1	0.460
13	14	0	0.099	30		B 2	0.060
14	15	0	0.463	31	31	0	0.070
15	16	0	0.554	32	32	0	2.540
16	17	0	0.060	33	33	0	0.780
17	18	0	0.633	34	34	0	0.290

Village Vangni, Taluka Khalapur, District Raigad



(1)	(2)	(3)	(4)	(1)	(2)	(3)	(4)
35	37	0	0.220	63	66	0	0.490
36	38	0	0.140	64	67	0	0.706
37	39	0	0.140	65	68	0	0.015
38	40	0	2.690	66	69	0	0.465
39	41	0	2.400	67	70	0	0.163
40	42	0	0.162	68	71	0	0.152
41	43	0	0.931	69	72	0	1.072
42	44	0	0.930	70	73	0	0.422
43	45	0	0.045	71	74	0	1.411
44	46	0	0.555	72	75	0	0.291
45	47	0	0.686	73	76	0	0.866
46	48	0	0.670	74	77	0	0.334
47	49	0	0.050	75	78	0	0.130
48	50	0	1.833	76	79	0	0.080
49	51	0	2.558	77	80	0	0.332
50	52	0	0.274	78	81	0	0.582
51	53	0	0,537	79	82	0	0.493
52	54	0	0.584	80	83	0	0.653
53	55	0	0.400	81	84	0	0.352
54	56	0	0.040	82	85	0	0.137
55	57	0	0.820	83	86	0	0.591
56	58	0	0.285	84	87	0	0.824
57	59	0	1.376	85	88	0	0,124
58	60	0	0.172	86	89	0	0.493
59	61	0	0.150	87	90	0	0.571
60	62	0	0.820	88	91	0	0.402
61	63	0	0.646	89	92	0	0.511
62	65	0	1.134	90	93	0	0.607
				91	94	0	0.582
				92	95	0	0.020
						Total	52.661

महाराष्ट्र प्रासन राजपत्र असाधारण भाग चार-ब, सप्टेंबर २३, २०१५/आश्विन १, ज्ञके १९३७

Boundaries :

On the North by .- Boundary of Village Talvali

On the South by .- Boundary of Village Kelvali

On the East by,-Boundry of Village Kelvali

On the West by .- Boundary of Navandhe

Village Ghodivali,	Taluka	Khalapur,	District	Raigad.
--------------------	--------	-----------	----------	---------

Serial No.	GAT No.	Hiss No.	Area (H. R.)	Serial No.	GAT No.	Hiss No.	Area (H. R.)
(1)	(2)	(3)	(4)	(1)	(2)	(3)	(4)
1	1		0.354	ō	4		0.137
2	2	1	0.147	6	5		0.540
3	2	2	0.045	7	6		0.250
4	3		0.139	8	7		0.144



1)	(2)	(3)	(4)	(1)	(2)	(3)	(4)
9	8		0.469	57	58		0.347
10	9		0.979	58	59		0.050
11	10		0.177	59	60		0.020
12	11		1.368	60	61		0.421
13	12		1.193	61	62		0.659
14	13		0.123	62	63		0.400
15	14		0.556	63	64		0.520
16	15		0.005	64	65		0.071
17	16		0.470	65	66		0.117
18	17		0.071	66	67		0.610
19	18		0.119	67	68		0.870
20	19		0.030	68	69		0.186
21	20		0.856	69	70		0.290
22	21		0.847	70	71		0.020
23	22		0.321	71	72		0.239
24	23		1.205	72	73		0.800
25	24		0.450	73	74		0.483
26	26		1.775	74	75		0.630
27	27		0.311	75	76		0.850
28	28		0.180	76	77		0.372
29	31		2.787	77	78		0.445
30	32		0.884	78	79		0.540
31	33		0.410	79	80		0.400
32	34		0.100	80	81		0.407
33	35	1	0.120	81	82		0.303
34	35	$\frac{1}{2}$	0.437	82	83		0.842
35	36		1.086	83	84		0.454
36	37		0.798	84	85		0.253
37	38		0.475	85	86		0.260
38	39		0.966	86	87		0.387
39	40		0.318	87	88		0.335
40	41		0.071	88	89		0.220
41	42		0.119	89	90		0.300
42	43		0.134	90	91		0.228
43	44		0.045	91	92		0.384
44	45		0.520	92	93		0.582
45	46		0.105	93	94		0.165
46	47		0.358	94	95		0.625
47	48		0.060	95	96		0.100
48	49		0.640	96	97		1.138
49	50		0.150	97	98		0.060
50	51		0.222	98	99		0.940
51	52		0.120	100	100		0.280
52	53		0.015	101	101		0.710
53	54		0.010	102	102		0.299
54	55		0.220	103	103		0.580
55	56		0.381	104	104		0.511
56	57		0.320	105	105		0.215

महाराष्ट्र शासन राजपत्र असाधारण भाग चार-ब, सप्टेंबर २३, २०१५/आण्विन ९, शके १९३७

33

भाग चार-च-२२७-५



1)	(2)	(3)	(4)	(1)	(2)	(3)	(4)
06	106		0.540	154	153		1.270
07	107		0.498	155	154		0.460
08	108		0.328	156	157		0.920
09	109		0.440	157	158		0.270
10	110		0.500	158	159		0.410
11	111		1.160	159	160		0.490
12	112		0.189	160	161		0.993
13	113		0.750	161	162		1.880
14	114		0.020	162	163		0.696
15	115		0.890	163	164		0.279
16	116		0.110	164	165		0.070
17	117		0.730	165	166		0.690
18	118		0.290	166	167		0.466
19	119	1	0.421	167	168		0.425
20	119	2	0.360	168	169	1	0.110
21	120		0.310	169	169	2	0.110
22	121		0.410	170	170		0.096
23	122		0.550	171	171		0.069
24	123		0.646	172	172	1	0.599
25	124		0.434	173	172	2	0.040
26	125		0.243	174	173		0.614
27	126		0.090	175	174		0.779
28	127		0.851	176	175		0.180
29	128		0.725	177	176		0.140
30	129		1.297	178	177		1.520
31	130		0.116	179	178		0.710
32	131		0.142	180	179		0.150
33	132		0.063	181	180		1.620
34	133		0.673	182	181		0.840
35	134		0.157	183	182	1	0.177
36	135		0.117	184	182	2	0.170
37	136		1.549	185	183	1	0.247
38	137		0.400	186	183	2	0.150
39	138		0.273	187	184	19-21	0.340
40	139		0.538	188	185		0.290
41	140		0.510	189	186		0.750
42	141		0.530	190	187		0.240
43	142		0.460	191	187		0.260
44	143		0.170	192	188		1.210
45	144		0.150	193	189		0.650
46	145		0.130	194	190		0.200
47	146		0.159	195	192		0.550
48	147		0.640	196	193		0.960
49	148		0.507	197	194		2.050
50	149		0.144	198	195		1.650
51	150		0.130	199	196		2.670
52	151		0.090	200	197		5.330
53	152		0.550	201	198		1.230

महाराष्ट्र शासन राजपत्र असाधारण भाग चार-त्र, सप्टेंबर २३, २०१५/आश्विन १, शके १९३७



(1)	(2)	(3)	(4)	(1)	(2)	(3)	(4)
202	199		3.510	250	248		0.070
803	200		0.680	251	249		0.372
204	201		0.260	252	250		0.250
805	202		2.019	253	251		0.099
806	203		0.200	254	252		0.096
807	204		0.410	255	253		0.119
206	205		0.620	256	254		0.291
809	206		0.130	257	255		0.175
210	207		0.256	258	256		0.466
11	208		0.863	259	257		0.634
812	209		3.790	260	258		1.067
213	210		3.490	261	259		0.640
214	211		0.340	262	260		0.222
15	212		0.160	263	261		0.045
216	213		0.642	264	262		0.040
217	214		0.807	265	263		1.080
218	215		0.948	266	264		0.025
219	216		1.329	267	265		0.830
20	217		0.217	268	266		0.121
221	218		0.043	269	267		1.440
22	219		0.177	270	268		0.020
23	220		0.043	271	269		0.377
24	221		0.152	272	270		0.163
225	222		4.022	273	271		0.064
226	223		1.232	274	272		0.683
27	224		0.294	275	273		1.030
228	225	1	3.354	276	274		0.038
29	225	2	0.990	277	275		0.068
30	226		0.560	278	277		0.080
231	227	2	1.090	279	278		0.850
32	228		0.560	280	279		0.420
233	229		0.290	281	280		0.642
134	230		0.233	282	281		0.200
35	231		1.499	283	282		0.662
236	232		0.010	284	283		0.081
37	233		0.400	285	284		0.303
138	235		0.370	286	285		0.130
39	236		0.100	287	286		0.270
840	237		0.088	288	287	1	0.279
241	238		0.330	289	287	2	0.233
342	239	1	0.640	290	288	1	0.572
243	239	2	0.584	291	288	2	0.135
844	240	94245	0.228	292	289	000	0.347
845	241		0.050	293	290		0.300
246	242		0.235	294	291		1.739
247	243		1.398	295	292		0.918
248	245		1.170	296	293		1.430
249	247		0.354	297	294		0.541

महाराष्ट्र शासन राजपत्र अस	धारण भाग चार-च.	सप्टेंबर २३.	২০৪৬/জান্দ্রিন ৪,	NE99 के
and a more design one	second the second second	SE2627.140	to Compare M	des Juda

靹

भाग चार-च-२२०-५अ



(1)	(2)	(3)	(4)	(1)	(2)	(3)	(4)
298	295		1.674	346	344		0.167
299	296		0.498	347	345		0.319
300	297		1.047	348	346		0.226
301	298		0.137	349	347		0.070
302	299		0.720	350	348		0.300
303	300		0.532	351	349		0.862
304	301		0.264	352	350		0.320
305	302		0.208	353	351		0.270
306	303		0.318	354	352		0.033
307	304		0.196	355	353		0.120
308	305		0.340	356	354		0.390
309	307		0.358	357	355		0.182
310	308		0.060	358	356		0.154
311	309		0.131	359	357		0.033
312	310		0.056	360	358		0.180
313	311		0.114	361	359	1	0.140
314	312		0.048	362	359	1 2	0.186
315	313		0.290	363	360		0.149
316	314		0.200	364	361		0.253
317	315		0.013	365	362		0.104
318	316		0.249	366	363		0.066
319	317		0.048	367	364	1	0.520
320	318		0.344	368	364	2	1.245
321	319		0.113	369	365		0.099
322	320		0.340	370	366		0.056
323	321		1.472	371	367		0.210
324	322		0.120	372	368		0.100
325	323		0.976	373	369		0.149
326	324		1.485	374	370		0.122
327	325		0.800	375	371		0.510
328	326		0.187	376	372		0.253
329	327		0.090	377	373		0.264
330	328		0.289	378	374		2.205
331	329		0.063	379	375	1	0.200
332	330		0.954	380	375	2	0.050
333	331		0.160	381	376		0.620
334	332		0.360	382	377		0.930
335	333		0.490	383	378		0.320
336	334		0.245	384	379		0.700
337	335		0.350	385	380		0.060
338	336		0.310	386	381		0.180
339	337		0.086	387	382		0.250
340	338		0.604	388	383		0.075
341	339		0.029	389	384		0.233
342	340		0.240	390	385		0.142
343	341		0.160	391	386		0.540
344	342		0.060	392	387		0.271
345	343		0.277	393	388		0.480

महाराष्ट्र झासन राजपत्र असाधारण भाग चार-ब, सप्टेंबर २३, २०१५/आण्विन १, झके १९३७



1)	(2)	(3)	(4)	(1)	(2)	(3)	(4)
94	389		0.015	442	440		1.020
95	390		0.182	443	441		0.078
96	391		0.260	444	442		0.081
97	392		0.326	445	443		1.010
98	393		0.439	446	444		0.296
99	394		0.290	447	445		0.175
00	395		0.220	448	446		1.000
01	396		0.110	449	447		0.339
02	397		0.015	450	448		0.250
03	401		0.175	451	449		0.400
04	404		0.110	452	450		0.387
05	405		0.167	453	451		0.068
06	406		0.721	454	452		0.088
07	407		0.147	455	453		0.461
08	408		0.552	456	454		0.111
09	409		0.141	457	455		0.043
10	410		0.147	458	456		0.110
11	411		0.066	459	457		0.363
12	412		0.140	460	458		0.096
13	413	1	5.533	461	459		0.137
14	413	2	0.210	462	460		0.061
15	413	3	0.240	463	461		0.060
16	414	020	0.060	464	462	1	0.150
17	415		0.873	465	462	2	0,140
18	416		0.200	466	463		0.340
19	417		1.183	467	464		0.076
20	418		0.685	468	465		0.267
21	419		0.217	469	466		0.015
22	420		0.387	470	467		0.326
23	421		0.051	471	468		0.010
24	422		0.135	472	469		0.160
25	423		0.120	473	470		0.150
26	424		0.233	474	471		0.250
27	425		0.220	475	472		0.120
28	426		0.212	476	473		0.200
29	427		0.150	477	474		0.269
30	428		0.319	478	475		0.020
31	429		0.068	479	476		0.256
32	430		0.290	480	477		0.367
33	431		0.164	481	478		0.367
34	432		0.172	482	479		0.280
35	433		0.106	483	480		0.620
36	434		0.601	484	481		0.142
37	435		0.139	485	482		0.030
38	436		0.159	486	483		0.080
39	437		0.240	487	484		0.310
40	438		0.150	488	485		0.310
41	439		0.090	489	486		0.083

महाराष्ट्र प्रासन राजपत्र असाधारण भाग चार-ब, सप्टेंबर २३, २०१५/आश्विन १, प्रके १९३७

देव



(1)	(2)	(3)	(4)	(1)	(2)	(3)	(4)
490	487		0.234	530	528		0.650
491	488		0.101	531	529		0.271
492	489		0.706	532	531		0.740
493	490		0.073	533	532		0.761
494	491		0.099	534	533		0.310
495	492		0.630	535	534		0.130
496	492		0.050	536	535		0.190
197	494		0.076	537	536		0.860
198	495		0.413	538	537		0.327
199	496		0.070	539	538		0.045
100	497		0.139	540	539		0.240
	498		0.066	541	540		0.114
501 502	499		0.822	542	541		0.035
503	500		0.140	543	542		0.174
	501		0.673	544	543		0.445
504				545	544		0.099
505 50e	502		0.757	546	545		0.164
506	503		0.096	547	546		0.547
507	504		0.079	548	547		0.184
508 500	506		0.198	549	548		0.104
509	507		0.053	550	549		0.058
510	508		0.033		550		
511	509		0.244	551			0.189
512	510		0.330	552 553	551		0.233 0.803
13	511		0.080		552		0.056
514	512		0.180	554	553		1.433
15	513		0.160	555 556	554 555		
516	514		0.884	556	556		0.045
517	515		0.688	557			0.063
518	516		0.056	558	557		0.718
519	517		0.110	559	558		0.817
520	518		0.320	560	559		0.877
521	519		0.015	561	560		0.789
522	520		2.182	562	561		0.150
523	521		0.467	563	562		2.561
524	522		0.359	564	563		0.107
525	523		0.104	565	564		0.248
526	524		0.742	566	565		0.359
527	525		0.050	567	566		0.494
528	526		0.372	568	567		0.127
529	527		0.490	569	569		0,112
						Total	256.551

			and the second s		the second se			Distance in the second s	a contract of the second of the	
महाराष्ट्र	आसन	राजचत्र	असाधानण	आग	चार-ब	मण्डवर	23.	२०१५/आण्विन	6/E99 76TE .9	
			and show that the state					Act of the second second	We share the state of the state	

Bundaries -

On the North by .--- Village Godivali Gat No. 155 & 191

On the South by .- Nala

On the East by .- Village Boundry of Kandroli

On the West by .- Village Boundry of Khalapur and village Kandroli Gat No. 29, 30.



महाराष्ट्र झासन राजपत्र असाधारण भाग चार-ब, सप्टेंबर २३, २०१५/आण्विन १, झके १९३७

38

Serial No. (1)	Survey No. (2)	Hiss No. (3)	Area (H. R) (4)	Serial No. (1)	Survey No. (2)	Hiss No. (3)	Area (H, R) (4)
2	2	3	0.090	48	10	3B	0.345
2 3	2	4	0.070	49	10	3C	1.294
4	2	5	0.250	50	10	4	0.167
5	2	6	0.060	51	10	6	0.200
6	2	7	1.670	52	10	8	0.144
7	3	1	5.610	53	10	9	0.010
8	3	2	0.020	54	10	10	0.160
9	3	3	0.070	55	10	11	0.005
10	4	1	0.060	56	10	12	0.272
11	4	2	0.191	57	10	13	0.120
12	4	3	0.035	58	10	14	0.157
13	4	4	0.067	59	11	1	0.414
14	4	5	0.079	60	11	2	0.337
15	4	6	0.061	61	11	3	0.419
16	4	7	0.104	62	11	4A	0.010
17	4	8	0.025	63	11	4B	0.015
18	5	1	0.448	64	11	5	0.230
19	5	2	0.078	65	11	6	0.165
20	6	1A	0.703	66	13	1	0.033
21	6	1B	0.790	67	13	2	0.220
22	6	1C	0.789	68	13	3	0.030
23	6	2	0.167	69	13	4A	0.475
24	6	3	0.033	70	13	4B1	0.034
25	6	4	0.020	71	13	4B2	0.029
26	7	1	0.446	72	13	4B3	0.029
27	7	2	0.288	73	13	4B4	0.027
28	7	3A1	0.495	74	13	4B5	0.028
29	7	3A2	0.495	75	13	4B6	0.026
30	7	3A3	0.506	76	13	4B7	0.030
31	7	3B	0.367	77	13	4B8	0.038
32	7	4	0.177	78	13	4B9	0.047
33	7	5	0.130	79	13	4B10	2.980
34	7	6	0.030	80	13	4B11	0.029
35	8	2	1.100	81	13	4B12	0.040
36	9	$^{2}_{1}$	0.076	82	13	4B13	0.028
37	9	2A	0.402	83	13	4B14	0.055
38	9	2B	0.400	84	13	4B15	0.029
39	9	3	0.086	85	13	4B16	0.029
40	9	4	0.025	86	13	4B17	2.940
41	9	5	1.923	87	13	4B18	0.046
42	9	6	0.440	88	13	4B19	0.032
43	9	7	0.079	89	13	4B10 4B20	0.032
44	9	8	0.075	90	13	4B20 4B21	0.031
45	9	9	0.070	90	13	4B21 4B22	0.043
46	10	9	0.038	92	13	4B22 4B23	0.028



Ye

(1)	(2)	(3)	(4)	(1)	(2)	(3)	(4)
93	13	4B24	0.028	141	22	1	0.595
94	13	4B25	0.036	142	22	2	0.300
95	13	4B26	0.028	143	22	3	0.038
96	13	4B27	0.029	144	22	4	0.087
97	13	4B28	0.029	145	22	5	0.160
98	13	4B29	0.030	146	22		0.570
99	13	4B30	0.030	147	23	1	0.258
100	13	4B31	0.367	148	23	2	0.617
101	15	1	0.989	149	23	6 1 2 3	0.261
102	15	2A	0.366	150	23	4	0.280
103	15	2B	0.080	151	23	5	0.147
104	17	1A	0.861	152	24	1	0.244
105	17	2	0.061	153	24		0.287
106	17	3B	0.347	154	24	2 3	0.060
107	17	3C	0.043	155	24	4 5	0.489
108	17	3A1	0.334	156	24	5	0.290
109	17	3A2	0.180	157	24	6	0.099
110	17	Б	0.030	158	25	1	0.690
111	17	6A	0.015	159	25		0.111
112	17	6B	0.130	160	25	23	0.480
113	17	8A	0.190	161	25	4	0.040
114	17	8B	0.203	162	25	5	0.116
115	17	9A	0.100	163	25	6	0.056
116	17	9B	0.073	164	25	5 6 7 8	0.266
117	17	11A	0.106	165	25	8	0.071
118	17	13	0.008	166	25	9	0.326
119	18		0.083	167	25	10	0.126
120	19	1	0.110	168	25	11	0.073
121	19	2	0.300	169	25	12	0.030
122	19	2 3	0.080	170	25	13	0.078
123	19	4	0.370	171	25	14	0.040
124	19	5	0.040	172	25	15	0.033
125	20	1	0.473	173	26	1	0.338
126	20	2	0.140	174	26	3A	0.020
127	20	3	0.033	175	26	3B	0.040
128	20	4	0.270	176	26	4	0.206
129	20	5	0.116	177	26	7	0.023
130	20	6	0.569	178	26	8A	0.460
131	20	7	0.086	179	26	8B	0.403
132	20	78	0.150	180	26	8C	0.455
133	20	9	0.280	181	27	1A	0.172
134	20	10	0.091	182	27	1B	0.210
135	20	11	0.033	183	27	3	0.260
136	21	1	0.172	184	27	4A	0.39.5
137	21	2	0.422	185	27	4B	0.392
138	21	3	0.200	186	28	1	0.130
139	21	4	0.363	187	28	2A	1.003
140	21	5	0.060	188	28	2B	0.180

महाराष्ट्र प्रासन राजपत्र असाधारण भाग चार-ब, सप्टेंबर २३, २०१५/आण्विन १, प्रके १९३७



(1)	(2)	(3)	(4)	(1)	(2)	(3)	(4)
189	28	3	0.232	232	32	9	0.163
190	28	5	0.094	233	32	10	0.290
191	28	6	0.131	234	32	11	0.140
192	28	7A	0.370	235	33	1	0.170
193	28	7B	0.096	236	33	2	0.060
194	28	8	0.182	237	33	3A	0.410
195	28	9	0.392	238	33	3 B	0.197
196	28	10	0.005	239	33	4	0.160
197	29	1	0.090	240	33	5	0.110
198	29	2A	0.390	241	33	7	0.195
199	29	2B	0.660	242	33	8	0.268
200	29	3	0.023	243	33	9	0.127
201	29	4	0.160	244	33	10	0.620
202	29	5	0.070	245	33	11	0.030
203	29	6A	0.269	246	34	1A	0.020
204	29	6B	0.197	247	34	1B	0.070
205	29	8A	0.203	248	34	2	0.190
206	29	SB	0.060	249	34	3	0.190
207	30	1	0.242	250	34	4	0.030
208	30	2	0.374	251	34	5	0.111
209	30	3	0.335	252	34	6	1.191
210	30	4	0.210	253	34	7	0.251
211	30	5	0.073	254	34	8	0.048
212	30	6A	0.295	255	34	9	0.148
213	30	6B	0.233	256	34	10	0.038
214	30	6C		257	35	1	0.038
	30	7	0.182	258	35	2	0.010
215	30	9	0.058	259	36	1	0.661
216			0.270	260	36	2A	0.051
217	30	10	0.267	261	36	2B	0.038
218	30	11	0.220	261	38		0.045
219	30	12	0.023	263	38	1 2	0.045
220	31		0.240	200	-00	4	0.026
221	32	1	0.090	970	00	0	0.027
222	32	2A	0.115	279	38	3	0.027
223	32	2B	0.016	280	38	4A 4B	0.033
224	32	3A	0.142	281	38	4B	0.023
225	32	3B	0.347	282	38	5	0.033
226	32	3C	0.345	283	38	6	0.013
227	32	5A1	0.099	284	38	7	0.013
228	32	5A2	0.091	285	38	8	0.018
229	32	6	0.304	286	38	9	0.015
230	32	7A	0.230	287	38	10	0.010
231	32	8A	0.398	288	38	11	0.030
						Total	68.320

महाराष्ट्र झासन राजपत्र असाधारण भाग चार-ब, सप्टेंबर २३, २०१५/आण्विन १, झके १९३७

88

Bondaries :

On the North by .- Village Boundry of Navande

On the South by .-- Nala

On the East by .--- Village Boundry Navande

On the West by .- Village Boundry of Ghodivali

भाग चार-ब-२२ठ-६



महाराष्ट्र शासन राजपत्र असाधारण भाग चार-ब, सप्टेंबर २३, २०१५/आश्विन १, शके १९३७

Serial No.	Survey No.	Hiss No.	Area (H. R.)	Serial No.	Survey No.	Hiss No.	Area (H. R.)
(1)	(2)	(3)	(4)	(1)	(2)	(3)	(4)
1	102		0.290	47	182		0.110
2	107	1	0.230	48	183		0.167
2 3	108	1 1	0.200	49	184		0.805
4	113		1.260	50	185		0.663
5	114		0.550	51	186	1	0.096
6	115		1.550	52	186	$\frac{1}{2}$	0.139
7	116		0.530	53	187		0.167
8	117		0.180	54	188		0.256
9	118		0.410	55	189		0.326
10	119		0.420	56	190	1	0.310
11	120		0.350	57	190	2	0.880
12	121		0.120	58	191		0.090
13	122		0.630	59	192		0.061
14	123		0.220	60	193		0.076
15	127	Pt.	0.110	61	194		0.010
16	152		0.100	62	195		0.513
17	153		0.150	63	196		0.139
18	154		0.110	64	197		0.612
19	155		0.220	65	198		0.730
20	156		0.350	66	199		1.060
21	157	1	0.318	67	200		0.425
22	157	2	0.690	68	201		1.136
23	158		0.904	69	202		0.582
24	159		0.149	70	203	1	1.787
25	160		0.772	71	203	2	0.066
26	161		0.114	72	204		0,119
27	162		0.273	73	205	1	0.444
28	163		0.426	74	205	2	0.020
29	164		0.374	75	206		0.298
30	165		0.541	76	207		1.174
31	166		0.145	77	208		0.985
32	167		0.020	78	209		0.084
33	168		0.530	79	210		0.900
34	169		0.570	80	211		0.667
35	170		0.480	81	212		0.700
36	171	1	1.240	82	213		2.924
37	171	$\frac{1}{2}$	0.090	83	215		1.763
38	172		0.020	84	216		1.999
39	173		0.320	85	217		1.652
40	174		0.460	86	218		0.760
41	175		0.830	87	219	1	0.981
42	177		0.073	88	219	2	0.151
43	178		0.318	89	220		0.020
44	179		0.026	90	221		0.015
45	180		0.050	91	222		1.300
46	181		1.068	92	223		1.680



(1)	(2)	(3)	(4)	(1)	(2)	(3)	(4)
93	224		0.099	141	261	13	0.090
94	225		2.899	142	262		0.020
95	226		0.264	143	263		0.030
96	227		0.086	144	264	1	0.039
97	228		0.950	145	264		0.032
98	229		0.008	146	264	2 3	0.032
99	230		0.010	147	264	4	0.032
00	231		0.193	148	264	5	0.032
01	232		0.815	149	264		0.032
02	233		0.040	150	264	6 7 8	0.032
03	234		0.010	151	264	8	0.027
04	235		1.170	152	264	9	0.027
05	236		2.929	153	264	10	0.030
06	237		0.160	154	264	11	0.035
07	238		0.319	155	264	12	0.033
08	239		0.177	156	264	13	0.035
09	240		0.050	157	264	14	0.032
10	242		0.090	158	264	15	0.038
11	243		0.106	159	264	16	0.030
12	244	1	4.669	160	264	17	0.036
13	244	2	0.250	161	264	18	0.021
14	246	(research)	2.049	162	264	19	0.028
15	247		0.045	163	264	20	0.028
16	248		0.060	164	264	21	0.028
17	249		0.509	165	264	22	0.028
18	250		0.309	166	264	23	0.028
19	251		0.040	167	264	24	0.028
20	252		0.023	168	264	25	0.028
21	253		0.842	169	264	26	0.028
22	254		0.420	170	264	27	0.033
23	255		0.053	171	264	28	0.028
24	256		0.149	172	264	29	0.300
25	257		0.544	173	264	30	0.033
26	258		0.258	174	264	31	0.044
27	259		0.010	175	264	32	0.039
28	260		0.030	176	264	33	0.039
29	261	1	0.120	177	264	34	0.033
30	261		0.060	178	264	35	0.030
31	261	2 3	0.070	179	264	36	0.028
32	261	4	0.071	180	264	37	0.028
33	261	5	0.066	181	264	38	0.036
34	261	6	0.030	182	264	39	0.035
35	261	7	0.061	183	264	40	0.028
36	261	8	0.070	184	264	41	0.028
37	261	9	0.072	185	264	42	0.028
38	261	10	0.072	186	264	43	0.050
39	261	11	0.088	187	264	44	0.029
40	261	12	0.069	188	264	45	0.028

महाराष्ट्र प्रासन राजपत्र असाधारण भाग चार-ब, सप्टेंबर २३, २०१५/आश्विन १, प्रके १९३७



XX

(1)	(2)	(3)	(4)	(1)	(2)	(3)	(4)
189	264	46	0.028	206	276		0.090
190	264	47	0.045	207	277		0.434
191	264	48	0.647	208	278		0.289
192	264	49	0.241	209	279		1.089
193	264	50	1.234	210	284		1.662
194	265		0.066	211	285		0.539
195	266		0.050	212	286		0.260
196	267		0.237	213	287		0.020
197	268		1.087	214	310		0.008
198	269		0.058	215	135		0.400
199	270		0.043	216	280	1	1.980
200	271		0.455	217	280	1 2 3	0.650
201	272		1.797	218	280	3	0.480
202	273		1.105	219	281		0.060
203	274		0.060	220	282		0.890
204	275	1	1.280	221	283		0.190
205	275	2	0.154	1.1974.5	67924		20102083
						Total	89.571

महाराष्ट्र ज्ञासन राजपत्र असाधारण भाग चार-ब, सप्टेंबर २३, २०१५/आश्विन १, शके १९३७

Bondaries :

On the North by.-Gat No. 292, 293, 312, 150, 151, 145, 144, 181, 124, 188, 66, 180, 135, 299. On the South by .-- Nala.

On the East by .- Halbudruk- Karjat Road.

On the West by .- Village Boundry of Kandhroli.

	263277650	and the second se	lankivali, Talui		interaction and an and a second	and the second	
Serial No.	Survey No.	Hiss No.	Area (H. R.)	Serial No.	Survey No.	Hiss No.	Area (H. R.)
(1)	(2)	(3)	(4)	(1)	(2)	(3)	(4)
1	15		0.640	19	50		0.204
2	32		0.547	20	52		0.620
3	33		0.440	21	53		0.206
4	35		0.190	22	54		0.230
23456789	36		0.700	23	55		0.477
6	37		0.235	24	56	1	1.022
7	38		0.099	25	56	1 2	0.020
8	39		0.300	26	57		0.099
9	40		0.475	27	58		0.215
10	41		0.470	28	59		0.711
11	42		0.420	29	60		0.371
12	43		0.200	30	61		0.837
13	44		0.228	31	62		0.696
14	45		0.024	32	63		0.048
15	46		0.060	33	64		0.238
16	47		0.203	34	65		0.395
17	48		0.010	35	66		0.020
18	49		0.234	36	67		0.182

illage	Mankivali,	Taluka	Khalapur.	District	Raigad.



1)	(2)	(3)	(4)	(1)	(2)	(3)	(4)
37	68		0.435	85	121		0.010
38	69		0.243	86	122		0.238
39	70		0.483	87	123		0.327
40	71		0.604	88	124		0.013
11	72		0.086	89	125		0.076
12	73		0.680	90	126		0.094
13	74		0.486	91	127	1	0.258
14	75		0.420	92	127	1 2	0.248
45	76		0.680	93	128		0.106
46	77		0.350	94	129		0.114
47	78		0.400	95	130		0.233
18	79		0.191	96	131		0.086
19	80		0.035	97	133	Pt.	0.344
50	81		0.679	98	134		0.692
51	82		0.604	99	135		0.235
52	83		0.132	100	136		0.086
53	84		0.053	101	137		0.237
54	85		0.056	102	138		0.230
55	86		0.592	103	139	1	0.471
56	88		0.627	104	139	2	0.071
57	89	1	0.454	105	140		0.150
58	89	$\frac{1}{2}$	0.174	106	141		0.306
59	90		0.176	107	142		0.130
50	91		0.168	108	143		1.197
51	92		0.040	109	144		0.140
62	93		0.419	110	145		0.427
53	94		0.175	111	146		0.654
54	95		0.108	112	147		0.080
85	96		0.277	113	148		0.213
66	97		0.943	114	149		0.030
67	98		0.150	115	188		0.919
38	99		0.907	116	189		0.051
<u>59</u>	100		0.620	117	190		0.008
70	101		0.010	118	191		0.066
71	102		1.387	119	192		0.025
72	103		2.075	120	193		0.243
73	104		0.613	121	194		0.080
74	105		0.795	122	195		0.404
75	106		2.650	123	196		0.350
76	111		0.858	124	197		0.438
77	112		0.473	125	198		0.071
78	113	1	0.695	126	199		0.602
79	113	2	0.020	127	200		0.104
80	116		0.120	128	201		1.161
81	117		0.778	129	216		0.413
82	118		0.126	130	217		0.195
83	119		0.291	131	218		0.691
84	120		1.434	132	219		0.119

महाराष्ट्र ज्ञासन राजपत्र असाधारण भाग चार-ब, सप्टेंबर २३, २०१५/आण्विन १, ज्ञके १९३७

84

भाग भार-ब-२२७-७



¥5

(1)	(2)	(3)	(4)	(1)	(2)	(3)	(4)
133	220		0.475	146	232		0.146
134	221		0.094	147	233		0.050
135	222		0.895	148	234		0.480
136	223		0.228	149	235		0.056
137	224		0.241	150	236		0.924
138	225	1	0.611	151	237		0.048
139	225	2	0.210	152	238		0.020
140	226		0.091	153	239		0.539
141	227		0.591	154	240		0.181
142	228		0.088	155	241		0.015
143	229		0.208	156	242		0.217
144	230		0.117	157	243		0.437
145	231		0.170	158	244		0.440
				159	245		1.214
						Total	59.060

महाराष्ट्र ज्ञासन राजपत्र असाधारण भाग चार-ब, सप्टेंबर २३, २०१५/आश्विन १, ज्ञके १९३७ A 4 4 4

Bondaries :

On the North by .--- Village Mankivali Gat No. 107,109,110, 114, 115 & Halbudruk to Karjat Road. On the South .-- Nala

On the East by .- Karjat-Khopoli Raliway Line

On the West by .- Nala & Village Boundry of Anjarun

-			alkhurd, Taluk				
Serial No.	Survey No.	Hiss No.	Area (H. R.)	Serial No.	Survey No.	Hiss No.	Area (H. R.)
(1)	(2)	(3)	(4)	(1)	(2)	(3)	(4)
1	54	Pt.	0.200	21	57	5	0.071
2	55	1	0.060	22	57	6	0.488
3	55	2	0.190	23	57	7	0.190
4	55	3A	1.080	24	57	6 7 8 9	0.462
5	55	4	0.020	25	57	9	0.230
6	55	5	0.110	26	57	10	0.020
7	55	6	0.220	27	57	11	0.122
7 8 9	55	7	0.390	28	57	12	0.213
9	55	8 A /1	0.030	29	57	13	0.110
10	55	8A/2	0.030	30	57	14	0.114
11	55	8A/ 3	0.040	31	57	15	0.100
12	55	8 A/4	0.070	32	57	16	0.071
13	55	9	0.180	33	57	17	0.070
14	55	10	0.010	34	58		0.880
15	55	11A	0.060	35	59	1	0.590
16	55	11B	0.020	36	59	2 3	1.250
17	57		0.010	37	59	3	0.450
18	57	$\frac{1}{2}$	0.071	38	59	4	0.450
19	57	3	0.228	39	60	1A	0.630
20	57	4	0.101	40	60	1B	0.330



1)	(2)	(3)	(4)	(1)	(2)	(3)	(4)
41	60	2	0.570	70	66	1A	0.230
42	60	3	0.280	71	66	1B	0.230
43	61	1A	0.184	72	66	2	0.341
44	61	1 B	0.137	73	66	3	0.810
45	61	2A	0.529	74	66	4	0.493
46	61	2B	0.475	75	66		0.066
47	61	3A	0.236	76	66	5 6	0.339
48	61	3 B	0.187	77	66	7	0.220
49	61	3 C	0.207	78	66	8	0.195
50	61	3 D	0.061	79	67	1	0.139
51	62	1	0.010	80	67		0.579
52	62	2	0.030	81	68	2 1	0.932
53	62	3	0.080	82	68	2	0.676
54	62	4A	0.430	83	68	3	0.780
55	62	4B	0.424	84	69	3 1	1.671
56	62	5	0.521	85	69		0.129
57	62	6	0.030	86	70	2 1	0.050
58	62	7	0.180	87	70	2	0.198
59	62	8	0.060	88	70	3A	0.440
60	63	A	1.022	89	70	3B	0.430
61	64		1.153	90	70	4	0.220
62	65	1	0.091	91	70	5A	0.060
63	65	2A	0.170	92	70	5B	0.060
64	65	2 B	0.178	93	70	6	0.160
65	65	3	0.310	94	70	7	0.060
66	65	4	0.633	95	70	8	0.132
67	65	5	0.060	96	70	9	0.250
68	65	$\frac{6}{7}$	0.180	97	70	10	0.020
69	65	7	0.220	1072573	0.2450	70001	000000
						Total	28.519

महाराष्ट्र शासन	राजपत्र	असाधारण भा	म	चार-ब,	सप्टेंबर	78.	২০१५/জাগ্বিন	१, ज़के	865/8	
		100	200	2020	62333					

Xit.

Bondaries :

On the North by .- Boundary of Village Anajrun.

On the South by .- National Highway No. 4.

On the East by .- Sr. No. 72, 1, 2.

On the West by .- Karjat- Khopoli Road and Sr. No. 56 A.

Serial No.	Survey No.	Hiss No.	Area (H. R.)	Serial No.	Survey No.	Hiss No.	Area (H. R.)
(1)	(2)	(3)	(4)	(1)	(2)	(3)	(4)
1	1	1	0.050	6	2		0.020
2	1	2A	0.272	7	3		0.786
3	1	2B1	0.030	8	4		0.127
-4	1	2B2	0.050	9	5	1	0.025
5	2	12	0.160	10	5	2	0.091

Village Anjarun, Taluka Khalapur, District Raigad.

भाग चर-ब-२२७-७अ



¥4

1)	(2)	(3)	(4)	(1)	(2)	(3)	(4)
	2000 L	1000	CONTRACTOR AND		24.92		2.26.5.21.000
11	6		0.020	58 59	52 52	1 2	0.444
12	7		0.464		53	-4	
13	8		0.326	60			0.696
14	9		0.312	61	54	1	0.013
15	10		0.377	62	55	$\frac{1}{2}$	0.374
16	11		0.210	63	55	2	0.140
17	12		0.934	64	56		0.109
18	13		0.101	65	57		0.060
19	14	1947	0.033	66	58		0.440
20	15	1	0.190	67	59		0.247
20	15	2	0.060	68	60		0.978
21	16		0.059	69	61		0.101
22	17		0.038	70	62		0.065
23	18		0.288	71	63		0.058
24	19		0.186	72	64		0.192
25	20		1.000	73	65		0.253
26	21		0.010	74	66		0.420
27	22		0.080	75	67		0.106
28	23		0.320	75	68		0.180
29	24		0.100	76	69		0.280
30	25		0.020	77	70		0.010
31	26		1.365	78	71		0.126
32	26		0.267	79	72		0.060
33	27		0.370	80	74	2	0.290
34	28		0.400	81	76		0.364
35	29		0.110	82	77		1.188
36	30		0.145	83	78		0.549
37	31		0.329	84	79		0.756
38	32		0.344	85	80		0.220
39	33		0.259	86	81		0.268
40	34		0.539	87	82		0.080
41	35		0.050	88	83		0.192
42	36		0.187	89	84		0.431
43	37		0.410	90	85		1.273
44	38		0.901	91	86		0.585
45	39		0.354	92	87		0.460
46	40		0.150	93	88		0.268
47	41		0.137	94	89		0.268
48	42		0.267	95	90		0.260
49	43		0.367	96	91		0.754
50	44		0.069	97	92		0.311
51	45		0.060	98	93		0.280
52	46		0.076	99	94	1	0.060
53	47		0.530	100	94	1 2	0.119
54	48		0.096	101	95	14	0.286
55	49		0.320	102	96		0.501
56	50		0.116	103	97		0.438
57	51		0.280	104	98		0.329

महाराष्ट्र झासन राजपत्र असाधारण भाग चार-ब, सप्टेंबर २३, २०१५/आश्विन १, झके १९३७



(1)	(2)	(3)	(4)	(1)	(2)	(3)	(4)
105	99		0.570	156	149		0.834
106	100		0.110	157	150		0.486
107	101		0.390	158	151		0.263
108	102		0.916	159	152		0.677
109	103		0.430	160	153		1.609
110	104		0.839	161	154		0.238
111	105		0.481	162	155		0.215
112	106		0.564	163	156		0.860
113	107		0.150	164	157		0.445
114	108		0.142	165	158		1.143
115	109		0.277	166	159		1.242
116	110		0.414	167	160		0.895
117	111		0.223	168	161		0.140
118	112		0.903	169	162	1	0.278
119	113		0.574	170	162	$\frac{1}{2}$	0.215
120	114		0.790	171	163	117	0.786
121	115		0.334	172	164	1	0.488
122	116		0.320	173	164	1 2	0.668
123	117		0.517	174	165		0.370
124	118		0.072	175	166		0.283
125	119		0.185	176	167		0.529
126	120		0.726	177	168		0.936
127	121		0.385	178	169		0.470
128	123		0.405	179	170		0.043
129	125	1	0.220	180	171		0.225
130	125	2	0.200	181	172		0.326
131	126	ī	0.221	182	173		0.457
132	126	2	0.162	183	174		0.241
133	127		0.534	184	175		0.271
134	127	2	0.382	185	176		0.298
135	128	-	0.102	186	177		1.110
136	129		0.059	187	178		0.300
137	130		0.281	188	179		0.253
138	131		0.357	189	180		0.164
139	132		0.233	190	181		0.850
140	133		0.338	191	182		0.273
141	134		0.382	192	183		0.620
142	135		0.106	193	184		0.010
143	136		0.319	194	185		0.209
144	130		0.425	195	186		0.020
145	137		0.137	196	187		0.086
146	139		0.137	197	188		0.532
140	140		0.554	198	189		0.380
148	140		0.045	199	190		0.137
140	141 142		0.045	200	191		0.157
149 150	142		0.045	201	192		0.734
150	143	1		202	193		0.276
151 152		1	0.177 0.090	202	194		0.673
	145			203	195		0.779
153	146		0.263	204	196		0.344
154	147		0.048	205	197		0.801
155	148		0.728	200	1.01		0.001

महाराष्ट्र शासन राजपत्र असाधारण भाग चार-ब, सप्टेंबर २३, २०१५/आण्विन ९, शके १९३७



40

			Schedu	le-Contd.			
(1)	(2)	(3)	(4)	(1)	(2)	(3)	(4)
207	198		0.180	236	226		0.505
208	199		0.167	237	227		0.043
209	200		0.832	238	228		0.056
210	201		0.060	239	229		0.366
211	202		0.240	240	230		0.970
212	203		0.122	241	231		0.428
213	204		0.124	242	232		0.090
214	205		0.174	243	233		0.220
215	206	1	0.400	244	234		0.045
216	206	2	1.164	245	235		0.227
217	207		0.442	246	236		0.185
218	209		0.240	247	237		0.530
219	210		0.109	248	238		0.096
220	211		0.114	249	239		0.047
221	212		0.594	250	240		0.400
222	213		0.266	251	241		0.139
223	214		0.235	252	242		0.281
224	215		0.964	253	243		0.176
225	216	1	1.031	254	244		0.010
226	216	2	0.160	255	245		0.010
227	217		0.276	256	246		0.010
228	218		0.339	257	247		0.010
229	219		0.207	258	248		0.010
230	220		0.058	259	249		0.010
231	221		0.688	260	250		0.010
232	222		0.256	261	251		0.010
233	223		0.061	262	252		0.010
234	224		0.546	263	253		0.011
235	225		0.140	264	254		0.693
						Total	89.257

महाराष्ट्र झासन राजपत्र असाधारण भाग चार-ब, मण्टेंबर २३, २०१५	∿/आश्विन १, शके १९३७
--	----------------------

Bondaries :

On the North by .--- Nala

On the South by .--- Village Boundry of Halkhurd

On the East by .--- Village Boundry of Mankivali & Anjarun Gat No. 208.

On the West by .-- Nala

Serial No.	Survey No.	Hiss No.	Area (H. R.)	Serial No.	Survey No.	Hiss No.	Area (H. R.)
(1)	(2)	(3)	(4)	(1)	(2)	(3)	(4)
1	20	1	0.130	7		1 B	2.000
2		2A	0.945	8		2	0.283
3		2 B	0.260	9	27	1	1.337
4	25	1	0.248	10		2	0.160
5 6		2	0.693	11	28	0	0.556
6	26	1A	1.491	12	29	1	0.050

Village Talavli, Taluka Karjat , District Raigad



1)	(2)	(3)	(4)	(1)	(2)	(3)	(4)
13		2	0.150	46		4	0.060
14		3	0.290	47	42		0.195
15		4	0.150	48		1 2 3 4	0.096
16		5	1.410	49		3	0.552
17	30	0	0.488	50			0.255
18	31	1	0.192	51		5 6	1.350
19		2	0.083	52			0.308
20		3	0.504	53		7 8	0.348
21	32	1	0.312	54		8	0.025
22		2	0.531	55		9	0.038
23		2 3	0.899	56	43	0	0.711
24		4	0.443	57	44	1	1.329
25	33	0	0.374	58		2A	0.120
26	34	0	0.300	59		2 B	0.488
27	35	0	0.506	60		3	0.532
28	36	1	0.268	61	45	1	0.360
29		2	0.268	62		2	0.100
30		3	0.491	63	46	0	0.170
31	37	1A	0.359	64	47	1	1.448
32		1 B	0.329	65		$\frac{1}{2}$	0.080
33	37	2	0.579	66		3	0.270
34	38	1	0.819	67	48	0	0.410
35		2	0.656	68	56	1	0.530
36	39	0	1.121	69	56	2	0.190
37	40	1A	0.543	70		3	0.140
38		2A	0.301	71		4	0.670
39		3	0.025	72		5A	1.233
40		4A	0.344	73		5 B	0.586
41	41	1	1.660	74	56	6	0.233
42		2A	1.910	75		7	0.150
43		2 B/1	0.230	76		8A	0.220
44		2 B/2	0.260	77		8 B	0.509
45		3	0.380	78	57	0	0.235
				1 million 1		Total	39.269

महाराष्ट्र शासन राजपत्र	असाधारण भाग चार-ब,	सप्टेंबर २३,	२०१५/आण्विन १, शके १९३७

48

Boundaries :-

On the North by .--- Village Talavli Survey No. 1,2,Gaothan, 10,9,22

On the South by .- Boundary of Village Navandhe & Village Vangni

On the East by .--- Village Talavli Survey No. 24

On the West by .- Forest

By order and in the name of the Governor of Maharashtra,

V. B. LATKE, Deputy Secretary to Government.

ON BEHALF OF GOVERNMENT PENNENG, STATEONERY AND FUELDATION, PRINTED AND PUBLISHED BY SHELFARE JAGANNATH GOGAN, PRINTED AT GOVERNMENT CENTRAL PRESS, 21-3, NETAR SUBHASH BOAD, CHARM ROAD, CHARM ROAD, MUNICAL 460.064 AND FUELDSHED AT DESCRIPTION OF GOVERNMENT PENNENG STATEONERY AND FUELD READ, SUBMAR BOAD, CHARM ROAD, CHARM ROAD, MUNICAL 460.064 AND FUELDSHED AT DESCRIPTION OF GOVERNMENT PENNENG STATEONERY AND FUELD READ, SUBMAR BOAD, CHARM ROAD, MUNICAL 460.064 AND FUELDSHED AT DESCRIPTION OF GOVERNMENT PENNENG STATEONERY AND FUELD READ, SUBMAR BOAD, CHARM ROAD, MUNICAL 460.064 AND FUELDSHED AT DESCRIPTION OF GOVERNMENT PENNENG STATEONERY AND FUELD READ. SUBMAR BOAD, CHARM ROAD, MUNICAL 460.064 AND FUELD READ. SUBMAR BOAD, MUNICAL 460.064 AND FUELD READ. SUBMAR BOAD. SUBMAR BOAD, MUNICAL 460.064 AND FUELD READ. SUBMAR BOAD. SUBMAR BOAD, MUNICAL 460.064 AND FUELD READ. SUBMAR BOAD. SUBMAR BOAD, MUNICAL 460.064 AND FUELD READ. SUBMAR BOAD. SUB

ANNEXURE 1-3 MSRDC SPA NOTIFICATION

मुंबई-पुणे हुलगती मार्गाच्या लगतच्या क्षेत्रासाठी महाराष्ट्र राज्य रस्ते विकास महामंडळाची विशेष नियोजन प्राधिकरण म्हणून नेमणुक करणेबाबत.

महाराष्ट्र शासन नगर विकास विभाग, मंत्रालय, मुंबई-४०० ०३२ निर्णय क्रमांक : टीपीएस-१८१५/अनौसं/७८/१५/नवि-१३, दिनांक :१७/०२/२०१६.

सोवतची **शासकिय अधिसूचना** महाराष्ट्र शासन साधारण राजपत्रामध्ये मध्ये प्रसिध्द करावी.

महाराष्ट्राचे राज्यपाल यांचे आदेशानुसार व नांवाने,

Sanjay	Transite canad Schwarzschubblingstradt Die und auf der stransite Unterlandens- mit der Schwarzschubblingen der
Balkrishna	annexes while in taken in. In Co. How is hadnesd a for a Rootenacie canonication for the
Saoji	 Control and a control of the second se

(संजय सावजी) अवर सचिव, महाराष्ट्र शासन

प्रत माहितीकरिता सादर:-

१) मा,मुख्यमंत्री महोदयांचे सचिव, मंत्रालय, मुंबई.

२) मा.राज्यमंत्री (नवि) महोदयांचे खाजगी सचिव, मंत्रालय, मुंबई.

३) प्रधान सचिव (नवि-१) नगर विकास विभाग, मंत्रालय, मुंबई.

प्रत माहितीकरिता व कार्यवाहीकरिता:-

१) संचालक, नगर रचना, महाराष्ट्र राज्य, पुणे.

२) आयुक्त, कोकण विभाग, कोकण.

३) जिल्हाधिकारी, ठाणे / रायगड.

४) व्यवस्थापकीय संचालक, सिडको, मुंबई,

५) व्यवस्थापकीय संचालक, महाराष्ट्र राज्य रस्ते विकास महामंडळ, मुंबई.

६) मुख्य कार्यकारी अधिकारी, मुंबई महानगर प्रदेश विकास प्राधिकरण.

७) सह संचालक, नगर रचना, कोकण विभाग, कोकण.

८) सहायक संचालक, नगर रचना, ठाणे / अलिबाग शाखा.

९) व्यवस्थापक, शासकीय मुद्रणालय, चर्नी रोड, मुंबई - त्यांना विनंती करण्यात येते की, सोबतची शासकीय अधिसूचना महाराष्ट्र शासनाच्या साधारण राजपत्रामध्ये प्रसिध्द करुन त्याच्या प्रत्येकी १० प्रती विभागास, संचालक नगर रचना, महाराष्ट्र राज्य, पुणे, सह संचालक, नगर रचना, पुणे विभाग, पुणे, सहायक संचालक, नगर रचना, पुणे शाखा, पुणे व जिल्हाधिकारी, पुणे यांना पाठवाव्यात. १०) कक्ष अधिकारी (नबि-२९), नगर विकास विभाग, मंत्रालय, मुंबई - त्यांना विनंती करण्यात येते व

को, सदर अधिसूचना शासनाच्या संकेतस्थळावर प्रसिध्द करण्याबाबत कार्यवाही करण्यात यावी.

११) कुक्ष अधिकारी, माहिती व तंत्रज्ञान विभाग, मंत्रालय, मुंबई - त्यांना विनंती करण्यात येते की,

सदरची अधिसूचना शासनाच्या संकेतस्थळावर प्रसिध्द करावी.

१२) निवडनस्ती (नवि-१३).



Notification Government of Maharashtra Urban Development Department Mantralaya, Mumbai-32 Date:17 /02/2016

Maharashtra Regional And Town Planning Act, 1966

No. TPS-1815/UOR/78/15/UD-13: Whereas, the Revised Regional Plan for Mumbai Metropolitan Region (hereinafter referred to as the "said Regional Plan") has been sanctioned by the Government in the Urban Development Department under sub-section (1) of section 15 of the Maharashtra Regional and Town Planning Act, 1966 (hereinafter referred to as the "said Act") vide Notification No.TPS-1297/1094/CR-116/97/UD-12, dated 23rd September 1999 (hereinafter referred to as the "said Notification") and has come into force with effect from the 1st December, 1999;

Whereas, the Government of Maharashtra in exercise of powers conferred under clause (b) of Sub-section (1) of the section 40 of the said Act, declared by Notification No.TPS-1712/475/CR-98/12/UD-12, dated 10th January 2013 (hereinafter referred to as 'the said Notification') ,City and Industrial Development Corporation of Maharashtra Limited (being a company owned and controlled by the Government of Maharashtra) (hereinafter referred to as 'the said Corporation') as Special Planning Authority (hereinafter referred to as 'the SPA') for Navi-Mumbai Influence Notified Area (NAINA) (hereinafter referred to as 'said notified area') as specified therein.

And whereas the Vice Chairman and Managing Director MSRDC has suggested the Development policy of their own land and Development policy within the adjoining land of Mumbai Pune Express way (hereinafter referred to as the said land) and the Additional Chief Secretory Public Works Department, Mantralaya Mumbai has requested to appoint MSRDC as SPA for the said land;

And whereas the Maharashtra State Road Development Corporation Limited, commonly abbreviated as MSRDC, is an Indian Public limited company fully owned by the <u>Government of Maharashtra</u> and the roles of the MSRDC are responsibility of planning, designing, constructing and managing the road projects, flyovers, bridges, light rail transit, sea links and water transport etc. in Maharashtra and integrated road development projects in select cities of the State. It also provides roadside amenities and any other infrastructure tasks specifically assigned to it and were under the control of the Public Works Department.

And whereas, after considering the report of the Additional Chief Secretory Public Works Department, Mantralaya Mumbai, Government is of the opinion that the MSRDC shall be appointed as Special Planning Authority for the area between Mumbai -Pune Express way & Mumbai Pune Old High way (NH4) and for the land within the two k.m. south-West from Mumbai Pune Express way *excluding* the area of Pune district(Mawal Taluka), Area covered under IDP-1 project of NAINA and local authority if any (hereinafter referred to as ' the said area');

Now therefore in exercise of the powers conferred under clause (b)of sub section (1) of section-40 of the said Act, and all other powers enabling it in this behalf, the Government of Maharashtra here by ;

a) appoints the Maharashtra State Road Development Corporation Limited, (MSRDC) to be the Special Planning Authority for the area between Mumbai -Pune Express way & Mumbai Pune Old High way (NH4) and for the land within the two k.m. south-West from Mumbai Pune Express way *excluding* the area of Pune district (Mawal Taluka), Area covered under IDP-1 project of NAINA and local authority if any as specified in Schedule A;



b) declares that any other Special Planning Authority functioning in the said area prior to this notification shall cease to function for the said area from the date of this notification.

c) directs the Special Planning Authority i.e. MSRDC to prepare and publish the planning proposals along with Development Control Regulations for the said area and submit the same to the Government for sanction after following due procedure prescribed in the said Act,

02. Copy of the plan showing the boundaries of the said SPA shall be available for inspection for the general public during an office hours on all working days at the following offices for period of one month.

(1) Commissioner, Konkan Division, Kokan Bhavan, Navi Mumbai-400 614.

- (2) Managing Director, CIDCO, CIDCO Bhavan, CBD Belapur, Navi Mumbai.
- (3) Collector Raigad / Thane.

(4) Managing Director MSRDC Bandra (W) Mumbai

- (5) Joint Director of Town Planning, Konkan Division, Konkan Bhavan,
- (6) Assistant Director of Town Planning, Raigad Branch, Raigad-Alibagh.
- (7)Assistant Director of Town Planning, Thane Branch, Thane.

By Order and in the Name of Governor of Maharashtra,

Sanjay	Deputy expecting lawing fields on a lawing the second seco
Balkrishna	CT 4 25- CPERFURST CE-FERENCES IN ST CT 4 25- CPERFURST CE-FERENCES IN ST VALUES CE-FERENCES I
Saoji 🥖	confluence in the ALC ALC MARKER I sectored has been accounted and all the sectors between and Dates of add (17 world) and all and

(Sanjay Saoji) Under Secretary to Government

CASH Drives TechTees DocMridt# Northanse doc



SCHEDULE -A (Accompaniment to the Government in Urban Development Department Notification bearing No. TPS-1815/UOR/78/15/UD-13 dated 17/02/2016.)

List of villages within the boundaries of the Notified Special Planning authority Area

A) Tahasil - Khalapur District - Raigad

Sr.No.	Name of the Villages
1	Talegaon
2	Panshil
3	Mohapada (Aliyas Vasambe)
4	Rees
5	Lodhivali
6	Nadhal
7	Tembari
8	Vayal
9	Pali (Khu.)
10	Sarang
11	Tupgaon
12	Jambhivali tarfe Boreti
13	Chowk-Manivali
14	Hatnoli
15	Knadaroli tarf Wankhal
16	Wayandhal
17	Vinegaon
18	Asare
19	Kopari
20	Asroti
21	Dharni
22	Warad
23	Majgaon
24	Nigdoli
25	Kalate Mokashi
26	Kalate Rayati
27	Nadode
28	Paud
29	Mapad
30	Nimbade
31	Vanve
32	Shiravali tarfe Borati
33	Khalapur
34	Kumbhiyali
35	Dhamni
36	Kandaroli tarfe Borati
37	Hal (Khu.)
38	Mahad
39	Savaroli
40	Nifan
41	Sarsan
42	Saigaon
76	1 Sulfanni

CASH Drives Test Test I be Mult R No. Lane does



43	Dahivali tarfe Borati
44	Dheku
45	Honad
46	Mandad Atkargaon
47	Aadoshi
48	Ambivali tarfe Wankhal
49	Kambe
50	Chambharli
51	Vat
52	Borivali
53	Vahshivali
54	Vanivali
55	Lohop
56	Esambe
57	Ambivaali tarfe Tungartan
58	Vadgaon
59	Talavali
60	Kharsundi
61	Tambuti
62	Vadval
63	DevaNhave
64	ThaneNhave
65	Chinchvali Gohe
66	Chavani
67	Padge

A) Tahasil - Panvel District -Raigad

Sr.No.	Name of the Villages
1	Girawali
2	Arivali
3	Ajivali
4	Ashte
5	Shedung
6	Kasalkhand
7	Kanhavale
8	Bhatane
9	Barvai
10	Bhokarpada
11	Jatade
12	Somatane
13	Narpoli
14	Dahivali
15	Sawale
16	Devloli Bk
17	Dapivali

By Order and in the Name of Governor of Maharashtra, Sanjay

Balkrishna Saoji No. 10, 1990 The Second State of the Second St

(Sanjay Saoji) Under Secretary to Government

CASE Draw Box Pers Det Mult & Sold and det



ANNEXURE 1-4 MSRDC NOTIFICATION REVISED

मुंबई-पुणे द्रुतगती मार्गाच्या लगतच्या क्षेत्रासाठी महाराष्ट्र राज्य रस्ते विकास महामंडळाची विशेष नियोजन प्राधिकरण म्हणून नेमणूक करणेबाबत. (पुरक पत्र)

महाराष्ट्र शासन अधिसुचना (पुरक पत्र) नगर विकास विभाग, मंत्रालय, मुंबई-४०० ०३२. क्रमांक : टीपीएस-१८१५/अनौसं/७८/१५/नवि-१३, दिनांक :१८/०३/२०१६.

सोबतची शासकिय अधिसूचना (पुरक पत्र) महाराष्ट्र शासन साधारण राजपत्रामध्ये मध्ये प्रसिध्द करावी.

महाराष्ट्राचे राज्यपाल यांचे आदेशानुसार व नांवाने.

Sanjay Balkrishna Saoji Reads visual to Grandalismo Sci min (M. Lopanesca di Resauto), andreso Collegio di Resauto), andreso Collegio di Antonio di Antonio Statuto di Antonio di Antonio di Antonio Martinale di Antonio di Antonio di Antonio Statuto di Antonio di Antonio di Antonio Antonio di Antonio di Antonio Antonio di Antonio di Antonio Antonio Antonio di Antonio Antonio Antonio Antonio di Antonio Antonio

(संजय सावजी) अवर सचिव, महाराष्ट्र शासन

प्रत माहितीकरिता सादर:-

मा.मुख्यमंत्री महोदयांचे सचिव, मंत्रालय, मुंबई.

मा.राज्यमंत्री (नवि) महोदयांचे खाजगी सचिव, मंत्रालय, मुंबई.

३) प्रधान सचिव (नवि-१) नगर विकास विभाग, मंत्रालय, मुंबई.

प्रत माहितीकरिता व कार्यवाहीकरिता:-

१) संचालक, नगर रचना, महाराष्ट्र राज्य, पुणे.

२) आयुक्त, कोकण विभाग, कोकण.

३) जिल्हाधिकारी, ठाणे / रायगड.

४) व्यवस्थापकीय संचालक, सिडको, मुंबई.

५) व्यवस्थापकीय संचालक, महाराष्ट्र राज्य रस्ते विकास महामंडळ, मुंबई.

६) मुख्य कार्यकारी अधिकारी, मुंबई महानगर प्रदेश विकास प्राधिकरण.

७) सह संचालक, नगर रचना, कोकण विभाग, कोकण.

८) सहायक संचालक, नगर रचना, ठाणे / अलिबाग शाखा.

९) व्यवस्थापक, शासकीय मुद्रणालय, चर्नी रोड, मुंबई - त्यांना विनंती करण्यात येते की, सोबतची शासकीय अधिसूचना महाराष्ट्र शासनाच्या साधारण राजपत्रामध्ये प्रसिध्द करुन त्याच्या प्रत्येकी १० प्रती विभागास, संचालक नगर रचना, महाराष्ट्र राज्य, पुणे, सह संचालक, नगर रचना, पुणे विभाग, पुणे, सहायक संचालक, नगर रचना, पुणे शाखा, पुणे व जिल्हाधिकारी, पुणे यांना पाठवाव्यात.

१०) कक्ष अधिकारी (नवि-२९), नगर विकास विभाग, मंत्रालय, मुंबई - त्यांना विनंती करण्यात येते

की, सदर अधिसूचना शासनाच्या संकेतस्थळावर प्रसिध्द करण्यावावत कार्यवाही करण्यात यावी.

१९) कक्ष अधिकारी, माहिती व तंत्रज्ञान विभाग, मंत्रालय, मुंबई - त्यांना विनंती करण्यात येते की,

सदरची अधिसूचना शासनाच्या संकेतस्थळावर प्रसिध्द करावी.

१२) निवडनस्ती (नवि-१३).

C/UD-13Pune DeskPane DistMSRDCNotification Revised.docx -



NOTIFICATION (ADDENDUM) Government of Maharashtra Urban Development Department Mantralaya, Mumbai-32 Date: 18/03/2016

Maharashtra Regional And Town Planning Act, 1966

No. TPS-1815/UOR/78/15/UD-13: Whereas, the Government of Maharashtra in exercise of powers conferred under Section 40 (1 B) of the Maharashtra Regional and Town Planning Act,1966 (hereinafter referred to as the "said Act") vide notification No. TPS-1815/UOR/78/15/UD-13, Dt.17/02/2016(hereinafter referred to as ' the said notification) has appointed the Maharashtra State Road Development Corporation Limited, (MSRDC) as Special Planning Authority (hereinafter referred to as ' the said SPA) for the area as specified in the said notification (hereinafter referred to as ' the said area');

And whereas, Vice Chairman and Managing Director CIDCO vide their letter No.CIDCO/MD/159, Dt.22/02/2016 has requested to delete the villages in Khalapur taluka as land owners are willing to participate in voluntary land pulling model in the line of NAINA scheme by forming SPV of the land owners (hereinafter referred to as ' the said villages) and in this regard MoU has been already signed between CIDCO and Khalapur Nagar Panchayat;

And whereas after considering the request of the CIDCO, the Government of Maharashtra is of the opinion that the said villages are required to be excluded from the said area of the said SPA And whereas it is noticed that areas for which MIDC is a Special Planning Authority is also to be excluded;

Now therefore, the Government of Maharashtra has decided to amend the said notification TPS-1815/UOR/78/15/UD-13, Dt.17/02/2016 accordingly by issuing following addendum;

In clause (a) of the said notification -

for the word <u>"local authority if any as specified in Schedule A</u>" the words "local authority, area under proposed Khalapur SPV (the said Villages) and area for which MIDC is a Special Planning Authority as specified in revised Schedule A attached herewith " shall be deemed to have been added.

in clause (b) of the said notification -

After the word " cease to function for the said area from the date of this notification" the word " excluding the area for which MIDC is a Special Planning Authority shall be deemed to have been added.

By Order and in the Name of Governor of Maharashtra,	Saniav	in manufacture and the state of the
	Balkrishna	an article and the second seco
	Saoji	+ conditioned the second descent
	(Sanjay Sa	aoji)
Under	Secretary b	o Government

2/8



SCHEDULE -A (Revised)

List of Revised villages within the boundaries of the Notified Special Planning Authority Area

A) Tahasil - Khalapur, District - Raigad

Sr.No.	Name of the Villages	
1	Talegaon	
2	Panshil	
3	Mohapada (Aliyas Vasambe)	
4	Rees	
5	Lodhivali	
6	Nadhal	
7	Tembari	
8	Vayal	
9	Pali (Khu.)	
10	Sarang	
11	Tupgaon	
12	Jambhivali tarfe Boreti	
13	Chowk-Manivali	
14	Hatnoli	
15	Wavandhal	
16	Asare	
17	Kopari	
18	Asroti	
19	Dhami	_
20	Warad	_
21	Majgaon	
22	Paud	
23	Mandap	
24	Kumbhiyali	_
25	Dhamni	
26	Hal (Khu.)	-
27	Savaroli	
28	Nifan	
29	Sarsan	
30	Sajgaon	
31	Dahiyali tarfe Borati	
32	Dheku	_
33	Honad	-
34	Mandad Atkargaon	
35	Aadoshi	_
36	Ambivali tarfe Wankhal	
37	Kambe	_
38	Chambharli	
39	Vat	
40	Borivali	_
41	Vahshivali	_
42	Vanivali	
43	Lohop	
44	Esambe	

C/UD-13/Pane Desc/Pane Disf/MSRDC/Notification Revised.docs



45	Ambiyaali tarfe Tungartan	
46	Vadgaon	
47	Talavali	
48	Kharsundi	1
49	Tambati	
50	Vadval	
51	DevaNhave	
52	ThaneNhave	
53	Chinchvali Gohe	
54	Chavani	

B) Tahasil - Panvel District -Raigad

Sr.No.	Name of the Villages	
1	Girawali	
2	Arivali	
3	Ajivali	
4	Ashte	
5	Shedung	
6	Kasalkhand	
7	Kanhavale	_
8	Bhatane	
9	Barvai	
10	Bhokarpada	
11	Jatade	
12	Somatane	
13	Narpoli	
14	Dahivali	
15	Sawale	
16	Devloli Bk	
17	Dapivali	_

By Order and in the Name of Governor of Maharashtra, Sanjay

Sanjay	ingening position in the distribution of the second s
Balkrishna	Address of the second s
Saoji	Internet in over 1988

(Sanjay Saoji) Under Secretary to Government

CMD-13Pine Des@Pine Dis/MSRDC/Notification Revised.docx

ANNEXURE 1-5: LIST OF VILLAGES IN NAINA DP

		N NAINA DP	
S No.	Village Codes	NAINA	Sub District
1	552448	Dahisar	Thane
2	552449	Mokashi	Thane
3	552450	Walivali	Thane
4	552451	Pimpari	Thane
5	552452	Nighu	Thane
6	552453	Navali	Thane
7	552454	Vakalan	Thane
8	552455	Bamali	Thane
9	552456	Narivali	Thane
10	552457	Bale	Thane
11	552458	Nagaon	Thane
12	552459	Bhandarli	Thane
13	552460	Uttarshiv	Thane
14	552461	Goteghar	Thane
15	553312	Veshvi	Uran
16	553320	Dighode	Uran
17	553321	Kanthavali	Uran
18	553322	Pohi	Uran
19	553323	Ransai	Uran
20	553366	Valap	Panvel
21	553367	Pale Budruk	Panvel
22	553368	Nitalas	Panvel
23	553369	Nitale	Panvel
24	553370	Kondap	Panvel
25	553371	Wangani Tarf Taloje	Panvel
26	553373	Shiravali	Panvel
27	553374	Chinchavali Tarf Taloje	Panvel
28	553375	Mahodar	Panvel
29	553376	Vavanje	Panvel
30	553377	Kherane Khurd	Panvel
31	553379	Kanpoli	Panvel
32	553380	Chindharan	Panvel
33	553381	Mahalungi	Panvel
34	553382	Ambe tarf taloje	Panvel
35	553383	Khairwadi	Panvel
36	553384	Tamsai	Panvel
37	553385	Kondale	Panvel
38	553386	Morbe	Panvel
39	553387	Hedutane	Panvel
40	553388	Kevale	Panvel
41	553389	Khanav	Panvel
42	553390	Chinchavali Tarf Waje	Panvel
43	553391	Ritghar	Panvel
44	553392	Dundre	Panvel
45	553393	Dhamani	Panvel



S No.	Village Codes	NAINA	Sub District
46	553394	Maldunge	Panvel
47	553395	Dhodani	Panvel
48	553396	Deharang	Panvel
49	553397	Gadhe	Panvel
50	553398	Ambe tarf waje	Panvel
51	553399	Shivansai	Panvel
52	553400	Umroli	Panvel
53	553401	Usarli Budruk	Panvel
54	553402	Vakadi	Panvel
55	553403	Harigram	Panvel
56	553409	Ambivali	Panvel
57	553411	Waje	Panvel
58	553412	Cheravali	Panvel
59	553413	Wajapur	Panvel
60	553414	Nevali	Panvel
61	553420	Wangani Tarf Waje	Panvel
62	553421	Loniwadi	Panvel
63	553427	Bherle	Panvel
64	553430	Wardoli	Panvel
65	553433	Bhingar	Panvel
66	553436	Bhingarwadi	Panvel
67	553454	Mosare	Panvel
68	553455	Patnoli	Panvel
69	553456	Nanoshi	Panvel
70	553457	Chirvat	Panvel
71	553458	Turmale	Panvel
72	553459	Vadavali	Panvel
73	553460	Nandgaon	Panvel
74	553461	Kudave	Panvel
75	553470	Poyanje	Panvel
76	553471	Mohope	Panvel
77	553472	Pali Budruk	Panvel
78	553478	Shirdhon	Panvel
79	553479	Sangurli	Panvel
80	553480	Chinchavan	Panvel
81	553486	Posari	Panvel
82	553488	Vaveghar	Panvel
83	553489	Turade	Panvel
84	553490	Akulwadi	Panvel
85	553491	Gulsunde	Panvel
86	553495	Ladiwali	Panvel
87	553496	Apte	Panvel
88	553497	Kalhe	Panvel
89	553505	Koral	Panvel
90	553671	Nangurle	Karjat
91	553672	Tighar	Karjat



	1.011		
S No.	Village Codes	NAINA	Sub District
02			Kariat
92 93	553673 553674	Varne Avalas	Karjat
			Karjat
94	553689	Palasdari	Karjat
95	553690	Talawali	Karjat
96	553701	Nanivali	Khalapur
97	553702	Padaghe	Khalapur
98	553703	Warose Tarf Wankhal	Khalapur
99	553704	Borgaon Budruk	Khalapur
100	553705	Borgaon Khurd	Khalapur
101	553706	Sondewadi	Khalapur
102	553707	Wavarle	Khalapur
103	553708	Pali Budruk	Khalapur
104	553709	Vadvihir	Khalapur
105	553710	Morbe	Khalapur
106	553719	Parade	Khalapur
107	553728	Kandroli Tarf Wankhal	Khalapur
108	553730	Bhilvale	Khalapur
109	553731	Kalote Mokashi	Khalapur
110	553732	Vinegaon	Khalapur
111	553733	Kalote Rayati	Khalapur
112	553743	Nigdoli	Khalapur
113	553744	Nadode	Khalapur
114	553745	Nimbode	Khalapur
115	553746	Vanave	Khalapur
116	553747	Shiravali Tarf Boriti	Khalapur
117	553748	Khalapur	Khalapur
118	553749	Ghodivali	Khalapur
119	553751	Navandhe	Khalapur
120	553758	Shengaon	Khalapur
121	553760	Dolavali	Khalapur
122	553761	Mankivali	Khalapur
123	553762	Anjrun	Khalapur
124	553764	Mahad	Khalapur
125	553820	Mothe Bhal	Pen
126	553821	Vitthalwadi	Pen
127	553822	Kanhoba	Pen
128	553823	Kaleshriwadi	Pen
129	553824	Lakhola	Pen
130	553825	Benavale	Pen
131	553826	Bahiram katak	Pen
132	553827	Narwel	Pen
133	553828	Wadhav	Pen
134	553829	Div	Pen
135	553830	Mothe vadhav	Pen
136	553831	Kane	Pen
137	553832	Borze	Pen




	Village		
S No.	Village Codes	NAINA	Sub District
138	553833	Washi	Pen
139	553834	Odhangi	Pen
140	553835	Koproli	Pen
141	553836	Patnoli	Pen
142	553837	Antore	Pen
143	553838	Dhondpada	Pen
144	553839	Umbarde	Pen
145	553840	Shirki	Pen
146	553841	Shirki Chawl	Pen
147	553842	Masad Budruk	Pen
148	553843	Masad Bedi / Masad Beli	Pen
149	553844	Masad Khurd	Pen
150	553845	Borwe	Pen
151	553846	Bori	Pen
152	553847	Sarebhag	Pen
153	553848	Shinganvat	Pen
154	553849	Kolave	Pen
155	553850	Wadkhal	Pen
156	553851	Beneghat	Pen
157	553853	Wave	Pen
158	553854	Khar Nandai	Pen
159	553855	Jui Budruk	Pen
160	553856	Turkhul	Pen
161	553857	Jui Khurd	Pen
162	553858	Kharpada	Pen
163	553859	Dushmi	Pen
164	553860	Khar Simadevi	Pen
165	553861	Kauli Simadevi	Pen
166	553862	Kharkoshim	Pen
167	553863	Rave	Pen
168	553864	Khar Dubej	Pen
169	553865	Jite	Pen
170	553869	Navkhar	Pen
171	553870	Balawali	Pen
172	553871	Khar Borli	Pen
173	553872	Kopar	Pen
174	553873	Davre	Pen
175	553874	Hanumanpada	Pen
176	553875	Kalave	Pen
177	553876	Sonkhar	Pen
178	553877	Urnilee (Urnoli)	Pen
179	553878	Khar Dutarfa Borli	Pen
180	553879	Dolvi Dababa	Pen
181	553880	Johe	Pen
182	553881	Tambadshet	Pen
183	553882	Govirle	Pen



S No.	Village Codes	NAINA	Sub District
184	553889	Ambivali	Pen
185	553890	Hamrapur	Pen
186	553891	Waredi	Pen
187	553892	Dutarfa Sapoli (Khar Dutarfa Sapoli)	Pen
188	553893	Kharsapoli	Pen
189	553894	Nagadi Sapoli	Pen
190	553895	Chinchghar	Pen
191	553896	Shitole	Pen
192	553897	Davansar	Pen
193	553900	Ramraj	Pen
194	553901	Tarankhop	Pen
195	553902	Uchede	Pen
196	553903	Kandlepada	Pen
197	553904	Kashmire (Kashmirwadi)	Pen
198	553905	Kandale	Pen
199	553906	Meleghar	Pen
200	553908	Dhavate	Pen
201	553989	Dadar	Pen




ANNEXURE 2 -1: TOPOGRAPHY OF NAINA






ANNEXURE 2 -2: VILLAGE POPULATION IN NAINA





ANNEXURE 2 -3: EXISTING ROAD NETWORK IN NAINA





ANNEXURE 2-4 QUESTIONNAIRE FOR SOCIO-ECONOMIC SURVEY

() cipe	0			DI	EVE	LO	PM	7.03		1.53	883	FO IIC SU	15	3324	IN/	4 &	KN	r					E	Ą,	3
PART 1. H Sheet	louseh	old	i Data		τι	affic Zi	one:	Γ	T		Γ] [HH	o	T	Т			HH SI	Noc	ſ		Τ	Γ	Τ
HOUSEHOLD	D		Asset	nibily No.	Γ	Π	Electo	ral Bo	oth N		T	Π		Map	Rela	-	1.11	_Γ	T	Г	n	Sheet	Π	ot	T
Wilage code	1	T	Villag	e Name	Ē				_	1	Pa	da [-	Taluk	1			-	denand -	D	st		
Name of Head	of househ	old			-					-	11	Sche	tule	No	T	1	1		T			-	T	Ĩ	T
Buiking Nam											t	Interv	iewe	ic .		-	1.1	-	1				-	-	÷
Street Name											11	Super	wiso	é –	10					_				<u></u>	
Locality / Ares	a Name											Date (d he	erview:			101	Ð	D	11	M.	1	.4	10	
City / Village			-							_							2nd	2	2	22	20	1 1		¥.	
Landmark 1 Nearest Bus 5	live.									-	1	Interv	lease (Status:			3rd Befa	and I	Part	11	Ful	1	1.1		
Enail D	and a			155.05		50.5				_	H	10000		Data St	out 5	Part Tr	1		2	-	3	-			
Contact Tol. N	ła.		T	TT	T		TT		Т		11			a Sheet	1.1.1.5		,		2		3				
PIN Code							100		30.0	11-11		Daily	Trip i	Diarias ()	Pait 3)	1		2		3				
		1		Own	ership			1			Cas	de :	1	No, w	hick	sinal	ossehol	d:	0	unec	iby Hit	tiki	4	Aentes	d.
C. 012	<u>.</u>		5 W		100	Engl	a with	No	211	G	nin	T					Cars	Nans	0	t	2	3+	Ð	1 2	3
Type of Re	sidence		Owned	Ren	ted	Ptov		Root		0	3C	2		-			2.45	aniers.	0	1	2	3+	0	1 2	3
Aper	trient/lat	t	- je	2	2	3	(]			\$6	2	3		<u> </u>			Ek	ycles	0	t	2	34	0	1 2	3
Independe		2	1	2	_	3				57		4					9	(bers	g.	1	2	34	0	1 2	3
6	Charles I	3	1	2		3		\square	-	_	INT here	6		Parkin	-	diable	at house	held	18		e Spac		p.	kOut	
	Wed	5	1	2	_	3				1.00		1.0	1	1000		02310	in an	22		00			1		-
	1.465.3					1.5	w 3.4		-	1941				_				Name	0	1	2	34	-	1 2	
Religion Floor Anna	1 Hinds Sig feel		- 14	Nuslin		-	Christia 2 mailer		-	4 Other	5	_		-	_	_		aders (thers	0	1	2	34	-	1 2	-
	1.1.1.1		20	0	<u> </u>	-	11100e	•	-		-		1	-	_	1	-		1.	-		-	-	1.5	1
Total no. person No. Earners in h	10.00	house	shold		\vdash	-								Const on Ty		-	Pucca	1.54	2	KC8	-	dar 1	0		Ł
Employed perso	100.000		hald		\vdash	-								1000					£.,	-	-	1		<u> </u>	1
	33632			20		-						olist	0.6	T.	Net	Tollat	Seve	1.	6050	-	L.	ven Dra		Open	i na
How Long are	62 - 553	90	- 34	2.2 3	-	_	_			-	3	lonnes	tion	00	-upes		2		1000	Harrik,	14	4	n j		
Where did you	n greed perio	re?		ge/Town District	1					-	÷	_	-	_	- 3	-	aticity Co	-		11	0 2		4	5	15
Water Source	Tap	See.	of Post	Well	Hard	Pump	Bore	weat	Pa		Rive	r 13	Mare	x (Speci	14	100	- T.	-	Fricke	-	ktiis	-	ndina	T	lone
(Specify)	1 1		2	3	1.00		5	1000	E	-	7	1000	19.00	8	<u></u>	.Ad	selt.	<u>i</u>	2	٣	3	1.00	4	1	5
		F		1	-		T	1 1	-		-		-	-	+		Law	Le	-		-				-
Flooding (* Flooding (N	chin Zinnen	ł			-		-	۱ŀ	1		-		Coel	king Filik	4	Wood	Coal 2	1.0	icseni 3	1	Gas:	ud	Sar Gai	-	6
PERSONAL	A REAL PROPERTY OF	ATIC	w-I	Person	1 (Hea	61	Part	on 2		Pe	1500	3	r -	Parsa	0.4	Ì	Persor	15	Ť	Pa	rson G	201		01500	-
Completed Trav	and the second second	-		1 Yes	2 No	_	Yes	2 %	,	1 Yes		2 No	1		2 No	1		2.140	1	Yes	21	_	1 Yes		Na
No. of trips mad	e on Travel	Day	(Part 3)	0 None	8	0	Nore	8		0 Nane	9		0	Nome		0	None		0	None	211		0 Non	e :	
			Name													1									
	Relation to	Hea	d of HH							-													-		_
		Age	(years)			= 1		~	-	1 1					100	-		6 P	1.			-		110	1
		D	Sex	1 M 1 Y		F 1 N 1	M Y	2	F	1 N 1 Y	_	_	1	M Y		F 1 N 1	_	2 F 2 N	_	M Y	_	F	_	1 2	_
Marital Status													_		_					_					-
	201	_	Monted manual		1 2	-	22	1	1		1 2		-	1 2			1	_	1		1	-	-	1.	
		_	parated		3	+		3	+		3	_		3	-	+	3	-	+	-	3	-		3	_
	Wid	owi i	Vidower		i.			1		_	4	_		4		1	.4	_	1		4			4	_
Completed Educ	ation Level	1.1	Eterate			-			-				-		_	-			-	_					
		-	pentery		2	+		2		-	2			2	_	-	2	_	+	-	2		-	2	_
		iy (9	a Pasa)		3		- 3	3			3			3			3	_			3			3	
	Secondary	110	n Pass)	-	4			4	-	-	4		-	4	_	1	4	_	-	_	4		11-1	4	





DEVELOPMENT PLAN FOR NAINA & KNT SOCIO-ECONOMIC SURVEY

Libbar Gamedra (178) Grant		1 2		1 2 2			
Higher Secondary (12th Pass)	5	5	5	5	5	5	5
Technical diploma Sraduuta	6	5	6	6	6 7	E 7	5
Post Graduate & above	8	8	8	8	8	8	B
Occupation Status				4		8	0
Employed (Full Time)		1 .	1	1 .			1
Employed (Part Time)	2	2	2	2	1	2	2
Sell Employed	3	3	3	1 3	3	3	3
Daily Wages		A	4	4	4	4	4
Student (all levels)	5	5	5	5	5	5	5
Seeking Employment	6	6	6	6	8	6	6
HomemakesHousewife	7	7	7	7	1	ÿ	2
Retred	0	8	8	8	8	6	8
Resident Maid / Driver / Caretaker	9	9	9	9	9	9	9
Infants	10	10	10	10	10	10	10
Others	:11	11	11		11	11	11
Not doing anything	12	12	12	12	12	12	12
Location of Work Place' Schooll Colloge			8				÷
Are you employed in Government / Privat	e entre la						
An year and byte in downment rinks		L		Long and			
	1 Govt 2 Pr	iv 1 Govt 2 Priv	1 Govt 2 Pri	1 Bort 2 Ptv	1 Govt 2 Ptv	1 Govt 2 Priv	1 Govt 2 Pri
Building Type or Land Use that best desci	ribes your USUA	U, place of employment	t or education:				
Employment Place:		-00.00					
Residential	- 14	1	t :	1	1	1	t
Industry/Factory	2	2	2	2	2	2	2
Warehouse	- 3	1	3	3	3	3	3
Office	ž	4	4	4	4	4	4
Film Industry	5	5	5	5	5	5	5
Shop	6	6	6	6	6	6	6
Restaurant/Eating Place	7	7	7	1	7	1	7
Hotel	8	8	8	8	8	8	8
Entertainment/Tourism		9	9.9		9	9	9
Place of Education	10	10	10	10	10	90	90
Hospital/ Clinic	11	11	11	11	11	11	11
Agriculture	12	12	12	12	12	12	12
Construction Site	13	13	18	13	13	13	- 10
Varies day to day	14	14	14	14	- 14	14	- 14
Otters	15	15	15	15	括	15	15
Resident Spece	16	16	15	16	低	15	19
Student Destination Type:		18k	8	22 3	2 S		
Pre-School	- 3	1	1	T	1	1	1
Primary School	2	2	2	2	2	ž	2
Secondary/High School	3	3	3	3	3	3	з
Dagree College	4	4	4	4	4	4	4
University/Research Institute	5	5	5	5	5	5	5
				-			
Coaching classes	6	5	6	6	6	6	6
Oters	1		1	1 1	1	7	- 1 -
Medium of Schooli College		-					
and the second	A	Upto 5,000	D	16,001-25,000	G	000,06-100,000	15
What is your monthly household income (Rs / month)	8	5,001-8,000	E	25,001-40,000	н	80,001-1 lakh	1
and a first of the start of the	C	8,001-16,000	F	40,001-60,000	1	Above ! laith	
Family Expenditure Heads (in Rs.)	Rs.						
and the party of t							
Education	Ps.						
Food	Rt						
Maintenance -Water, Electricity etc.	Rs.						
Taliphona bill	Rs.						
Clothing	Rk.						
Entertainment	Rs.						
Installments	Ra.						
Madical	Rs.						
Transport	Rt.						
Otters	Rs.						
V21013	1.000						
Savings	Rs.						

·2·



	C	EVELOP		AN FOR	NAINA & IY	KNT	L	76
PART 2. Person & 'Regul	lar' 1	Fravel Data	She	et 🗌 of 🗍	Hauseho	iki serial number:		
	_	Petson 1	Person 2	Person 3	Parson 4	Person 5	Person 6	Person 7
Address and Location of USUAL Place of	_	yment or Education						
	fotne	1	1	1	1	1	<u></u>	1
Same Building as H	lame	2	2	2	2	2	2	2
OR Building Number / Name Street I								
Local					1			
Landin			-					
Nearest Bus		Same US	Sec. 19 Sec. 19	Mark South	Sec. 1995	Succession	L MILLS IN A	
Traffic Zone (for Office	Usej							
Please circle each day of the week that yo	NI URU	sily go to work/sche	olicollege		SV-1	S		
	inday	1	1 1	1	3 12	8 316 D	(† 1	1
	esday	2	2	2	2	2	2	2
Wedne		3	3	3	3	3	3	3
	riday	4	4	4	4	4	4	4
	unday	6	6	0 6	6	6	6	8
	inday	7	7	7	7	7	1	7
What time do you USUALLY leave home t		to work ar school	- S		10	16	S	
Time (h)								
How long does it USUALLY take to trav		hame to your place	e of employment or	education				
Time in mit	_							
What time do you USUALLY leave your		of employment or e	ducation at the end	of the day				
Time (h)	_							
Do you have a driving licer		1 Yes 2 No	1 Yes 2 No	1 Yes 2 No	1 Yes 2No.	1 Yes 2 No	1 Yes 2 No	1 Yes 2.M
What modes of travel do you USUALLY (where several modes are used, list in o	use v	then travelling from	home to work or so	hool/college				
Walk	(1)	123456	\$23458	123455	123456	123456	123456	12345
Bicycle	12	123458	123456	123456	123458	123458	123456	12345
Ballock Cart Tani	13	223456	123456	123456	123456	123456	123456	12345
Auto-Rickshaw	14	123456	123456	123456	123456	123454	123456	12345
Maxi cab	10	123456	123456	123456	123456	123456	123456	12345
2-mboniar (as chiver)	171	123456	123456	123458	123454	123454	123456	12345
2-wheeler int passenger	181	123456	123456	123455	123458	173454	123456	12345
CarWan (as driver) CarWan (as passinger)	(9)	123456	123458	123458	123456	123456	123456	12345
Bus Public	1110	123456	123456	123455	123456	123456	123456	12345
Bus (Company Charler)	1120	123456	123450	123455	123454	123456	123456	12345
Bus (Private Charter)	(13)	123456	123456	123458	123458	123454	123456	12345
Train (Local)	1140	123456	123456	123458	123456	123456	123456	12345
Train (Long Distance) Hebre	(15)	123456	123456	123458	123456	123456	123456	12345
Other	(17)	123456	123450	123456	123454	123454	123450	12345
		0 Not Applicable	1 Not Applicable	0 Mit Rapicatie	1 Mat Replicable	0 Not Applicable	E Not Applicable	1 Net Applicab
If you drove, or were driven, to w	NOTR -	1 Cn Shael	1 On Sheet	1 On Street	1 Cn Street	1 On Street	1 Or.Sheat	1 Cn Stree
where did you p	pars r	2 Of Street	2 Of Street	2 Of Sheet	2 Of Sheet	2 Of Street	2 Off Street	2 Of Stree
Do you assally use a Toll Read p	ess?	1 Yes 2 No 1	Yes 2110	1 Yes 2 No	1 Yes 2 No	1 Yes 2 No	1 Yes 2 No	1 Yes 21
If yes, what is the cest? (Ra / m	onthi							
If public bus was used, which routes num	bers w	iere used fin order o	if use-where multipl	e routes are availa	ble choose a repres	entative one)		
1si Bas	13					V 10 00 00		
2nd Bes	12							
3rd Bes 42: Bes	(3)							
If a Train was used, what stations did y		distatetion from the	at station list, and	transfer stollars 7	heteroot			
First State			T	Canada a Madeira d	- I			
Traffic Zone for Office				1111				
First Transfer Statio				1.1.1.				-
Traffic Zone (for Office	_			111				
Second Transler Statio	_							
Traffic Zone (for Office	_		1111	TIT			111	
Last Statio	_							
Traffic Zone for Office	Contraction of the International Contractional Contracti							
survey of the Second Second Second		1 Slow	1 Slow	1 Sow	1 Slow	1 Słów	1 Blow	1 Ster
If a train was used, did you use a		2 Fast	2 Fast	2 Fast	2 Fast	2 Fast	2 Fari	2 Fast
train, a fast train, or	9988	3 Bath	3 0ah	2 Bath	3 Both	3 Both	3 Both	3 Both
Do yea ceaaity une a Bust Suburban Rail pass 1. Bus Pass/ 2. Rail Pass	a	1 2	1 2	1 Z	1 2	1 2	1 2	1 2
If Yes, what is the cost? (Rs i m	oeth)		2			0.0	2 <u>(</u>) <u>)</u>	
How much do you normally spend on to	ranspo	aft cests every ment	h jall respondents	please - in the case	of children ask the	adults	(· · · · · · · · · ·
	ran h							

....



4	, CIDCO		D	EVELO	VELOPMENT PLAN FOR NAINA & KNT SOCIO-ECONOMIC SURVEY								
71 01 02 03 04	- Wesh 96. Health 90 - Sociation 97, Ealing 11 - Bropping 96. Social 12	 Entertainment/Recreati Employen Dusmess Drap-off passanger Other Reason 	Travel Moden: on 01. Kalk 12. Dicycla	01 Taxi 94 Autor 05 Maxim	39 	2-stasler CarMan (z CarMan (j	(passanger) 11. Bu tiver) 12. Bu		No coul for car. 2 wheeler, welk or bicycle alk line + Walt Sine for next mode	Hal Pace used			
PAR	T 3. Previous Working Day Trip (Diary Day of Dia	ary: Day	Month	Person Nam	c [Person No.: Is this a proxy interview? 1	Household No.: No 2 Yes	Seet			
Trip No.	Place all which this trip started	Time of Journey	Trip Reason	Modes of Travel Used	Hode Tr Transfor	Travel	Cost of Mode (Rapped)	Transfer / Interchange / Intermediate Location or Station	Place at which this trip ended	F Mode in Car or 2-shealar			
,	114ans 2 Work 2 Education or 4 07HER Building Ro. (Name Shaak Name Lucadon 1 Lucadon 1 Landmark 1 Landmark 1 Landmark 2	Top Start Time phirmer) Top End Time phone()		111 300 441 551 551 551 551 551 551 551 551 551			P T P T P T P T P T P T		1 Home 2 Welk 3 Education or OTHER Building No. / Name Struct Name Location 1 Location 2 Location 2 Location 3 Location 4 Location 4 Location 4 Location 2	Occupants (including driver) Toll Pass Lined? 1 Yes 2 No Parking cost			
2	Named Bao Stop 1-turne 2 Wask 3 Education on OTHER Building No. / Name: Broot Name Lacation 1 Lacation 2 Landmark 1 Landmark 2 Velocet Das Stop	Trip Start Time phrant() Trip End Time (fearer)		88 11 3rc 3rc 3rc 3rc 3rc 3rc 3rc 3rc 3rc 3rc			P T P T P T P T P T P T P T P T P T P T		Newest Dus Dap 1 Home 2 Web 3 Education or OTHEN Esiting No. / Name Esiting No. / N	Pa Coopunts (Including driver) Tol Pesel 2 No Parking cod Ra			
3	Hermon East State Hermon 2: Wark 3: Extension on OTHER Building No. / Maren: Screet Maren: Location 1 Location 2 Landmark 1 Landmark 2 Hearmont Ban State	Tip East Time (Monit) Tip East Time (Monit)		10 3m 3m 4d 5d 5d 5d 7m 5d 5d 5d 5d 5d 5d 5d 5d 5d 5d 5d 5d 5d			P T P T P T P T P T P T P T P T P T		1 Home 2 Web 3 Education or OTHER Building No. / Name: Street Name: Location 1 Location 2 Location 2 Location 2 Location 3 Location 3 Location 4 Location 2 Location 4 Location 5 Location 5 Location 5 Location 6 Location 6 Location 7 Location	Tol Peece Parking cell Rs			
	there 2 Work 3 Education or 01HER Building No. / Name: Street Mame: Location 1 Location 2 Landmark 1 Landmark 2 Nearest Sup Stop	Trip Start Time (Noner) Trip End Time (Moner)		141 3x 441 94 94 94 74 94 94 94 94 94 94 94 94 94 94 94 94 94			P T P T P T P T P T P T P T P T		1 Horie 2 Wolk 3 Educator or 07HER Building No. / Name Street Namy Location 1 Location 2 Landmark 1 Lundmark 2 Meaner Bus Step	Cocupantia (Including striver) Trail Pass? 7 Nos 2 No Parking cool 85			





DEVELOPMENT PLAN FOR NAINA & KNT





	Person 8	Person 9	Person 9 Person 10		Person 12	Person 13	Person 14	
Completed Travel Diary	1 Yes 2 No	1 Yes 2 No	1 Yes 2 No	1 Yes 2 No	1 Yes 2 No	1 Yes 2 No	1 Yes 2 No 0 None	
No. of trips made on Travel Day	0 None	0 None	D None	0 Nore	0 None	d None		
Name	a start	10 (FA10)			5-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1	31000	0.000	
Relation to Head of HH		8		-	÷	-		
	-		-		-			
Age (years) Sex	1 M 2 F	1 11 N F	1 11 2 2 2	1 M 2 F	1 M 2 F	1 M 2 F	1 1 2 1	
Disabled	1 M 2 F 1 Y 2 N	1 M 2 F	1 M 2 F	1 M 2 F	1 M 2 F 1 Y 2 N	1 M 2 F	1 W 2 /	
Marital Status	1 1 2 3	1 1 2 4	1 1 2 14	1 1 2 14	1.1.2.14	1 7 2 11	1 7 2 1	
Currently Married	1		1	1	1	1	1	
Single/Unmorried Diverse/ Secenaled	2	2	24	2	2	2	2	
Widow/ Widower	3		3	8	3	3	3	
		. 4						
Completed Education Level								
Pre-primary	2	2	2	2	1	1	1	
Philipage (5th Paso)	3	3	2	3	2	2	2	
Secondary (10th Pass)	4	4	4	4	4	4	4	
Higher Secondary (12th Past)	0	0	5	5	8		5	
Technical dploma	6	6	6	6	é	6	6	
Gradure	7	T	7	7	7	7	7	
Post Granuate & above	8	8	6	В	8	8	8	
Occupation Status	5 - C - C		an tran	AL	2 2 3	- 10 U		
Employed (Fall Time)	1						1	
Employed (Part Time)	2	2	2	2	2	2	2	
Self Employed	3	2	3	3	3	3	3	
Daily Wages	4	4	4	4	4	4	4	
Student (all levels)	6	0	5	5	6	5	5	
Seaking Employment	6	- G	6	6	6	6	6	
Planamaket Planavia	7	7	1	Ŷ	7	1	7	
Refired	8	8	6	B	8	8	6	
Resident Med / Criver J Caretaker	9	9.	9	9	9	9	9	
Infants	10	10	10	10	50	10	10	
Others	41	11	11	15	- 11	311	11	
Not doing anything	12	12	12	12	12	12	12	
Location of Work Place/ Schooli College					· · · · · · · · · · · · · · · · · · ·			
Are you employed in Government / Prixa	Evelope etc.							
see free standard and a standard stand		1 Covt 2 Priv	+ Dut . 0.00.	4 Reit 2 Dec	1 . det . 0. De.	4 Co.4 . 0 De.	A DOMESTIC AND A DOMESTICANA AND	
Building Type or Land Use that best dep	1 6691 4 PW						1 Out - 2 Di	
presend type of raus new and new	with the local or biddeling it.	and the second se		1,9298 2,718	1 0001 2.1100	1 COVI 2 PHV	1 Cost 2 Pri	
	cribes your USUAL	and the second se		1.9208 2.718	T GOVE 2. PRV	1 CON 2 HIV	1 Govt 2 Pit	
Employment Place:	cribea your USUAL	and the second se		1 9398 2 718	1 004 2.710	1 GON 2 PHV	1 Govt 2 Pri	
Reidentul	1	place of employment	or soluciation:	t	1	4	1 Govi 2 Ri	
Residential Industry/Factory	1 2	place of employment 1 2	or education:	1.	1 7	1	1 2	
Residential IndustryFactory Vitanthouse	1 2 3	place of employment 1 2 3	or selucation: 1 2 3	1. 2. 3.	1 2 3	1 2 3	1 2 3	
Residential IndustryFactory Warehouse Office	1 2 3 4	place of employment 1 2 3 4	or selucation: 1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4	1 2 3 4	
Residential IndustryFactory Warehouse Office Film Industry	1 2 3 4 5	place of employment 2 3 4 5	at solucation: 1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	
Residented IndustryFectory Watehhouse Otipe Film Industry Shep	1 2 3 4 5 4	1 2 3 4 5 8	at solucation: 1 2 3 4 5 6	1 2 3 4 5 6	1 2 3 4 5 6	1 2 3 4 5	1 2 3 4 5 6	
Residented IndustryFectory Watehhouse Otipe Film Industry Shop Restauron/Eating Piece	1 2 3 4 5 8 7	1 2 3 4 5 6 7	at solucation : 2 3 4 5 6 7	1 2 3 4 5 6 7	1 2 3 4 5 6 7	1 2 3 4 5 8 7	1 2 3 4 5 5 7	
Residential IndustryFectory Watehouse Office Film Industry Stay Restauron/Eating Picco Hotel	1 2 3 4 5 4 7 8	1 2 3 4 5 6 7 8	at solucation: 1 2 3 4 5 6 7 8	1 2 3 4 5 6 7 8	1 3 4 5 6 7 8	1 2 3 4 5 8 7 8	1 2 3 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	
Recister fail Industry Factory Warehouse Office Film Industry Shop Restauron/Eating Placo Hotel Entortainment/Tourism	1 2 3 4 5 8 7 8 8	1 2 3 4 5 8 7 8 9	at solucation: 1 2 3 4 5 6 7 8 9	1 2 3 4 5 6 7 8 8	1 2 3 4 5 6 7 8 9	1 2 3 4 5 5 7 8 8 8 8 8 8 8 8	1 2 3 4 5 5 5 7 8 5 5 5 5	
Residential Industry/Factory Wilanshouse Other Film Industry Stop Restauror/Eating Place Hotel Entertainment/Fourian Place of Education	1 2 3 4 5 4 7 8 8 10	1 2 3 4 5 6 7 8 8 9 13	at solucation: 1 2 3 4 5 6 7 8 9 10	1 2 3 4 5 6 7 8 8 9 10	1 2 3 4 5 8 7 8 9 13	1 2 3 4 5 8 7 8 8 8 8 10	1 2 3 4 5 6 7 8 5 10	
Residential Industry/Factory Wilanshouse Othor Film Industry Stop Restauron/Eating Place Hotel Entertainment/Fourian Place of Education Health Feolity	1 2 3 4 5 4 7 8 8 10	1 2 3 4 5 6 7 8 9 13 11	at solucation: 1 2 3 4 5 6 7 8 9 10 11	1 2 3 4 5 6 7 8 8 9 10 11	1 2 3 4 5 6 7 8 9	1 2 3 4 5 8 7 8 8 9 10	1 2 3 4 5 5 5 7 8 5 5 5 5	
Residential Industry/Factory Wianshouse Othor Film Industry Stop Restauron/Eating Place Hotel Entertainment/Fourian Place of Education Heath Facility Agriculture	1 2 3 4 5 4 7 8 8 10 11	1 2 3 4 5 6 7 8 8 9 13	at solucation: 1 2 3 4 5 6 7 8 9 10	1 2 3 4 5 6 7 8 8 9 10	1 2 3 4 5 6 7 8 9 10 11	1 2 3 4 5 8 7 8 8 8 8 10	1 2 3 4 5 6 7 8 5 10 11	
Residential IndustryPectory Watehouse Office Film Industry Stop Restauron/Eating Place Hotel Entertainment/Found Place of Education Health Feating Agriculture Construction Ste	1 2 3 4 5 4 7 8 8 9 10 11 12 13	1 2 3 4 5 6 7 8 9 10 11 11 12	at solucation: 1 2 3 4 5 6 7 8 8 9 10 11 12	1 2 3 4 5 6 7 8 9 10 11 11 12	1 2 3 4 5 6 7 8 9 10 11 11 12	1 2 3 4 5 8 7 8 8 10 11 11 12	1 2 3 4 5 5 5 7 8 9 10 11 12	
Residential Industry/Factory Wianshouse Othor Film Industry Stop Restauron/Eating Place Hotel Entertainment/Fourian Place of Education Heath Facility Agriculture	1 2 3 4 5 4 7 8 8 9 10 11 12 13	1 2 3 4 5 8 7 8 9 13 11 12 13	ar education: 1 2 3 4 5 6 7 8 9 10 11 12 13	1 2 3 4 5 6 7 8 8 9 10 11 11 12 13	1 2 3 4 5 6 7 8 9 13 11 11 12 13	1 2 3 4 5 8 7 8 9 10 11 11 12 13	1 2 3 4 5 6 7 8 5 10 11 11 12 13	
Residential Industry/Fectory Waterbruse Office Film Industry Step Restauron/Eating Place Hotel Enterteinment/Fourier Heath Fectiny Agriculture Construction Site Varies day to day	1 2 3 4 5 4 5 8 7 8 8 10 11 11 12 13 14	1 2 3 4 5 6 7 8 9 13 11 12 13 14	at education: 1 2 3 4 5 6 7 8 9 10 11 12 13 14	1 2 3 4 5 6 7 7 8 8 9 10 11 11 12 13 14	1 2 3 4 5 8 7 8 9 10 11 11 11 12 13 14	1 2 3 4 5 8 7 8 8 10 11 11 11 12 13 14	1 2 3 4 5 6 7 8 9 10 11 11 12 13 14	
Residential Industry/Fectory Waterbouse Office Film Industry Brag Restauron/Eating Place Hotel Enfortainment/Tourion Place of Education Hotel Enfortainment/Tourion Place of Education Hotel Enfortainment/Tourion Place of Education Hotel Enfortainment/Tourion Place of Education Hotel United by Is day Others Resident Space	1 2 3 4 5 8 7 8 8 10 11 11 12 13 14 15	1 2 3 4 5 6 7 8 9 13 11 12 13 14 15	at education: 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15	1 2 3 4 5 6 7 7 8 8 9 10 11 11 12 13 14 15	1 2 3 4 5 6 7 8 9 10 11 11 12 13 114 75	1 2 3 4 5 5 6 7 8 8 10 11 11 12 12 11 14 15	1 2 3 4 5 5 5 5 5 7 8 9 10 11 11 12 13 14 15	
Residential Industry/Factory Waterbouse Office Film Industry Beap Restauron/Eating Place Restauron/Eating Place Restauron/Eating Place Heat Entertainment/Tourison Place of Education Heat Feolity Apficulture Construction Site Varies day to day Others Resident Space Student Destination Type:	1 2 3 4 5 8 7 8 8 10 11 12 13 14 15 16	1 2 3 4 5 6 7 8 9 13 11 12 13 14 15	at education: 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15	1 2 3 4 5 6 7 7 8 9 10 11 11 12 13 14 15 15	1 2 3 4 5 6 7 8 9 10 11 11 12 13 114 75	1 2 3 4 5 8 7 8 8 10 11 11 12 13 14 15 56	1 2 3 4 5 5 5 5 5 5 5 5 7 8 9 10 11 11 12 10 14 15 16	
Recision foi Industry Frectory Witanshouse Office Film Industry Shop Restauron/Eating Place Heat Enfortsimment/Tourism Heath Postly Agriculture Construction Ste Varies day Others Resident Space Student Destination Type: Pre-School	1 2 3 4 5 8 7 8 8 10 15 15 14 15 16	1 2 3 4 5 8 9 13 11 12 13 14 15 15	1 2 3 4 5 6 7 8 8 9 10 11 12 13 14 15 16 15 16	1 2 3 4 5 6 7 8 8 9 10 11 11 12 13 14 15 15	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 15 15	1 2 3 4 5 8 7 8 8 8 10 11 11 12 13 13 14 15 56	1 2 3 4 5 5 5 7 8 5 10 11 11 12 10 14 15 16	
Residential Industry/Factory Waterbouse Office Film Industry Beap Restauron/Eating Place Restauron/Eating Place Restauron/Eating Place Heat Entertainment/Tourison Place of Education Heat Feolity Apficulture Construction Site Varies day to day Others Resident Space Student Destination Type:	1 2 3 4 5 4 5 8 10 11 12 13 14 15 16	1 2 3 4 5 6 7 8 9 13 11 12 13 14 15	at education: 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15	1 2 3 4 5 6 7 7 8 9 10 11 11 12 13 14 15 15	1 2 3 4 5 6 7 8 9 10 11 11 12 13 114 75	1 2 3 4 5 8 7 8 8 10 11 11 12 13 14 15 56	1 2 3 4 5 6 7 8 9 10 11 11 12 13 14 15 16	
Residential Industry/Factory Wilanshouse Otilice Film Industry Bhop Restauron/Eating Place Restauron/Eating Place Restauron/Eating Place Heath Entertainment/Fountain Heath Feotily Agriculture Varies day to day Varies day to day Others Rosobert Spece Studient Destination Type: Pm-School Primary School Primary School	1 2 3 4 5 4 7 8 8 10 11 11 12 13 14 15 16 1 7 2 3	1 2 3 4 5 6 7 8 9 13 14 15 15 15 15 1 1 2 3 4	at solucition: 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 15 16 1 2	1 2 3 4 5 6 7 8 8 9 10 11 11 12 13 14 15 15	1 2 3 4 5 8 9 10 11 11 12 13 14 15 15 15	1 2 3 4 5 8 7 8 8 10 11 11 12 13 14 15 56 1 2	1 2 3 4 5 6 7 8 5 10 11 12 13 14 15 16 1 2	
Recision foil Industry/Factory Wilanshouse Office Film Industry Shap Restauron/Eating Place Hotel Enfortainment/Tourism Place of Education Hotel Enfortainment/Tourism Place of Education Hotelt Poolby Agriculture Construction Ste Varies day to day Others Resolut Space Student Destination Type: Pre-School Student Destination Type: Pre-School Disgree College University/Research traiture	1 2 3 4 5 8 7 8 8 10 15 15 16 1 2 3 4 5	1 2 3 4 5 6 7 8 9 13 11 12 13 14 15 15 14 15 15 14 15 15 14 15 15	at solucation: 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 15 16 17 18 18 19 19 19 19 19 19 19 19 19 19	1 2 3 4 5 6 7 7 8 8 9 10 11 11 12 13 14 15 15 15 15	1 2 3 4 5 6 7 8 9 10 11 11 12 13 11 14 15 19 19 1 1 2 3 4 5	1 2 3 4 5 5 5 7 8 8 8 8 10 11 11 12 13 13 14 15 16 1 2 3 4 5	1 2 3 4 5 5 5 7 8 3 10 11 12 10 14 15 16 1 2 3 4 5	
Residential Industry/Factory Waterbouse Office Film Industry Bage Restauron/Eating Place Hotel Entertainment/Tourism Place of Education Heath Feolity Apficulture Construction Site Varies day to day Others Resident Space Student Destination Type: Pm-School Primary School Degree College	1 2 3 4 5 8 7 8 8 10 15 15 16 1 2 3 4 5	1 2 3 4 5 6 7 8 9 13 14 15 15 15 15 1 1 2 3 4	at selucation: 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 14 15 15 14 15 15 14 15 16 7 8 9 10 11 12 13 14 15 15 16 17 18 19 10 11 12 13 14 15 15 16 17 18 19 10 11 11 12 13 14 15 15 15 15 15 15 15 15 15 15	1 2 3 4 5 6 7 8 8 9 10 11 11 12 13 14 15 15 15	1 2 3 4 5 8 9 10 11 11 12 13 14 15 15 15 1 1 2 3 4	1 2 3 4 5 8 7 8 8 10 11 11 12 12 14 15 16 1 2 3 4	1 2 3 4 5 6 7 8 9 10 11 12 10 14 15 16 1 2 3 4	



				50m
भू वापर वर्गीकरण			इतर वग	र्गीकरण
LAND USE CLASSIF	ICATIONS		OTHER	CLASSIFICATIONS
रहिवासी		। दळणचळण		राज्य हद
RESIDENTIAL		TRANSPORTATION		STATE BOUNDARY
वांधीव			There a	जिल्हा हद
BUILT बांधकाम निर्माणाध		EXPRESSWAY	Reigarti	DISTRICT BOUNDARY
UNDER CONSTRUC		म राष्ट्रीय महामार्ग	(1) Parts	तालुका हद
ताल्पुरते बांधकाम		NATIONAL HIGHWAY राज्यमार्ग	Ulhannagar Thane	TALUKA BOUNDARY
TEMPORARY STRU	CTURE	STATE HIGHWAY		
मिश्र वापर		मुख्य जिल्हा रस्ते	Adal	गाय हद VILLAGE BOUNDARY
MIXED USE रहियासी + याणिउ		IDR. MAJOR DISTRICT ROAD		
R+C RESIDENTIAL + CO	the second se	DR इतर जिल्हा रस्ते		मु.म.प. हद MMR BOUNDARY
R+0 रहियासी + इतर		OTHER DISTRICT ROAD		
RESIDENTIAL + OT	HERS	VR गाव रस्ते VILLAGE ROAD		नैना हद
वाणिज्य	1.00	रुवे जमील		NAINA BOUNDARY
COMMERCIAL	100	RAILWAY LAND	-	नैना टप्पा – १ हद
M MARKET		जलाशय		NAINA PHASE-I BOUNDARY
HO		WATERBODY		Anna and Andrew Charles and Charles and
HOTEL इतर		नदी		शहर हद्द / विशेष लियोजन प्राधिकरण हद
O OTHERS		RIVER		MUNICIPAL / SPA BOUNDARY
उद्योग		तनाव	[गावठाण / वसाहत
INDUSTRIAL		P LAKE / POND	NERE	GAOTHAN/ SETTLEMENT
LS युह्त उद्योग	77.77	आर्द्रभूमी		
LARGE SCALE INDU	JSTRY	WETLAND	\sim	सर्वेक्षण / महसुल हद
SS SMALL SCALE IND	ISTRY	वलक्षेत्र	\Box	SURVEY / REVENUE BOUNDARY
मेवा उद्योग	USINI	FOREST		
SR SERVICE INDUSTR	Y	खारफुटी	1	हिस्सा हद
घार योट भट्टी	LELP_ of	MANGROVES	Land	HISSA BOUNDARY
BRICK KILN		सार्वजलिक सुविधा	1	जलाशय
WH JICTIA WAREHOUSING		PUBLIC UTILITIES		REVENUE WATER BODIES
		aस स्थानक / आगार BUS TERMINUS / DEPOT		দুল
सार्वजनिकआणि लिम PUBLIC & SEMI PUBLIC		वियुत उपकेंद्र	\equiv	BRIDGE
शाळा		ELECTRIC SUBSTATION	10 N	
SCHOOL	0	अस्त जलकुंभ		पादचारी मार्ग
C महाविद्यालय		over Head TANK शौचालय		FOOT TRACK
COLLEGE प्राथमिक आरोग्य वे	ine	TOILET		अंतर्गत रस्ते
PHC PRIMARY HEALTH		जलप्रक्रिया केंद्र		INTERNAL ROAD
		WATER TREATMENT PLANT		लोहमार्ग
HHOSPITAL		o इतर OTHERS	+++++++++++++++++++++++++++++++++++++++	RAILWAY LINE
CR समशाल भूमी /दफ	ज भूमी			
BURIAL GROUNDS		कृषिक्षेत्र		रेल्वे स्थालक
sc सामाजिक आणि स		AGRICULTURAL	8	RAILWAY STATION
SOCIAL AND CULTL		CROP LAND		ओढा /ताला
GP GRAM PANCHAYAT	M4	पडीक जमील	\rightarrow	STREAM
रेकल	E122	FALLOW LAND	98C	
TEMPLE	1.1	वृक्ष लागवड	++++	वियुत वाहिनी
मशिद	2.4	PLANTATION	corr	POWER TRANSMISSION LINE
MOSQUE		कुक्कुटपालन / गोठा POULTRY FARM/CATTLE SH	ED	
CH ਬਬੰ CHURCH	22	85 03		जल वाहिनी
G गुरुद्वारा	HI	टेकडी HILL	and and and	WATER PIPELINE
GURUDWARA		ा खाण		वायू वाहिली

GURUDWARA	खाण	वाय् वाहिनी
PS पोलीस स्थानक	QUARRY	GAS PIPELINE
POLICE STATION	धरण	परिरेषा पालळी
अग्निशामक केंद्र	DAM / BARRAGE	CONTOURS
FIRE STATION	REC ATAUGA	
BN बेंक) ए टीएम	REGREATIONAL	
BANKS/ATMS	PG कीडांगण	
० इतर	PLAYGROUND योगदा	
OTHERS	TUNNEL	
मोकळी जागा	डमारत	
VACANT LAND	STRUCTURE/BUILDING	



ANNEXURE 6-1: RANGE OF NORMS & STANDARDS, AND ADOPTED STANDARDS

Sl.No		Facilities	UDPFI		New URDPFI (2013)		1979 GR Norms		•	CIDCO(Navi Mumbai) Norms		Waluj Draft Development plan		TED ms
51.140				Area (ha)	Pop (No.)	Area (ha)	Pop (No.)	Area (ha)	Pop (No.)	Area (ha)	Pop (No.)	Area (ha)	Pop (No.)	Area (ha)
Α	Amenities													
		Balwadi/Creche	2,500	0.08	5,000	0.02	Nil		Nil		12,000	0.05	12,000	0.05
	Educational	Primary & Secondary School	5,000	0.20	5,000	0.20	10,000	0.65		0.4	12,000	0.6	10,000	0.4
1	Facilities	Play Grounds		0.20		0.20		1.25		1.00		1.0		0.6
		Degree Colleges	1,25,000	4.00	1,00,000	5.00 6.00	Nil		1,25,000	1.00	12,000	1.25	1,25,000	1.00
		Professional Colleges/Technical College Clinic	10,00,000	4.00	10,00,000	6.00	Nil		1,25,000	2.00	12,000	1.2	1,25,000 10,000	2.00 0.06
		Dispensary/Public Health Center	15,000	0.08	15,000	0.08	10,000	0.25	25,000	0.15	12,000	0.1	25,000	0.00
2	Health Facilities	General Hospital	2,50,000	6.00	5,00,000	6.00	Nil	0.25	1,00,000	0.10	20,000	0.1	1,00,000	0.50
-		Super Specialty Hospital/Intermediate hospital(Category-A)	1,00,000	3.70	1,00,000	3.70	Nil		2,50,000	2.00	Nil		2,50,000	2.00
		Library (community hall and library)	15,000	0.20	15,000	0.20	10,000	0.05	Nil		10,000	0.05	10,000	0.05
		Multipurpose Hall	Nil		Nil		Dependir the ne		Nil		Nil		10,000	0.2
3	Social and	Community Hall	Nil		Nil		10,000	0.05	1,00,000	0.20	38,000	0.2	1,00,000	0.20
3	Cultural centers	Health Club & Gymnasium (Meditation or Spiritual Center)	1,00,000	0.50	1,00,000	0.50	Dependir the ne		Nil		Nil		10,000	0.1
		Religious	Nil		10,00,000	4.00	Nil		10,000	0.15	Nil		10,000	0.15
		Working Women hostel	Nil		10,00,000	0.10	Nil		1,00,000	0.30	Nil		1,00,000	0.30
		Vegetable Market	Nil		Nil		10,000	0.2	4		12,000	0.2		
		Fish/Meat Market	Nil		Nil		Nil				12,000	0.2		
4	Daily Bazaar/	Rationing shops	Nil		Nil		Nil		10,000 0.1		Nil		10.000	10,000 0.1
4	Market Complex	Flour mills Milk Booths	Nil Nil		Nil 5,000	0.02	Nil Nil				Nil Nil		10,000	
		Post office/Head post office with delivery office	5,00,000	0.15	5,00,000	0.02	Nil		-		12,000	0.05		
В	Public Utilities	onice												
_		Fire Brigade and Allied services	2,00,000	1.00	1,00,000	1.00	Depending upon the needs				12,000	0.05	2,00,000	1.00
5	Fire station/ Police station	Burial Ground/Cremation Ground	5,00,000	0.50	5,00,000	4.00		Depending upon the needs				Nil		4
		Police Station	90,000	1.50	50,000	0.32	Nil				12,000	0.05	1,00,000	1
С	Parks and open s	paces												
6	Parks and open	Play fields/Neighborhood Play fields	Play fields mentioned along schools		5,000	1.50	1,000	0.4			12,000	0.2	1,000	0.4
U	spaces	Parks/Neighborhood parks			5,000	1.00	00 1,000 0.2				12,000	1.0		
		Open space/ Parks/Play grounds	10,000	10.00	10,000	10.00		1	10,000	3.00			10,000	3.00
		City Park	,		10,00,000	100.00		1	,				5,00,000	50.00
	<u>I</u>	· ·		Ado	opted Norms			1		1		1		
				Assu	Imed Figures af ussion with CID									

discussion with CIDCO



ANNEXURE 6-2: VILLAGE WISE RESERVATION LIST

Reservation No.	Sector	Area_Ha	Tahsil	Village	Survey No.
238_BG/C	11	1.6966	Panvel	Turmale	33/1,33/2,34/1,34/2,34/3,34/4,35/2,35/3,35/4,35/6,53/,53/1,53/2,54/1,54/3,54/6
239_CC	11	0.2850	Panvel	Kudave	12/1,13/,3
240_DB	11	0.0997	Panvel	Turmale	37/2
241_DB	11	0.1084	Panvel	Kudave	25/3,25/4,27/1,27/4
242_FS	11	1.0058	Panvel	Shirdhon	29,30
243_GC	11	14.5168	Panvel	Nandgaon	31/1,31/16,32/,32/10,32/14,32/15,32/7,32/8,32/9,37/,37/3,37/6A,37/9B,40/,40/10, 40/11,40/5,40/6A,40/6B,40/6C,41/,41/1/A+5,41/1B,41/6,42/,42/1,42/10,42/12,42/13, 42/13,42/14,42/2+8+9,42/3,42/7,43/1,43/2, 43/3,43/6,44/5,44/6,
		Vadavali	31,32,33,44,45		
244_GC	11	13.4282	Panvel	Turmale	110/2,110/4,35/4,35/5,37/2,50/1,50/3,51/1,51/2,51/3,51/4,52/1,52/2,52/3,52/4,53/, 53/1,53/3,53/4,53/6,56/1,56/2,57/1,57/2,57/3,57/4,57/5,57/6,58/1,58/2,58/3,58/4, 59/1,59/2,59/3,59/4,59/5,59/6,60/1,60/2,60/3,61/1,61/2,61/3,62/1,62/2,62/3,63/2, 63/3,64/1,64/2,65/1,65/2,65/3,65/4,66/1,66/2,66/4,67/1,67/3,83/3
				Turmale	10,125/3,126/1,126/4,126/5,126/6,6/3,
245_GC	11	13.7029	.7029 Panvel Vadavali		10,10,10,11,12,12,13,14/A,14/B,15,16,17,18,19,20,28/APAI,28/B,28/C,28/C,39, 52,8,9
246_GC	11	9.3896	Panvel	Shirdhon	29,30,31,32,33,34,35,36,37,38,39
247_GH	11	0.5000	Panvel	Vadavali	18



Reservation No.	Sector	Area_Ha	Tahsil	Village	Survey No.
248_P	11	2.3726	Panvel	Nandgaon	10/1,10/2,10/3,10/4,10/5,10/6,10/7,10/8+9,3/1,3/2,3/3,3/4,3/5,3/6,4/1,4/2,4/3A,4/4,4/5
249_P	11	2.3992	Panvel	Shirdhon	29,39
				Kudave	8/1,8/2,8/3,8/4,9/1,9/2,9/3,
250_PG	11	2.3399	Panvel	Nandgaon	14/1,14/10,14/2,14/9,22/12,22/6,22/7,23/3
251_PG	11	1.7004	Panvel	Kudave	31/4,31/5,32/1,32/3,32/4,32/5,32/6,33/,33/3,34/2,34/3,34/4,34/6
252_PG	11	1.7386	Panvel	Shirdhon	39,41
253_PG	11	1.4647	Panvel	Vadavali	25,33,34,43A
		1.2390	Panvel	Turmale	125/2,125/3,126/5,126/6,127,94,
254_PG	11			Vadavali	15,16
				Kudave	53/1,53/2,53/3,53/4,54/3,54/5,54/6,
255_PG	11	1.3705	Panvel	Nandgaon	25/2,25/3
256_PHC	11	0.1500	Panvel	Turmale	50/1,50/2,50/3
257_PHC	11	0.1516	Panvel	Kudave	3,7/5,7/6
				Kudave	33/1,34/1,34/5,34/6,35/3,35/4,35/6,
258_S	11	0.3966	Panvel	Vadavali	7
259_SPG	11	0.5969	Panvel	Kudave	34/1,34/6,35/1,35/2,35/3,35/4,35/5,37/3
260_STP-6	11	1.7445	Panvel	Kudave	10/2,3,7/1,7/2,7/3,7/4,8/2,9/2,9/3,9/4



Reservation No.	Sector	Area_Ha	Tahsil	Village	Survey No.
261_STP-7	11	1.1005	Panvel	Turmale	53/,54/1,54/2,54/5,54/6,55/1,55/2,55/3,55/4,56/2
262_CC	12	0.2433	Panvel	Chirvat	45
		0.4055	D	Chirvat	45,
263_CWR 2	12	3.4355	Panvel	Turmale	94,95
264_DB	12	0.1141	Panvel	Chirvat	15/2,15/4
265_DB	12	0.1355	Panvel	Chirvat	45
266_ESS	12	0.3309	Panvel	Nandgaon	36/8,37/4,37/5
				Nandgaon	32/1,32/11,32/12,32/13,32/14,32/2,32/3,32/4,32/5,32/6,32/7,36/,36/8,37/4, 37/7,37/8,
267_GC	267_GC 12	40.7477	0.7477 Panvel	Turmale	100,101,102/1,102/2,103/,104,107/,107/1,107/2,107/3,108/1,108/2,108/3,108/4, 108/5,113/1,113/2,113/3,115/1,115/2,115/3,116,117,118/1,118/2,119,120,121, 122,123, 124/1,124/2,125/1,125/2,125/4,128,94,95,97/
				Vadavali	17,19,20,21,22,23,24,25,26,27,28APAI,28APAI,29,30,31,33,34,35,50
				Chirvat	10/1,10/2,11,12,16/1,16/2,7/2,7/5,7/6,7/9,8/,8/1,8/2,8/3,
268_GC	12	9.3160	Panvel	Turmale	104,105/1,105/2,105/3,106/1,106/2,106/3,106/4,107/1,107/2,107/3,107/4,109/1, 109/3,110/5,62/1,62/3,63/1,63/2,63/4,63/5,64/2,85/4,86/1,86/2,87/1,87/2,87/3, 88/1,88/2,88/3,88/4
				Chirvat	45
269_GSR 8	269_GSR 8 12 0.3765 Panvel Turm		Turmale	95	
270_GSR7	12	0.2900	Panvel	Nandgaon	36/,36/8,37/4,37/5,37/8



Reservation No.	Sector	Area_Ha	Tahsil	Village	Survey No.
271_P	12	2.6187	Panvel	Chirvat	198,199,27,28,29,30
272_P	12	10.7892	Panvel	Turmale	100,101,103/,94,95,96,97/,97/1,97/2,98,99
070 0	10	0.0754	Desert	Chirvat	1,45
273_P	12	3.2754	Panvel	Turmale	95
				Chirvat	11,8/,8/1,8/2,
274_PG	12	2.8652	2 Panvel	Turmale	63/1,63/2,63/3,63/4,63/5,63/6,83/1,83/2,84/1,85/1,85/2,85/3,85/4,85/5,86/1, 86/2,86/3
275_PG	12	1.3217	Panvel	Chirvat	45
276_PHC	12	0.1500	Panvel	Chirvat	15/1,15/2,15/4
277_PHC	12	0.2513	Panvel	Chirvat	44,45
				Chirvat	13/2,14,
278_PS	12	1.0511	Panvel	Turmale	79/1,80/1,80/2,80/3,80/4,80/5,80/6,81/5,82/2,82/6
279_S	12	0.3953	Panvel	Chirvat	16/3,16/4,16/5,19/2
280_SPG	12	0.5554	Panvel	Chirvat	16/3,16/5,17/1,18/1,18/2
			Panvel	Chirvat	29,
281_BD	16	14.8803		Sangurli	13,14,15,16,17,18,19,20,26,27,28,29,30,31,4,5
				Shirdhon	177



Reservation No.	Sector	Area_Ha	Tahsil	Village	Survey No.
282_PG	16	7.5702	Panvel	Sangurli	12,35,36,37,38,43,44,45,46,47,48
283_DB	17	0.1066	Panvel	Chinchavan	16/5,17/1,17/2,17/3,63
284_P	17	3.0774	Panvel	Chinchavan	11/1,11/2,11/3,11/4,11/5,11/6,12/4,19,20/4,21/3
285_PHC	17	0.1574	Panvel	Chinchavan	16/5,63
286_S	17	0.3728	Panvel	Chinchavan	79/2,80/1,80/2,80/4
287_SPG	17	0.6640	Panvel	Chinchavan	78/1,79/1,79/2,80/1,83/1
288_STP-8	17	1.7881	Panvel	Chinchavan	22/3,22/4,23/2,23/3,23/4,23/5,24/3,24/4,24/5,24/6,26/1,26/2,26/4,26/5,26/5,
289_DB	18	0.0999	Panvel	Shirdhon	131,132
290_ESS	18	0.5996	Panvel	Shirdhon	115,122,123,124
291_GC	18	20.6806	Panvel	Shirdhon	105,106,107,108,109,110,111,112,113,114,125,126,127,129,56,129,56,84,85,86, 89,90,91,92,93,94,96,97,98,117
292_GC	18	13.2172	Panvel	Shirdhon	117,118,123,124,125,127,128,129,132,133,134,135,136,137,138,137,138,139, 141,372/2,373/10,373/11,375,376,377/1,378
293_GC	18	7.1200	Panvel	Shirdhon	113,114,82,83,84,85,87,92
294_GSR 9	18	0.2481	Panvel	Shirdhon	114,82
295_P	18	3.1298	Panvel	Shirdhon	138,139,140,141
296_PG	18	2.1926	Panvel	Shirdhon	135,137,138,139,141
297_PG	18	1.6163	Panvel	Shirdhon	88,89,90



Reservation No.	Sector	Area_Ha	Tahsil	Village	Survey No.
298_PG	18	2.9929	Panvel	Shirdhon	252,252/5,253/1,253/2,253/3,254,256,257,258,29
299_PHC	18	0.1471	Panvel	Shirdhon	131
300_RS	18	3.1630	Panvel	Shirdhon	117,118,119,120,122
301_S	18	0.3921	Panvel	Shirdhon	105,106,107
302_SPG	18	0.6295	Panvel	Shirdhon	106,131
303_BT	19	0.9711	Panvel	Bhingar	110,113,114,115,152,92
304_GC	19	7.8340	Panvel	Bhingarwadi	10,11,12,20,22,23,24,25,26,27,28,29,31,33,35,36,37,38,40,57,58
		42.5633	42.5633 Panvel	Bhingarwadi	28,29,32,33,34,35,40,41,42,43,44,45,46,47,48,49,50,51,52,53,54,55,56,58,
305_GC	19			Mohope	41,42,43,44/1,47,48,49/1,49/2,49/3,49/4,49/5,50,51/1,51/2,52,54,55/1,55/2,56, 57/1,57/2,58,59,60/1,60/2,61,62,63/1,63/2,65,66,67,69/1,69/2,70,71/1,71/2,71/3,72, 73,74,75, 76,
				Poyanje	184,189
306_GC	19	1.5823	Panvel	Poyanje	183,184,185,186,188,189,64
307_GC	19	30.0389	Panvel	Poyanje	104/4,104/5,105,106/1,106/2,106/3,106/4,107,108/1,108/2,108/3,108/4,109,110, 111/1,111/2,111/3,114,115,116,117,118,119/1,119/10,119/11,119/12,119/2,119/3, 119/4,119/5,119/6,119/7,119/8,119/9,120,121,122,123/1,123/2,123/3,124,125,126, 127,128,129,131/10,131/7,131/8,132,133,134,144/1,144/2,144/3,144/4,144/5,144/6, 144/7,144/8,144/9,145/1,145/2,145/3,146,147,163,164,165,166,167,168,170,180, 183,188,189,190,191,192,193,194,196,197,198,199/1,199/2,200,85/1,85/2,85/5, 97,98,99



Reservation No.	Sector	Area_Ha	Tahsil	Village	Survey No.
308_PG	19	1.6007	Panvel	Bhingar	119,124,125,126,127,128,131
309_PG	19	4.1050	Panvel	Bhingarwadi	77,86,87,88,89,90,91,92,93,94,97,98,99
	10	0.0010	D	Bhingarwadi	28,29,
310_PG	19	3.2216	Panvel	Mohope	68,69/2,69/3
311_S	19	0.4286	Panvel	Poyanje	172/1,173,174,175
312_SAF	19	1.9153	Panvel	Bhingar	115,116,151,152,153,155
313_SPG	19	0.6977	Panvel	Poyanje	168,170,171,172/1,172/2
			2128 Panvel	Bhingar	119,120,121,122,123,124,125,126,
314_STP-10	19	3.2128		Shedung	117
315_BG/C	20	1.6250	Panvel	Poyanje	83/2,83/5,84
316_BT	20	0.5042	Panvel	Poyanje	205,208,209,211/2,211/3,211/4
317_C	20	1.1208	Panvel	Pali Budruk	13/3,13/4,19,20,22/1,22/3,7/1,7/2
318_CC	20	0.2000	Panvel	Pali Budruk	17/2,19
319_DB	20	0.1012	Panvel	Mohope	30,4
320_DB	20	0.1419	Panvel	Poyanje	157,158
321_DB	20	0.1200	Panvel	Pali Budruk	17/2,18,19
322_ESS	20	0.2399	Panvel	Poyanje	1/1,257,259/3



Reservation No.	Sector	Area_Ha	Tahsil	Village	Survey No.
323_GH	20	0.4712	Panvel	Mohope	20,21/1,4,17/1
324_GSR 11	20	0.2820	Panvel	Mohope	105/1,112,113,114,115/1,115/2
325_P	20	3.7077	Panvel	Poyanje	60,61/1,62/1,62/2,62/3,62/4,62/5,63,64/2,65
326_P	20	0.9564	Panvel	Mohope	112,113,114,82,83/1,83/2,83/3,84/4,6
327_PG	20	1.4078	Panvel	Mohope	77,78,79,80,81,82,83/1
328_PG	20	2.9085	Panvel	Poyanje	52/1,52/2,52/3,52/4,52/5,52/6,52/7,53,55,57,61/1
329_PG	20	1.5581	Panvel	Pali Budruk	13/3,13/4,19,25
330_PG	20	3.7503	Panvel	Poyanje	1/1,1/2,10,11,12,13,14,15,2/3,2/5,255,257
331_PHC	20	0.1512	Panvel	Pali Budruk	84/8,84/9,85,86
332_PHC	20	0.1529	Panvel	Mohope	78,79
333_PHC	20	0.1494	Panvel	Poyanje	100,95/1,97
				Poyanje	221/1,221/2,222,223,225,
334_PS	20	0.8196	Panvel	Pali Budruk	22/3,23/1,23/2,24/3,61/2
335_S	20	0.4000	Panvel	Pali Budruk	22/3
336_S	20	0.4005	Panvel	Mohope	35/1
337_SAF	20	0.2999	Panvel	Poyanje	202/1,210,211/1,211/2,211/4
338_SAF	20	0.4666	Panvel	Poyanje	211/1,211/2,211/3,211/4



Reservation No.	Sector	Area_Ha	Tahsil	Village	Survey No.
339_SAF	20	0.1199	Panvel	Poyanje	210
340_SPG	20	0.5305	Panvel	Poyanje	209,215,216,219/1,219/2
341_SPG	20	0.6380	Panvel	Mohope	33/1,33/2,35/1,36/3,46/2
342_SPG	20	0.6400	Panvel	Pali Budruk	23/1,23/2,24/3,61/1,61/2,67
				Bherle	147,149,
343_DB	21	0.1039	Panvel	Wardoli	21
				Bherle	104,105,106/1,88/5,91,92/1,92/2,92/3,92/4,93,94,95,96/1,96/2
344_GC	21	7.9715	Panvel	Bhingar	113,154,155,158,165,166,167,168,169,170,171,172,173,175,177,178
345_GC	21	14.4545	Panvel	Bherle	113,114,115,116,117/1,117/2,118/2,119,128,129/1,129/2,134,135,136,138,139/1, 139/2,140/1,140/2,141/1,141/2,141/3,142,143,144,145/1,145/2,145/3,146,147,149, 150/1,151,152,153/1,153/2,154/1,155,75,76/1,76/2,83,84/1,84/2,85/1,85/2,85/3,86, 87,88/1,88/3
346_GC	21	14.2215	Panvel	Wardoli	11,12,126,127,129,13,130,132,133,134,136,143,18,2,3,4,9,10,128, 131
347_GH	21	0.7863	Panvel	Bherle	17/4,6/8,6/10,6/6,65,72,73,65,63,64,71/2
348_P	21	1.5465	Panvel	Wardoli	104,40,45
			Panvel	Bherle	149,2/1,
349_P	21	2.7061		Wardoli	11,12,19,20,10
350_PG	21	1.2014	Panvel	Wardoli	40,44,45,50



Reservation No.	Sector	Area_Ha	Tahsil	Village	Survey No.
				Bherle	1,149,150/1,150/2,2/1,2/2,
351_PG	21	1.5369	Panvel	Wardoli	11
352_PG	21	2.0618	Panvel	Bherle	78/1,79,80,81/1,81/2,82,83,84/1,84/2,85/3,87
353_PHC	21	0.2006	Panvel	Bherle	149
354_S	21	0.4000	Panvel	Bherle	149,150/1,2/1
				Loniwadi	95,
355_S	21	0.4174	Panvel	Wardoli	31,35
356_S	21	0.3771	Panvel	Bhingar	165,166,167,170
				Loniwadi	95,
357_SPG	21	0.6214	Panvel	Wardoli	31,35
				Bherle	95,96/1,96/2,
358_SPG	21	0.6086	Panvel	Bhingar	165,175,177
359_SPG	21	0.5419	Panvel	Bherle	149,150/1
360_CC	22	0.2100	Panvel	Loniwadi	100,102,202/D
361_DB	22	0.1020	Panvel	Loniwadi	181,196
362_DB	22	0.1001	Panvel	Loniwadi	78,79,88



Reservation No.	Sector	Area_Ha	Tahsil	Village	Survey No.
363_ESS	22	0.4079	Panvel	Wardoli	65,66,69
364_FS	22	1.0701	Panvel	Loniwadi	114,115,174
365_GC	22	30.0520	Panvel	Loniwadi	114,115,145,150,151,153,154,155,156,158,161,162,164,165,166,167,169,170,171, 172,173,174,178,181
366_GC	22	17.3946	Panvel	Loniwadi	114,115,116,117,119,120,123,124,132,133,142,143,144,145,168,171,202/C/1, 202/D
367_P	22	4.2886	Panvel	Loniwadi	102/B,113,114,117,118,122,174,47
368_P	22	1.8189	Panvel	Loniwadi	11,12,194,195,4,5,6,7,9
369_PG	22	19.9175	Panvel	Loniwadi	28,29,30,31,32,33,34,52,55,56,57,58,62,63,65,28,41
370_PG	22	1.9430	Panvel	Loniwadi	129,130,131
371_PHC	22	0.1471	Panvel	Loniwadi	181,196
372_PS	22	1.0000	Panvel	Loniwadi	156,158
373_S	22	0.4577	Panvel	Loniwadi	194,195,4
374_SPG	22	0.8288	Panvel	Loniwadi	1,195,196
375_DB	23	0.1200	Panvel	Wangani Tarf Waje	59,60
376_GH	23	0.5205	Panvel	Wangani Tarf Waje	49,8,9/3
377_GSR 13	23	0.2495	Panvel	Wangani Tarf Waje	19,2/17



Reservation No.	Sector	Area_Ha	Tahsil	Village	Survey No.
070 MD		47 5054		Ambivali	/2,/3,/7,1/11,1/12,1/13,1/15,1/16,1/7,14/1/A+4,15,16,17,18/1,18/2,18/3,18/4,19/, 19/1,3,4,5,5/1,5/2,5/3,5/4,5/5,5/6,6,7,8/1,8/2,9/15,9/16,9/17,9/18,9/19,9/5,9/6,9/8,
378_MD	23	17.5654	Panvel	Wangani Tarf Waje	10,13,14,15,16,17,19,2/,2/13,2/14,2/15,2/16,2/17,2/18,8,9/1,9/2,9/3
				Ambivali	12,13,9/1,9/11,9/12,9/21,
379_P	23	2.8238	Panvel	Moho	136
380_PG	23	2.3917	Panvel	Wangani Tarf Waje	100,101/1,101/2,102,103,104,105,109,115,98/1,98/2,99
381_PHC	23	0.1500	Panvel	Wangani Tarf Waje	59,60
382_S	23	0.3984	Panvel	Wangani Tarf Waje	84,87/1,90,88
383_SPG	23	0.6378	Panvel	Wangani Tarf Waje	61,87/1,90
384_STP-9	23	2.2155	Panvel	Ambivali	12,13,14/A,9/1
385_DB	24	0.1000	Panvel	Nevali	42,45
386_P	24	2.7160	Panvel	Nevali	10,12,22
387_PG	24	0.9709	Panvel	Nevali	43,45,46
388_PHC	24	0.1464	Panvel	Nevali	22
389_S	24	0.4000	Panvel	Nevali	35,36,37,38,45
390_SPG	24	0.6400	Panvel	Nevali	37,38,45



Reservation No.	Sector	Area_Ha	Tahsil	Village	Survey No.
391_DB	25	0.1809	Panvel	Harigram	38/2K,38/3
392_GH	25	0.6281	Panvel	Harigram	49/,49/1+2K,56/1V,56/K,58
393_GSR 14	25	0.2718	Panvel	Harigram	68,88
394_P	25	9.0055	Panvel	Harigram	57/1V,58,68
395_P	25	4.1520	Panvel	Harigram	39V
396_PG	25	2.6381	Panvel	Harigram	34/,34/,34/7K,37/,38/5K,39V
397_PG	25	2.8517	Panvel	Harigram	57/1V,57/2V,57/3V,58
398_PHC	25	0.1474	Panvel	Harigram	15/2K,15/K
399_PS	25	1.0426	Panvel	Harigram	45/8V,45/K,47/,47/1+5K,47/2K,51/7+9K,52/1,52/2,52/2,53/3K,53/5K,85
400_S	25	0.3774	Panvel	Harigram	64/2K,65/,66,68
401_SPG	25	0.6264	Panvel	Harigram	64/2K,66,68
402_STP-11	25	3.2008	Panvel	Harigram	19/10V,19/11V,19/12V,19/13A,19/13B,19/13C,19/8,84/,84/2A, 84/2B,84/3V
403_C	26	1.0000	Panvel	Vakadi	15/19,151/1,151/3,152
404_DB	26	0.1250	Panvel	Kevale	27,8
405_ESS	26	0.2000	Panvel	Kevale	42,58
406_GC	26	21.6585	Panvel	Kevale	42,43,44,45,46,48,49,50,51,52,53,54,55,56,57,58,60
407_GC	26	39.9681	Panvel	Kevale	14,15,16,17,18,19,20,21,22,23,24,25,26,27,28,29,30,31,32,33, 34,35,36,37,41,78,8



Reservation No.	Sector	Area_Ha	Tahsil	Village	Survey No.
408_P	26	4.7080	Panvel	Kevale	35,37
				Harigram	76/2,76/3,
409_PG	26	2.7800	Panvel	Kevale	10,11,12,16,18,19,23
410_PG	26	1.1023	Panvel	Vakadi	149/1,15/19,150,151/1
411_S	26	0.4519	Panvel	Vakadi	119,120,129,130/3
412_SPG	26	0.8019	Panvel	Vakadi	119,120,130/1,130/3,130/4
413_CP	27	34.3093	Panvel	Khanav	100,101,102,103/1,103/2,72,75,77,78,79/1,79/2,79/3,79/4,79/5,83,84,85,86,87/1, 87/2,87/3,88,89,90,91/1,91/2,91/3,91/4,91/5,91/6,91/7,91/8,91/9,92/1,92/2,92/3, 92/5,93,96,97,98,99
				Morbe	63
414_FS	27	0.9898	Panvel	Khanav	39,48/1,48/16,48/19,48/2,48/3,48/5,48/6
415_GC	27	32.0645	Panvel	Khanav	114,63/1,63/2,63/3,63/4,64,65/1,65/2,66/1,66/2,67,68,69,70,71,72,73,74,75,79/1, 79/2, 79/4,79/5,79/6
416_LFS	27	15.2117	Panvel	Khanav	83,91/1,94,95
417_BG/C	28	2.9133	Panvel	Khanav	100,101,102,103/2,103/3,75,76/1,76/2,96
418_CC	28	0.6183	Panvel	Khanav	112/13,114,117
419_DB	28	0.0993	Panvel	Chinchavali Tarf Waje	59/1,60/1
420_DB	28	0.1471	Panvel	Khanav	114,32/2,32/3,32/4



Reservation No.	Sector	Area_Ha	Tahsil	Village	Survey No.
421_DB	28	0.0954	Panvel	Vakadi	63,67
422_GC	28	22.8466	Panvel	Khanav	104,105,106/1,106/2,106/3,107/1,107/13,107/14,107/15,107/16,107/2,107/3,107/4, 107/5,107/6,108,109,110,112/1,114,115,116/1,116/2,32/4,33/1,33/2,33/3,33/4,33/5, 33/6,33/7, 33/8, 33/9, 34,35,36/1,42,43,44,45,46,48/19,48/20,48/21,52
423_GSR 15	28	0.2500	Panvel	Chinchavali Tarf Waje	26,27/1,28/1,28/2
424_P	28	1.7735	Panvel	Khanav	114,13/3,13/5,13/8,13/9,14/1,14/2,15
425_P	28	3.1516	Panvel	Khanav	18/17,18/18,18/21,48/23,48/8,50
426_P	28	3.0852	Panvel	Vakadi	62,67,72/1,72/2
427_PG	28	2.8643	Panvel	Chinchavali Tarf Waje	38/2,47,48,49,50/2,50/3,51,56/1,56/2,57/3,58
428_PG	28	7.3046	Panvel	Vakadi	33,34,38,39,48
429_PHC	28	0.1494	Panvel	Chinchavali Tarf Waje	45,47,48,59/1,60/1
430_PHC	28	0.1422	Panvel	Vakadi	62,63
431_PPU	27	1.1432	Panvel	Khanav	93,94
432_PS	28	1.1518	Panvel	Khanav	107/15,107/16,107/17,107/9,114
				Umroli	96,97,
433_S	28	0.3967	Panvel	Vakadi	67,86
434_S	28	0.4000	Panvel	Chinchavali Tarf Waje	28/5,28/6,29/2,30/1,31



Reservation No.	Sector	Area_Ha	Tahsil	Village	Survey No.
435_SPG	28	0.6400	Panvel	Chinchavali Tarf Waje	28/5,28/6
436_SPG	28	0.6347	Panvel	Umroli	96
437_BG/C	61	1.6024	Khalapur	Nigdoli	12/1,12/4,14/2,24/1,25,26/1
				Asare	103,
				Dharni	16/7,
438_GC	61	28.4606	Khalapur	Nigdoli	15/1,37,38,39,40,41,42,43,44/1,44/2,44/3,44/4,45/2,45/3,45/4,45/5,45/6,45/7,46/1, 46/2,46/3,47,48/1,48/2,48/3,48/4,49,51/11,57/1,57/2,58/1,58/2,59,60,61,62/1,62/2, 63,64/1, 64/10,64/16,64/18,64/19,64/2,64/3,65,66,85
				Dharni	15
439_GC	61	9.1276	Khalapur	Nigdoli	36,45/8,45/9,49,50,51/1,51/11,51/2,51/3,51/4,51/5,52/1,52/2,52/3,53/4,53/5
440_P	61	4.4993	Khalapur	Nigdoli	52/2,52/4,53/1,53/2,53/3,53/4,53/5,53/6,53/7,53/8,53/8,54/1,54/1,54/1,54/2,54/3&4, 55,56/1,56/2,56/3
441_P	61	0.5890	Khalapur	Nigdoli	55
442_P	61	18.5832	Khalapur	Nigdoli	38,39,64/11,64/12,64/13,64/14,64/15,64/17,64/5,64/6,64/7,64/8,69,70,71,72/1, 72/2,72/3,73,85,86,84
443_P	61	1.9837	Khalapur	Nigdoli	82
444_P	61	3.8455	Khalapur	Nigdoli	112/1,112/2,76,77,81,78
445_PG	61	4.9161	Khalapur	Nadode	43/1,43/2,43/3,43/4,78,120,120/9
446_PG	61	3.4801	Khalapur	Nigdoli	64/11,64/4,64/5,64/6,64/7,64/8,64/9,66,67,68/1,68/2,69



Reservation No.	Sector	Area_Ha	Tahsil	Village	Survey No.
447_RS	61	2.5927	Khalapur	Nigdoli	10,11,12/1,12/4,12/7,12/8,13,9
448_S	61	0.3942	Khalapur	Nigdoli	28,29/3,29/4
449_SPG	61	0.7001	Khalapur	Nigdoli	28,29/4
450_STP-12	61	4.2287	Khalapur	Nigdoli	50,51/2,51/5,52/2,52/4,52/5,52/6,52/7,53/5,53/7,53/8,56/1,101
451_C	62	1.0621	Khalapur	Nadode	28,30,31,34/6,34/7,34/8,43/17,43/19
452_DB	62	0.0998	Khalapur	Nadode	59/2
453_ESS	62	0.5225	Khalapur	Nadode	52/3,83,88/3,91
454_GC	62	12.2313	Khalapur	Nadode	10,100/2,100/3,100/4,11/1,12,17,18,19/1,19/2,45,46,47,48/1,48/2,48/4,49/1,49/2, 49/3,50,51,52/4,52/5,52/6,52/7,52/8,53/4,53/5,53/6,83,88/3,91
				Kaloterayathi	105,9,
455_GC	62	37.6454	Khalapur	Nadode	1/10,1/11,1/12,1/8,1/9,11/1,11/2,12,13,19/1,19/2,20/1,20/1,20/2,20/2,20/2,20/3, 20/4,21,22,23,23,24/2,3,3,3/1,3/10,3/11,3/4,3/5,3/6,3/6,3/7,3/8,3/9,3/9,4/1,4/2, 4/2,45,6,7,8,9
456_GC	62	18.7838	Khalapur	Nadode	100/1,52/2,52/3,53/1,53/2,53/3,53/4,53/5,53/6,71,72/1,72/2,80,81/1,81/2,81/3,88/2, 89,90
457_GH	62	0.5750	Khalapur	Nadode	1/1,92,93,94
				Kaloterayathi	13,14,15,
458_P	62	10.4020	Khalapur	Nadode	17,1/1,3/1,52/1,52/2,88/1,88/2,89,92,95,96,97



Reservation No.	Sector	Area_Ha	Tahsil	Village	Survey No.
459_P	62	1.4660	Khalapur	Nadode	100/4,43/23,48/2,48/6,54
460_PG	62	1.5577	Khalapur	Nadode	31,34,34/10,34/7,34/8
101 50		1 00 11	Khalaa	Kaloterayathi	105,8,9
461_PG	62	1.9041	Khalapur	Nadode	3/1,4/1,4/2
462_PG	62	1.9046	Khalapur	Nadode	59/1,64
463_S	62	0.4000	Khalapur	Nadode	43/23,43/8,69
464_SPG	62	0.6415	Khalapur	Nadode	43/23,69,70
465_CC	63	0.2000	Khalapur	Kaloterayathi	17,27
466_DB	63	0.1069	Khalapur	Kaloterayathi	47
467_ESS	63	0.2000	Khalapur	Kaloterayathi	17,27
100.00				Kaloterayathi	10,105,11,12,13,14,17,4,5,6,7,9,
468_GC	63	10.9044	Khalapur	Nadode	3/1,3/1,3/2,3/3,3/3
469_GC	63	19.0239	Khalapur	Kaloterayathi	60,61,62,63,65,66,67,68,69,70,71,72,73,76,77
470_GC	470 GC 63	17.4466	6 Khalapur	Kalote Mokashi	215,216,217,218,219,220,221,222,223,224,225,228,229,230,231,232
				Kaloterayathi	18,19,56,57,58,59,60,73,74,75
471_P	63	3.2008	Khalapur	Kaloterayathi	108,109,18,60,61



Reservation No.	Sector	Area_Ha	Tahsil	Village	Survey No.
472_PG	63	2.9232	Khalapur	Kaloterayathi	16,17
473_S	63	0.3750	Khalapur	Kaloterayathi	41,43
474_SPG	63	0.6193	Khalapur	Kaloterayathi	43,44
475_DB	64	0.0997	Khalapur	Kandroli Tarf Wankhal	14/3,16/1,17/2
476_GSR 16	64	0.1901	Khalapur	Kandroli Tarf Wankhal	18/1,18/6
477 D	64	0.0405	Khalapur	Kandroli Tarf Wankhal	43,
477_P	04	2.0495	Khalapur	Vinegaon	57/2,57/3
478_P	64	0.4615	Khalapur	Kandroli Tarf Wankhal	14/3,15,16/1,17/1,17/2,18,18/1,18/4
				Asare	62,
479_PG	64	2.2573	Khalapur	Kandroli Tarf Wankhal	10/10,10/11,10/6,14/3,16/1,16/2
480_PG	64	2.6988	Khalapur	Vinegaon	22,24/5,24/7,24/8,25/1,25/2,25/3,26,29/1,29/2,29/3,31/1
481_PG	64	1.2799	Khalapur	Kandroli Tarf Wankhal	1/1,1/2,1/3,49/2,53/1
482_PHC	64	0.1500	Khalapur	Kandroli Tarf Wankhal	1/13,48
483_S	64	0.4000	Khalapur	Kandroli Tarf Wankhal	1/4,22/3,24



Reservation No.	Sector	Area_Ha	Tahsil	Village	Survey No.
484_SPG	64	0.6347	Khalapur	Kandroli Tarf Wankhal	18/1,21/2,22/3,23,24
485_BT	65	1.6976	Khalapur	Kalote Mokashi	247,252,265,266
486 CP	65	21.1235	Khalapur	Kalote Mokashi	183,195,196,197,198,199,551,566,570,572,573,574,575,576, 577,578,579,
100_01		2111200	Talapa	Kaloterayathi	84
487_DB	65	0.1000	Khalapur	Kalote Mokashi	142,153,156
488_FS	65	0.9831	Khalapur	Kalote Mokashi	314,322,323
489_GC	65	7.0172	Khalapur	Kalote Mokashi	242,243,244,245,246,247,252,253,254,255,263,264,265,266,267,268,269,270,271, 272,273,274,275,276,284,285
490_GSR 17	65	0.2500	Khalapur	Kalote Mokashi	152,153,154,156
491_PG	65	2.3795	Khalapur	Kalote Mokashi	123,124,125,126,127,128,129,130
492_PHC	65	0.1874	Khalapur	Kalote Mokashi	260,262,280,282,283
493_PHC	65	0.1487	Khalapur	Kalote Mokashi	191
494_S	65	0.4000	Khalapur	Kalote Mokashi	141,142,143,144
495_SPG	65	0.6560	Khalapur	Kalote Mokashi	141,142,143,144,145



Reservation No.	Sector	Area_Ha	Tahsil	Village	Survey No.
496_CC	66	0.2000	Khalapur	Nimbode	16/1,19/2,29/5
497_DB	66	0.0993	Khalapur	Vanave	75,78/2
498_DB	66	0.0998	Khalapur	Nimbode	16/8,17,30/4
499_GSR 18	66	0.2500	Khalapur	Nimbode	27/1,28/1
500_P	66	3.3880	Khalapur	Nimbode	13,16/4,16/6,16/7,18,30/5,30/6
501_P	66	4.6081	Khalapur	Vanave	57,62/1,62/2,62/3,63,72/1,72/2,72/3,73,73,75
502_PG	66	10.5254	Khalapur	Shiravali(Tarf Boreti)	1,34/1,35/1,44,45/1,48,49/2,49/3,50,51/1,51/2,51/3,52,53,54,55,56,57,58,59,60/1, 60/2
503_PHC	66	0.1500	Khalapur	Nimbode	27/1,28/1
504_PS	66	1.0000	Khalapur	Nimbode	37/2,37/3,38,41/2,41/6
505_S	66	0.4000	Khalapur	Nimbode	16/12,16/8
				Nimbode	1/1,
506_S	66	0.2969	Khalapur	Vanave	78/1,80,81,82,83,83/1
507_SPG	66	0.6400	Khalapur	Nimbode	14/2,16/12,16/13,16/14
508_SPG	66	0.5107	Khalapur	Vanave	75,78/1,78/2,80,81
509_STP-13	66	4.2897	Khalapur	Shiravali (Tarf Boreti)	23,24,25,26,28
510_DB	67	0.1380	Khalapur	Khalapur	25



Reservation No.	Sector	Area_Ha	Tahsil	Village	Survey No.
511_GC	67	13.0728	Khalapur	Khalapur	107,108,109,62,63,64,65,66,67,68,69
512_GSR 19	67	0.2566	Khalapur	Khalapur	34
513_P	67	3.6238	Khalapur	Khalapur	11,12,13,14,15
514_P	67	2.4075	Khalapur	Khalapur	37,83,85,90,93
515_PG	67	3.1797	Khalapur	Khalapur	61,62,63,64
516_PG	67	2.3681	Khalapur	Khalapur	115,116,117
517_PG	67	6.1215	Khalapur	Khalapur	34,40,41
518_S	67	0.3418	Khalapur	Khalapur	13,14
519_SPG	67	0.6219	Khalapur	Khalapur	13,14
520_BD	68	7.2500	Khalapur	Mahad	105,106,76,77,78,79,85,86,87,88
521_BG/C	68	1.0254	Khalapur	Mahad	13,12
522_DB	68	0.1000	Khalapur	Mahad	41
523_ESS	68	0.2459	Khalapur	Mahad	13,12
524_GC	68	14.8105	Khalapur	Mahad	108,39,40,41,42,42,43,43,45,45,45,46,46,54,54,55,56,62,65,66,45
525_GC	68	16.1212	Khalapur	Mahad	100,104,57,59,60,62,63,64,65,94,96
526_GC	68	13.6105	Khalapur	Mahad	42,45,46,47,48,50,51,52,54,99,44
527_GC	68	11.7946	Khalapur	Mahad	50,54,55,58,59,61,62,66,67,79



Reservation No.	Sector	Area_Ha	Tahsil	Village	Survey No.
528_GH	68	0.6000	Khalapur	Mahad	104,70,71
529_GC	68	22.4958	Khalapur	Mahad	13,16,17,18,19,20,22,27,28,29,30,31,32,34,36,93
530_GSR 20	68	0.2679	Khalapur	Mahad	73
531_P	68	3.3070	Khalapur	Mahad	96,7
532_PG	68	3.6587	Khalapur	Mahad	108,36,38,39,41
533_PS	68	0.8896	Khalapur	Mahad	73,74,75,76
534_S	68	0.3987	Khalapur	Mahad	104,57,80
535_SPG	68	0.5981	Khalapur	Mahad	104,57
			167 Pen	Kandale	30,32,
536_BT	109	1.4167		Wadkhal	74,76,77,78
537_SAF	109	2.5343	Pen	Wadkhal	77,78,80,81,82,82,83,91
538_GSR 10	18	0.2528	Panvel	Shirdhon	219,236
539_TBR	18	55.1012	Panvel	Shirdhon	219,236,237,238,333,
540_GSR 12	20	0.2498	Panvel	Pali Budruk	32,33/1
541_RS	20	1.8443	Panvel	Pali Budruk	29/2,30,32,33/1,33/2,35/3,34/3,41/1
542_PPU	29	1.2279	Panvel	Umroli	52
543_P	30	1.9509	Panvel	Waje	251



Reservation No.	Sector	Area_Ha	Tahsil	Village	Survey No.
544_P	30	0.6968	Panvel	Waje	78,79,81
545_P	30	0.1280	Panvel	Waje	81
546_PG	30	0.2309	Panvel	Waje	5
547_PPU	30	0.8516	Panvel	Waje	110
548_P	31	5.7976	Panvel	Dundre	47
549_PPU	31	0.5074	Panvel	Dundre	47
550_PG	34	2.0654	Panvel	Valap	35
551_BT	36	1.7691	Panvel	Chinchavali Tarf Taloje	4,5,
		1.7001		Chindharan	27,31
552_GH	36	0.6890	Panvel	Chindharan	31
553_P	36	3.4181	Panvel	Chindharan	114
554_P	36	1.6726	Panvel	Chindharan	31
555_PPU	36	0.0574	Panvel	Chindharan	114
556_PPU	36	0.5535	Panvel	Chindharan	31
557_S	36	0.6281	Panvel	Chindharan	31
558_SPG	36	1.2485	Panvel	Chindharan	31



Reservation No.	Sector	Area_Ha	Tahsil	Village	Survey No.
559_PPU	37	0.9344	Panvel	Mahalungi	34
560_RS	38	2.1883	Panvel	Morbe	237,238,239
561_BD	40	20.6251	Panvel	Mahodar	100,101/1,101/2,102/1,103/1,103/2,108,109,110,111,112/1,112/2,113,114/1,114/2, 115/1,115/2,116,117/1,117/2,118/1,118/2,119/2,120,250,69,98,99/1,99/2,
		2010201		Vavanje	65,66,67,101,71,71PAI,77,78
562_P	40	0.4438	Panvel	Mahodar	55,57
563_PPU	40	1.1713	Panvel	Mahodar	57
564_PPU	40	0.2162	Panvel	Mahodar	57
				Kherane Khurd	78,
565_TT	41	18.5620	20 Panvel	Vavanje	146,147,148,149,150,166,167,168,169,171,172,173,174,175,176,177,178,181,123, 187, 190,191,192
566_PPU	42	2.0427	Panvel	Nitale	109,110,62
567_LFS	43	12.0877	Thane	Vaklan	100,101,102,104,105,106,157,85,86,90,91,92,93,94,95,96,97,98,99
568_P	43	1.5893	Thane	Vaklan	160,84
569_PG	43	0.8618	Thane	Vaklan	70
570_PPU	43	0.7433	Thane	Vaklan	16
571_PPU	43	0.4692	Thane	Vaklan	84
572_PPU	43	0.5468	Thane	Vaklan	84



Reservation No.	Sector	Area_Ha	Tahsil	Village	Survey No.
573_PPU	43	0.0920	Thane	Vaklan	16
574_TBR	43	12.7912	Thane	Vaklan	157,158,74,75,76,77,78,79,80,81,84,85,86,87,88,89,91
574_1511	44	12.7312	Thane	Navali	22
575_P	44	4.7721	Thane	Nighu	42
576_P	44	0.9404	Thane	Nighu	41,42
577_P	44	0.7164	Thane	Navali	15,22
578_P	44	0.5327	Thane	Nighu	42
579_P	44	0.2598	Thane	Navali	22
580_PPU	44	1.6639	Thane	Nighu	45
581_PPU	44	0.3041	Thane	Navali	75
582_PPU	44	0.4316	Thane	Navali	75
583_BT	45	0.6784	Thane	Narivali	158,160,161
584_BT	45	0.4841	Thane	Narivali	161,162
585_SAF	45	2.2338	Thane	Narivali	144,146,147,148,149,161
586_SAF	45	1.6953	Thane	Narivali	159,160,161
587_TBR	45	7.7780	Thane	Narivali	25,26,28,29



Reservation No.	Sector	Area_Ha	Tahsil	Village	Survey No.
588_BD	46	15.1906	Thane	Nagaon	170,174,180,181,182,183,184,185,186,187,188,189,190,191,192,199,200,201,214, 45,223,224,226,227
589_PG	46	0.2811	Thane	Nagaon	36,42,43
590_PG	46	0.7094	Thane	Nagaon	126
591_S	46	0.2263	Thane	Nagaon	43
592_TBR	46	33.2008	Thane	Uttarshiv	38,39,40,41,42,43,44,45,46,47,48,49,50,51,52,59,60,61,62,63,64,65,66,67,68, 69,70,71,72,73,16/4,75,76,77,78,79
593_CC	51	0.5095	Uran	Dighode	3,4,6,5
594_P	51	3.4957	Uran	Dighode	10,124/A PAI,9
595_S	51	1.0910	Uran	Dighode	11
596_SPG	51	2.8379	Uran	Dighode	11
				Posari	37/3,38/1,38/2,38/3,39/1,39/2,28,39/4,
597_SAF	56	1.7630	Panvel	Turade	46,47/1
				Posari	40/2,41/2,41/4,42/1,42/2,42/3,37,43/,43/1,43/2,43/3,43/4,43/5,43/6,44/4,45/7
598_SAF	56	1.4229	Panvel	Turade	35/1
599_BT	57	1.6835	Panvel	Turade	2,44/,44/1,45/1,45/2,45/3,46,47/1,47/2,47/3,47/4,48
600_BT	58	0.7865	Panvel	Ladwali	10,20,22,23
601_SAF	58	4.4782	Panvel	Ladwali	10,24,25,26,27,28,31,32,9



Reservation No.	Sector	Area_Ha	Tahsil	Village	Survey No.
602_BT	70	1.5083	Khalapur	Bhilavale	125,127,126,128
603_SAF	70	3.3518	Khalapur	Bhilavale	115,122,123,114
				Morbe	32,
604_SAF	70	3.9559	Khalapur	Bhilavale	114,128
605_SAF	70	0.8200	Khalapur	Bhilavale	123,128
606_PPU	71	4.7343	Khalapur	Wavarle	386
607_PPU	71	0.7760	Khalapur	Wavarle	340,344
608_BT	77	0.7781	Khalapur	Dolavali	11
609_BT	77	0.1930	Khalapur	Dolavali	11,12
610_SAF	77	0.9819	Khalapur	Dolavali	12,11
611_BT	79	0.5513	Pen	Jite	12/17,12/4,12/7,12/9,13/1,13/2,13/6,21/1,23/2,23/6
612_BT	79	0.7979	Pen	Jite	10/14,10/15,10/23,10/24,10/25,12/18,12/21,12/24,12/27,12/28,12/29,13/4,13/5, 13/6,8/3,8/4
613_SAF	79	2.1662	Pen	Jite	13/10,13/11,13/12,13/13,13/14,13/15,13/16,13/17,13/18,13/19,13/20,13/21,13/3, 13/6,13/7,13/9
	79	0 71 1 1	Don	Jite	12/10,12/11,12/12,12/13,12/14,12/15,12/18,12/20,12/21,12/23,12/24,12/8,
614_SAF	79	0.7111	Pen	Turkhul	1,5
	a-		_	Hamrapur	71
615_BT	85	0.8458	Pen	Hanumanpada	7



Reservation No.	Sector	Area_Ha	Tahsil	Village	Survey No.
616_SAF	85	2.1553	Pen	Hamrapur	168,169A,60,61,67,68
617_SAF	85	1.6094	Pen	Hamrapur	67 PAI,68Pai,70,71
618_BT	86	0.9581	Pen	Tambadshet	10,11,12,9
619_P	86	1.3959	Pen	Kolave	18
620_PPU	86	3.6389	Pen	Kolave	18
621_PPU	92	3.4207	Pen	Kane	145,151,153
622_PPU	92	2.3431	Pen	Kane	144,145
623_P	94	3.4108	Pen	Antore	45/A
 624_P	94	3.4432	Pen	Antore	45/A,45/B
 625_TBR	94	13.3762	Pen	Tarankhop	59,21,22,58



ANNEXURE 13-1: BLOCK COST ESTIMATE AND FINANCIAL ANALYSIS

	ANNEXURE - 13.1 : BLOCK COST ESTIMATE AND FINANCIAL ANALYSIS											
	FINANCIAL VIABILITY ANALYSIS FOR	R DP NAINA	BALANCE	PH-1								
SN	BASIC ASSUMPTION	QUANTITY	UNIT	QUANTIT Y	UNIT							
1	LAND RATE - NON NA	0.6	Rs/ha (Cr)	600	Rs/ M ²							
2	LAND ACQUISITION RATE - FOUR TIMES OF NON NA RATE	2.4	Rs/ha (Cr)	2400	Rs/ M ²							
3	LAND RATE - NA	6	Rs/ha (Cr)	6000	Rs/ M ²							
4	SALE PRICE LAND RATE IS 1.25 X NA RATE	7.5	Rs/ha (Cr)	7500	Rs/ M ²							
5	SF LAND SALE RATE	50%	of sale price	3750	Rs/ M ²							
6	FSI LINKED PREMIUM(FLP) CHARGE	1.8	Rs/ha (Cr)	1800	Rs/ M ²							
7	FLP AS %AGE OF NA RATE	30%		30%								
8	INCREASE IN COST (ESCALATION)	7%	PER YEAR	1.07	Factor							
9	INCREASE IN LAND SALE RATE UPTO 2020	12%	PER YEAR	1.12	Factor							
10	INCREASE IN LAND SALE RATE BEYOND 2020	15%	PER YEAR	1.15	Factor							
11	OPEN SPACE DEVELOPMENT RATE	0.1	Rs/ha (Cr)	100	Rs/ M ²							
12	%AGE OPTING NAINA SCHEME	80%										
13	BASIC RATE OF DEVELOPMENT CHARGE	0.5	Rs/Ha (Cr)	500	Rs/ M ²							
14	EQUIVALENT RATE OF DEVELOPMENT CHARGE	0.622	Rs/Ha (Cr)	622.1	Rs/ M ²							
15	RATE OF BORROWING - INTEREST RATE	9%	PER YEAR	1.09	FACTO R							
16	DISCOUNTING FACTOR	9%	PER YEAR	0.92	FACTO R							
17	SHARE OF CIDCO IN MMC (ROAD AND METRO COST)	50%	50% BY MMRDA									
18	FOR SUB URBAN RAILWAY CIDCO WILL SHARE COST	67%	33% BY INDIAN RAILWAY									
19	MORATORIUM PERIOD	5	YRS									
20	ALL PRICES ARE WITH REFERENCE TO YEAR	2014										
21	NAINA BALANCE PH-1 WORK TO COMMENCE FROM	2019	4	YEARS								



	FINANCIAL VIABILITY ANALYSIS FOR DP - NAINA BAL PH-1										
А	REVE	NUE FROM DEV	ELOPMENT CI	HARGE		REVE	NUE (Rs Cr)				
Sr No	Year	Land %age coming for Development	Area coming up for Development	Development Charge equivalent * Rs/M2	Revenue from DC Rs in Cr	Discounting Factor	NPV AS ON 2014				
1	2019	3	108.3	978.9	106.0	0.708	75.1				
2	2020	3	108.3	1096.3	118.8	0.650	77.2				
3	2021	5	180.5	1260.8	227.6	0.596	135.7				
4	2022	5	180.5	1449.9	261.8	0.547	143.2				
5	2023	5	180.5	1667.4	301.0	0.502	151.1				
6	2024	7	252.8	1917.5	484.6	0.460	223.1				
7	2025	7	252.8	2205.1	557.3	0.422	235.4				
8	2026	7	252.8	2535.8	640.9	0.388	248.4				
9	2027	9	325.0	2916.2	947.7	0.356	336.9				
10	2028	9	325.0	3353.6	1089.8	0.326	355.5				
11	2029	9	325.0	3856.7	1253.3	0.299	375.0				
12	2030	9	325.0	4435.2	1441.3	0.275	395.7				
13	2031	7	252.8	5100.5	1289.2	0.252	324.7				
14	2032	7	252.8	5865.5	1482.5	0.231	342.6				
15	2033	4	144.4	6745.4	974.2	0.212	206.5				
16	2034	4	144.4	7757.2	1120.4	0.194	217.9				
		100	3610.7		12296.5		3844.1				
NOTE		[*] Equiva		ge Factors = (Area of spe Residential-1, Commerci		ctor)/ Total Landuse area					



в	REVE	NUE FROM GRO	REVENUE (Rs Cr)				
Sr No	Year	Rate of Land Sale Rs/M ²	%age of land available for sale	Land sale year-wise ha	LAND SALE Estimated receipts Rs.Cr	Discounting Factor	NPV land sale revenue
1	2019	11801.4	0	Dev. Period	0	0.708	0.0
2	2020	13217.6	0	Dev. Period	0	0.650	0.0
3	2021	15200.2	0	Dev. Period	0	0.596	0.0
4	2022	17480.2	0	Dev. Period	0	0.547	0.0
5	2023	20102.3	5.0	33.8	679.9	0.502	341.2
6	2024	23117.6	5.0	33.8	781.9	0.460	360.0
7	2025	26585.2	5.0	33.8	899.1	0.422	379.8
8	2026	30573.0	5.0	33.8	1034.0	0.388	400.7
9	2027	35159.0	10.0	67.6	2378.2	0.356	845.6
10	2028	40432.8	10.0	67.6	2735.0	0.326	892.1
11	2029	46497.8	10.0	67.6	3145.2	0.299	941.2
12	2030	53472.4	10.0	67.6	3617.0	0.275	993.0
13	2031	61493.3	10.0	67.6	4159.6	0.252	1047.7
14	2032	70717.3	10.0	67.6	4783.5	0.231	1105.3
15	2033	81324.9	10.0	67.6	5501.0	0.212	1166.2
16	2034	93523.6	10.0	67.6	6326.2	0.194	1230.4
			100.0	676.4	36040.7		9703.2



с	REVENUE	FROM FSI LIN	IKED PR	EMIUM			R	EVENUE (Rs C	Cr)
Sr No	Year	LAND %AGE COMING FOR DEVELOPMENT	LAND AREA (HA)	RATE (Rs/M ²)	TOTAL AMOUNT RS CR	REVENUE AT THE TIME OF CC	TOTAL REVENUE YEARLY	DISCOUNTING FACTOR	REVENUE NPV
1	2019	3	17.6	2832.3	49.9	14.96	14.96	0.708	10.6
2	2020	3	17.6	3172.2	55.8	16.75	16.75	0.650	10.9
3	2021	3	17.6	3648.0	64.2	19.27	19.27	0.596	11.5
4	2022	5	29.3	4195.3	123.1	36.93	36.93	0.547	20.2
5	2023	5	29.3	4824.5	141.6	42.47	42.47	0.502	21.3
6	2024	5	29.3	5548.2	162.8	48.84	48.84	0.460	22.5
7	2025	7	41.1	6380.5	262.1	78.63	78.63	0.422	33.2
8	2026	7	41.1	7337.5	301.4	90.43	90.43	0.388	35.0
9	2027	7	41.1	8438.2	346.6	103.99	103.99	0.356	37.0
10	2028	10	58.7	9703.9	569.5	170.85	170.85	0.326	55.7
11	2029	10	58.7	11159.5	654.9	196.47	196.47	0.299	58.8
12	2030	10	58.7	12833.4	753.1	225.94	225.94	0.275	62.0
13	2031	10	58.7	14758.4	866.1	259.83	259.83	0.252	65.4
14	2032	5	29.3	16972.1	498.0	149.40	149.40	0.231	34.5
15	2033	5	29.3	19518.0	572.7	171.82	171.82	0.212	36.4
16	2034	5	29.3	22445.7	658.6	197.59	197.59	0.194	38.4
		100	586.9		6080.6	1824.18	1824.18		553.6



D	D REVENUE FROM SALE OF SF Plots REVENU												
Sr No	Year	Land %age coming for Developement	Area IN HA	Rate (50% of Land rate) Rs/m2	Revenue Rs Cr	Discounting Factor	NPV						
1	2019	3	2.6	5900.7	15.2	0.708	10.8						
2	2020	3	2.6	6608.8	17.1	0.650	11.1						
3	2021	3	2.6	7401.8	19.1	0.596	11.4						
4	2022	5	4.3	8290.1	35.7	0.547	19.5						
5	2023	5	4.3	9284.9	40.0	0.502	20.1						
6	2024	5	4.3	10399.0	44.8	0.460	20.6						
7	2025	7	6.0	11958.9	72.1	0.422	30.5						
8	2026	7	6.0	13752.7	82.9	0.388	32.1						
9	2027	7	6.0	15815.6	95.4	0.356	33.9						
10	2028	10	8.6	18188.0	156.7	0.326	51.1						
11	2029	10	8.6	20916.2	180.2	0.299	53.9						
12	2030	10	8.6	24053.6	207.2	0.275	56.9						
13	2031	10	8.6	27661.7	238.3	0.252	60.0						
14	2032	5	4.3	31810.9	137.0	0.231	31.7						
15	2033	5	4.3	36582.6	157.6	0.212	33.4						
16	2034	5	4.3	42069.9	181.2	0.194	35.2						
		100	86		1680.5		512.3						

Saleable Social Facility list - SCHOOL, COMMUNITY CENTER,



	Expenditure Pattern (Rs in Cr) INFRASTUCTURE HEAD																
0007	LAND	POWER	SWM	WS	SEWER	ROAD	SUB URBAN	METRO	OPEN SPACE	отн	SUB TOTAL	EST & ADM COST	SUB TOTAL + ESTABLISHMENT	INTEREST	TOTAL		Present
COST (Rs Cr)	687.7	1358.6	181.0	710.0	156.0	3032.2	90.1	1435.1	35.8	78.9	7765.3	10% PER YR				Discounting Factor	value of cost (Rs Cr)
Year	2	5	5	5	5	5	5	5	5	5							
2019	541.0			186.1	40.9	794.9			9.4		1572.4	157.2	1729.6	140.3	1869.9	0.708	1324.7
2020	606.0	381.1	50.8	199.2	43.8	850.6	25.3		10.0	22.1	2188.8	218.9	2407.6	352.3	2760.0	0.650	1793.8
2021		407.8	54.3	213.1	46.8	910.1	27.1		10.8	23.7	1693.6	169.4	1863.0	523.7	2386.7	0.596	1423.1
2022		436.3	58.1	228.0	50.1	973.8	29.0		11.5	25.3	1812.1	181.2	1993.4	712.4	2705.8	0.547	1480.1
2023		466.9	62.2	244.0	53.6	1042.0	31.0		12.3	27.1	1939.0	193.9	2132.9	863.8	2996.7	0.502	1504.0
2024		499.5	66.5				33.1			29.0	628.2	62.8	691.1	1086.9	1778.0	0.460	818.6
2025											0.0	0.0	0.0	1330.4	1330.4	0.422	562.0
2026											0.0	0.0	0.0	1479.8	1479.8	0.388	573.5
2027											0.0	0.0	0.0	1491.6	1491.6	0.356	530.3
2028											0.0	0.0	0.0	1350.7	1350.7	0.326	440.6
2029								740.1			740.1	74.0	814.1	1298.1	2112.2	0.299	632.1
2030								791.9			791.9	79.2	871.1	1175.8	2046.8	0.275	561.9
2031								847.3			847.3	84.7	932.0	825.3	1757.3	0.252	442.6
2032								906.6			906.6	90.7	997.3	368.2	1365.5	0.231	315.5
2033								970.1			970.1	97.0	1067.1	0.0	1067.1	0.212	226.2
2034											0.0	0.0	0.0	0.0	0.0	0.194	0.0
														12999.4	28498.4		12629.0



YEARWISE EXPEND	DITURE PAT	TERN														
Year	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031	2032	2033	2034
EXPENDITURE	1729.6	2407.6	1863.0	1993.4	2132.9	691.1	0.0	0.0	0.0	0.0	814.1	871.1	932.0	997.3	1067.1	0.0
REVENUE	171.1	191.7	311.0	420.6	1162.5	1474.1	1790.7	2059.3	3767.9	4551.0	5233.6	6018.7	6553.1	6901.1	7205.6	8286.4
PROFIT/ DEFICIT	-1558.5	-2216.0	-1552.0	-1572.8	-970.4	783.0	1790.7	2059.3	3767.9	4551.0	4419.5	5147.6	5621.1	5903.8	6138.5	8286.4
IRR	22.2%															
YEARLY PROFIT/ LOSS (-)	-1558.5	-2216.0	-1552.0	-1572.8	-970.4	783.0	1790.7	2059.3	3767.9	4551.0	4419.5	5147.6	5621.1	5903.8	6138.5	8286.4
	ST - MORATO	RIUM PERIOD	5 YEARS							1			1			
YEAR	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031	2032	2033	2034
YEAR OPENING BALANCE + INTEREST	0	-1699	-4267	-6343	-8628	-10462	-13164	-16113	-17922	-18065	-16358	-15721	-14240	-9995	-4460	1679
LOAN/ SURPLUS in Year	-1558	-2216	-1552	-1573	-970	-1615	-1619	-329	1348	3058	1935	2657	5070	5904	6138	8286
LOAN INTEREST	-140	-352	-524	-712	-864	-1087	-1330	-1480	-1492	-1351	-1298	-1176	-825	-368	0	0
LOAN REPAYMENT	0	0	0	0	0	2398	3410	2388	2420	1493	2485	2491	551	0	0	0
YEAR CLOSING BALANCE (With 5 Years Moratorium)	-1698.7	-4267.0	-6342.7	-8627.9	-10462.2	-13163.9	-16113.2	-17921.5	-18065.2	- 16358.0	۔ 15721.1	-14240.1	۔ 9995.4	۔ 4459.8	1678.6	9965.0



SUMMA	ARY OF COST AND REVENUE ESTIMA	ТЕЅ
S. No	DESCRIPTION	Rs in Cr
Α	REVENUE FROM ALL SOURCES	
1	REVENUE FROM DEVELOPMENT CHARGE (NPV)	3844
2	REVENUE FROM GROWTH CENTER (SALE OF LAND- NPV)	9703
3	REVENUE FROM FLP (NPV)	554
4	SALE OF SOCIAL FACILITY (NPV)	512
5	NPV OF REVENUE FROM ALL SOURCES A	14613
В	EXPENDITURE TO BE INCURRED FOR INFRASTUCTURE	
	NET PRESENT VALUE OF ALL EXPENSES	12629
	TOTAL EXPENDITURE B	12629
С	NPV (A - B)	1984
D	Internal Rate of Return (IRR)	22.2%