

+ CRABGRASS CONTROL

KILLS TO THE ROOT



CRABGRASS



CLOVER



DANDELION

*When used as directed
**See inside booklet for complete list of weeds controlled

KEEP OUT OF REACH OF CHILDREN CAUTION See back panel for additional Precautionary Statements and First Aid.

NET CONTENTS/CONTENIDO NETO 1 gal / 3.785 L

ACTIVE INGREDIENTS:

2,4-D, dimethylamine salt	0.313%
Ouinclorac	
Dicamba, dimethylamine salt	
OTHER INGREDIENTS:	
TOTAL	

THIS PRODUCT CONTAINS:
2,4-dichlorophenoxyacetic acid equivalent, 0.260%
3,7-dichloro-8-quinolinecarboxylic acid, 0.104%
3,6-dichloro-o-anisic acid equivalent, 0.024%
Isomer Specific By AOAC Methods







LAWN WEED KILLER + CRABGRASS CONTROL

READY-TO-USE

LAWN FRIENDLY WEED CONTROL*

- Kills all types of weeds**
- Easily **spot treat weeds**
- Kills weeds to the roots
- Rainproof in 1 hour
- (Results with 1 application





WHAT IT DOES:

WHERE TO USE:

WHEN TO USE:



Kills major broadleaf and troublesome grass weeds

including dandelion, chickweed, clover as well as crabgrass and foxtail. (See inside for complete list.)



Kills the weeds not the lawn when used as directed.

For use on grasses including: Bermudagrass, Buffalograss, Fescues, Kentucky Bluegrass, Ryegrass, Zoysia grass.



Apply when daytime temperatures are between 45 °F and 90°F

Do not apply above 85 °F for Bermudagrass.



Questions & Comments
Call 1-800-225-2883 or visit ortho.com



Guarantee If for any reason you, the consumer, are not satisfied with this product, mail u If for any reason you, the consumer, are not satisfied with this product, mail us

FPO

71549 04252 3

© 2020 The ORTHO Group World rights reserved.

Sold by **The ORTHO Group** EPA Reg. No. 2217-991-239 P.O. Box 190, Marysville, OH 43040 EPA Est. No. 239-IA-3

*When used as directed **See inside booklet for complete list of weeds controlled



STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Use Precautions and Restrictions:

- Keep people and pets out of the area during application.
- · Spray only the weed, not the entire lawn.
- This product is for spot treatment only.
- Do not apply this product in a way that will contact any person or pet, either directly or through drift.
- The Do not allow people or pets to enter the treated area until sprays have dried.
- Do not use this product for controlling weeds in vegetable gardens, flower beds or around shrubs or ornamental plants.
- Do not use on or around fruits, vegetables or flowers.
- Do not use this product on or near desirable plants, including within the dripline of roots of desirable trees and shrubs, as injury may result.
- Do not use clippings as mulch or compost.
- Do not apply as a fine mist because of potential injury to desirable plants.

For Best Results:

- Apply when weeds are young and actively growing.
- Delay mowing 2 days before and until 2 days after the application of this product.
- If the lawn is dry, water 24 hours before using this product.
- Do not water lawn within 24 hours of treatment.
- Certain hard-to-kill weeds may need to be spot treated in 14 days.
- For new lawns, apply only when grass has reached a height of at least 2 inches.
- Bare spots may be seeded 4 weeks after application.
- Spray when air temperatures are cooler than 90 °F.
- Avoid applications during the spring transition of the warm season grasses and during periods of extremely high temperatures.

HOW IT WORKS

Ortho® Weed B-gon™ Lawn Weed Killer + Crabgrass Control contains three proven weed killers that target lawn weeds and crabgrass.

The herbicides enter the lawn weeds through their leaves and move inside the weeds, even down into the roots. And lawns listed on this label will not be harmed when used as directed.

WHERE TO USE

Ortho® Weed B-gon™ Lawn Weed Killer + Crabgrass Control is a ready-to-use product intended for the treatment of individual weeds, patches of weeds or sparse weeds scattered throughout home lawns. Ortho® Weed B-gon™ Lawn Weed Killer + Crabgrass Control can be applied to the following established turfgrass types:

Cool Season Turfgrass: Kentucky bluegrass; Ryegrass, perennial and annual; Tall fescue; Fine fescues.

Warm Season Turfgrass: Bermudagrass¹, common and hybrid; Zoysiagrass; Buffalograss.

Application to Bermudagrass may cause temporary yellowing or discoloration but full recovery can be expected.

Do not apply to Bermudagrass when daytime temperatures exceed 85 °F.

DO NOT apply Ortho® Weed B-gon™ Lawn Weed Killer + Crabgrass Control to the following:

Warm Season Turfgrass: St. Augustinegrass; Bahiagrass; Bentgrass; Centipedegrass; Carpetgrass; Seashore paspalum.

Other Areas: Lawns with desirable clovers or legumes; Dichondra; Ornamental plants (flowers, trees, groundcovers, landscape beds and shrubs); Turfgrass species that are not listed on this label; Gardens including vegetables, fruit trees, vines and berries.

WHEN TO USE

Apply this product when weeds are small and actively growing in the spring or fall. Aim at center of weed and spray to lightly cover weed leaves.

HOW TO USE

SPRAY

- 1. Remove sprayer from bottle by sliding sprayer up.
- 2. Unwrap hose and insert hose connector into spout on cap <u>until it dicks</u>.
- 3. Twist knob to "ON"
- 4. Turn sprayer nozzle to desired spray pattern.
- Squeeze trigger repeatedly to spray.

FINISH

- 1. Twist sprayer nozzle to "OFF".
- 2. Twist cap to "OFF"
- 3. DO NOT DISCONNECT HOSE CONNECTOR FROM CAP.
- Place sprayer back into holster.

GRASS AND BROADLEAF WEEDS CONTROLLED

GRASS WEEDS: Crabgrass, large and smooth; Foxtail, green, yellow and giant; Kikuyugrass; Signalgrass, broadleaf. BROADLEAF WEEDS: Annual yellow sweetclover; Aster; Austrian fieldcress; Bedstraw; Beggarticks; Betony, Florida; Bindweed, field; Bird vetch; Bitter wintercress; Bittercress, hairy; Bitterweed; Black-eyed Susan; Black medic; Black mustard; Blackseed plantain; Blessed thistle; Bloodflower milkweed; Blue lettuce; Blue vervain; Bracted plantain; Brassbuttons; Bristly oxtongue; Broadleaf dock; Broadleaf plantain; Broomweed; Buckhorn; Buckhorn plantain; Bulbous buttercup; Bull thistle; Bullnettle; Burclover; Burdock; Burning nettle; Burweed; Buttercup; Buttonweed; Canada thistle; Carolina geranium; Carpetweed; Catchweed bedstraw; Catnip; Catsear; Chickweed, common; Chickweed, mouseear; Chicory; Cinquefoil; Clover, crimson; Clover, hop; Clover, red; Clover, strawberry; Clover, sweet; Clover, white; Cocklebur; Common mullein; Creeping Jenny (Creeping Charlie); Cudweed; Curly dock; Daisy, English; Daisy fleabane; Daisy, oxeye; Dandelion; Dichondra; Dogbane; Dogfennel; Dollarweed; False dandelion; Falseflax; False sunflower; Fiddleneck; Florida pusley; Frenchweed; Galinsoga; Goathead; Goldenrod; Ground ivy; Gumweed; Hairy fleabane; Hawkweed; Healall; Heartleaf drymary; Heathaster; Hedge bindweed; Hedge mustard; Hemp; Henbit; Hoary cress; Hoary plantain; Hoary vervain; Horsenettle; Jimsonweed; Knawel; Knotweed; Kochia; Lambsquarters; Lespedeza; Mallow; Matchweed; Mexican weed; Milk vetch; Morningglory; Mousee ar hawkweed; Mugwort; Musk thistle; Mustard; Narrowleaf plantain; Mallow; Matchweed; Mugwort; Musk thistle; Mustard; Narrowleaf plantain; Mallow; Matchweed; Mugwort; Musk thistle; Mustard; Narrowleaf plantain; Mallow; Matchweed; Mugwort; Musk thistle; Mustard; Narrowleaf plantain; Mallow; Mallow; Musk thistle; Mustard; Narrowleaf plantain; Musk thistle; Musk thistleNarrowleaf vetch; Nettle; Orange hawkweed; Oriental cocklebur; Oxalis; Parsley-piert; Parsnip; Pearlwort; Pennycress; Pennywort; Peppergrass; Pepperweed; Pigweed; Pineywoods bedstraw; Plains coreopsis (tickseed); Plantain; Poison ivy; Poison oak; Pokeweed; Poorjoe; Prairie sunflower; Prickly lettuce; Prickly sida; Prostrate knotweed; Prostrate pigweed; Prostrate spurge; Prostrate vervain; Puncturevine; Purslane, common; Ragweed; Red sorrel; Redroot pigweed; Redstem filaree; Rough cinquefoil; Rough fleabane; Russian pigweed; Russian thistle; Scarlet pimpernel; Scotch thistle; Sheep sorrel; Shepherd's purse; Slender plantain; Smallflower galinsoga; Smooth dock; Smooth pigweed; Sorrel; Sowthistle; Spanishneedles; Speedwell; Spiny amaranth; Spiny cocklebur; Spiny sowthistle; Spotted catsear; Spotted spurge; Spurweed; Stinging nettle; Strawberry, India mock; Tall nettle; Tall vervain; Tansy ragwort; Tansy mustard; Tanweed; Thistle; Trailing crownvetch; Tumble mustard; Tumble pigweed; Velvetleaf; Venice mallow; Virginia buttonweed; Virginia creeper; Virginia pepperweed; Wavyleaf bullthistle; Western clematis; Western salsify; White mustard; Wild aster; Wild buckwheat; Wild carrot; Wild four-o'clock; Wild garlic; Wild geranium; Wild lettuce; Wild marigold; Wild mustard; Wild onion; Wild parsnip; Wild radish; Wild rape; Wild strawberry; Wild sweet potato; Wild vetch; Wild violet; Woodsorrel; Woolly croton; Woolly morningglory; Woolly plantain; Wormseed; Yarrow; Yellow rocket; Yellowflower pepperweed.

STORAGE AND DISPOSAL

PESTICIDE STORAGE

Keep from freezing. To be stored in original container and placed in areas inaccessible to children.

PESTICIDE DISPOSAL & CONTAINER HANDLING

Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash clothing before reuse. Wear long-sleeved shirt, long pants, shoes and socks.

FIRST AID	
IF SWALLOWED	Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Do not give anything to an unconscious person.
IF IN EYES	Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first five minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
	inter or label with you when calling a poison control center or doctor, or going

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic invertebrates. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

This product has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

NOTICE: To the extent consistent with applicable law, the buyer assumes all risks of use, storage or handling of this product not in accordance with label directions.

STORAGE AND DISPOSAL	
PESTICIDE STORAGE	Keep from freezing. To be stored in original container and placed in areas inaccessible to children.
PESTICIDE DISPOSAL & CONTAINER HANDLING	Nonrefillable container. Do not reuse or refill this container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash clothing before reuse. Wear long-sleeved shirt, long pants, shoes and socks.

FIRST AID	
IF SWALLOWED	Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Do not give anything to an unconscious person.
IF IN EYES	Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first five minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-877-465-5161 for emergency medical treatment advice.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic invertebrates. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

This product has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

NOTICE: To the extent consistent with applicable law, the buyer assumes all risks of use, storage or handling of this product not in accordance with label directions.



If for any reason you, the consumer, are not satisfied with this product, mail us your original proof of purchase to obtain a full refund of your purchase price.

©2020 The ORTHO Group. World rights reserved. Sold by **The ORTHO Group** P.O. Box 190, Marysville, OH 43040

EPA Reg. No. 2217-991-239 EPA Est. No. 239-IA-3



